Ipconfig

Command Prompt

```
C:\Users\User>ipconfig
Windows IP Configuration
Ethernet adapter Ethernet:
   Media State . . . . . . . . . . . : Media disconnected Connection-specific DNS Suffix . :
Wireless LAN adapter Local Area Connection* 1:
   Media State . . . . . . . . . : Media disconnected Connection-specific DNS Suffix . :
Wireless LAN adapter Local Area Connection* 10:
   Media State . . . . . . . . . : Media disconnected Connection-specific DNS Suffix . :
Wireless LAN adapter Wi-Fi 2:
   Link-local IPv6 Address . . . : fe80::9cd4:fc12:aaed:dff2%6
IPv4 Address . . . . : 192.168.1.9
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . : fe80::1%6
                                             192.168.1.1
Ethernet adapter Bluetooth Network Connection:
                                    . . . : Media disconnected
   Media State . . . . . . . .
   Connection-specific DNS Suffix .:
C:\Users\User>
```

Ipconfig/all

Command Prompt

```
C:\Users\User>ipconfig/all
Windows IP Configuration
  Host Name . . . . . . . . . : DESKTOP-KAPOF4H Primary Dns Suffix . . . . . . :
  WINS Proxy Enabled. . . . . . : No
Ethernet adapter Ethernet:
                                   . . . : Media disconnected
   Media State . . .
   Connection-specific DNS Suffix . :
   Description . . . . . . . . . : Intel(R) Ethernet Connection (4) I219-LM
   Physical Address. . . . . . . : A4-4C-C8-12-5C-87
   DHCP Enabled. . . . . . . . . . . Yes
   Autoconfiguration Enabled . . . . : Yes
Wireless LAN adapter Local Area Connection* 1:
   Media State . . .
                                   . . . : Media disconnected
   Connection-specific DNS Suffix . :
  Description . . . . . . . . . : Microsoft Wi-Fi Direct Virtual Adapter
   Physical Address. . . . . . . : 34-F6-4B-98-3E-70
  DHCP Enabled. . . . . . . . . . . Yes
   Autoconfiguration Enabled . . . . : Yes
Wireless LAN adapter Local Area Connection* 10:
   Media State . . . . . . . . . : Media disconnected
  Connection-specific DNS Suffix .:
Description . . . . . . . . . . . . Microsoft Wi-Fi Direct Virtual Adapter #2
  Physical Address. . . . . . . : 36-F6-4B-98-3E-6F
DHCP Enabled. . . . . . . : Yes
Autoconfiguration Enabled . . . : Yes
Wireless LAN adapter Wi-Fi 2:
  Connection-specific DNS Suffix .:
Description . . . . . . . . . : Intel(R) Dual Band Wireless-AC 8265 #2
Physical Address . . . . . . . : 34-F6-4B-98-3E-6F
DHCP Enabled . . . . . . . . : Yes
```

Getmac

Command Prompt

Command Prompt

C:\Users\User>hostname DESKTOP-KAPOF4H

Hostname

Tracert

```
Command Prompt
C:\Users\User>tracert saveetha.ac.in
Tracing route to saveetha.ac.in [103.21.58.16]
over a maximum of 30 hops:
                                1 ms 192.168.1.1
3 ms abts-tn-dynamic-1.64.65.182-airtelbroadband.in [182.65.64.1]
         1 ms
                     3 ms
          3 ms
                     3 ms
                               3 ms 125.17.96.17
3 ms 182.79.208.203
10 ms 125.17.109.150
          3 ms
                     3 ms
          3 ms
                    3 ms
                    4 ms
         4 ms
                              5 ms 172.18.30.209 [172.18.30.209]
3 ms 172.18.30.201 [172.18.30.201]
* Request timed out.
* Request timed out.
         3 ms
                   4 ms
                   3 ms
          3 ms
                                         Request timed out.
        23 ms
 10
                    23 ms
                               23 ms md-in-1.webhostbox.net [103.21.58.16]
Trace complete.
```

Ping

```
C:\Users\User>ping yahoo.com

Pinging yahoo.com [2001:4998:44:3507::8000] with 32 bytes of data:
Reply from 2001:4998:44:3507::8000: time=361ms
Reply from 2001:4998:44:3507::8000: time=361ms
Reply from 2001:4998:44:3507::8000: time=257ms
Reply from 2001:4998:44:3507::8000: time=343ms

Ping statistics for 2001:4998:44:3507::8000:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 257ms, Maximum = 361ms, Average = 330ms
```

Netstat General Prompt

Nslookup