




Space X Falcon 9 First Stage Landing Prediction

Web scraping Falcon 9 and Falcon Heavy Launches Records from Wikipedia

Estimated time needed: **40** minutes

In this lab, you will be performing web scraping to collect Falcon 9 historical launch records from a Wikipedia page titled `List of Falcon 9 and Falcon Heavy launches`

https://en.wikipedia.org/wiki/List_of_Falcon_9_and_Falcon_Heavy_launches



Falcon 9 first stage will land successfully



Several examples of an unsuccessful landing are shown here:



More specifically, the launch records are stored in a HTML table shown below:

2020 [edit]

In late 2019, Gwynne Shotwell stated that SpaceX hoped for as many as 24 launches for Starlink satellites in 2020,^[490] in addition to 14 or 15 non-Starlink launches. At 26 launches, 13 of which for Starlink satellites, Falcon 9 had its most prolific year, and Falcon rockets were second most prolific rocket family of 2020, only behind China's Long March rocket family.^[491]

[hide] Flight No.	Date and time (UTC)	Version, Booster ^[6]	Launch site	Payload ^[4]	Payload mass	Orbit	Customer	Launch outcome	Booster landing
78	7 January 2020, 02:19:21 ^[492]	F9 B5 Δ B1049.4	CCAFS, SLC-40	Starlink 2 v1.0 (60 satellites)	15,600 kg (34,400 lb) ^[6]	LEO	SpaceX	Success	Success (drone ship)
Third large batch and second operational flight of Starlink constellation. One of the 60 satellites included a test coating to make the satellite less reflective, and thus less likely to interfere with ground-based astronomical observations. ^[493]									
79	19 January 2020, 15:30 ^[494]	F9 B5 Δ B1046.4	KSC, LC-39A	Crew Dragon in-flight abort test ^[495] (Dragon C205.1)	12,050 kg (26,570 lb)	Sub-orbital ^[496]	NASA (CTS) ^[497]	Success	No attempt
An atmospheric test of the Dragon 2 abort system after Max Q. The capsule fired its SuperDraco engines, reached an apogee of 40 km (25 mi), deployed parachutes after reentry, and splashed down in the ocean 31 km (19 mi) downrange from the launch site. The test was previously slated to be accomplished with the Crew Dragon Demo-1 capsule. ^[498] but that test article exploded during a ground test of SuperDraco engines on 20 April 2019. ^[4110] The abort test used the capsule originally intended for the first crewed flight. ^[499] As expected, the booster was destroyed by aerodynamic forces after the capsule aborted. ^[500] First flight of a Falcon 9 with only one functional stage — the second stage had a mass simulator in place of its engine.									
80	29 January 2020, 14:07 ^[501]	F9 B5 Δ B1051.3	CCAFS, SLC-40	Starlink 3 v1.0 (60 satellites)	15,600 kg (34,400 lb) ^[6]	LEO	SpaceX	Success	Success (drone ship)
Third operational and fourth large batch of Starlink satellites, deployed in a circular 290 km (180 mi) orbit. One of the fairing halves was caught, while the other was fished out of the ocean. ^[502]									
81	17 February 2020, 15:05 ^[503]	F9 B5 Δ B1056.4	CCAFS, SLC-40	Starlink 4 v1.0 (60 satellites)	15,600 kg (34,400 lb) ^[6]	LEO	SpaceX	Success	Failure (drone ship)
Fourth operational and fifth large batch of Starlink satellites. Used a new flight profile which deployed into a 212 km x 386 km (132 mi x 240 mi) elliptical orbit instead of launching into a circular orbit and firing the second stage engine twice. The first stage booster failed to land on the drone ship ^[504] due to incorrect wind data. ^[505] This was the first time a flight proven booster failed to land.									
82	7 March 2020, 04:50 ^[506]	F9 B5 Δ B1059.2	CCAFS, SLC-40	SpaceX CRS-20 (Dragon C112.3 Δ)	1,977 kg (4,359 lb) ^[507]	LEO (ISS)	NASA (CRS)	Success	Success (ground pad)
Last launch of phase 1 of the CRS contract. Carries Bartolomeo, an ESA platform for hosting external payloads onto ISS. ^[508] Originally scheduled to launch on 2 March 2020, the launch date was pushed back due to a second stage engine failure. SpaceX decided to swap out the second stage instead of replacing the faulty part. ^[509] It was SpaceX's 50th successful landing of a first stage booster, the third flight of the Dragon C112 and the last launch of the cargo Dragon spacecraft.									
83	18 March 2020, 12:16 ^[510]	F9 B5 Δ B1048.5	KSC, LC-39A	Starlink 5 v1.0 (60 satellites)	15,600 kg (34,400 lb) ^[6]	LEO	SpaceX	Success	Failure (drone ship)
Fifth operational launch of Starlink satellites. It was the first time a first stage booster flew for a fifth time and the second time the fairings were reused (Starlink flight in May 2019). ^[511] Towards the end of the first stage burn, the booster suffered premature shut down of an engine, the first of a Merlin 1D variant and first since the CRS-1 mission in October 2012. However, the payload still reached the targeted orbit. ^[512] This was the second Starlink launch booster landing failure in a row, later revealed to be caused by residual cleaning fluid trapped inside a sensor. ^[513]									
84	22 April 2020, 19:30 ^[514]	F9 B5 Δ B1051.4	KSC, LC-39A	Starlink 6 v1.0 (60 satellites)	15,600 kg (34,400 lb) ^[6]	LEO	SpaceX	Success	Success (drone ship)

Objectives

Web scrap Falcon 9 launch records with `BeautifulSoup` :

- Extract a Falcon 9 launch records HTML table from Wikipedia
- Parse the table and convert it into a Pandas data frame

First let's import required packages for this lab

```
In [1]: !pip3 install beautifulsoup4
!pip3 install requests
```

```
Requirement already satisfied: beautifulsoup4 in /home/jupyterlab/conda/envs/python/
lib/python3.7/site-packages (4.11.1)
Requirement already satisfied: soupsieve>1.2 in /home/jupyterlab/conda/envs/python/l
ib/python3.7/site-packages (from beautifulsoup4) (2.3.2.post1)
Requirement already satisfied: requests in /home/jupyterlab/conda/envs/python/lib/py
thon3.7/site-packages (2.29.0)
Requirement already satisfied: charset-normalizer<4,>=2 in /home/jupyterlab/conda/en
vs/python/lib/python3.7/site-packages (from requests) (3.1.0)
Requirement already satisfied: idna<4,>=2.5 in /home/jupyterlab/conda/envs/python/li
b/python3.7/site-packages (from requests) (3.4)
Requirement already satisfied: urllib3<1.27,>=1.21.1 in /home/jupyterlab/conda/envs/
python/lib/python3.7/site-packages (from requests) (1.26.15)
Requirement already satisfied: certifi>=2017.4.17 in /home/jupyterlab/conda/envs/pyt
hon/lib/python3.7/site-packages (from requests) (2023.5.7)
```

```
In [3]: import sys

import requests
from bs4 import BeautifulSoup
import re
import unicodedata
import pandas as pd
```

and we will provide some helper functions for you to process web scraped HTML table

```
In [5]: def date_time(table_cells):
    """
    This function returns the data and time from the HTML table cell
    Input: the element of a table data cell extracts extra row
    """
    return [data_time.strip() for data_time in list(table_cells.strings)][0:2]

def booster_version(table_cells):
    """
    This function returns the booster version from the HTML table cell
    Input: the element of a table data cell extracts extra row
    """
    out=''.join([booster_version for i,booster_version in enumerate( table_cells.st
    return out

def landing_status(table_cells):
```

```

"""
This function returns the landing status from the HTML table cell
Input: the element of a table data cell extracts extra row
"""
out=[i for i in table_cells.strings][0]
return out

def get_mass(table_cells):
    mass=unicodedata.normalize("NFKD", table_cells.text).strip()
    if mass:
        mass.find("kg")
        new_mass=mass[0:mass.find("kg")+2]
    else:
        new_mass=0
    return new_mass

def extract_column_from_header(row):
    """
    This function returns the landing status from the HTML table cell
    Input: the element of a table data cell extracts extra row
    """
    if (row.br):
        row.br.extract()
    if row.a:
        row.a.extract()
    if row.sup:
        row.sup.extract()

    column_name = ' '.join(row.contents)

    # Filter the digit and empty names
    if not(column_name.strip().isdigit()):
        column_name = column_name.strip()
    return column_name

```

To keep the lab tasks consistent, you will be asked to scrape the data from a snapshot of the [List of Falcon 9 and Falcon Heavy launches](#) Wikipage updated on 9th June 2021

In [6]: `static_url = "https://en.wikipedia.org/w/index.php?title=List_of_Falcon_9_and_Falco`

Next, request the HTML page from the above URL and get a `response` object

TASK 1: Request the Falcon9 Launch Wiki page from its URL

First, let's perform an HTTP GET method to request the Falcon9 Launch HTML page, as an HTTP response.

In [7]: `# use requests.get() method with the provided static_url
assign the response to a object`

```
response = requests.get(static_url)
```

Create a `BeautifulSoup` object from the HTML `response`

```
In [9]: # Use BeautifulSoup() to create a BeautifulSoup object from a response text content
soup = BeautifulSoup(response.text, "html.parser")
```

Print the page title to verify if the `BeautifulSoup` object was created properly

```
In [10]: # Use soup.title attribute
soup.title
```

```
Out[10]: <title>List of Falcon 9 and Falcon Heavy launches - Wikipedia</title>
```

TASK 2: Extract all column/variable names from the HTML table header

Next, we want to collect all relevant column names from the HTML table header

Let's try to find all tables on the wiki page first. If you need to refresh your memory about `BeautifulSoup`, please check the external reference link towards the end of this lab

```
In [13]: # Use the find_all function in the BeautifulSoup object, with element type `table`
# Assign the result to a list called `html_tables`
html_tables = soup.find_all('table')
```

Starting from the third table is our target table contains the actual launch records.

```
In [14]: # Let's print the third table and check its content
first_launch_table = html_tables[2]
print(first_launch_table)
```

```

<table class="wikitable plainrowheaders collapsible" style="width: 100%;">
<tbody><tr>
<th scope="col">Flight No.
</th>
<th scope="col">Date and<br/>time (<a href="/wiki/Coordinated_Universal_Time" title="Coordinated Universal Time">UTC</a>)
</th>
<th scope="col"><a href="/wiki/List_of_Falcon_9_first-stage_boosters" title="List of Falcon 9 first-stage boosters">Version,<br/>Booster</a> <sup class="reference" id="cite_ref-booster_11-0"><a href="#cite_note-booster-11"><span class="cite-bracket">[</span><span>b<span class="cite-bracket">]</span></span></a></sup>
</th>
<th scope="col">Launch site
</th>
<th scope="col">Payload<sup class="reference" id="cite_ref-Dragon_12-0"><a href="#cite_note-Dragon-12"><span class="cite-bracket">[</span><span>c<span class="cite-bracket">]</span></span></a></sup>
</th>
<th scope="col">Payload mass
</th>
<th scope="col">Orbit
</th>
<th scope="col">Customer
</th>
<th scope="col">Launch<br/>outcome
</th>
<th scope="col"><a href="/wiki/Falcon_9_first-stage_landing_tests" title="Falcon 9 first-stage landing tests">Booster<br/>landing</a>
</th></tr>
<tr>
<th rowspan="2" scope="row" style="text-align:center;">1
</th>
<td>4 June 2010,<br/>18:45
</td>
<td><a href="/wiki/Falcon_9_v1.0" title="Falcon 9 v1.0">F9 v1.0</a><sup class="reference" id="cite_ref-MuskMay2012_13-0"><a href="#cite_note-MuskMay2012-13"><span class="cite-bracket">[</span><span>7<span class="cite-bracket">]</span></span></a></sup><br/>B0003.1<sup class="reference" id="cite_ref-block_numbers_14-0"><a href="#cite_note-block_numbers-14"><span class="cite-bracket">[</span><span>8<span class="cite-bracket">]</span></span></a></sup>
</td>
<td><a href="/wiki/Cape_Canaveral_Space_Force_Station" title="Cape Canaveral Space Force Station">CCAFS</a>,<br/><a href="/wiki/Cape_Canaveral_Space_Launch_Complex_40" title="Cape Canaveral Space Launch Complex 40">SLC-40</a>
</td>
<td><a href="/wiki/Dragon_Spacecraft_Qualification_Unit" title="Dragon Spacecraft Qualification Unit">Dragon Spacecraft Qualification Unit</a>
</td>
<td>
</td>
<td>
</td>
<td><a href="/wiki/Low_Earth_orbit" title="Low Earth orbit">LEO</a>
</td>
<td><a href="/wiki/SpaceX" title="SpaceX">SpaceX</a>
</td>
<td class="table-success" style="background: #9EFF9E; color:black; vertical-align: middle; text-align: center;">Success

```

```

</td>
<td class="table-failure" style="background: #FFC7C7; color:black; vertical-align: middle; text-align: center;">Failure<sup class="reference" id="cite_ref-ns20110930_15-0"><a href="#cite_note-ns20110930-15"><span class="cite-bracket">[</span>9<span class="cite-bracket">]</span></a></sup><sup class="reference" id="cite_ref-16"><a href="#cite_note-16"><span class="cite-bracket">[</span>10<span class="cite-bracket">]</span></a></sup><br/><small>(parachute)</small>
</td></tr>
<tr>
<td colspan="9">First flight of Falcon 9 v1.0.<sup class="reference" id="cite_ref-sfn20100604_17-0"><a href="#cite_note-sfn20100604-17"><span class="cite-bracket">[</span>11<span class="cite-bracket">]</span></a></sup> Used a boilerplate version of Dragon capsule which was not designed to separate from the second stage.<small>(<a href="#First_flight_of_Falcon_9">more details below</a>)</small> Attempted to recover the first stage by parachuting it into the ocean, but it burned up on reentry, before the parachutes even deployed.<sup class="reference" id="cite_ref-parachute_18-0"><a href="#cite_note-parachute-18"><span class="cite-bracket">[</span>12<span class="cite-bracket">]</span></a></sup>
</td></tr>
<tr>
<th rowspan="2" scope="row" style="text-align:center;">2
</th>
<td>8 December 2010,<br/>15:43<sup class="reference" id="cite_ref-spaceflightnow_Clark_Launch_Report_19-0"><a href="#cite_note-spaceflightnow_Clark_Launch_Report-19"><span class="cite-bracket">[</span>13<span class="cite-bracket">]</span></a></sup>
</td>
<td><a href="/wiki/Falcon_9_v1.0" title="Falcon 9 v1.0">F9 v1.0</a><sup class="reference" id="cite_ref-MuskMay2012_13-1"><a href="#cite_note-MuskMay2012-13"><span class="cite-bracket">[</span>7<span class="cite-bracket">]</span></a></sup><br/>B0004.1<sup class="reference" id="cite_ref-block_numbers_14-1"><a href="#cite_note-block_numbers-14"><span class="cite-bracket">[</span>8<span class="cite-bracket">]</span></a></sup>
</td>
<td><a href="/wiki/Cape_Canaveral_Space_Force_Station" title="Cape Canaveral Space Force Station">CCAFS</a>,<br/><a href="/wiki/Cape_Canaveral_Space_Launch_Complex_40" title="Cape Canaveral Space Launch Complex 40">SLC-40</a>
</td>
<td><a href="/wiki/SpaceX_Dragon" title="SpaceX Dragon">Dragon</a> <a class="mw-redirect" href="/wiki/COTS_Demo_Flight_1" title="COTS Demo Flight 1">demo flight C1</a><br/>(Dragon C101)
</td>
<td>
</td>
<td>
</td>
<td><a href="/wiki/Low_Earth_orbit" title="Low Earth orbit">LEO</a> (<a href="/wiki/International_Space_Station" title="International Space Station">ISS</a>)
</td>
<td><style data-mw-deduplicate="TemplateStyles:r1126788409">.mw-parser-output .plainlist ol,.mw-parser-output .plainlist ul{line-height:inherit;list-style:none;margin:0;padding:0}.mw-parser-output .plainlist ol li,.mw-parser-output .plainlist ul li{margin-bottom:0}</style><div class="plainlist">
<ul><li><a href="/wiki/NASA" title="NASA">NASA</a> (<a href="/wiki/Commercial_Orbital_Transportation_Services" title="Commercial Orbital Transportation Services">COTS</a>)</li>
<li><a href="/wiki/National_Reconnaissance_Office" title="National Reconnaissance Office">NRO</a></li></ul>
</div>

```

```

</td>
<td class="table-success" style="background: #9EFF9E; color:black; vertical-align: middle; text-align: center;">Success<sup class="reference" id="cite_ref-ns20110930_15-1"><a href="#cite_note-ns20110930-15"><span class="cite-bracket">[</span>9<span class="cite-bracket">]</span></a></sup>
</td>
<td class="table-failure" style="background: #FFC7C7; color:black; vertical-align: middle; text-align: center;">Failure<sup class="reference" id="cite_ref-ns20110930_15-2"><a href="#cite_note-ns20110930-15"><span class="cite-bracket">[</span>9<span class="cite-bracket">]</span></a></sup><sup class="reference" id="cite_ref-20"><a href="#cite_note-20"><span class="cite-bracket">[</span>14<span class="cite-bracket">]</span></a></sup><br/><small>(parachute)</small>
</td></tr>
<tr>
<td colspan="9">Maiden flight of <a class="mw-redirect" href="/wiki/Dragon_capsule" title="Dragon capsule">Dragon capsule</a>, consisting of over 3 hours of testing thruster maneuvering and reentry.<sup class="reference" id="cite_ref-spaceflightnow_Clark_unleashing_Dragon_21-0"><a href="#cite_note-spaceflightnow_Clark_unleashing_Dragon-21"><span class="cite-bracket">[</span>15<span class="cite-bracket">]</span></a></sup> Attempted to recover the first stage by parachuting it into the ocean, but it disintegrated upon reentry, before the parachutes were deployed.<sup class="reference" id="cite_ref-parachute_18-1"><a href="#cite_note-parachute-18"><span class="cite-bracket">[</span>12<span class="cite-bracket">]</span></a></sup> <small>(<a href="#COTS_demo_missions">more details below</a>)</small> It also included two <a href="/wiki/CubeSat" title="CubeSat">CubeSats</a>,<sup class="reference" id="cite_ref-NRO_Taps_Boeing_for_Next_Batch_of_CubeSats_22-0"><a href="#cite_note-NRO_Taps_Boeing_for_Next_Batch_of_CubeSats-22"><span class="cite-bracket">[</span>16<span class="cite-bracket">]</span></a></sup> and a wheel of <a href="/wiki/Brou%C3%A8re" title="Brouère">Brouère</a> cheese.
</td></tr>
<tr>
<th rowspan="2" scope="row" style="text-align:center;">3
</th>
<td>22 May 2012,<br/>07:44<sup class="reference" id="cite_ref-BBC_new_era_23-0"><a href="#cite_note-BBC_new_era-23"><span class="cite-bracket">[</span>17<span class="cite-bracket">]</span></a></sup>
</td>
<td><a href="/wiki/Falcon_9_v1.0" title="Falcon 9 v1.0">F9 v1.0</a><sup class="reference" id="cite_ref-MuskMay2012_13-2"><a href="#cite_note-MuskMay2012-13"><span class="cite-bracket">[</span>7<span class="cite-bracket">]</span></a></sup><br/>B0005.1<sup class="reference" id="cite_ref-block_numbers_14-2"><a href="#cite_note-block_numbers-14"><span class="cite-bracket">[</span>8<span class="cite-bracket">]</span></a></sup>
</td>
<td><a href="/wiki/Cape_Canaveral_Space_Force_Station" title="Cape Canaveral Space Force Station">CCAFS</a>,<br/><a href="/wiki/Cape_Canaveral_Space_Launch_Complex_40" title="Cape Canaveral Space Launch Complex 40">SLC-40</a>
</td>
<td><a href="/wiki/SpaceX_Dragon" title="SpaceX Dragon">Dragon</a> <a class="mw-redirect" href="/wiki/Dragon_C2%2B" title="Dragon C2+">demo flight C2+</a><sup class="reference" id="cite_ref-C2_24-0"><a href="#cite_note-C2-24"><span class="cite-bracket">[</span>18<span class="cite-bracket">]</span></a></sup><br/>(Dragon C102)
</td>
<td>525 kg (1,157 lb)<sup class="reference" id="cite_ref-25"><a href="#cite_note-25"><span class="cite-bracket">[</span>19<span class="cite-bracket">]</span></a></sup>
</td>

```



```

</td>
<td><a href="/wiki/Low_Earth_orbit" title="Low Earth orbit">LEO</a> (<a href="/wiki/
International_Space_Station" title="International Space Station">ISS</a>)
</td>
<td><a href="/wiki/NASA" title="NASA">NASA</a> (<a href="/wiki/Commercial_Orbital_Tr
ansportation_Services" title="Commercial Orbital Transportation Services">COTS</a>)
</td>
<td class="table-success" style="background: #9EFF9E; color:black; vertical-align: m
iddle; text-align: center;">Success<sup class="reference" id="cite_ref-26"><a href
="#cite_note-26"><span class="cite-bracket">[</span>20<span class="cite-bracket">]</
span></a></sup>
</td>
<td class="table-noAttempt" style="background: #EEE; color:black; vertical-align: mi
ddle; white-space: nowrap; text-align: center;">No attempt
</td></tr>
<tr>
<td colspan="9">Dragon spacecraft demonstrated a series of tests before it was allow
ed to approach the <a href="/wiki/International_Space_Station" title="International
Space Station">International Space Station</a>. Two days later, it became the first
commercial spacecraft to board the ISS.<sup class="reference" id="cite_ref-BBC_new_e
ra_23-1"><a href="#cite_note-BBC_new_era-23"><span class="cite-bracket">[</span>17<s
pan class="cite-bracket">]</span></a></sup> <small>(<a href="#COTS_demo_missions">mo
re details below</a>)</small>
</td></tr>
<tr>
<th rowspan="3" scope="row" style="text-align:center;">4
</th>
<td rowspan="2">8 October 2012,<br>00:35<sup class="reference" id="cite_ref-SFN_LLo
g_27-0"><a href="#cite_note-SFN_LLog-27"><span class="cite-bracket">[</span>21<span
class="cite-bracket">]</span></a></sup>
</td>
<td rowspan="2"><a href="/wiki/Falcon_9_v1.0" title="Falcon 9 v1.0">F9 v1.0</a><sup
class="reference" id="cite_ref-MuskMay2012_13-3"><a href="#cite_note-MuskMay2012-1
3"><span class="cite-bracket">[</span>7<span class="cite-bracket">]</span></a></sup>
<br>B0006.1<sup class="reference" id="cite_ref-block_numbers_14-3"><a href="#cite_n
ote-block_numbers-14"><span class="cite-bracket">[</span>8<span class="cite-bracke
t">]</span></a></sup>
</td>
<td rowspan="2"><a href="/wiki/Cape_Canaveral_Space_Force_Station" title="Cape Canav
eral Space Force Station">CCAFS</a>,<br><a href="/wiki/Cape_Canaveral_Space_Launch_
Complex_40" title="Cape Canaveral Space Launch Complex 40">SLC-40</a>
</td>
<td><a href="/wiki/SpaceX_CRS-1" title="SpaceX CRS-1">SpaceX CRS-1</a><sup class="re
ference" id="cite_ref-sxManifest20120925_28-0"><a href="#cite_note-sxManifest2012092
5-28"><span class="cite-bracket">[</span>22<span class="cite-bracket">]</span></a></
sup><br>(Dragon C103)
</td>
<td>4,700 kg (10,400 lb)
</td>
<td><a href="/wiki/Low_Earth_orbit" title="Low Earth orbit">LEO</a> (<a href="/wiki/
International_Space_Station" title="International Space Station">ISS</a>)
</td>
<td><a href="/wiki/NASA" title="NASA">NASA</a> (<a href="/wiki/Commercial_Resupply_S
ervices" title="Commercial Resupply Services">CRS</a>)
</td>
<td class="table-success" style="background: #9EFF9E; color:black; vertical-align: m

```

```

middle; text-align: center;">Success
</td>
<td rowspan="2" style="background:#ecec; text-align:center;"><span class="nowrap">
No attempt</span>
</td></tr>
<tr>
<td><a href="/wiki/Orbcomm_(satellite)" title="Orbcomm (satellite)">Orbcomm-OG2</a><
sup class="reference" id="cite_ref-Orbcomm_29-0"><a href="#cite_note-Orbcomm-29"><sp
an class="cite-bracket">[</span>23<span class="cite-bracket">]</span></a></sup>
</td>
<td>172 kg (379 lb)<sup class="reference" id="cite_ref-gunter-og2_30-0"><a href="#ci
te_note-gunter-og2-30"><span class="cite-bracket">[</span>24<span class="cite-bracke
t">]</span></a></sup>
</td>
<td><a href="/wiki/Low_Earth_orbit" title="Low Earth orbit">LEO</a>
</td>
<td><a href="/wiki/Orbcomm" title="Orbcomm">Orbcomm</a>
</td>
<td class="table-partial" style="background: #FFB; color:black; vertical-align: midd
le; text-align: center;">Partial failure<sup class="reference" id="cite_ref-nyt-2012
1030_31-0"><a href="#cite_note-nyt-20121030-31"><span class="cite-bracket">[</span>2
5<span class="cite-bracket">]</span></a></sup>
</td></tr>
<tr>
<td colspan="9">CRS-1 was successful, but the <a href="/wiki/Secondary_payload" titl
e="Secondary payload">secondary payload</a> was inserted into an abnormally low orbi
t and subsequently lost. This was due to one of the nine <a href="/wiki/SpaceX_Merlin"
title="SpaceX Merlin">Merlin engines</a> shutting down during the launch, and NAS
A declining a second reignition, as per <a href="/wiki/International_Space_Station"
title="International Space Station">ISS</a> visiting vehicle safety rules, the prima
ry payload owner is contractually allowed to decline a second reignition. NASA state
d that this was because SpaceX could not guarantee a high enough likelihood of the s
econd stage completing the second burn successfully which was required to avoid any
risk of secondary payload's collision with the ISS.<sup class="reference" id="cite_r
ef-OrbcommTotalLoss_32-0"><a href="#cite_note-OrbcommTotalLoss-32"><span class="cite
-bracket">[</span>26<span class="cite-bracket">]</span></a></sup><sup class="referen
ce" id="cite_ref-sn20121011_33-0"><a href="#cite_note-sn20121011-33"><span class="ci
te-bracket">[</span>27<span class="cite-bracket">]</span></a></sup><sup class="refer
ence" id="cite_ref-34"><a href="#cite_note-34"><span class="cite-bracket">[</span>28
<span class="cite-bracket">]</span></a></sup>
</td></tr>
<tr>
<th rowspan="2" scope="row" style="text-align:center;">5
</th>
<td>1 March 2013,<br/>15:10
</td>
<td><a href="/wiki/Falcon_9_v1.0" title="Falcon 9 v1.0">F9 v1.0</a><sup class="refer
ence" id="cite_ref-MuskMay2012_13-4"><a href="#cite_note-MuskMay2012-13"><span class
="cite-bracket">[</span>7<span class="cite-bracket">]</span></a></sup><br/>B0007.1<s
up class="reference" id="cite_ref-block_numbers_14-4"><a href="#cite_note-block_numb
ers-14"><span class="cite-bracket">[</span>8<span class="cite-bracket">]</span></a>
</sup>
</td>
<td><a href="/wiki/Cape_Canaveral_Space_Force_Station" title="Cape Canaveral Space F
orce Station">CCAFS</a>,<br/><a href="/wiki/Cape_Canaveral_Space_Launch_Complex_40"
title="Cape Canaveral Space Launch Complex 40">SLC-40</a>

```

```

</td>
<td><a href="/wiki/SpaceX_CRS-2" title="SpaceX CRS-2">SpaceX CRS-2</a><sup class="reference" id="cite_ref-sxManifest20120925_28-1"><a href="#cite_note-sxManifest20120925-28"><span class="cite-bracket">[</span>22<span class="cite-bracket">]</span></a></sup><br/>(Dragon C104)
</td>
<td>4,877 kg (10,752 lb)
</td>
<td><a href="/wiki/Low_Earth_orbit" title="Low Earth orbit">LEO</a> (<a class="mw-redirect" href="/wiki/ISS" title="ISS">ISS</a>)
</td>
<td><a href="/wiki/NASA" title="NASA">NASA</a> (<a href="/wiki/Commercial_Resupply_Services" title="Commercial Resupply Services">CRS</a>)
</td>
<td class="table-success" style="background: #9EFF9E; color:black; vertical-align: middle; text-align: center;">Success
</td>
<td class="table-noAttempt" style="background: #EEE; color:black; vertical-align: middle; white-space: nowrap; text-align: center;">No attempt
</td></tr>
<tr>
<td colspan="9">Last launch of the original Falcon 9 v1.0 <a href="/wiki/Launch_vehicle" title="Launch vehicle">launch vehicle</a>, first use of the unpressurized trunk section of Dragon.<sup class="reference" id="cite_ref-sxf9_20110321_35-0"><a href="#cite_note-sxf9_20110321-35"><span class="cite-bracket">[</span>29<span class="cite-bracket">]</span></a></sup>
</td></tr>
<tr>
<th rowspan="2" scope="row" style="text-align:center;">6
</th>
<td>29 September 2013,<br/>16:00<sup class="reference" id="cite_ref-pa20130930_36-0"><a href="#cite_note-pa20130930-36"><span class="cite-bracket">[</span>30<span class="cite-bracket">]</span></a></sup>
</td>
<td><a href="/wiki/Falcon_9_v1.1" title="Falcon 9 v1.1">F9 v1.1</a><sup class="reference" id="cite_ref-MuskMay2012_13-5"><a href="#cite_note-MuskMay2012-13"><span class="cite-bracket">[</span>7<span class="cite-bracket">]</span></a></sup><br/>B1003<sup class="reference" id="cite_ref-block_numbers_14-5"><a href="#cite_note-block_numbers-14"><span class="cite-bracket">[</span>8<span class="cite-bracket">]</span></a></sup>
</td>
<td><a class="mw-redirect" href="/wiki/Vandenberg_Air_Force_Base" title="Vandenberg Air Force Base">VAFB</a>,<br/><a href="/wiki/Vandenberg_Space_Launch_Complex_4" title="Vandenberg Space Launch Complex 4">SLC-4E</a>
</td>
<td><a href="/wiki/CASSIOPE" title="CASSIOPE">CASSIOPE</a><sup class="reference" id="cite_ref-sxManifest20120925_28-2"><a href="#cite_note-sxManifest20120925-28"><span class="cite-bracket">[</span>22<span class="cite-bracket">]</span></a></sup><sup class="reference" id="cite_ref-CASSIOPE_MDA_37-0"><a href="#cite_note-CASSIOPE_MDA-37"><span class="cite-bracket">[</span>31<span class="cite-bracket">]</span></a></sup>
</td>
<td>500 kg (1,100 lb)
</td>
<td><a href="/wiki/Polar_orbit" title="Polar orbit">Polar orbit</a> <a href="/wiki/Low_Earth_orbit" title="Low Earth orbit">LEO</a>
</td>

```

```

<td><a href="/wiki/Maxar_Technologies" title="Maxar Technologies">MDA</a>
</td>
<td class="table-success" style="background: #9EFF9E; color:black; vertical-align: middle; text-align: center;">Success<sup class="reference" id="cite_ref-pa20130930_36-1"><a href="#cite_note-pa20130930-36"><span class="cite-bracket">[</span>30<span class="cite-bracket">]</span></a></sup>
</td>
<td class="table-no2" style="background: #FFE3E3; color: black; vertical-align: middle; text-align: center;">Uncontrolled<br><small>(ocean)</small><sup class="reference" id="cite_ref-ocean_landing_38-0"><a href="#cite_note-ocean_landing-38"><span class="cite-bracket">[</span>d<span class="cite-bracket">]</span></a></sup>
</td></tr>
<tr>
<td colspan="9">First commercial mission with a private customer, first launch from Vandenberg, and demonstration flight of Falcon 9 v1.1 with an improved 13-tonne to LE0 capacity.<sup class="reference" id="cite_ref-sxf9_20110321_35-1"><a href="#cite_note-sxf9_20110321-35"><span class="cite-bracket">[</span>29<span class="cite-bracket">]</span></a></sup> After separation from the second stage carrying Canadian commercial and scientific satellites, the first stage booster performed a controlled reentry,<sup class="reference" id="cite_ref-39"><a href="#cite_note-39"><span class="cite-bracket">[</span>32<span class="cite-bracket">]</span></a></sup> and an <a href="/wiki/Falcon_9_first-stage_landing_tests" title="Falcon 9 first-stage landing tests">ocean touchdown test</a> for the first time. This provided good test data, even though the booster started rolling as it neared the ocean, leading to the shutdown of the central engine as the roll depleted it of fuel, resulting in a hard impact with the ocean.<sup class="reference" id="cite_ref-pa20130930_36-2"><a href="#cite_note-pa20130930-36"><span class="cite-bracket">[</span>30<span class="cite-bracket">]</span></a></sup> This was the first known attempt of a rocket engine being lit to perform a supersonic retro propulsion, and allowed SpaceX to enter a public-private partnership with <a href="/wiki/NASA" title="NASA">NASA</a> and its Mars entry, descent, and landing technologies research projects.<sup class="reference" id="cite_ref-40"><a href="#cite_note-40"><span class="cite-bracket">[</span>33<span class="cite-bracket">]</span></a></sup> <small>(<a href="#Maiden_flight_of_v1.1">more details below</a>)</small>
</td></tr>
<tr>
<th rowspan="2" scope="row" style="text-align:center;">7
</th>
<td>3 December 2013,<br>22:41<sup class="reference" id="cite_ref-sfn_wwls20130624_41-0"><a href="#cite_note-sfn_wwls20130624-41"><span class="cite-bracket">[</span>34<span class="cite-bracket">]</span></a></sup>
</td>
<td><a href="/wiki/Falcon_9_v1.1" title="Falcon 9 v1.1">F9 v1.1</a><br>B1004
</td>
<td><a href="/wiki/Cape_Canaveral_Space_Force_Station" title="Cape Canaveral Space Force Station">CCAFS</a>,<br><a href="/wiki/Cape_Canaveral_Space_Launch_Complex_40" title="Cape Canaveral Space Launch Complex 40">SLC-40</a>
</td>
<td><a href="/wiki/SES-8" title="SES-8">SES-8</a><sup class="reference" id="cite_ref-sxManifest20120925_28-3"><a href="#cite_note-sxManifest20120925-28"><span class="cite-bracket">[</span>22<span class="cite-bracket">]</span></a></sup><sup class="reference" id="cite_ref-spx-pr_42-0"><a href="#cite_note-spx-pr-42"><span class="cite-bracket">[</span>35<span class="cite-bracket">]</span></a></sup><sup class="reference" id="cite_ref-aw20110323_43-0"><a href="#cite_note-aw20110323-43"><span class="cite-bracket">[</span>36<span class="cite-bracket">]</span></a></sup>
</td>

```

```

<td>3,170 kg (6,990 lb)
</td>
<td><a href="/wiki/Geostationary_transfer_orbit" title="Geostationary transfer orbit">GT0</a>
</td>
<td><a class="mw-redirect" href="/wiki/SES_S.A." title="SES S.A.">SES</a>
</td>
<td class="table-success" style="background: #9EFF9E; color:black; vertical-align: middle; text-align: center;">Success<sup class="reference" id="cite_ref-SNMissionStatus7_44-0"><a href="#cite_note-SNMissionStatus7-44"><span class="cite-bracket">[</span>37<span class="cite-bracket">]</span></a></sup>
</td>
<td class="table-noAttempt" style="background: #EEE; color:black; vertical-align: middle; white-space: nowrap; text-align: center;">No attempt<br/><sup class="reference" id="cite_ref-sf10120131203_45-0"><a href="#cite_note-sf10120131203-45"><span class="cite-bracket">[</span>38<span class="cite-bracket">]</span></a></sup>
</td></tr>
<tr>
<td colspan="9">First <a href="/wiki/Geostationary_transfer_orbit" title="Geostationary transfer orbit">Geostationary transfer orbit</a> (GT0) launch for Falcon 9,<sup class="reference" id="cite_ref-spx-pr_42-1"><a href="#cite_note-spx-pr-42"><span class="cite-bracket">[</span>35<span class="cite-bracket">]</span></a></sup> and first successful reignition of the second stage.<sup class="reference" id="cite_ref-46"><a href="#cite_note-46"><span class="cite-bracket">[</span>39<span class="cite-bracket">]</span></a></sup> SES-8 was inserted into a <a href="/wiki/Geostationary_transfer_orbit" title="Geostationary transfer orbit">Super-Synchronous Transfer Orbit</a> of 79,341 km (49,300 mi) in apogee with an <a href="/wiki/Orbital_inclination" title="Orbital inclination">inclination</a> of 20.55° to the <a href="/wiki/Equator" title="Equator">equator</a>.
</td></tr></tbody></table>

```

You should be able to see the column names embedded in the table header elements `<th>` as follows:

```

<tr>
<th scope="col">Flight No.
</th>
<th scope="col">Date and<br/>time (<a href="/wiki/Coordinated_Universal_Time" title="Coordinated Universal Time">UTC</a>)
</th>
<th scope="col"><a href="/wiki/List_of_Falcon_9_first-stage_boosters" title="List of Falcon 9 first-stage boosters">Version,<br/>Booster</a> <sup class="reference" id="cite_ref-booster_11-0"><a href="#cite_note-booster-11">[b]</a></sup>
</th>
<th scope="col">Launch site
</th>
<th scope="col">Payload<sup class="reference" id="cite_ref-Dragon_12-0"><a href="#cite_note-Dragon-12">[c]</a></sup>
</th>
<th scope="col">Payload mass

```

```

</th>
<th scope="col">Orbit
</th>
<th scope="col">Customer
</th>
<th scope="col">Launch<br/>outcome
</th>
<th scope="col"><a href="/wiki/Falcon_9_first-stage_landing_tests"
title="Falcon 9 first-stage landing tests">Booster<br/>landing</a>
</th></tr>

```

Next, we just need to iterate through the `<th>` elements and apply the provided `extract_column_from_header()` to extract column name one by one

```

In [15]: column_names = []

# Apply find_all() function with `th` element on first_launch_table
th_elements = first_launch_table.find_all('th')

# Iterate each th element and apply the provided extract_column_from_header() to get
for th in th_elements:
    column = extract_column_from_header(th)

    # Append the Non-empty column name (if name is not None and len(name) > 0) in
    if column is not None and len(column) > 0:
        column_names.append(column)

```

Check the extracted column names

```

In [16]: print(column_names)

['Flight No.', 'Date and time ( )', 'Launch site', 'Payload', 'Payload mass', 'Orbit', 'Customer', 'Launch outcome']

```

TASK 3: Create a data frame by parsing the launch HTML tables

We will create an empty dictionary with keys from the extracted column names in the previous task. Later, this dictionary will be converted into a Pandas dataframe

```

In [17]: launch_dict= dict.fromkeys(column_names)

# Remove an irrelevant column
del launch_dict['Date and time ( )']

# Let's initial the launch_dict with each value to be an empty list
launch_dict['Flight No.'] = []
launch_dict['Launch site'] = []
launch_dict['Payload'] = []
launch_dict['Payload mass'] = []
launch_dict['Orbit'] = []
launch_dict['Customer'] = []

```

```

launch_dict['Launch outcome'] = []
# Added some new columns
launch_dict['Version Booster']=[]
launch_dict['Booster landing']=[]
launch_dict['Date']=[]
launch_dict['Time']=[]

```

Next, we just need to fill up the `launch_dict` with launch records extracted from table rows.

Usually, HTML tables in Wiki pages are likely to contain unexpected annotations and other types of noises, such as reference links `B0004.1[8]` , missing values `N/A [e]` , inconsistent formatting, etc.

To simplify the parsing process, we have provided an incomplete code snippet below to help you to fill up the `launch_dict` . Please complete the following code snippet with TODOs or you can choose to write your own logic to parse all launch tables:

```

In [18]: extracted_row = 0
#Extract each table
for table_number,table in enumerate(soup.find_all('table',"wikitable plainrowheader
# get table row
    for rows in table.find_all("tr"):
        #check to see if first table heading is as number corresponding to launch a
        if rows.th:
            if rows.th.string:
                flight_number=rows.th.string.strip()
                flag=flight_number.isdigit()
            else:
                flag=False
        #get table element
        row=rows.find_all('td')
        #if it is number save cells in a dictionary
        if flag:
            extracted_row += 1
            # Flight Number value
            # TODO: Append the flight_number into launch_dict with key `Flight No.`
            #print(flight_number)
            datatimelist=date_time(row[0])

            # Date value
            # TODO: Append the date into launch_dict with key `Date`
            date = datatimelist[0].strip(',')
            #print(date)

            # Time value
            # TODO: Append the time into launch_dict with key `Time`
            time = datatimelist[1]
            #print(time)

            # Booster version
            # TODO: Append the bv into launch_dict with key `Version Booster`
            bv=booster_version(row[1])

```

```
if not(bv):
    bv=row[1].a.string
print(bv)

# Launch Site
# TODO: Append the bv into launch_dict with key `Launch Site`
launch_site = row[2].a.string
#print(launch_site)

# Payload
# TODO: Append the payload into launch_dict with key `Payload`
payload = row[3].a.string
#print(payload)

# Payload Mass
# TODO: Append the payload_mass into launch_dict with key `Payload mass`
payload_mass = get_mass(row[4])
#print(payload)

# Orbit
# TODO: Append the orbit into launch_dict with key `Orbit`
orbit = row[5].a.string
#print(orbit)

# Customer
# TODO: Append the customer into launch_dict with key `Customer`
customer = row[6].a.string
#print(customer)

# Launch outcome
# TODO: Append the launch_outcome into launch_dict with key `Launch out
launch_outcome = list(row[7].strings)[0]
#print(launch_outcome)

# Booster Landing
# TODO: Append the launch_outcome into launch_dict with key `Booster La
booster_landing = landing_status(row[8])
#print(booster_landing)
```


17/19

F9 B4B1045.2336
F9 B5
F9 B5349B1048[
F9 B5B1046.2354
F9 B5[
F9 B5B1048.2364
F9 B5B1047.2268
F9 B5B1046.3268
F9 B5[
F9 B5[
F9 B5B1049.2397
F9 B5B1048.3399
F9 B5[]413
F9 B5[
F9 B5B1049.3434
F9 B5B1051.2420
F9 B5B1056.2465
F9 B5B1047.3472
F9 B5
F9 B5[
F9 B5B1056.3482
F9 B5
F9 B5
F9 B5
F9 B5
F9 B5
F9 B5
F9 B5
F9 B5[
F9 B5
F9 B5
F9 B5
F9 B5B1058.2544
F9 B5
F9 B5B1049.6544
F9 B5
F9 B5B1060.2563
F9 B5B1058.3565
F9 B5B1051.6568
F9 B5
F9 B5
F9 B5[
F9 B5
F9 B5 △[
F9 B5 △[
F9 B5 △
F9 B5 △
F9 B5
F9 B5B1051.8609
F9 B5B1058.5613

```

-----
AttributeError                                Traceback (most recent call last)
/tmp/ipykernel_68/354354048.py in <module>
     60         # Customer
     61         # TODO: Append the customer into launch_dict with key `Customer`
--> 62         customer = row[6].a.string
     63         #print(customer)
     64

AttributeError: 'NoneType' object has no attribute 'string'

```

After you have fill in the parsed launch record values into `launch_dict` , you can create a dataframe from it.

```
In [19]: df= pd.DataFrame({ key:pd.Series(value) for key, value in launch_dict.items() })
```

```

/home/jupyterlab/conda/envs/python/lib/python3.7/site-packages/ipykernel_launcher.p
y:1: DeprecationWarning: The default dtype for empty Series will be 'object' instead
of 'float64' in a future version. Specify a dtype explicitly to silence this warnin
g.
"""Entry point for launching an IPython kernel.

```

We can now export it to a **CSV** for the next section, but to make the answers consistent and in case you have difficulties finishing this lab.

Following labs will be using a provided dataset to make each lab independent.

```
df.to_csv('spacex_web_scraped.csv', index=False)
```

Authors

[Yan Luo](#)

[Nayef Abou Tayoun](#)

Copyright © 2021 IBM Corporation. All rights reserved.