

EXPERMINT: 03

● <u>Aim</u>: Practice Source code management on GitHub. Experiment with the source code written in exercise 1.

Output:

Mumbai

```
| Transaction Summary | Su
```

```
[root@ip-172-31-40-226 ec2-user]# which git
/usr/bin/git
[root@ip-172-31-40-226 ec2-user]#
```


DevSecOps Priyush B. Khobragade-52



```
[root@ip-172-31-40-226 ec2-user]# git --version
git version 2.40.1
[root@ip-172-31-40-226 ec2-user]#
```

```
ge root@ip-172-31-40-226 ec2-user]# which git
/usr/bin/qit
(root@ip-172-31-40-226 ec2-user]# which git
/usr/bin/qit
(root@ip-172-31-40-226 ec2-user]# git --version
git version 2.40.1
[root@ip-172-31-40-226 ec2-user]# git config --global user.name "Priyush02K"
[root@ip-172-31-40-226 ec2-user]# git config --global user.email "collegeinfopk02@gmail.com"
[root@ip-172-31-40-226 ec2-user]# git config -- list
error: key does not contain a section: list
[root@ip-172-31-40-226 ec2-user]# git config -- list
user.name=Priyush02K
user.email=collegeinfopk02@gmail.com
[root@ip-172-31-40-226 ec2-user]#
```

We noticed that you didn't select a key pair. If you want to be able to connect to your instance it is recommended that you create one.	
• Create new key pair	O Proceed without key pair
Key pair name Key pairs allow you to connect to your instance secu	orely.
Singapore-key-pair	
Key pair type RSA RSA encrypted private and public key pair	© ED25519 ED25519 encrypted private and public key pair
Private key file format	
.pemFor use with OpenSSH	
• .ppk	
	Cancel Create key pair



DevSecOps Priyush B. Khobragade-52



Singapore

```
10:20:48 2023 from 49.36.96.161
[ec2-user@ip-172-31-40-226 ~]$ git show
fatal: not a git repository (or any of the parent directories): .git [ec2-user@ip-172-31-40-226 ~]$ sudo su
[root@ip-172-31-40-226 ec2-user]# ls
[root@ip-172-31-40-226 ec2-user]# git log
fatal: not a git repository (or any of the parent directories): .git
[root@ip-172-31-40-226 ec2-user]# cd mumbaigit
[root@ip-172-31-40-226 mumbaigit]# git init
Reinitialized existing Git repository in /home/ec2-user/mumbaigit/.git/[root@ip-172-31-40-226 mumbaigit] # git status
On branch master
nothing to commit, working tree clean [root@ip-172-31-40-226 mumbaigit] # cat >mumbaif
Privush B khobragade
[root@ip-172-31-40-226 mumbaigit]# git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
[root@ip-172-31-40-226 mumbaigit]# git commmit -m "Done
git: 'commmit' is not a git command. See 'git --help'.
```

```
nothing added to commit but untracked files present (use "git add" to track)
[root@ip-172-31-40-226 mumbaigit] # git add .
[root@ip-172-31-40-226 mumbaigit]# git status
On branch master
Changes to be committed:
 (use "git restore --staged <file>..." to unstage)
       new file:
[root@ip-172-31-40-226 mumbaigit]# git commit -m "Done"
[master db29842] Done
1 file changed, 1 insertion(+)
create mode 100644 mumbaif
[root@ip-172-31-40-226 mumbaigit]# git log
   nit db29842eb636e3b6485b04778e2bf3f0ee8e7a9c (HEAD -> master)
Author: Priyush02K <collegeinfopk02@gmail.com>
Date:
       Sun Sep 3 10:35:01 2023 +0000
 ommit 46a4442bfd852e29d30fdfld87bd7d64637cd5f6
Author: Priyush02K <collegeinfopk02@gmail.com>
      Sun Sep 3 10:25:53 2023 +0000
   My first Commit
[root@ip-172-31-40-226 mumbaigit]# git show 46a4442bfd
   mit 46a4442bfd852e29d30fdfld87bd7d64637cd5f6
Author: Priyush02K <collegeinfopk02@gmail.com>
Date:
      Sun Sep 3 10:25:53 2023 +0000
   My first Commit
```




```
[root@ip-172-31-40-226 mumbaigit]# git commit -m "done2"
[main 8baa3d0] done2
1 file changed, 1 insertion(+)
create mode 100644 mumbaiif
[root@ip-172-31-40-226 mumbaigit]# git status
On branch main
nothing to commit, working tree clean
[root@ip-172-31-40-226 mumbaigit]# git log
commit 8baa3d0blbf5f104b7048bb10057a65eb9ed19b6 (HEAD -> main)
Author: Priyush02K <collegeinfopk02@gmail.com>
Date: Sun Sep 3 11:10:00 2023 +0000
    done2
commit afaee64fd5b80752c95b5fbae236e5718c1b2a3c
Author: Priyush02K <collegeinfopk02@gmail.com>
Date: Sun Sep 3 11:00:22 2023 +0000
    first commit
  mmit db29842eb636e3b6485b04778e2bf3f0ee8e7a9c
Author: Priyush02K <collegeinfopk02@gmail.com>
       Sun Sep 3 10:35:01 2023 +0000
    Done
commit 46a4442bfd852e29d30fdfld87bd7d64637cd5f6
Author: Priyush02K <collegeinfopk02@gmail.com>
       Sun Sep 3 10:25:53 2023 +0000
```



```
Changes to be committed:
    (use "git rm --cached <file>..." to unstage)
        new file: mumbai
    new file: mumbaif

[root@ip-172-31-20-215 sigaporegit] # git commit -m "Done3"
[master (root-commit) b0eb88b] Done3
2 files changed, 1 insertion(+)
    create mode 100644 mumbai
    create mode 100644 mumbaif
[root@ip-172-31-20-215 sigaporegit] # git status
On branch master
nothing to commit, working tree clean
[root@ip-172-31-20-215 sigaporegit] # git log
commit b0eb88ba06b350dlb907eff8257c2fd6dc5lcf9e (HEAD -> master)
Author: Hardik <hardikl2@gmail.com>
Date: Sun Sep 3 11:31:53 2023 +0000
```



Conclusion:

source code management on GitHub is a critical and highly effective practice for modern software development. GitHub provides a robust platform for collaboration, version control, and project management, making it an indispensable tool for individuals, teams, and organizations of all sizes.