Jarvis: Product Requirements Document

V2 Change Instructions | Updates to the existing Jarvis v1.0 app | For Google AI Studio

Purpose of this document

Implement the specific changes below in the existing Jarvis application. This is a change request, not permission to rebuild the product from scratch. Preserve all existing behaviour and design that is not explicitly changed here.

1. Builder instructions - read first

- Modify the existing application in place. Inspect the current source code and existing data model before editing. Make the smallest set of changes necessary to satisfy this document.
- Do not add feature identifiers such as F1, F2, etc. to user-facing screens or labels. Use clear feature names.
- Do not change the Advanced Config screen or any of its existing controls or values.
- Do not redesign unrelated parts of the application. In particular, preserve the Wallet design and functionality except for the single removal specified in this document.
- All funds remain simulated. Do not add real payment, banking or investment integrations.
- Before modifying files, create a rollback checkpoint of the current working version. If Git/version control is available, commit or tag the current state as Jarvis v1.0 before implementing V2. If cloud version history is supported, use it. Otherwise save a clearly named local/project snapshot and report the limitation; do not claim that a cloud backup exists unless verified.
- After each major change, run the app and test the affected flow. Fix errors introduced by the change before moving on. Do not overwrite existing working features with a fresh scaffold.

2. Fix the Defend-It Rehearsal flow

- The rehearsal must end after exactly three primary questions. The current counter stops at two and the system continues asking questions indefinitely.
- Display a clear counter from Question 1 of 3 through Question 3 of 3. After the third answer and its feedback, stop generating questions and show the summary screen.
- The summary must include the overall score, strongest answer, weakest answer and suggested topics to revisit, linked to the Coach where possible.
- Allow at most one follow-up question per primary question, only if that existing behaviour is preserved and the total cannot create an infinite loop. Follow-ups must not change the primary-question counter or prevent the session from ending.
- Provide a reliable completion state and prevent duplicate point awards if the user refreshes or returns to the completed session.

3. Remove the Judgement Index and replace it with Progress

Remove completely

- Remove the Judgement Index number from all screens, its stock-style line chart, 7-day/30-day/all-time ranges, floor of 50, formula and all user-facing references to a cumulative Judgement Index.
- Points may remain as internal ledger values used by the existing reward-balance logic. Do not show a cumulative points score as a replacement for the Judgement Index.

Progress panel: required content

Element	Definition and rule
Own takes this week	Progress bar showing qualifying own takes submitted in growth domains versus a weekly goal, e.g. 7 of 10. A take counts only if it passes the existing quality check with a score of 40 or more. Default goal: 10 per week; editable by the user. Store the goal in the existing configuration model without changing the Advanced Config screen.
Human-first rate	Percentage of growth-domain questions where the user submitted their own take before seeing the AI answer, calculated over a rolling 7-day window. Also show small bars for the last four weeks.

Streak	Show consecutive days with at least one qualifying own take and the user's best streak. If a streak resets, use supportive wording such as "Start a new streak"; never display a loss or shame the user.

Where Progress appears

- Home: put a compact Progress card near the top, replacing the Judgement Index mini-chart.
- Growth: show the full Progress panel. Add the human-first rate to every Growth Map domain tile.
- Wallet: show a compact "This week" progress bar next to the reward balance, replacing the Judgement Index chart. Do not otherwise redesign the Wallet.

Progress language and empty states

- Never show negative numbers, red styling or "down" wording in the Progress panel. Use one accent colour for filled progress bars. Do not hide or alter underlying data.
- If the current week is lower than the previous week, use neutral language such as "A lighter week". If the rate rises, a positive line such as "Up 8 percentage points from last week" is allowed.
- When no qualifying data exists, show: "Your first take starts your progress" and provide a button to Ask.
- Rename the user-facing metric "Independent Decision Rate" to "Human-first rate". The internal IDR field may remain for compatibility.
- Remove the design instruction "warm amber for decreases".
- Update the demo script so that the first step says: "Home shows a rising human-first bar and a recall card".
- Add an acceptance check that every progress bar reconciles with the underlying Attempt and Session records.

4. Replace the Teach-back prompt with a spaced revisit quiz

- Do not label this feature "Teach-back". The Home prompt should ask: "Shall we revisit [topic] that you learnt [X] days ago through a quick quiz?" Use the topic name and elapsed time from stored learning records.
- Generate a short quiz that checks application and reasoning, not just verbatim recall. Allow the user to answer in their own words.
- Score the response using the existing recall-scoring service and award points using the current recall points rule. Do not award points more than once for the same completed quiz.
- After completion, show the score, concise feedback and which aspects of the topic need another look. Store the result in the topic's learning history.
- Keep a demo control to simulate a quiz becoming due. If no topics are eligible, show a useful empty state rather than a broken or generic prompt.

5. Daily activity log and tracker

Daily check-in

At the first Home visit each local calendar day, ask the user how many hours they spent learning or solving problems outside Jarvis. This is self-reported. The prompt should be quick, **dismissible** and editable later; do not show it again on every navigation.

- Continue tracking three primary measures: (1) AI-free/independent learning time, (2) independent drafts or ideas, and (3) topics mastered.
- Outside-Jarvis learning hours must be entered by the user. Label these as self-reported; do not imply that Jarvis independently observed time spent in other apps.
- Automatically log independent drafts or ideas created inside Jarvis when the user made a meaningful attempt before seeing the AI answer. Avoid double-counting repeated edits within one session. Allow a manual entry for qualifying work completed elsewhere, labelled self-reported.
- Do not treat time spent, a topic opened, or a resource viewed as mastery. Count a topic as mastered only after the user passes an independent understanding/application check. Otherwise use "Topics explored" or "Topics practised".
- Persist daily entries and derived weekly totals. The Tracker should reflect the three measures, daily activity and recent topic history. Manual entries may be edited; automatic events should be traceable to their source session.
- The app must distinguish self-reported entries from internally observed activity wherever shown.

6. Redesign the Coach learning session

- Fix non-working article/resource links. Every displayed resource link must open the correct external destination. Never invent URLs. If a URL cannot be verified, show a clearly labelled search suggestion rather than a broken clickable link.
- Provide both relevant article/official-document resources and video resources, including YouTube where available. Each resource card should show title, source/publisher, and type.
- A topic is more than one question. Build a topic session with multiple sequential learning questions/checkpoints. After the user submits an answer, give feedback and move to the next question in the topic. Do not map five hints to five unrelated questions.
- Within each question, hints should be progressive: start with a nudge, then a guiding question, then a framework/checklist, then a partial answer, and finally the full answer. The user can request a hint or reveal the answer at any point.
- Remove the “My version vs AI version” and “Merged version” choice screen, including suggested merge/synthesis. Do not ask users to select which complete answer wins.
- Instead, assess the user’s answer against clear task criteria and show a transparent score (for example, 8/10) with specific strengths and gaps. Do not present the score as an objective measure of general intelligence.
- At the end of the topic, ask the user to rate their confidence in understanding or applying the topic. Save the topic, score, confidence, hints used and resources viewed so a later revisit quiz can be scheduled.
- Preserve the Classic Answer option. Users must not be trapped in coaching; provide a clear path to the full answer.

7. Growth graphs, session details and reports

- The Growth page must contain a visible activity graph; do not leave the main area blank. The same activity graph should be available on Home/Growth where applicable, using the same underlying data.
- Provide a weekly/monthly summary view. Users can click a day or a session to open its detailed report.
- A day/session detail must show what the user learned or practised, the topic/domain, time or activity logged, relevant resources, the user’s original attempt, feedback received, corrections made and any AI errors flagged or subsequently verified.
- The graph should make corrections and identified mistakes discoverable; include a useful signal such as corrections/issues logged by day, not only total activity. Do not imply that a user correction was right unless it has been verified.
- Show human-first behaviour and qualifying attempts as positive progress. Before an AI-first/direct-answer action in a growth domain without a qualifying own take, show a confirmation modal explaining that proceeding may forfeit 10 points. For example: “Are you sure? This skips your own thinking in a domain you chose to grow. You may forfeit 10 points.”
- If the user confirms an eligible AI-first action, apply the 10-point deduction to the internal points/reward logic. Do not apply the deduction in delegation domains or if the user has already completed a qualifying own take for that session. Never change the pledged principal.
- Reports should begin as summaries; clicking a summary opens the corresponding detailed week/month report. Make all percentage metrics show their numerator/denominator and suppress strong calibration claims when sample sizes are too small.

8. Wallet: one requested removal only

- Keep the Wallet page’s current layout and all other current functionality unchanged.
- Remove only the “How it works” explanatory panel. Do not redesign the wallet, reward balance, simulated pledge, sample rewards or withdrawal flow.

9. Workspace settings: domains, AI lock and theme control

Domains

- In Domains & Nudges, allow the user to add custom topics/domains, with a maximum of six user-added topics for now. Clearly display the remaining number available and prevent adding a seventh.
- Remove the entire “Nudges and Quiet Hours” settings section for now. Do not remove other unrelated settings.

AI lock: scheduled AI-first mode restriction

- Replace the current “lock for X minutes after an interaction” control with a schedule where the user selects the hours/days when AI-first mode should be locked.
- The lock applies only to AI-first/direct-answer mode; it does not lock the whole application. Help Me Think, the user’s own notes, learning resources and reflection should remain available.
- At the start of Ask, show the current AI-first mode state. If it is locked, clearly show when it will unlock and provide the guided-thinking route.
- If the user attempts an AI-first answer during a scheduled lock, show an override confirmation and ask for a deliberate unlock phrase/keyword. Explain the possible 10-point deduction before the user confirms. After confirmation, apply the rule consistently and record the override event.
- The lock must use the user’s local time and handle schedules crossing midnight. Preserve an emergency/urgent override only if already implemented, and ensure it bypasses AI-first mode only rather than disabling the entire app. Clearly label the behaviour.
- The lock must never apply to delegation domains unless the user explicitly configures those domains as growth domains.

Theme toggle

Remove the non-working dark/light mode icon from the top-right navigation. Do not add a replacement unless requested.

10. Do not change Advanced Config

Strict constraint

Do not change, remove, relocate or restyle anything on the Advanced Config screen. Use existing configuration values where appropriate, but leave that screen as it is.

11. Acceptance criteria and smoke test

Area	The change is complete when…
Rehearsal	Exactly three primary questions are asked; the counter advances 1/3, 2/3, 3/3 and a summary appears after the third answer. No infinite questioning.
Progress	The Judgement Index is absent everywhere; Progress appears in Home, Growth and Wallet as specified; bars reconcile with Attempt and Session records.
Daily log	The daily hours prompt appears once per local day, can be skipped/edited, persists after refresh and is visibly self-reported. Automatic draft/topic records do not double-count.
Coach	Resource links work; articles and available videos are shown; topic sessions contain multiple questions; hints progress per question; no My/AI/Merged choice screen remains.
Recall quiz	Prompt uses the actual topic and elapsed days; quiz results persist; points cannot be claimed twice for the same attempt.
Growth report	A populated demo shows charts; clicking a day/session opens details with learning activity, sources, corrections and AI issue history.
AI-first warning	In a growth domain, direct AI-first use without an own take triggers the confirmation. Confirming applies the stated point rule; cancellation does not.
Wallet	Only the “How it works” panel is removed; other wallet functionality remains unchanged; principal is never affected by point penalties.
Settings	Six user-added topics maximum; Nudges and Quiet Hours section removed; AI-first lock is scheduled by time and does not lock the whole app; Advanced Config is unchanged.
Navigation	The broken theme toggle is removed; all other navigation and existing features continue to work.
Reliability	No newly introduced build/runtime errors. AI failures show a clear error and Retry, preserve user input and never show fabricated AI results.
Version safety	A v1.0 rollback checkpoint exists, or the builder clearly reports why it could not be created. No unsupported cloud-backup claim is made.

12. Required implementation order

1. Create and verify a rollback checkpoint of the current app.
2. Fix the endless rehearsal and remove the Judgement Index/replace it with Progress.
3. Fix the Coach topic flow and resource links, then update the spaced revisit quiz.
4. Implement the daily tracker and Growth graphs/session detail reports.
5. Update AI-first warning, scheduled AI lock and Settings changes.

6. Remove the Wallet “How it works” panel and the broken theme-toggle icon.
7. Run the acceptance/smoke tests above. Report which tests passed, which failed and any requirement blocked by the Google AI Studio environment.