


DETAILS OF CASEMENT WINDOW SECTIONS




SERIES - A

4419 0.301 kg/m



8698

0.714 kg/m




8699 0.711 kg/m



8700 0.892 kg/m



8712 1.072 kg/m



8811 1.053 kg/m



SERIES - B

8461 0.286 kg/m



8462 0.526 kg/m



8463 0.760 kg/m



8464 0.764 kg/m



SERIES - C

4425 0.108 kg/m



8802

0.575 kg/m



8803

0.729 kg/m




8804 0.622 kg/m




SERIES - D


8713 13.30 12.50



8924 0.854 kg/m



8920 0.870 kg/m



Sl. No.	Section No.	A	Weight kg/m
1	4430	0.43	0.871
2	4424	0.60	0.863
3	4407	0.70	0.937
4	4420	0.90	0.124



For details of other sections please contact our marketing executive

Sections not to be scaled



DETAILS OF SLIDING WINDOW SECTIONS SERIES - B (SHUTTER SECTION - 18 mm)










HEAVY SERIES



HEAVY SERIES



MEDIUM TRACKS




For details of other sections please contact our marketing executive

Sections not to be scaled

Sl. No.	Section No.	A	B	Weight kg/m
1.	4578	47.62	0.80	0.493
2.	4579	47.62	1.18	0.667
3.	4580	47.62	1.52	0.881
4.	4584	47.62	1.82	1.052
5.	4584	47.62	2.82	1.357
6.	4584	47.62	3.18	1.605
7.	4537	53.70	2.30	1.238
8.	4526	85.00	1.80	1.302
9.	4526	85.00	3.00	2.050




Sl. No.	Section No.	A	B	Weight kg/m
1.	4505	47.62	1.95	0.938
2.	4505	47.62	2.82	1.293
3.	4540	53.70	2.30	1.173



Sl. No.	Section No.	A	B	C	Weight kg/m
1.	4577	47.62	44.45	1.14	0.607
2.	4581	47.62	44.45	1.74	0.881
3.	4631	47.62	44.45	1.88	0.943
4.	4631	47.62	44.45	3.00	1.425
5.	4649	50.80	50.80	1.70	0.994
6.	4524	83.50	44.45	3.00	2.107



Sl. No.	Section No.	A	Weight kg/m
1.	4430	0.49	0.071
2.	4424	0.60	0.063
3.	4407	0.70	0.007
4.	4420	0.90	0.124




Sl. No.	Section No.	A	Weight kg/m
1.	4432	5.04	0.137
2.	4431	3.24	0.150
3.	4408	3.75	0.219
4.	4408	5.72	0.453





Sl. No.	Section No.	A	B	C	Weight kg/m
1.	4574	47.62	1.40	10.20	0.719
2.	4552	47.62	1.74	10.16	0.881
3.	4508	47.62	1.95	10.15	0.978
4.	4508	47.62	2.82	10.15	1.351
5.	4508	47.62	3.18	10.16	1.501
6.	4579	95.25	0.80	25.40	0.719
7.	4575	95.25	1.15	25.40	0.911
8.	4553	95.25	1.70	25.40	1.301
9.	4510	95.25	2.00	25.40	1.519
10.	4576	114.30	1.29	25.40	1.139
11.	4554	114.30	1.49	25.40	1.302
12.	4584	114.30	1.55	10.15	1.367
13.	4529	114.30	2.15	10.15	1.836
14.	4530	114.30	2.15	25.40	1.823
15.	4530	114.30	2.82	25.40	2.366
16.	4529	114.30	2.82	10.15	2.365
17.	4529	114.30	3.18	10.15	2.645
18.	4530	114.30	3.18	25.40	2.848
19.	4538	150.00	2.20	25.40	2.376





Sl. No.	Section No.	A	B	C	Weight kg/m
1.	4610	25.00	44.45	2.40	0.918
2.	4582	49.91	44.45	0.88	0.607
3.	4621	49.91	44.45	1.80	0.882
4.	4521	49.91	44.45	3.00	1.495
5.	4550	50.80	50.80	1.70	1.088
6.	4555	83.50	44.45	1.70	1.243
7.	4549	83.50	44.45	2.40	1.679







Sl. No.	Section No.	A	B	C	D	Weight kg/m
1.	4689	50.80	25.40	0.65	8.00	0.314
2.	4683	50.80	25.40	0.89	8.00	0.414
3.	4657	50.80	25.40	1.30	8.00	0.581
4.	4625	50.80	25.40	1.50	8.00	0.651
5.	4625	50.80	25.40	1.80	8.00	0.772
6.	4685	63.50	38.10	0.82	8.00	0.497
7.	4663	63.50	38.10	0.89	8.00	0.594
8.	4654	63.50	38.10	1.28	8.00	0.759
9.	4688	63.50	38.10	1.65	8.00	0.942
10.	4605	63.50	38.10	1.95	8.00	1.094
11.	4605	63.50	38.10	2.82	8.00	1.558
12.	4605	63.50	38.10	3.18	8.00	1.777
13.	4668	82.50	38.00	1.20	8.00	0.829
14.	4666	82.50	38.00	1.70	8.00	1.139
15.	4659	89.00	32.00	2.75	8.00	1.810
16.	4642	89.00	32.00	2.75	23.00	1.933
17.	4692	101.60	44.45	1.27	8.00	1.049
18.	4656	101.60	44.45	1.60	8.00	1.301
19.	4617	101.60	44.45	2.10	8.00	1.508
20.	4617	101.60	44.45	2.40	8.00	1.892
21.	4617	101.60	44.45	2.82	8.00	2.236
22.	4617	101.60	44.45	3.18	8.00	2.541

Sl. No.	Section No.	A	B	C	D	Weight kg/m
1.	4690	50.80	25.40	0.53	8.00	0.314
2.	4684	50.80	25.40	0.77	8.00	0.414
3.	4658	50.80	25.40	1.16	8.00	0.581
4.	4626	50.80	25.40	1.32	8.00	0.651
5.	4626	50.80	25.40	1.80	8.00	0.760
6.	4686	63.50	38.10	0.72	8.00	0.497
7.	4664	63.50	38.10	0.87	8.00	0.594
8.	4653	63.50	38.10	1.14	8.00	0.759
9.	4687	63.50	38.10	1.53	8.00	0.942
10.	4604	63.50	38.10	1.90	8.00	1.094
11.	4604	63.50	38.10	2.82	8.00	1.655
12.	4604	63.50	38.10	3.18	8.00	1.924
13.	4667	82.50	38.00	1.10	8.00	0.829
14.	4665	82.50	38.00	1.60	8.00	1.139
15.	4659	89.00	32.00	2.75	8.00	1.905
16.	4643	89.00	32.00	2.75	23.00	2.150
17.	4601	101.60	44.45	1.20	8.00	1.060
18.	4655	101.60	44.45	1.50	8.00	1.301
19.	4616	101.60	44.45	2.05	8.00	1.608
20.	4616	101.60	44.45	2.40	8.00	1.953
21.	4616	101.60	44.45	2.82	8.00	2.354
22.	4616	101.60	44.45	3.18	8.00	2.683



Sl. No.	Section No.	A	B	C	D	Weight kg/m
1.	4615	82.50	50.80	38.10	3.00	2.662
2.	4613	101.60	45.68	44.45	2.40	1.965

Sl. No.	Section No.	A	B	C	D	E	Weight kg/m
1.	4619	82.50	50.75	38.10	3.00	3.00	1.859
2.	4614	101.60	40.21	44.45	3.18	3.18	2.598



RECTANGULAR TUBES



Sl. No.	Section No.	A	B	C	Weight kg/m
1.	2422	25.40	12.70	1.22	0.235
2.	2415	25.40	19.05	0.85	0.195
3.	2457	25.40	19.05	1.08	0.247
4.	2401	25.40	19.05	1.63	0.363
5.	2451	36.00	23.50	0.84	0.202
6.	2451	36.00	23.50	0.70	0.219
7.	2447	37.00	24.00	0.80	0.260
8.	2433	38.10	25.40	0.95	0.316
9.	2416	38.10	25.40	1.10	0.364
10.	2402	38.10	25.40	1.44	0.471
11.	2402	38.10	25.40	2.00	0.643
12.	2411	38.10	25.40	2.41	0.764
13.	2413	40.00	15.00	1.50	0.421
14.	2421	40.00	20.00	2.00	0.605
15.	2448	44.45	25.40	3.20	1.096
16.	2452	46.50	23.50	0.78	0.288
17.	2445	48.00	24.00	0.80	0.304
18.	2450	48.00	24.00	1.06	0.402
19.	2432	50.80	25.40	0.95	0.381
20.	2441	50.80	25.40	1.05	0.414
21.	2441	50.80	25.40	1.13	0.451
22.	2403	50.80	25.40	1.44	0.570
23.	2412	50.80	25.40	1.50	0.593
24.	2403	50.80	25.40	2.03	0.791
25.	2410	50.80	25.40	2.41	0.929
26.	2404	50.80	38.10	3.05	1.363
27.	2417	55.00	35.00	3.00	1.360
28.	2453	60.00	36.00	0.81	0.414
29.	2444	61.00	37.00	0.90	0.471
30.	2444	61.00	37.00	1.10	0.569
31.	2449	63.00	38.10	1.22	0.650
32.	2405	63.00	38.10	1.47	0.780
33.	2405	63.00	38.10	2.95	1.516

Sl. No.	Section No.	A	B	C	Weight kg/m
34.	2434	63.50	38.10	1.20	0.643
35.	2414	63.50	38.10	1.70	0.911
36.	2414	63.50	38.10	2.00	1.054
37.	2435	65.00	25.00	0.98	0.466
38.	2436	65.00	25.00	1.25	0.590
39.	2429	72.00	24.00	0.81	0.414
40.	2429	72.00	24.00	1.20	0.606
41.	2431	74.80	25.10	1.63	0.851
42.	2439	75.00	25.00	1.15	0.607
43.	2419	75.00	25.00	2.00	1.035
44.	2437	75.00	25.00	2.80	1.427
45.	2438	75.00	35.00	2.80	1.578
46.	2428	76.20	44.46	3.20	1.974
47.	2418	80.00	40.00	4.00	2.419
48.	2426	81.25	38.10	0.95	0.607
49.	2406	81.25	38.10	1.25	0.781
50.	2406	81.25	38.10	2.64	1.628
51.	2407	82.60	38.10	3.25	2.004
52.	2458	95.00	24.00	0.95	0.601
53.	2427	100.00	40.00	1.30	0.976
54.	2420	100.00	40.00	1.54	1.139
55.	2420	100.00	40.00	2.00	1.469
56.	2442	101.60	25.40	1.10	0.739
57.	2442	101.60	25.40	1.35	0.906
58.	2456	101.60	25.40	1.63	1.089
59.	2440	101.60	44.75	1.35	1.051
60.	2425	101.60	44.75	1.75	1.367
61.	2425	101.60	44.75	2.40	1.834
62.	2408	101.60	44.75	3.18	2.404
63.	2454	101.60	50.80	4.78	3.686
64.	2445	127.00	25.40	1.30	1.052
65.	2443	127.00	38.10	1.20	1.051
66.	2443	127.00	38.10	1.35	1.184
67.	2459	95.00	24.00	1.17	0.739

ACCESSORIES



TOWER BOLTS



Sl. No.	Section No.	A	B	C	D	E	F	Weight kg/m
1.	4001	24.50	0.75	0.83	10.10	10.10	8.15	0.121
2.	4002	31.75	1.39	9.90	12.45	12.45	9.52	0.243
3.	4003	32.00	1.50	11.00	14.00	14.00	11.00	0.302
4.	4004	38.00	1.98	13.41	17.58	17.48	14.48	0.489
5.	4005	44.45	2.38	13.26	18.02	18.02	15.64	0.612
6.	4006	31.75	1.32	10.05	12.70	12.80	11.43	0.205
7.	4007	31.75	1.52	10.29	12.82	12.82	9.52	0.253
8.	4008	38.00	2.50	13.00	18.00	18.00	14.00	0.570
9.	4009	44.00	2.00	13.00	17.00	17.00	13.00	0.493
10.	4012	52.00	1.80	11.00	14.50	14.50	11.00	0.341
11.	4013	30.00	0.75	9.50	11.40	11.40	9.50	0.156
12.	4017	25.00	1.35	8.50	11.00	11.20	9.00	0.202
13.	4018	25.00	1.25	9.50	11.80	12.00	9.00	0.213
14.	4019	37.00	1.00	11.70	13.60	13.70	10.50	0.229
15.	4020	30.00	1.40	9.65	12.40	12.40	9.50	0.244
16.	4022	30.50	1.30	10.50	13.20	13.10	9.00	0.244
17.	4023	31.00	1.42	10.75	13.60	13.60	11.50	0.285
18.	4024	37.50	1.70	12.40	15.70	15.80	12.00	0.379
19.	4030	31.75	1.70	10.20	12.40	12.40	9.70	0.244
20.	4051	38.00	2.30	12.80	17.10	17.10	13.00	0.505
21.	4062	31.20	1.57	9.70	11.90	11.90	9.10	0.223
22.	4064	30.75	1.10	9.50	11.40	11.40	9.00	0.185
23.	4069	31.75	1.10	10.20	12.10	12.10	9.50	0.197
24.	4080	36.50	1.15	11.40	13.80	13.80	10.90	0.262
25.	4061	25.00	1.20	8.50	11.20	10.60	9.00	0.186
26.	4062	38.00	1.80	12.50	16.10	16.10	13.50	0.419
27.	4063	30.00	1.20	9.30	11.20	11.20	8.50	0.154
28.	4064	37.50	2.00	12.80	16.50	16.50	13.50	0.439
29.	4065	30.00	1.10	9.50	11.50	11.50	8.50	0.169
30.	4066	37.00	2.20	12.00	15.00	15.50	11.70	0.356
31.	4067	37.00	1.06	12.00	13.40	13.40	10.80	0.205
32.	4010	32.00	1.30	10.00	13.00	13.00	9.00	0.284

HASP & STAPLE




Sl. No.	Section No.	A	B	C	D	E	F	Weight kg/m
1.	4090	117.00	4.00	26.00	16.00	0.40	16.00	2.553
2.	4092	117.00	3.50	23.90	16.00	6.00	10.00	1.830
3.	4095	112.40	3.00	21.20	14.50	0.40	18.00	1.367

TOWER BOLTS



Sl. No.	Section No.	A	B	C	D	E	Weight kg/m
1.	4025	24.00	1.30	8.00	10.50	10.60	0.217
2.	4053	32.00	1.50	10.50	13.30	14.90	0.389
3.	4057	31.70	1.25	9.60	12.30	12.30	0.271

TOWER BOLTS



Sl. No.	Section No.	A	B	C	D	E	Weight kg/m
1.	4954	31.80	1.50	8.80	12.40	12.70	0.261
2.	4955	32.00	1.70	10.80	13.60	14.00	0.303
3.	4956	38.00	1.90	12.70	16.00	16.40	0.414

LATCHES



Sl. No.	Section No.	A	B	C	D	Weight kg/m
1.	4223	38.00	7.20	3.70	42.00	1.081
2.	4221	40.00	8.00	4.20	42.00	1.242
3.	4224	35.00	6.50	3.20	36.00	0.875

4202 0.407 kg/m

4215 0.39 kg/m



Sl. No.	Section No.	A	B	C	D	Weight kg/m
1.	4201	57.16	3.71	24.13	17.27	1.037
2.	4212	56.40	2.80	22.70	15.70	0.816
3.	4213	55.00	2.10	20.00	13.60	0.550



Sl. No.	Section No.	A	B	C	D	Weight kg/m
1.	4203	19.88	44.45	9.80	16.76	1.230
2.	4211	18.00	42.00	9.00	15.40	1.060
3.	4214	18.00	40.00	6.40	13.50	1.000