


# Pro Coffee Gear – Agent System Guide

Four separate views of the system: how knowledge moves, how people are onboarded, how skills/scripts/tools are shared, and how the fleet is routed and monitored.

## Diagram 1 – Data flow after onboarding

This diagram intentionally excludes onboarding. It shows the steady-state movement of knowledge and built work.




**Knowledge is not one giant pool.** Each function has its own shared brain. Bridges move only the relevant material signal between functions and into LT.

**People remain identifiable.** Everyone in a function uses the same AI peer, but Honcho remembers each contributor as their own human peer.

**Built work has a separate lifecycle.** Memory goes to Honcho; source goes to GitHub; live apps go to Cloudflare; significant systems are indexed in Notion.

## Diagram 2 – Onboarding: functional member vs. LT member

Both people get their own private instance. The LT checkbox changes which profiles and leadership context are installed.




**Primary is the home function.** It becomes the box's default profile; it is no longer hardcoded to LT.

**Adjacent means extra functional access.** Newly added Adjacent profiles appear through the 15-minute profile sync.

**LT is an explicit gate.** Only checked roster rows receive the LT profile and leadership memory.

## ● Diagram 3 – Skill, script, job, and tool sharing

Box-local work is not shared automatically. The private pcg-agents repo is the distribution channel; Notion is the catalog and curation layer.




**Skills teach the agent how to work.** They are loaded only into the profiles that need them, so Operations procedures do not clutter CS.

**Scripts do deterministic work.** Shared scripts self-update from GitHub; managed jobs can be declared in jobs.yaml and run without model cost.

**Tools are business deliverables.** Dashboards, apps, integrations, and recurring automations get an owner, team relationship, source, status, health, and rollback method.

## ● Diagram 4 – Routing, ownership, monitoring, and repair

This is the team's state map: what exists, who owns it, which functions it serves, where it runs, whether it is healthy, and how a failure is handled.



**Two boards, two jobs.** The deliverables board answers “what have we built?” The script registry answers “is each deployed piece working?”

**Relationships are explicit.** Every meaningful build can show its submitter, owner, functions, audience, source repo, job IDs, live URL, deployment, rollback, and alert target.

**Repair is controlled.** Health detection is automatic; code changes follow a declared policy. Critical systems never change without approval.

## ● How the four views fit together

- **Onboarding establishes access and routing.** The roster decides the member's home function, adjacent functions, and whether LT is permitted. The member's box is then wired to the corresponding shared brains.
- **Data flow begins after onboarding.** Function work teaches the function brain. Bridges summarize material changes into the LT feed. Built source and deployed tools follow their own GitHub/Cloudflare lifecycle.
- **Asset sharing turns one person's build into team capability.** Skills route to the profiles that need them, scripts route to managed boxes, and meaningful tools are cataloged and assigned to an owner.
- **Monitoring closes the loop.** The two Notion boards show what exists and whether it is healthy; recurring checks detect drift, notify owners, and verify recovery.

## ● What counts as a meaningful deliverable

A local helper file does not need to become company infrastructure. A build belongs on the Business Automations & Deliverables board when it is recurring, operational, shared with a function/company/LT audience, or materially affects customers, revenue, payments, inventory, compliance, finance, or vendors. New meaningful builds enter as **Proposed**; a function owner approves, rejects, or requests changes.

## ● Current operating truth

- **Shared by nature:** Honcho memory, Notion pages/boards, GitHub repositories, and Cloudflare URLs.
- **Box-local until distributed:** skills, scripts, cron jobs, profiles, tokens, and standing-context files.
- **Additions are automated; destructive removal is guarded.** New Adjacent profiles are created automatically. Removed repo assets are quarantined as `.revoked`. Removing a roster permission does not silently delete a local profile.
- **"Healthy" is evidence-based.** The monitor checks syntax, declared dependencies, cron state/output, live endpoints, and missing previously registered scripts. It does not execute dangerous external writes merely to prove health.

## ● Appendix A – Definitions

- **Hermes** – the agent platform team members work in.
- **Instance / box** – one member’s isolated Hermes server and access boundary.
- **Profile** – a function-specific agent identity on a box, with its own context, tools, and skill index.
- **Primary** – the roster-selected home function; it becomes the member box’s default profile.
- **Adjacent** – extra functional profiles a member is allowed to switch into.
- **LT checkbox** – the explicit roster gate for receiving the LT profile and leadership context.
- **Honcho** – the persistent shared-memory layer.
- **AI peer** – one function’s shared brain in Honcho.
- **Human peer** – one person’s identity in Honcho, used across their permitted profiles.
- **Standing context** – authored function knowledge loaded from Notion.
- **Learned memory** – durable knowledge learned from real conversations.
- **Bridge** – a one-way summarization route between function brains or into LT.
- **Skill** – a procedural playbook that teaches a profile how to perform a recurring type of work.
- **Script** – deterministic code used by an agent or scheduled job.
- **Tool / app** – a business-facing deliverable such as a dashboard, integration, or deployed workflow.
- **pcg-fleet-sync** – the zero-token 30-minute puller that distributes scoped skills, scripts, and managed job definitions from GitHub.
- **Repo-managed asset** – a `pcg-/pcg_-`prefixed item where the repository wins conflicts.
- **Quarantine / .revoked** – a safe rename used when a previously distributed asset disappears from the repo; it is not hard-deleted.
- **Business Automations & Deliverables** – the team-facing Notion catalog of significant systems and builds.
- **Script Health Registry** – the operational Notion board with one row per script deployment/instance.
- **Repair policy** – the declared rule for a failure: detect-only, safe-auto-heal, repair PR, critical approval, or manual.
- **Incident key** – a stable fingerprint that deduplicates repeated reports of the same failure.
- **Cloudflare Workers** – the live deployment layer for web tools such as the open-box returns dashboard.
- **Vendor lock-in** – dependency on one supplier that makes leaving expensive; this architecture keeps code, memory, control data, and deploys separable.

## ● Appendix B — FAQ

### Does every employee get an LT profile?

No. LT is explicitly gated by the roster checkbox. Regular functional members receive Primary plus any Adjacent profiles only.

### Does everyone in Operations share Sina's personal memory?

No. Everyone assigned to Operations shares the Operations AI peer—the function brain—but each person is represented by their own human peer.

### Are all chats copied into LT?

No. Daily bridges ask each function brain for material changes and decisions leadership should know. Non-material updates and raw chats are not copied wholesale.

### How does a skill reach the team?

It is committed to either `skills/_common/` or a function folder in the private repo. The 30-minute fleet sync places it only into eligible profiles.

### How does a script reach the team?

Shared scripts live under `scripts/` in the private repo and are pulled to managed boxes. A missing `pcg_` job declared in `jobs.yaml` is created automatically.

### Does the repository overwrite a person's local work?

Only repo-managed `pcg_`/`pcg_` assets are authoritative. Other local changes are preserved and reported as conflicts.

### Where can I see everything the team has built?

The Business Automations & Deliverables board shows meaningful shared systems, their owners, functions, audience, source, schedule, URL, status, and health. One-off utilities are intentionally excluded.

### Where can I see whether the underlying code is working?

The Script Health Registry shows each script deployment/instance, checks performed, cron relationships, latest success or failure, incident state, and repair policy.

### What happens when something breaks?

The 15-minute health job updates the boards and alerts on failure or recovery. Unresolved failures remind every six hours. The repair policy determines whether the owner handles it manually or a tested repair PR may be opened for approval.

### Can the repair system change critical infrastructure by itself?

No. Critical-approval and manual policies prevent autonomous changes. Even repair-PR items require the owner to approve and merge the fix.

### How do we undo a bad change?

The source and rollback method are recorded. Most shared assets roll back by reverting the Git commit; fleet sync or redeployment restores the previous version.

### What if onboarding shows Mismatch?

Compare Requested versus Active Profiles in the roster. Do not repeatedly rerun onboarding; send the mismatch detail to the system owner so the failed step can be diagnosed.