

Pro_AmineUMT IDE with AI Platform — Enterprise Open Platform Architecture

Official Open Source Repository: [Pro_AmineUMT-IDE-AI-Platform](#) · Built on UMT (Unified Microchip Technology)

Document v3.1 — July 4, 2026 — Status: IDENTITY DIRECTIVE APPLIED on the approved v3.0 architecture — ready to LOCK

Supersedes v3.0 (16/16 founder directives applied) · This revision changes identity, not architecture · Prepared in the role of Lead Open Source Architect

© Pro_Amine LLC · Developed by Amine Saoud ibn al-Bashir · Recognized by Corporate Vision Magazine UK · Technology Innovator Awards 2025 — Rising Star in Microchip Technology Solutions in Europe

0. Repository Identity & What Changed

0.1 The Identity Directive (v3.1) — Branding Hierarchy, LOCKED

The repository presents itself, from its very first line, as **the official open-source repository of the software platform**. UMT remains the underlying technology inside the platform — **it is no longer the repository identity**.

Level	Official name
Product	Pro_AmineUMT IDE with AI Platform
Repository	Pro_AmineUMT-IDE-AI-Platform — github.com/pro-amine/Pro_AmineUMT-IDE-AI-Platform
Technology	UMT (Unified Microchip Technology) — the UMT Platform

Replacements applied everywhere — all headings, comments, root descriptions, README references, architecture documents, and repository annotations:

Retired	Official
umt/ (repository root)	Pro_AmineUMT-IDE-AI-Platform/
github.com/pro-amine/umt	github.com/pro-amine/Pro_AmineUMT-IDE-AI-Platform
umt-platform (repo-name candidate)	Retired — the Phase-0 repository-name question is now DECIDED
"UMT Repository" / "UMT Platform Repository"	<i>Pro_AmineUMT IDE with AI Platform</i> (product) · Pro_AmineUMT-IDE-AI-Platform (repository)

Where UMT rightfully survives — the technology layer (guard list, do not over-replace): UMT / UMT Platform in prose about the *technology*; every internal folder, package, and identifier name (`packages/umt-sdk`, `umt-cli`, `umt-simulator`, `standards/umt-*-standard`, `boards/*.json`, `.umt` sources, `VR_*` tokens, `~/umt/`); the tagline "*One code. Any architecture.*"; and the *Built on:* line of the official root header below. This directive changes **identity, not architecture** — the approved repository structure is preserved exactly.

0.2 What Changed in v3.0 (recap)

Document v1.0 organized the project as a world-class **software repository**. The Founder Review of July 2026 corrected the identity: this is not a software project — it is a complete Technology Platform:

Pro_AmineUMT IDE with AI Platform, built on **UMT (Unified Microchip Technology)**, spanning Hardware, Software, SDK, IDE, AI, Standards, Documentation, Simulation, Community, Enterprise, Chip Vendors, and Research — in the tradition of PlatformIO, LLVM, Flutter, VS Code, and Kubernetes, but with its own identity.

v3.0 applied all sixteen founder directives **on top of the approved v1.0 basis** — nothing rewritten from scratch, nothing deleted, no ideas changed. The structural additions: a *core/* layer (the heart of the

platform), a [hardware/](#) layer, a [standards/](#) system of ten independent standards, and three human layers — [community/](#), [partners/](#), [enterprise/](#). The repository answers, in its first screen, the founder's test: *a developer, a company, a chip manufacturer, an investor, or a researcher opening this repository for the first time must feel they are looking at a complete Technology Platform — structured to grow for ten years without radical reorganization.*

Three identity statements anchor [core/README.md](#), exactly as directed:

AIA Engine is not a library — it is the engine of the platform. AI Bashir is not a chatbot — it is the official intelligent assistant of the platform. .CmdGenius is not documentation — it is the intelligent knowledge system of the platform.

1. Founder Directives — Integration Matrix (16/16)

#	Directive	How it is applied in v3.0	Architect note
1	Create core/ layer	New top-level core/ — the heart of the platform (tree in §2)	See Note A (§1.1): the illustrative list ("الائم") is reconciled with LOCKED ADR-0003
2	Move AIA Engine	packages/aia-engine → core/aia-engine	Ten LOCKED sub-functions become its internal module structure
3	Move AI Bashir	Out of the IDE package → core/ai-bashir	The IDE keeps its AI Bashir panel (UI surface), so the LOCKED six-part IDE composition (Editor·D ebug·Monitor·ProjectMgr·AI Bashir·Dock) is unchanged; the assistant's <i>engine</i> now lives in core
4	Move CmdGenius	Engine → core/cmdgenius ; template kept inside every new project (templates/myproject/.CmdGenius/ , ten locked files); normative definition stays in standards/cmdgenius-standard/	Three homes, three roles: engine / template / standard
5	Rename IDE package	packages/vscode-umt + packages/antigravity-umt → packages/proamineumt-ide/ with vscode/ and antigravity/ inside	README states the standalone-IDE trajectory the founder set: the project is an IDE, not only an extension
6	Reorganize apps	apps/website/ + apps/prototype/ containing eight prototypes, each with its own README	Five new prototype folders are founder-directed scaffolds (README-only until built)
7	Architecture Map = Interactive Engineering Documentation	Mounted as the official interactive reference of the site; bound to docs/ through the Docs ↔ Map Crosslink Registry (§6.1)	Structural mechanism, no new code required
8	specs/ → standards/	Renamed and expanded into ten independent standards + rfcs/ (§4)	Each standard carries its own status (Draft / LOCKED / Adopted) and version
9	Add hardware/	New top-level hardware/ with the eight requested areas	NanoKit + NanoKit-iM + UMT IC get physical-world homes; the platform is visibly not software-only
10	Community system	New community/ with governance files, contributors/ , hall-of-fame, and the nine contribution classifications	See Note B (§1.2): thin root stubs remain so GitHub's community-health detection keeps working (the Kubernetes pattern)
11	Partners	New partners/ — chip-vendors, universities, industrial, research, technology-partners	chip-vendors/ is the onboarding surface for the BGA 16×16 adoption program

#	Directive	How it is applied in v3.0	Architect note
12	Enterprise / investors	New enterprise/ — business, roadmap, funding, investors, sponsorship, presentations	See Note C (§1.3): public-safe materials here; NDA materials stay in the private umt-internal repo
13	Documentation	docs/ restructured into the fourteen requested sections	v1.0's Diátaxis discipline survives <i>inside</i> each section; ADRs live at the industry-standard path docs/architecture/decisions/
14	Examples	Ten categories: beginner → education	Existing examples slotted in; empty categories become labeled good-first-issue territory
15	License & Attribution	Apache-2.0 — DECIDED (v1.0 recommendation accepted); LICENSE + NOTICE (founder's verbatim text, §8) + AUTHORS.md at root	Closes the largest Phase-0 open item
16	Keep everything	Relocation delta in §3 — every v1.0 path has a v3.0 destination; zero deletions, zero idea changes	—

1.1 Note A — **core/** and the **LOCKED single-intelligence-core decision (ADR-0003)**

The directive's component list was explicitly illustrative ("□□□□□"), which gives the architect latitude to apply it without breaking a decision the founder himself locked and verified in July 2026: **the AIA Engine (Abstraction Intelligence Algorithm Engine) is the single intelligence core; no separate engine exists anywhere; the abstraction path is deterministic-first**. Creating sibling folders named **abstraction-engine/**, **vr-engine/**, **compiler/**, **runtime/** would visually contradict ADR-0003 by suggesting multiple engines. v3.0 therefore maps every requested name to its true home:

Requested in review	v3.0 home	Why
abstraction-engine/	core/aia-engine/umt-abstraction/	UMT Abstraction is LOCKED sub-function (6) — steps 1-5 of the 7-step pipeline (VR intent parse → pin scan → symbolic token match → functional clone → conflict check)
vr-engine/	core/aia-engine/umt-abstraction/	The VR resolution engine <i>is</i> UMT Abstraction — one thing, one name
compiler/	core/aia-engine/code-generation/ + build-system/	The hidden C++ emitter and the internal arduino-cli/PIO driver are LOCKED sub-functions (7) and (8)
runtime/	packages/umt-sdk/ (Framework Layer)	The only UMT code that executes on the target is the SDK runtime — it ships to devices, so it belongs in packages/ , not core/
project-generator/	core/project-generator/	Legitimate standalone platform engine — instantiates templates/myproject/
dependency-engine/	core/dependency-engine/	Platform component (2) brain: Toolchains · Packages · BoardMgr resolution over the boards/ registry

If the founder prefers the literal folder names regardless, thin façade directories (README pointing into **aia-engine/**) can be added — not recommended, as it reintroduces the "multiple engines" appearance ADR-0003 exists to prevent.

1.2 Note B — **Community files and GitHub's detection rules**

GitHub only surfaces **CONTRIBUTING.md**, **CODE_OF_CONDUCT.md**, and **SECURITY.md** in its UI (new-issue banners, community-standards checklist, private vulnerability reporting) when they sit at the **root**, in **.github/**, or in **docs/**. The founder's **community/** directory becomes the **canonical** home of the full governance system; the root keeps **thin stub files** that point into it — exactly how Kubernetes bridges its community repo. **SECURITY.md** remains a full root file because the private-vulnerability-reporting integration reads it there.

1.3 Note C — **The enterprise/ boundary rule**

One sentence governs the split: **everything an investor may see without an NDA lives in [enterprise/](#); everything under NDA stays in the private [pro-amine/umt-internal](#) repo.** Consequently: the *engineering* roadmap stays at root [ROADMAP.md](#) (open-source convention); the *business* roadmap (market, adoption, funding milestones) lives in [enterprise/roadmap/](#); the public pitch deck (Master Pitch Hook) lives in [enterprise/presentations/](#); confidential financials and negotiations never enter the public repo.

2. Complete Project Tree — v3.1

Pro_AmineUMT-IDE-AI-Platform/	← MONOREPO ROOT github.com/pro-amine/Pro_AmineUMT-IDE-AI-Platform
← Official Open Source Repository Product: Pro_AmineUMT IDE with AI Platform Built on: UMT Platform (Unified Microchip Technology Platform) Organization: Pro_Amine LLC License: Apache License 2.0	
— Root: identity, law, and GitHub-required files —	
— README.md	← First line: Pro_AmineUMT IDE with AI Platform – Official Open Source Repository. First screen: the platform test of Directive 16's final goal (§5)
— LICENSE	← Apache-2.0 * DECIDED (Directive 15)
— NOTICE	← Founder's verbatim attribution text (§8)
— AUTHORS.md	← Founder + every author of record
— TRADEMARKS.md	← UMT · AIA Engine · AI Bashir · Pro_Amine · NanoKit-iM
— CONTRIBUTING.md	← root stub → community/CONTRIBUTING.md (Note B)
— CODE_OF_CONDUCT.md	← root stub → community/CODE_OF_CONDUCT.md
— SECURITY.md	← full file at root (GitHub vuln-reporting hook)
— SUPPORT.md	← stub → community/ + docs/getting-started/
— CHANGELOG.md · ROADMAP.md · CITATION.cff · CLAUDE.md	
— .gitignore · .gitattributes · .editorconfig	
— .github/	← unchanged from v1.0: workflows (docs-deploy · ci · release), issue templates (bug · feature · board_support_request · standard_rfc), PR template, CODEOWNERS, FUNDING.yml
— core/	* NEW – the heart of the platform (Directives 1–4). WHY: separates what UMT *is* (engines) from what UMT *ships* (packages). Nothing here is a library.
— README.md	← the three identity statements (§0)
— aia-engine/	← THE single intelligence core – ADR-0003. Node.js service; ten LOCKED sub-functions as modules:
— project-analysis/	
— prompt-builder/	
— context-manager/	
— model-selection/	
— api-communication/	← Claude · OpenAI · Gemini · DeepSeek · Moonshot Kimi
— umt-abstraction/	← the VR engine – pipeline steps 1–5 (deterministic)
— code-generation/	← the hidden C++ emitter (deterministic)
— build-system/	← drives arduino-cli / PlatformIO internally
— debug-system/	← produces aia_map.json (Debug at Source, ADR-0002)
— documentation-generation/	← feeds .CmdGenius knowledge files
— prompts/	← system prompts consumed by the Prompt Builder
— ai-bashir/	← official intelligent assistant – voice permission gating, TTS, DigitalHumanHead, Project Interview Mode; the 5-layer AI Voice System architecture
— cmdgenius/	← Project Intelligence Workspace *engine* – generates and maintains the ten locked knowledge files
— project-generator/	← scaffolding engine – instantiates templates/myproject
— dependency-engine/	← Platform component (2) brain: Toolchains · Packages · BoardMgr – resolves over the boards/ registry
— standards/	* RENAMED from specs/ + expanded (Directive 8). WHY: ten independent, individually versioned, individually adoptable standards – the W3C/LLVM signal to IC package manufacturers.
— README.md	← status index: Draft / LOCKED / Adopted
— umt-platform-standard/	← the five-component platform composition + board-profile JSON Schema (CI validates boards/*.json)
— umt-language-standard/	← the .umt C++ dialect (was specs/umt-language)
— umt-sdk-standard/	← API surface: 18 peripheral classes · 318 VR identifiers · 45 interface types
— umt-ide-standard/	← the LOCKED six-part IDE composition
— umt-ic-standard/	← UMT IC: master + slave drivers in parallel inside the substrate over the hybrid SPI+I2C+PCIe bus
— vr-api-standard/	← VR Naming Rule (ADR-0005) + pin lifecycle FREE → RESERVED → BOUND + Functional Comment Rule (ADR-0004)
— bga-standard/	← * UMT IC BGA 16×16 Package Substrate Standard – VR_0x[Row][Col] hex grid (rows/cols 1–F), physical (UMT IC · NanoKit-iM) vs virtual (dev boards)

cmdgenius-standard/	← .CmdGenius Official v2 + the locked 10-file tree
ai-standard/	← the AIA contract: ten sub-functions, deterministic-first abstraction path (never LLM-dependent), provider-agnostic API; AI Bashir wording rules
simulator-standard/	← behavior contract for Targets A / B / C
rfcs/	← numbered change proposals against any standard
hardware/	★ NEW (Directive 9). WHY: the platform is Hardware + Software; the repository must show it in its first screen.
README.md	
nanokit/	← NanoKit Integrated ESP32 (canonical 40-pin) + NanoKit-iM – "(MCU or SoC) Integrated Modules"
umt-ic/	← the UMT IC on the BGA 16x16 substrate
reference-designs/	
pcb/	
schematics/	
manufacturing/	
datasheets/	
certification/	
packages/	← what the platform SHIPS (post-move: four products)
umt-sdk/	← unchanged internal layout (v1.0 §8); the SDK Framework Layer is the on-target *runtime*
umt-cli/	← Build·Flash·Debug·Monitor·SimCtrl·BoardSelect·Config
proamineumt-ide/	★ RENAMED (Directive 5)
README.md	← standalone-IDE trajectory statement
vscode/	← existing VS Code extension (moved, unchanged)
antigravity/	← existing Antigravity extension (moved, unchanged)
umt-simulator/	
target-a-dev-boards/	
target-b-mcu-bga16x16/	
target-c-nanokit-im/	
apps/	← (Directive 6)
website/	← Docusaurus → GitHub Pages · umt.proamine.tech
prototype/	← each prototype: standalone README + package.json
architecture-map/	← Interactive Engineering Documentation (Directive 7; crosslink registry in §6.1) – was v6.0 JSX
knowledge-base/	← was KB v7.2 JSX
software-hierarchy/	← was Hierarchy JSX
simulator-ui/	← founder-directed scaffold (README until built)
ide-demo/	← founder-directed scaffold
sdk-demo/	← founder-directed scaffold
ai-bashir-demo/	← founder-directed scaffold
command-genius-demo/	← founder-directed scaffold
boards/	← unchanged: nanokit-esp32.json (canonical) · arduino-uno.json · pico.json · README ("add your board in one JSON file")
templates/	
myproject/	← MyProject/ scaffold + .CmdGenius/ with the TEN locked knowledge files (Directive 4: template kept)
examples/	← (Directive 14) – proof of One code. Any architecture.
README.md	← category map + contribution invitation
beginner/	
led-blink/	← default example (UART0.deactivate → RX0 as LED ...)
adc-read/	← canonical VR_ADC4 (GPIO32 · BGA VR_0x54)
intermediate/	
dc-motor/	← the Architecture-Map demo as real .umt source
advanced/ · industrial/ · ai/ · robotics/ · iot/	
automotive/ · aerospace/ · education/	(labeled good-first-issue territory until filled)
docs/	← (Directive 13) – fourteen sections; Diátaxis discipline survives INSIDE each section
getting-started/	← install · first project · first flash
tutorials/	← learning paths
architecture/	← system design docs + decisions/ (ADR-0001...0006 at the industry-standard ADR path) + map-index.md (the Docs ↔ Map Crosslink Registry, §6.1)
whitepapers/	← Pure VR Source + Debug at Source originals (PDF)
articles/	← the 5-article launch series
api/	← VR interface catalog · SDK API reference
hardware/	← NanoKit pinout · ESP32 hardware restrictions (GPIO6–11 flash · input-only 34/35/36/39 · GPIO0 boot)
standards/	← reader-friendly guides to /standards (canonical normative text stays in /standards)
sdk/ · ide/ · simulator/ · ai/ · cmdgenius/	
research/	← papers, citations, academic collaboration
assets/{img, pdf}	
community/	★ NEW (Directive 10) – canonical governance system
CONTRIBUTING.md	← full document (root stub points here)

CODE_OF_CONDUCT.md	← Contributor Covenant v2.1 (root stub points here)
GOVERNANCE.md	← founder-led + standards changed only via rfcs/
MAINTAINERS.md	
SUPPORTERS.md	← the letters-of-gold registry; BGA-adopting companies at the top
contribution-types.md	← the NINE classifications: Software · Hardware · Documentation · Financial · Research · Industrial · Testing · Translation · Community
contributors/	
— developers.md · companies.md · sponsors.md · hall-of-fame.md	
partners/	★ NEW (Directive 11) — institutional front doors
— chip-vendors/	← BGA 16x16 adoption program onboarding (links standards/bga-standard + boards/ + the board_support_request template)
— universities/ · industrial/ · research/ · technology-partners/	
enterprise/	★ NEW (Directive 12) — public-safe business layer (boundary rule in Note C)
— business/	← company & platform overview (no-NDA)
— roadmap/	← BUSINESS roadmap (engineering ROADMAP.md stays root)
— funding/ · investors/ · sponsorship/	
— presentations/	← the Master Pitch (public deck)
tools/	← repo maintenance scripts (board-JSON validator, docs link-checker, crosslink-registry checker)

3. Relocation Delta — v1.0 → v3.0 (nothing deleted)

Only paths that **change** relative to v1.0 are listed; everything else keeps its v1.0 destination. The v1.0 \$2 table (original files → repository) remains valid upstream of this delta.

#	v1.0 path	v3.0 path	Directive
1	packages/aia-engine/ (+ prompts/)	core/aia-engine/ (+ ten sub-function modules + prompts/)	1, 2
2	AI Bashir engine (inside IDE package)	core/ai-bashir/ — IDE keeps the AI Bashir panel UI	3
3	.CmdGenius engine logic (inside IDE/AIA)	core/cmdgenius/	4
4	— (new)	core/project-generator/, core/dependency-engine/	1
5	packages/vscode-umt/	packages/proamineumt-ide/vscode/	5
6	packages/antigravity-umt/ (existing extension code)	packages/proamineumt-ide/antigravity/	5
7	apps/architecture-map/, apps/knowledge-base/, apps/software-hierarchy/	apps/prototype/{same names}/	6
8	— (new scaffolds)	apps/prototype/{simulator-ui, ide-demo, sdk-demo, ai-bashir-demo, command-genius-demo}/	6
9	specs/umt-language/	standards/umt-language-standard/	8
10	specs/vr-api/	standards/vr-api-standard/	8
11	specs/bga-16x16-substrate/	standards/bga-standard/ (full title preserved inside)	8
12	specs/board-profile/	standards/umt-platform-standard/ (board-profile JSON Schema)	8
13	specs/cmdgenius/	standards/cmdgenius-standard/	8
14	specs/rfcs/	standards/rfcs/	8

#	v1.0 path	v3.0 path	Directive
15	— (new standards)	standards/{umt-platform, umt-sdk, umt-ide, umt-ic, ai, simulator}-standard/ — content transcribed from LOCKED decisions, KB, and SDK headers	8
16	NanoKit / BGA physical-world material (docs only in v1.0)	hardware/{nanokit, umt-ic, ...} + reader docs in docs/hardware/	9
17	Root CONTRIBUTING.md, CODE_OF_CONDUCT.md, GOVERNANCE.md, SUPPORTERS.md (full files)	Canonical → community/; root keeps stubs (Note B); SECURITY.md full at root	10
18	— (new)	community/{MAINTAINERS.md, contribution-types.md, contributors/*} + root AUTHORS.md	10, 15
19	— (new)	partners/{chip-vendors, universities, industrial, research, technology-partners}/	11
20	Public-safe business material (was umt-internal only)	enterprise/{business, roadmap, funding, investors, sponsorship, presentations}/ — NDA material stays private (Note C)	12
21	docs/{tutorials, how-to, reference, explanation, decisions, articles, assets}	Fourteen-section layout (§2); how-to/explanation content distributed per area; reference → api/; decisions/ → docs/architecture/decisions/	13
22	docs/assets/pdf/{pure-vr-source, debug-at-source}.pdf	docs/whitepapers/ (they are the platform's first whitepapers)	13
23	examples/{led-blink, adc-read, dc-motor}	examples/beginner/{led-blink, adc-read}, examples/intermediate/dc-motor + seven new category folders	14
24	LICENSE (recommended Apache-2.0)	LICENSE Apache-2.0 decided + NOTICE verbatim (§8) + AUTHORS.md	15

4. The Standards System (Directive 8)

Every standard is an independent unit: its own folder, its own **README.md** carrying **Status** (Draft / LOCKED / Adopted), **Version**, and **Change process** (only via `standards/rfcs/`). Initial status map — all content transcribed from existing locked material, nothing invented:

Standard	Seed content (already exists)	Initial status
umt-platform-standard	Five-component platform definition + board-profile JSON Schema	Draft
umt-language-standard	".umt is C++ — a dialect, not a new language" (PureVR supplement §A.1)	LOCKED
umt-sdk-standard	UMT.h / VRTypes.h surfaces: 18 classes · 318 VR ids · 45 types	LOCKED (v1.0.0)
umt-ide-standard	The six-part IDE composition	LOCKED
umt-ic-standard	UMT IC master/slave drivers · hybrid SPI+I2C+PCIe substrate bus	Draft (feeds BGA Hybrid v9 horizon)
vr-api-standard	VR Naming Rule + pin lifecycle + Functional Comment Rule	LOCKED (ADR-0004, ADR-0005)

Standard	Seed content (already exists)	Initial status
bga-standard	UMT IC BGA 16×16 Package Substrate Standard — VR_0x[Row][Col]	LOCKED (adoption target)
cmdgenius-standard	.CmdGenius Official v2 + ten locked file names	LOCKED
ai-standard	AIA contract: ten sub-functions · deterministic-first path · provider-agnostic API · AI Bashir wording	LOCKED (ADR-0003)
simulator-standard	Targets A / B / C definitions	Draft

5. README — Platform-Identity Revision

The v1.0 sixteen-section skeleton survives with three changes that execute the founder's philosophy: **(a)** the first line reads *Pro_AmineUMT IDE with AI Platform — Official Open Source Repository*, followed immediately by *Built on UMT (Unified Microchip Technology)* — the tagline stays "One code. Any architecture."; **(b)** section 4 becomes a **platform map**: one row each for Core · Standards · Hardware · Packages · Apps · Docs · Community · Partners · Enterprise, each with a one-line purpose and link — so the five audiences (developer, company, chip vendor, investor, researcher) each see their door in the first screen; **(c)** section 13 (Recognition) uses the exact NOTICE wording (§8).

6. Documentation & the Architecture Map (Directives 7, 13)

The fourteen sections in §2 are the visible structure. Inside each section, pages still declare their Diátaxis role (tutorial / how-to / reference / explanation) in front-matter — the v1.0 discipline survives as internal ordering, which keeps "where does my page go?" answerable for contributors.

6.1 Docs ↔ Map Crosslink Registry

Directive 7 makes the Architecture Map the platform's **Interactive Engineering Documentation**. The binding is structural, not new code:

- Canonical mount** — the website serves the Map at `/architecture-map`, linked from `docs/index` as "the official interactive reference of the Pro_AmineUMT IDE with AI Platform."
- Registry file** — `docs/architecture/map-index.md` lists every Map block/step → its documentation page (e.g., *AIA Engine block* → `docs/ai/` + `standards/ai-standard`; *Step 16 Command Genius* → `docs/cmdgenius/`; *BGA pinout* → `docs/hardware/` + `standards/bga-standard`).
- Front-matter key** — every architecture/standard doc carries `map_block`: naming its Map counterpart; CI's link-checker (in `tools/`) verifies the registry both ways.
- Deep links** — when the Map gains URL-addressable steps (M2 work item c), the registry entries become clickable both directions.

7. Updated Migration Plan (delta on v1.0 §10)

Phases and exit criteria stand; the deltas: **Phase 0** shrinks again — the license is DECIDED and the repository name is now **DECIDED by the Identity Directive** (`Pro_AmineUMT-IDE-AI-Platform` under `github.com/pro-amine/`); remaining calls: Docusaurus confirmation, prompt privacy, and the one-word NOTICE question (§9). **Phase 1** stages the v3.1 tree (§2) using v1.0 §2 + §3 above as the complete move list. **Phase 2** grows: author the `community/` system (incl. `contribution-types.md`, root stubs per Note B), NOTICE verbatim, `AUTHORS.md`, the ten standard READMEs with status labels, and README placeholders for `hardware/`, `partners/`, `enterprise/`, and the five new prototypes. **Phase 5** adds the Map's canonical mount + `map-index.md` registry. **Phase 6** adds the crosslink checker to CI and re-syncs `CLAUDE.md` paths to the v3.1 tree. Realistic solo effort: **~3 weeks part-time**, Pages still live end of week 1.

8. NOTICE — Verbatim Content (Directive 15)

Copyright © Pro_Amine LLC

Developed by:
Amine Saoud ibn al-Bashir
Founder of Pro_Amine LLC

Official Project:
Pro_AmineUMT IDE with AI
UMT Platform

Recognition:
Recognized by Corporate Vision Magazine (United Kingdom)
Technology Innovator Awards 2025
Rising Star in Microchip Technology Solutions – Europe

9. Remaining Open Decisions (Phase 0 residue)

Repository name — DECIDED by the Identity Directive: [Pro_AmineUMT-IDE-AI-Platform](#) under [github.com/pro-amine/](#). Closed.

1. **Docs engine** — Docusaurus (recommended; the prototypes embed as live pages) vs MkDocs Material.
2. **Prompt privacy** — Master Prompt + Antigravity build prompt stay in the private companion repo initially; opening them later is a launch option (the AI-built story is already public in the pitch). Cosmetic sub-call: the private repo may adopt the matching name [Pro_AmineUMT-Internal](#).
3. **NOTICE product line (one word)** — the §8 verbatim text reads "*Pro_AmineUMT IDE with AI*"; the Identity Directive names the product "*Pro_AmineUMT IDE with AI Platform*". Whether NOTICE adopts the final word is the founder's call — v3.1 keeps §8 verbatim as authored until directed.

Pro_AmineUMT IDE with AI Platform

Built on UMT — Unified Microchip Technology · One code. Any architecture.

© Pro_Amine LLC · Developed by Amine Saoud ibn al-Bashir · Recognized by Corporate Vision Magazine UK · Technology Innovator Awards 2025 — Rising Star in Microchip Technology Solutions in Europe