ProDEPLOY Client

User Manual

This manual explains how to use the ProDEPLOY Client: the app on a ProDVX device that installs applications and applies startup configurations from a deployment code. It covers the Android version of the Client.

Contents

Contents....1
1. Introduction....2
2. Before you start....2
3. The main screen....2
4. Deploying with a code....3
5. Deploying with an NFC tag....3
6. During a deployment....3
    6.1 Order of installation....4
    6.2 Permissions....4
    6.3 Confirming an installation....4
7. Install history....4
8. Closing the app....4
9. Automatic updates....4
10. Messages and troubleshooting....5

1. Introduction

ProDEPLOY sets up ProDVX devices with a single short code. Software partners and ProDVX publish applications, startup configurations and deployment packages in the ProDEPLOY Backoffice. Each one gets a **deployment code** of up to five capitals and digits, for example `K7MPA`.

When you enter that code in the ProDEPLOY Client, the device:

1. Tells ProDEPLOY its model and Android version.
2. Receives the newest version of every application that suits the device.
3. Downloads and installs those applications, one after another.
4. Applies the startup configuration, if the code includes one.

A code can stand for	What the Client does
An application	Downloads and installs the newest compatible version.
A startup configuration	Closes and hands the settings to the ProDVX Startup Wizard.
A deployment package	Installs all its applications in the set order, then applies its configuration.

2. Before you start

Make sure that:

- The device is a ProDVX device whose model is registered in ProDEPLOY. Ask your ProDVX contact if you are unsure.
- The device is connected to the internet (Wi-Fi or Ethernet).
- You have a deployment code, or an NFC tag that holds one.
- The ProDEPLOY Client is open. It is usually started from the ProDVX Startup Wizard, or from its icon in the app list.

> **Note:** When the Client starts it reads the device information and briefly shows "Device info loaded". Wait for this message before entering a code.

3. The main screen

The main screen is designed for touch screens and needs no system keyboard.

Element	Purpose
ProDEPLOY logo	At the top of the screen.
Message line	Below the logo. Shows errors such as "No code entered".
Enter code	The field that shows the code you are typing.
Submit	Sends the code. During a deployment, this place shows the progress instead.
Code keyboard	The on-screen keyboard at the bottom with the digits 0–9 and the letters A–Z.

4. Deploying with a code

1. Type the code with the on-screen keyboard. The field accepts up to five characters.
2. Check the code in the **Enter code** field. Use ⌫ to correct a mistake.
3. Tap **Go** or **Submit**.
4. Wait while the applications are downloaded and installed (see chapter 6).

> **Note:** Codes generated by ProDEPLOY never contain the digit zero. A round character in such a code is the letter **O**.

5. Deploying with an NFC tag

If the device has an NFC reader, you can start a deployment by tapping a tag instead of typing the code.

1. Open the ProDEPLOY Client and make sure NFC is switched on in the Android settings.
2. Hold the tag against the device's NFC reader.
3. The code from the tag appears in the **Enter code** field and is sent automatically.

The tag must contain the code as a plain text record, and that record must be the first one on the tag. Any NFC writing app can create such a tag.

If the tag cannot be read as a code, the field shows a description instead, such as "Empty Text Record", "Unhandled NDEF Record Type" or "No NDEF Data, Raw ID: …". See chapter 10.

6. During a deployment

While a deployment runs, the **Submit** button is replaced by its progress:

- **Downloads: 2/5** with a bar showing how many downloads have finished.
- A line with a progress bar for each application, reading **Downloading** *name* or **Installing** *name*.

Short messages at the bottom of the screen report each step, for example "Download for *name* started" and "Download for *name* completed, installing". When everything has finished, the message **All downloads and installs complete** appears.

6.1 Order of installation

Applications are installed in the order set in the deployment package. A startup configuration is always applied last, after every application has finished. Applying it closes the ProDEPLOY Client and passes the settings to the ProDVX Startup Wizard, which then configures the device.

> **Caution:** Do not switch off the device or disconnect it from the network while a deployment is running.

6.2 Permissions

Some applications are published with pre-granted permissions. Their permissions (camera, location and so on) are approved automatically right after installation, so the app does not ask for them when it is first opened. If this does not succeed, the message "Some permissions for *app* could not be granted" appears and the app asks for the permissions itself.

6.3 Confirming an installation

Depending on how the device is set up, Android may ask you to confirm an installation. Tap **Install** to continue. The deployment waits until you do.

7. Install history

Tap the list icon at the top right of the main screen to open **Installed this session**. It lists every application the Client has tried to install since it was started:

- ✓ *name* – installed successfully.
- ✗ *name* – the installation failed.

If nothing has been installed yet, the dialog shows "Nothing installed yet." Tap **Close** to return. The list is cleared when the Client is restarted.

8. Closing the app

Press the Android back button to close the Client. If downloads or installations are still running, the dialog **Download/install in progress** appears with the number of pending operations:

- **Cancel** – stay in the app and let the deployment finish. This is recommended.
- **Exit anyway** – close the app. Running downloads and installations may be interrupted.

9. Automatic updates

The ProDEPLOY Client keeps itself up to date. Once a day, when the device is connected to the internet, it checks for a newer version of itself and installs it in the background. The check also starts after the device has rebooted; a notification "Checking for updates" may appear briefly. You do not have to do anything.

10. Messages and troubleshooting

Message or problem	Meaning and solution
"No code entered"	You tapped Go or Submit with an empty field. Type the code first.
"Failed to get result"	The code could not be redeemed. Check the code for typing errors and the internet connection. If both are correct, the code may not exist any more, the device model may not be registered, or none of the applications suit this device. Contact the person who gave you the code.
"Failed to get device info, Please restart your device"	The Client could not read the device information. Restart the device and open the Client again.
"Download failed"	An application could not be downloaded. Check the internet connection and enter the code again.
"Installation of *name* failed"	Android refused to install the application, for example because there is not enough storage or the app is not compatible. It is marked *X* in the install history.
"An application could not be deployed"	The information for an application was incomplete. The remaining applications continue. Report the code to its publisher.
"Some permissions for *app* could not be granted"	The app installed, but will ask for some permissions itself when opened.
"Deletion of *name* failed"	The downloaded installation file could not be removed afterwards. The app itself is installed; no action is needed.
"Empty Text Record", "Unhandled NDEF Record Type", "No Records in NDEF Message", "No NDEF Data…"	The NFC tag does not contain a code as a text record. Rewrite the tag, or type the code instead.

Message or problem	Meaning and solution
Nothing happens when tapping a tag	NFC is switched off, the Client is not open in the foreground, or the device has no NFC reader.
The app closed by itself	If the code included a startup configuration, this is expected: the Startup Wizard takes over to apply the settings.