



Process Asset Development (PAD)

PAD Overview

Required PA Information

Intent

Develops the process assets necessary to perform the work and keeps them updated.

Value

Provides a capability to understand and repeat successful performance.

Additional Required PA Information

This section left blank for future content.

Explanatory PA Information

Practice Summary

Level 1

PAD 1.1 Develop process assets to perform the work.

Level 2

PAD 2.1 Determine what process assets will be needed to perform the work.

PAD 2.2 Develop, buy, or reuse process assets.

PAD 2.3 Make processes and assets available.

Level 3

PAD 3.1 Develop, keep updated, and follow a strategy for building and updating process assets.

PAD 3.2 Develop, record, and keep updated a process architecture that describes the structure of the organization's processes and process assets.

PAD 3.3 Develop, keep updated, and make the organization's processes and assets available for use in a process asset library.

PAD 3.4 Develop, keep updated, and use tailoring criteria and guidelines for the set of standard processes and assets.

PAD 3.5 Develop, keep updated, and make work environment standards available for use.

PAD 3.6 Develop, keep updated, and make organizational measurement and analysis standards available for use.

Additional PA Explanatory Information

Organizational process assets enable:

- Consistent process execution across the organization
- Tailoring using the organizational guidelines
- Organizational learning and process improvement
- A basis for cumulative, long-term benefits to the organization
- Sharing best practices and lessons learned across the organization

Related Practice Areas

Process Management (PCM)

Context Specific

Agile Development


Context Tag:	Agile Development
Context:	Integrate agile techniques and ceremonies with other processes.

Agile is an iterative approach to project management and software development that helps teams deliver value to their customers faster. [Figure PAD-1: Typical Agile Assets](#) shows some example agile process assets.

- Agile Processes: Agile processes and workflows are typically embedded within tools.
- Product Backlog Tool / Template: A product backlog lists and prioritizes the task-level details required to execute the strategic plan set forth in the roadmap. The backlog should communicate what is next on the team's to-do list as they execute on the roadmap. Typical items in a product backlog include user stories, bug fixes, and other tasks. The backlog is a translation of how the team delivers the vision outlined on an agile roadmap.
- Sprint Backlog and Release Plan Tool / Templates
 - A Sprint backlog is a list of work items the team plans to complete. These items are usually pulled from the product backlog during the Sprint planning session.
 - Release planning maximizes the chances of achieving the goals of the Sprint.
- Task Board Tool / Template - A Task Board is the focal point of any Agile project and serves as a good place at which to hold the stand-up meeting or Scrum. Typically, a Task Board displays only information pertinent to the current Sprint and is cleared off before the next Sprint begins. The task board depicts the set of tasks to be performed by the agile team during a particular period of time. One type of task board used by agile teams is Kanban.
- Burndown Chart Tool / Template - A burndown chart or burn down chart is a graphical representation of work left to do versus time. The outstanding work (or backlog) is often on the vertical axis, with time along the horizontal. Burn down charts are a run chart of outstanding work. It is useful for predicting when all the work will be completed.

- Retrospective Tool / Template - Retrospective meetings occur at the end of a project to help teams pause and think about improving future performance. It's a safe space for reviewing the project's successes, identifying opportunities for process improvement, and solving issues that may have come up.

Figure PAD-1: Typical Agile Assets



Data

Context Tag:	CMMI-DATA
Context:	Use processes to incorporate data management best practices as an integral part of the solution.

Establish process assets for managing the data aspects of the work. For example, define process assets for the following:

- Business rules for data management and data quality, e.g., data sufficiency, data ownership, data coverage, data completeness
- Metadata management processes, e.g., adding metadata categories, managing metadata repositories, validating metadata, analyzing impacts of potential data changes
- Data retention criteria and processes, consistent with legal and regulatory requirements

- Data security, e.g., access controls, permission levels, levels of data classification
- Archival and retrieval processes, consistent with organizational and regulatory requirements
- Data remediation processes
- Audit requirements and audit trail logs

DevSecOps

Context Tag:	DevSecOps
Context:	DevSecOps is a mindset, a culture, and set of practices that fosters close cooperation between development, operations, and security to plan, develop, test, deploy, release, and keep updated a secure solution.

DevSecOps teams rely on a set of automated process assets and tools, allowing developers, operations, and security to collaborate to build and deploy software to production. This includes build automation/Continuous Integration (CI), automated testing, validation, and reporting. Pipelines are built for each DevSecOps team based on the environment, e.g., resources and tool availability. Pipeline development and process assets improve and evolve over time. Pipelines may also include manual gates requiring human intervention before code is deployed. A key characteristic of a DevSecOps pipeline is Continuous Integration / Continuous Delivery (CI/CD), continuous feedback, and continuous operations. These functions occur on an ongoing basis.

Safety

Context Tag:	CMMI-SAF
Context:	Use processes to incorporate safety considerations as an integral part of the solution, work, project, and organization.

Safety process maps, processes, and guidelines provide roadmaps to address workplace environment and functional hazards and other safety related risks and issues. Ensure that the organization continually supports deployment of safety processes and process assets, particularly when starting new work. Incorporate the status of safety process deployment activities within the organization's list of projects.

Security

Context Tag:	CMMI-SEC
Context:	Use processes to incorporate security considerations as an integral part of the solution, work, project, and organization.

Security process maps, processes, and guidelines provide roadmaps to address workplace environment and security related risks and issues. Ensure that the organization continually supports deployment of security processes and process assets, particularly when starting new work. Incorporate the status of security process deployment activities within the organization's list of projects.

Level 1

PAD 1.1

Required Practice Information

Practice Statement

Develop process assets to perform the work.

Value

Improves consistency to increase likelihood of meeting objectives.

Additional Required Information

This section left blank for future content.

Explanatory Practice Information

Additional Explanatory Information

Recording work steps helps to avoid rework and ensure that team members know what needs to be done.

Example Activities

Example Activities	Further Explanation
Record work instructions.	

Example Work Products

Example Work Products	Further Explanation
Work instructions	
Process descriptions	
Templates	

Level 2

PAD 2.1

Required Practice Information

Practice Statement

Determine what process assets will be needed to perform the work.

Value

Avoids waste by focusing resources only on the process assets needed to perform the work.

Additional Required Information

This section left blank for future content.

Explanatory Practice Information

Additional Explanatory Information

The context and scope of the work will help determine which process assets are needed. Consider when process assets will be needed, especially for large projects. Review and revise those needs if the context or scope changes.

Example Activities

Example Activities	Further Explanation
Identify process assets needed for the project.	

Example Work Products

Example Work Products	Further Explanation
Templates	For example, templates may be provided for: • Plans • Estimates • Technical documentation • Meeting minutes • Service level agreements • Requests for proposals • Contracts or agreements
Work Instructions	Work instructions can include: • Sequential checklists • Standard Operating Procedures (SOPs) • Processes
Tools	

PAD 2.2

Required Practice Information

Practice Statement

Develop, buy, or reuse process assets.

Value

Minimizes costs, effort, and time needed for developing the assets.

Additional Required Information

This section left blank for future content.

Explanatory Practice Information

Additional Explanatory Information

This section left blank for future content.

Example Activities

Example Activities	Further Explanation
Select which assets will be subject to a build, buy, or reuse analysis.	
Perform build, buy, or reuse analyses to determine the best option of various selected assets.	
Record results of analyses.	
Build, buy, or reuse the indicated assets.	

Example Work Products

Example Work Products	Further Explanation
Build, buy, reuse analyses results	
Process assets	

Related Practice Areas

Decision Analysis and Resolution (DAR)

PAD 2.3

Required Practice Information

Practice Statement

Make processes and assets available.

Value

Reduces cost and time needed for performing the work by using existing process assets.

Additional Required Information

This section left blank for future content.

Explanatory Practice Information

Additional Explanatory Information

Ensure that team members know what assets are available and how to access them.

Identify and make assets available for use by other projects.

Example Activities

Example Activities	Further Explanation
Make assets available for use by projects.	
Communicate the availability of assets for use.	

Example Work Products

Example Work Products	Further Explanation
Process assets	

Level 3

PAD 3.1

Required Practice Information

Practice Statement

Develop, keep updated, and follow a strategy for building and updating process assets.

Value

Provides a structure and direction for asset building that minimizes cost.

Additional Required Information

This section left blank for future content.

Explanatory Practice Information

Additional Explanatory Information

This section left blank for future content.

Example Activities

Example Activities	Further Explanation
Develop a strategy for building and updating process assets.	For example, include: • Identification of the business objectives addressed and their priority • Methods for developing and updating assets • Identification of roles and responsibilities for carrying out the strategy • Criteria for implementing action plans • Reference to process architecture

Example Work Products

Example Work Products	Further Explanation
Strategy for building and updating process assets	

PAD 3.2

Required Practice Information

Practice Statement

Develop, record, and keep updated a process architecture that describes the structure of the organization's processes and process assets.

Value

Ensures that processes add value by providing a robust process architecture.

Additional Required Information

The structure needs to accommodate:

- Processes
- Critical attributes of the process
 - Inputs and outputs
 - Sequence links
 - Dependency links
 - Connections

Explanatory Practice Information


Additional Explanatory Information

The process architecture defines the structures necessary to contain the processes, process assets, and connections. The process architecture needs to be considered from two different aspects:

- Structural Architecture
- Content Architecture

Both need to be addressed. [Figure PAD-2: Structure and Content](#) describes the differences between the two types.

Figure PAD-2: Structure and Content



The content architecture may independently vary over time because of changes to organizational needs. Structural architectural typically only changes when there is a major change to the organization, the process needs, or process approach.

Clearly specified processes interact efficiently resulting in less redundancy and fewer gaps, therefore ensuring that every process adds value. A process architecture:

- Reduces risks
- Increases quality
- Improves time-to-market
- Increases customer satisfaction
- Facilitates achievement of business objectives
- Promotes understandings between work groups
- Helps clarify roles and responsibilities
- Improves coordination of efforts
- Reduces unnecessary activities
- Reduces missed activities
- Improves process flow by ensuring that all necessary inputs and outputs are defined

Example Activities

Example Activities	Further Explanation
Identify process requirements.	Describe the business needs addressed by processes.
Identify process architecture objectives.	Process architecture objectives describe how and why the process architecture is used and the information that the representation provides.
Develop and record the format of the process architecture.	Process architecture is like solution architecture, except that the components are processes. Many of the same tools and techniques used to design and record solution architectures can be used to design and record the process architecture. Different formats can be used at different levels and may include: • EITVOX • Integrated DEFinition Methods (IDEF) • Suppliers, Inputs, Processes, Outputs, Customers (SIPOC) • Flow charts • Workflow diagrams • Process modeling tools • Context models • Value chain models
Develop, record, and keep updated the process architecture.	Ensure the process architecture can address all process types.
Review and update process architecture with affected stakeholders.	Include representatives of each process type represented in the process architecture to ensure: • Necessary inputs, outputs, entry criteria, and exit criteria are understood and complete • Redundancies and missing processes are identified and addressed • Processes that do not add value are identified for revision or elimination
Communicate and make process architecture available.	

Example Work Products

Example Work Products	Further Explanation
Process requirements	
Process architecture format	
Process architecture	

Related Practice Areas

Process Management (PCM)

Context Specific

DevSecOps

Context Tag:	DevSecOps
Context:	DevSecOps is a mindset, a culture, and set practices that fosters close cooperation between development, operations, and security to plan, develop, test, deploy, release, and keep updated a secure solution.

DevSecOps tools and automated processes should be reviewed and considered for any process architecture. This would include where and how the automated tools interface or connect and integrate with manual processes.

Safety

Context Tag:	CMMI-SAF
Context:	Use processes to incorporate safety considerations as an integral part of the solution, work, project, and organization.

Specifically address safety within the organization's process framework. Define responsibilities and provide training so that all individuals in the organization understand their role in ensuring safety. Additionally, define how safety-related activities relate to other development, post-development, and operational activities, including required inputs and outputs. Integrate safety processes with other processes to ensure relationship dependencies are captured.

Security

Context Tag:	CMMI-SEC
Context:	Use processes to incorporate security considerations as an integral part of the solution, work, project, and organization.

Specifically address security within the organization's process framework. Define responsibilities and provide training so that all individuals in the organization understand their role in ensuring security. Additionally, define how security-related activities relate to other development, post-development, and operational activities, including required inputs and outputs. Integrate security processes with other processes to ensure relationship dependencies are captured.

PAD 3.3

Required Practice Information

Practice Statement

Develop, keep updated, and make the organization's processes and assets available for use in a process asset library.

Value

Reduces the time and effort needed to organize, access, and update process assets, leading to reduced cost and waste.

Additional Required Information

Organizational standard processes and assets are:

- Defined at multiple levels in an organization
- Tailored for each of the organization's business areas or functions
- Made available in a Process Asset Library (PAL) that contains both process assets and related work products that are part of the organization's set of standard processes

Explanatory Practice Information

Additional Explanatory Information

Plan and implement actions that address improvements to the organization's processes and assets. Process action plans are detailed implementation plans that target improvements.

For effective implementation of improvements, ensure that support organizations and the people who perform the process participate in process development, deployment, and implementation.

Developing and updating processes may involve:

- Management steering committees that set strategies and oversee process improvement activities
- Process groups that facilitate and manage process improvement activities
- Process action teams that define and implement process actions
- Process owners that manage deployment

Each process covers a closely related set of activities. A fully defined process or asset has enough detail that it can be consistently performed by trained and skilled people.

Tailoring can be done at the organizational, divisional, site, or functional level. Each level or function of the organization can have a set of standard processes or assets which were tailored from the organizational set of processes and assets. Some organizations may have only one level of standard processes.

The organization's set of standard processes contains process elements that may be interconnected according to one or more process architectures that describe relationships among process elements. The organization's set of standard processes may include:

- Technical, management, administrative, support, and organizational processes
- Sequence, order, and interrelationships of the processes and their elements
- Proven and effective processes and assets
- Lessons learned

Affected stakeholders should also periodically update their defined processes and assets to incorporate changes made to the organization's set of standard processes. Update processes and assets to reflect periodic revisions in the knowledge, skills, and process abilities.

Example Activities

Example Activities	Further Explanation
Verify that the organization's set of standard processes and assets are aligned with strategic process needs and objectives.	
Assign responsibilities for acquiring, developing, and maintaining processes and assets.	
Review and decide if recommendations resulting from process improvements should be incorporated into the organization's processes and assets.	
Develop organizational standards for processes and assets.	May include: • Standards for terminology and use • Requirements for completeness, correctness, and other quality attributes • Semantic structure and organization • Representation of content • Format for storage and presentation • Archiving and access methods
Design and implement the organization's PAL.	This includes the library structure and support environment.
Specify criteria for including assets in the PAL.	Assets are selected based primarily on their relationship to the organization's set of standard processes.
Specify procedures for storing, updating, and retrieving assets.	
Enter selected assets into the PAL and catalog them for easy reference and retrieval.	Assets include: • Organizational policies • Process descriptions • Procedures, e.g., estimating procedure • Plans • Training materials • Process aids, e.g., templates and checklists • Work products resulting from performing the processes • Lessons learned
Make assets available for use by projects.	

Example Activities	Further Explanation
Periodically review the usefulness of the assets.	Consider removing assets that are no longer used or viable.
Record process action plans.	Action planning may include: • Recording the action plan • Reviewing with affected stakeholders • Revising as necessary • Negotiating and recording commitments Process action plans may include: • Process improvement infrastructure • Process improvement objectives • Process improvements to be addressed • Procedures for planning and tracking process actions • Responsibility and authority for implementing process actions • Resources, schedules, and assignments for implementing process actions • Risks
Track progress and commitments against process action plans.	Perform joint reviews with process action teams and stakeholders to monitor the progress and results of process actions. Identify, record, and track to closure issues encountered when implementing process action plans.
Establish process action teams to implement actions.	Process action teams typically include process owners and those who perform the process.
Build and record processes and assets.	Building and recording processes and assets may include: • Specifying the attributes of each process or asset • Specifying relationships among processes or assets Process attributes may include: • Roles and responsibilities • Applicable standards • Process performance objectives • Entry criteria • Inputs • Tasks • Verification and Validation • Outputs • Exit criteria • Connections • Measures
Perform reviews on the organization's set of standard processes or assets.	

Example Activities	Further Explanation
Revise the organization's set of standard processes and assets as necessary.	These may need to be revised when: • Improvements to the processes and assets are identified • Causal analysis and resolution data indicate a process change is needed • Process improvement proposals are selected for deployment across the organization • The organization's process needs, and objectives are updated
Make processes and assets available.	These may be made available through a variety of media, including: • Documents and records • Apps • Websites • Videos and training materials • Scripts in automated tools • Intranets and other electronic media

Example Work Products

Example Work Products	Further Explanation
Design of the organization's PAL	
Organization's PAL	
Process-related work products in the PAL	
Action plans	
Status and results of implementing action plans	
Organization's set of standard processes and assets	
New processes or assets	Examples may include: • Decision aids • Templates for solutions • Guides and manuals

Related Practice Areas

Peer Reviews (PR)

Context Specific

DevSecOps

Context Tag:	DevSecOps
Context:	DevSecOps is a mindset, a culture, and set practices that fosters close cooperation between development, operations, and security to plan, develop, test, deploy, release, and keep updated a secure solution.

DevSecOps tools and their related automated processes are part of the overall organizational processes and assets. As with any other process or process assets, these processes should be periodically reviewed for effectiveness and efficiency.

Safety

Context Tag:	CMMI-SAF
Context:	Use processes to incorporate safety considerations as an integral part of the solution, work, project, and organization.

Ensure suitable safety guidelines and process assets are available to support the work.

Security

Context Tag:	CMMI-SEC
Context:	Use processes to incorporate security considerations as an integral part of the solution, work, project, and organization.

Ensure suitable security guidelines and process assets are available to support the work.

Example activities include:

- Select and adapt existing guidelines and assets, as necessary, to match the technologies and the context of the work, including security aspects
- Manage the security guidelines and assets, and make them accessible to the organization
- Keep the guidelines and assets updated, based on changes in technology, standards, or security
 - Conduct and incorporate industry research to remain current with the latest industry trends and state-of-the art information
 - Collect and review feedback periodically for updates, considering inputs from external stakeholders and practitioners
- Verify usage of the correct security assets through periodic reviews

Example security assets include:

- Security design guidelines
- Secure coding guidelines for different programming languages
- Libraries for authentication
- Authorization mechanisms

- Shared or integrated security processes across service systems and solutions
- Security architecture
- Security processes and their related assets that are utilized with the supply chain

PAD 3.4

Required Practice Information

Practice Statement

Develop, keep updated, and use tailoring criteria and guidelines for the set of standard processes and assets.

Value

Accommodates the unique needs of each project while avoiding unnecessary work.

Additional Required Information

This section left blank for future content.

Explanatory Practice Information

Additional Explanatory Information

Consistency across the organization promotes the effective use of organizational standards, objectives, and strategies, and provides a foundation for sharing of process data and lessons learned.

Tailoring is a critical activity that allows controlled changes to the processes due to the specific needs of a project or a part of the organization. Tailoring of processes should be limited and consider business objectives or technical requirements. Tailoring guidelines may allow additional flexibility when dealing with less critical processes or those that only indirectly affect business objectives.

Balance tailoring flexibility with consistency of processes across the organization. Flexibility helps address contextual variables such as:

- Domain
- Nature of the customer
- Cost, schedule, and quality tradeoffs
- Risks
- Technical difficulty of the work
- Experience of the people implementing the process

The amount of tailoring could also depend on the project's lifecycle model, the use of suppliers, and other factors.

Tailoring criteria and guidelines can allow for using a standard process "as is," without tailoring.

Examples of reasons for tailoring include:

- Accommodating the process to a new solution

- Adapting the process to a new work environment
- Modifying the process description, so that it can be used within a given project
- Adding more detail to the process to address a unique solution or constraint
- Modifying or combining elements of a lifecycle model
- Modifying, replacing, or reordering process elements

Example Activities

Example Activities	Further Explanation
Specify selection criteria and procedures for tailoring the organization's set of standard processes.	Examples of criteria and procedures include: • Criteria for determining and selecting tailoring options, e.g., tailoring lifecycle models from the ones approved by the organization • Criteria for selecting process elements from the organization's set of standard processes • Procedures for adapting the organization's common measures to address information needs • Procedures for recording tailoring
Specify the standards used to record defined processes.	
Specify the procedures used to submit and obtain approval of waivers from the organization's set of standard processes.	
Record, approve, and communicate tailoring guidelines for the organization's set of standard processes.	Reviews of the tailoring guidelines may be used as a part of the approval process.
Revise tailoring guidelines as necessary.	

Example Work Products

Example Work Products	Further Explanation
Tailoring guidelines for the organization's set of standard processes	May include: • Requirements that must be satisfied by defined processes, e.g., the subset of organizational process assets that are essential for any tailored process • Options that can be exercised and criteria for selecting among options • Procedures that must be followed in performing and recording process tailoring

Example Work Products	Further Explanation
Waivers or requests for process waivers	Waivers are not intended to be a means to opt out of following a process. A waiver may be used when: • The standard process cannot be tailored to meet the needs of the project • A customer, legal, or regulatory constraint prevents the process from being followed • There is a new requirement that the standard process currently cannot address

Related Practice Areas

Peer Reviews (PR)

Context Specific

Services

Context Tag:	CMMI-SVC
Context:	Use processes to deliver, manage, and improve services to meet customer needs.

When defining tailoring guidelines and criteria in a service delivery environment, consider:

- The service catalog, and how standard services and service components are selected or modified based on the standard services available
- Fixed elements of standard services that will not change. Fixed elements may have allowable variation within specified limits. Examples of allowable variation:
 - Pricing
 - Hours of operation
 - Geographical coverage
- Knowledge of variability in customer needs to develop tailoring options
- Needs and expectations for service systems, e.g., core assets that are consistent across standard services

PAD 3.5

Required Practice Information

Practice Statement

Develop, keep updated, and make work environment standards available for use.

Value

Increases productivity and consistency across projects through a specified and established work environment.

Additional Required Information

If Safety is included in the selected view: reflect all relevant safety-related requirements and considerations in work environment standards.

If Security is included in the selected view: reflect all relevant security-related requirements and considerations in work environment standards.

Explanatory Practice Information

Additional Explanatory Information

Work environment standards allow the organization and projects to benefit from common tools, training, maintenance, and cost savings. Work environment standards address the needs of all stakeholders and consider productivity, availability, security, and workplace health, safety, and ergonomic factors. Work environment standards should also consider on-site, working from home or remote locations, and hybrid models.

Work environment standards help to ensure that the:

- Improvements made to the work environment improve work performance
- Organization's work environment supports the development and performance of empowered workgroups
- Work environment supports individuals or projects using the standard processes

Examples of work environment standards include:

- Requirements for the operation, ergonomics, safety, and security of the work environment, e.g., OSHA and other international standards
- Acceptable use policies
- Virtual work or remote workforce requirements
- Workstation hardware and software requirements
- Standard application software and tailoring guidelines
- Standard production and calibration equipment
- Licenses, security passwords, and identification documentation
- Criteria for the use and approval of waivers
- Criteria for tailoring the work environment to meet needs

Example Activities

Example Activities	Further Explanation
Evaluate commercially available work environment standards.	Choose standards to evaluate based on the organization's needs.
Adopt, develop, or tailor work environment standards to fill gaps based on the organization's process needs and objectives.	
Periodically analyze the work environment to identify changes or	

Example Activities	Further Explanation
resources that could improve work performance.	
Prioritize potential improvements to the work environment.	Complying with laws and regulations may cause a higher priority to be placed on some improvements. Seek guidance from human resources, facilities, legal, or other appropriate professionals in complying with such laws and regulations.
Identify resources that could improve performance.	Examples of work environment resources that may enhance performance include: • Facilities or public spaces, such as work areas and conference rooms • Offices and spaces close that allow co-location and that foster collaboration • Collaborative tools, applications, or other resources • Enhanced communication capabilities
Ensure projects have the authority to organize and tailor their work environments to best support their business activities.	
Review work environments with projects.	

Example Work Products

Example Work Products	Further Explanation
Work environment standards	
Waivers or requests for work environment waivers	Waivers are not intended to be a means to opt out of adhering to a work environment standard. A waiver may be used when: • The standard work environment cannot be tailored to meet the needs of the project • A customer, legal, or regulatory constraint prevents the standard work environment from being applied • There is a new requirement that the standard work environment currently cannot or does not address

PAD 3.6

Required Practice Information

Practice Statement

Develop, keep updated, and make organizational measurement and analysis standards available for use.

Value

Supports consistent use of measurements and related analysis for better decision-making.

Additional Required Information

This section left blank for future content.

Explanatory Practice Information

Additional Explanatory Information

Evaluate objectives and requirements to define the organization's measurement and analysis standards. The organization may have multiple measurement and analysis standards if work is diverse and requires different approaches. Tailoring decisions may affect how measurement and analysis standards are developed and used. Align these measurement and analysis standards with how measurements will be used and how they meet business objectives.

Example Activities

Example Activities	Further Explanation
Specify organizational standards for measurement and analysis.	Different standards may be needed for different types of data or analysis techniques.
Specify tailoring guidelines for applying measurement standards to individual projects.	Includes criteria for when a waiver is allowed or approved.

Example Work Products

Example Work Products	Further Explanation
Organizational measurement and analysis standards	
Waivers or requests for measurement and analysis waivers	Waivers are not intended to be a means to opt out of adhering to a measurement and analysis standard. A waiver may be used when: • The standard cannot be tailored to meet the needs of the project • A customer, legal, or regulatory constraint prevents the standard from being applied • There is a new requirement that the standard currently cannot or does not address

