

version: "3.9"

```
# -----
# PSocial - full stack
#
# Services:
#   selfmanager_db   :5432  - PostgreSQL for psocial_selfmanager
#   timer_db         :5434  - PostgreSQL for psocial_timer
#   billing_db       :5433  - PostgreSQL for psocial_billing_service
#   analytics_db     :5435  - PostgreSQL for psocial_analytics
#   selfmanager      :1226  - Ktor self-manager API
#   timer            :1227  - Ktor Pomodoro timer API
#   analytics        :1228  - Ktor analytics API
#   billing          :1229  - FastAPI billing + ML/LLM service
#   dashboard        :1230  - Streamlit admin dashboard
#   user_dashboard   :1231  - Streamlit user dashboard
#
# Start: docker-compose up --build
# Stop:  docker-compose down
# Logs:  docker-compose logs -f <service>
# -----

x-jwt: &jwt
  JWT_SECRET: your-super-secret-jwt-secret-key-change-in-production
  JWT_ISSUER: ktor-psocial-app
  JWT_AUDIENCE: ktor-psocial
  JWT_REALM: ktor-psocial

x-internal: &internal
  INTERNAL_API_KEY: psocial-internal-secret

services:

  selfmanager_db:
    image: postgres:16-alpine
    container_name: psocial_selfmanager_db
    environment:
      POSTGRES_DB: psocial_selfmanager
      POSTGRES_USER: postgres
      POSTGRES_PASSWORD: ""
      POSTGRES_HOST_AUTH_METHOD: trust
    ports:
      - "5432:5432"
    volumes:
      - selfmanager_db_data:/var/lib/postgresql/data
    healthcheck:
      test: ["CMD-SHELL", "pg_isready -U postgres"]
      interval: 5s
      timeout: 5s
      retries: 10
    networks:
      - psocial_network

  timer_db:
    image: postgres:16-alpine
    container_name: psocial_timer_db
    environment:
      POSTGRES_DB: psocial_timer
      POSTGRES_USER: postgres
      POSTGRES_PASSWORD: ""
      POSTGRES_HOST_AUTH_METHOD: trust
    ports:
      - "5434:5432"
    volumes:
      - timer_db_data:/var/lib/postgresql/data
    healthcheck:
```

```

    test: ["CMD-SHELL", "pg_isready -U postgres"]
    interval: 5s
    timeout: 5s
    retries: 10
networks:
  - psocial_network

billing_db:
  image: postgres:16-alpine
  container_name: psocial_billing_db
  environment:
    POSTGRES_DB: psocial_billing
    POSTGRES_USER: postgres
    POSTGRES_PASSWORD: ""
    POSTGRES_HOST_AUTH_METHOD: trust
  ports:
    - "5433:5432"
  volumes:
    - billing_db_data:/var/lib/postgresql/data
  healthcheck:
    test: ["CMD-SHELL", "pg_isready -U postgres"]
    interval: 5s
    timeout: 5s
    retries: 10
  networks:
    - psocial_network

analytics_db:
  image: postgres:16-alpine
  container_name: psocial_analytics_db
  environment:
    POSTGRES_DB: psocial_analytics
    POSTGRES_USER: postgres
    POSTGRES_PASSWORD: ""
    POSTGRES_HOST_AUTH_METHOD: trust
  ports:
    - "5435:5432"
  volumes:
    - analytics_db_data:/var/lib/postgresql/data
  healthcheck:
    test: ["CMD-SHELL", "pg_isready -U postgres"]
    interval: 5s
    timeout: 5s
    retries: 10
  networks:
    - psocial_network

selfmanager:
  image: productivesocial-selfmanager
  container_name: psocial_selfmanager
  ports:
    - "1226:1226"
  environment:
    <<: [*jwt, *internal]
    DATABASE_URL: jdbc:postgresql://selfmanager_db:5432/psocial_selfmanager
    DB_USER: postgres
    DB_PASSWORD: postgres
    PORT: 1226
    HOST: 0.0.0.0
    BILLING_SERVICE_URL: http://billing:1229
    TIMER_SERVICE_URL: http://timer:1227
    ALLOWED_ORIGINS: "*"
    USER_REGISTRY_DB_HOST: selfmanager_db
    USER_REGISTRY_DB_PORT: 5432
    USER_REGISTRY_DB_NAME: psocial_selfmanager
    USER_REGISTRY_DB_USER: postgres

```

```

    USER_REGISTRY_DB_PASSWORD: ""
depends_on:
  selfmanager_db:
    condition: service_healthy
networks:
  - psocial_network
restart: unless-stopped

timer:
  image: productivesocial-timer
  container_name: psocial_timer
  ports:
    - "1227:1227"
  environment:
    <<: [*jwt, *internal]
    DATABASE_URL: jdbc:postgresql://timer_db:5432/psocial_timer
    DB_USER: postgres
    DB_PASSWORD: postgres
    PORT: 1227
    HOST: 0.0.0.0
    SELFMANAGER_SERVICE_URL: http://selfmanager:1226
    ALLOWED_ORIGINS: "*"
    USER_REGISTRY_DB_HOST: selfmanager_db
    USER_REGISTRY_DB_PORT: 5432
    USER_REGISTRY_DB_NAME: psocial_selfmanager
    USER_REGISTRY_DB_USER: postgres
    USER_REGISTRY_DB_PASSWORD: ""
  depends_on:
    timer_db:
      condition: service_healthy
    selfmanager:
      condition: service_started
  networks:
    - psocial_network
  restart: unless-stopped

analytics:
  image: productivesocial-analytics
  container_name: psocial_analytics
  ports:
    - "1228:1228"
  environment:
    <<: [*jwt, *internal]
    DATABASE_URL: jdbc:postgresql://analytics_db:5432/psocial_analytics
    DB_USER: postgres
    DB_PASSWORD: postgres
    PORT: 1228
    HOST: 0.0.0.0
    BILLING_SERVICE_URL: http://billing:1229
    SELFMANAGER_SERVICE_URL: http://selfmanager:1226
    TIMER_SERVICE_URL: http://timer:1227
    ALLOWED_ORIGINS: "*"
    ADMIN_EMAILS: ${ADMIN_EMAILS:-admin@productivesocial.com}
  depends_on:
    analytics_db:
      condition: service_healthy
    billing:
      condition: service_started
    timer:
      condition: service_started
  networks:
    - psocial_network
  restart: unless-stopped

billing:
  image: productivesocial-billing

```

```
container_name: psocial_billing
ports:
  - "1229:1229"
environment:
  APP_ENV: production
  DATABASE_URL: postgresql+asyncpg://postgres:postgres@billing_db:5432/psocial_billing
  DATABASE_URL_SYNC: postgresql://postgres:postgres@billing_db:5432/psocial_billing
  JWT_SECRET_KEY: your-super-secret-jwt-secret-key-change-in-production
  JWT_ALGORITHM: HS256
  JWT_ACCESS_TOKEN_EXPIRE_MINUTES: 1440
  INTERNAL_API_KEY: psocial-internal-secret
  SELFMANAGER_BASE_URL: http://selfmanager:1226
  DEFAULT_CREDITS_ON_REGISTER: 100
  ANTHROPIC_API_KEY: ${ANTHROPIC_API_KEY:-}
  OPENAI_API_KEY: ${OPENAI_API_KEY:-}
  DEFAULT_LLM_PROVIDER: ollama
  OLLAMA_BASE_URL: http://host.docker.internal:11434
  OLLAMA_MODEL: llama3.2
volumes:
  - billing_models:/app/models_store
depends_on:
  billing_db:
    condition: service_healthy
  selfmanager:
    condition: service_started
networks:
  - psocial_network
restart: unless-stopped

dashboard:
  image: productivesocial-dashboard
  container_name: psocial_dashboard
  ports:
    - "1230:1230"
  environment:
    PORT: 1230
    BILLING_URL: http://billing:1229
    SELFMANAGER_URL: http://selfmanager:1226
    ANALYTICS_URL: http://analytics:1228
  depends_on:
    - billing
    - selfmanager
    - analytics
  networks:
    - psocial_network
  restart: unless-stopped

user_dashboard:
  image: productivesocial-user-dashboard
  container_name: psocial_user_dashboard
  ports:
    - "1231:1231"
  environment:
    PORT: 1231
    BILLING_URL: http://billing:1229
    SELFMANAGER_URL: http://selfmanager:1226
    ANALYTICS_URL: http://analytics:1228
    TIMER_URL: http://timer:1227
  depends_on:
    - billing
    - selfmanager
    - analytics
    - timer
  networks:
    - psocial_network
  restart: unless-stopped
```

```
networks:
  psocial_network:
    name: psocial_network
    driver: bridge

volumes:
  selfmanager_db_data:
  timer_db_data:
  billing_db_data:
  analytics_db_data:
  billing_models:
```