



APS Master Data Protocol

Study: The American Peripheromental Survey

Unit: The Archive

Region: Cascadia (Reg10)

Status: ACTIVE REFERENCE | **Version:** 3.2 (Schema Aligned)

PART 1: THE ANALYTICAL FRAMEWORK

High-level logic used to classify events.

1. The Strangeness Index (Calculated)

A calculated integer (0–10) derived from the sum of all phenom_ flags.

- **0-2 (Low):** Vague, distant, or strictly visual lights.
- **3-5 (Medium):** Multi-sensory (Sound + Visual) or physical effects.
- **6+ (High):** "The Oz Factor," Missing Time, or Close Contact. (**Trigger Field Intercept**).

2. Event Typology (The "Type" Code)

Assigned by Research Analyst during Phase 4.

- **TYPE_I (Liminal/Spatial):** Event defined by location (Roads, Doors, Fog). Reality feels "thin."
- **TYPE_II (Crypto-Biological):** Encounter with an unknown biological entity.
- **TYPE_III (Aerial/Technical):** Lights in sky, metallic craft, drone-like behavior.
- **TYPE_IV (Psychic/Noetic):** Internal experience (Dreams, Premonitions, Synchronicities).
- **TYPE_V (Poltergeist/Material):** Physical movement of objects, knocks, apports.

PART 2: THE MASTER DATA DICTIONARY

The unified table of all variables.

A. Metadata & Identification

Variable Name	Definition & Coding Protocol	Data Type	Valid Values / Constraints
timestamp	Automatic server time of submission (ISO 8601).	DATETIME	YYYY-MM-DD HH:MM:SS
log_id	Unique identifier generated by Script (e.g., CAS-104).	STRING	Format: CAS-[000]
engagement_status	The current operational state of the file.	STRING	<ul style="list-style-type: none"> PENDING (New) SPAM (Discard) VERIFIED_WEB (Tier 1) REMOTE (Tier 2) FIELD (Tier 3)

B. Respondent Profile (Demographics)

Variable Name	Definition & Coding Protocol	Data Type	Valid Values / Constraints
age_group	Age range of the subject. Used for generational cohort analysis.	STRING	18-25, 26-35, 36-45, 46-55, 56-65, 66+
gender	Subject's gender identity.	STRING	Open Text
occupation	Subject's trade (Socioeconomic context).	STRING	Open Text.
cultural_bg	Cultural/Religious context.	STRING	Open Text.
location_state	The primary jurisdiction of the event.	STRING	WA, OR, ID, BC, AK_SE, NORCAL_JEFF, OTHER

C. Event Context

Variable Name	Definition & Coding Protocol	Data Type	Valid Values / Constraints
<code>location_specific</code>	Landmark, town, or GPS descriptor.	STRING	Open Text (e.g., "Hoh Rainforest Trail").
<code>witness_status</code>	Social configuration at time of event.	STRING	<ul style="list-style-type: none"> ALONE (Solitary) WITNESS_1 (Pair) WITNESS_GROUP (3+) UNCERTAIN

D. Phenomenology (The "High Strangeness" Flags)

Note: In the CSV, checked boxes appear as "YES". Unchecked boxes are Null/Empty.

Variable Name	Definition	Data Type	Valid Values
<code>phenom_silence</code>	"The Oz Factor." Sudden cessation of ambient noise (birds, wind, traffic).	FLAG	YES / [NULL]
<code>phenom_hum</code>	Low-frequency mechanical vibration or "diesel idle" sound with no source.	FLAG	YES / [NULL]
<code>phenom_time</code>	Missing Time (unaccounted hours) or time distortion (slow/fast motion).	FLAG	YES / [NULL]
<code>phenom_nausea</code>	Somatic effect: Headache, vertigo, vomiting, nosebleeds.	FLAG	YES / [NULL]
<code>phenom_paralysis</code>	Inability to move voluntary muscles (excluding standard Sleep Paralysis).	FLAG	YES / [NULL]
<code>phenom_tech</code>	Battery drain, camera malfunction, car stalling, radio static, other electronic device interference.	FLAG	YES / [NULL]
<code>phenom_ozone</code>	Olfactory: Smell of sulfur, ozone, burning metal, or "wet dog."	FLAG	YES / [NULL]
<code>phenom_fear</code>	Acute, irrational dread or "feeling of being watched" (Scopophobia).	FLAG	YES / [NULL]

E. Narrative & Qualitative

Variable Name	Definition & Coding Protocol	Data Type	Valid Values / Constraints
narrative	The raw witness account. MUST BE SCRUBBED OF PII.	TEXT	Long Form String.
attribution	The subject's personal theory (e.g., "I think it was military," "It was a ghost").	TEXT	Long Form String.
contact_info	Email/Phone. STRICTLY CONFIDENTIAL.	STRING	<u>DO NOT PUBLISH.</u>

F. Administrative & Legal

Variable Name	Definition & Coding Protocol	Data Type	Valid Values / Constraints
permission_level	Legal consent for data usage. Determines Registry visibility.	STRING	<ul style="list-style-type: none"> PUBLISH_ANON (Public) PRIVATE_DATA (Internal)
analyst_notes	Internal comments, debunking notes, or spam flags.	TEXT	Internal Use Only.
res_id	ID of the Researcher who conducted the verification (e.g., CAS-FW01).	STRING	Staff Code.

G. Field Data (Tier 2/3 Only)

Populated by Researcher during Intercept.

Variable Name	Definition	Valid Codes
setting_type	Physical categorization of the site.	<ul style="list-style-type: none"> RES (Residential/Home) LIM (Liminal/Road/Transit) NAT (Wilderness/Forest) COM (Commercial/Industrial)
env_weather	Atmospheric conditions.	<ul style="list-style-type: none"> CLEAR RAIN STORM FOG OZ (Artificial Silence)
env_noise	Ambient acoustic profile.	<ul style="list-style-type: none"> SILENT (Total) HUM (Vibration) TRAFFIC NATURE
obs_demeanor	Subject's emotional state during interview.	<ul style="list-style-type: none"> CALM AGITATED (Fearful) INTENSE (Manic) SKEPTICAL (Confused)
obs_delivery	Narrative delivery, speech pattern	<ul style="list-style-type: none"> FLUID (Natural flow) FRAGMENTED (Disjointed, traumatic recall) REHEARSED (Scripted, buzzwords) PRESSURED (Manic, rapid)

PART 3: CSV COLUMN CONFIGURATION

For System Administrators. Ensure this order matches the Google Sheet.

1. timestamp
2. log_id
3. age_group
4. gender
5. cultural_bg
6. occupation
7. location_state
8. location_specific
9. witness_status
10. phenom_silence
11. phenom_hum
12. phenom_time
13. phenom_nausea
14. phenom_paralysis
15. phenom_tech
16. phenom_ozone
17. phenom_fear
18. narrative
19. attribution
20. contact_info
21. permission_level
22. engagement_status
23. analyst_notes
24. res_id
25. setting_type
26. env_weather
27. env_noise
28. obs_demeanor
29. obs_delivery