## Example 8.1 Confidence Interval Estimates

OpenStax
Introductory Statistics 2e

## **Example**

- Suppose know the sample mean but we do not know the mean for the entire population.
- The sample mean is seven, and the error bound for the mean is 2.5.
- What is the confidence interval estimate for the population mean?

Confidence Error Estimate  $(\bar{x} - EBM, \bar{x} + EBM)$   $\bar{X} = 7, EBM = 2.5$ 

## **Example**

- Suppose know the sample mean but we do not know the mean for the entire population.
- The sample mean is seven, and the error bound for the mean is 2.5.
- What is the confidence interval estimate for the population mean?

Con fidence Error Estimate
$$(\bar{x} - EBM, \bar{x} + EBM)$$

$$\bar{X} = 7, EBM = 2.5$$

$$(7-2.5, 7+2.5)$$

## **Example**

- Suppose know the sample mean but we do not know the mean for the entire population.
- The sample mean is seven, and the error bound for the mean is 2.5.
- What is the confidence interval estimate for the population mean?

Con fidence Error Estimate
$$(\bar{x} - EBM, \bar{x} + EBM)$$

$$\bar{X} = 7, EBM = 2.5$$

$$(7-2.5, 7+2.5)$$

$$(4.5, 9.5)$$