

Exploratory Analyses

MRB

October 27, 2017

Purpose

Document for data exploration for **Data Challenge 2017!**

Look at the data

Table 1: **Overall Data Summary**

	Overall (N=400)
Y	
Mean (SD)	6.26 (3.47)
Q1, Q3	3.62, 8.43
Range	0.042 - 16.6
A	
0	215 (53.8%)
1	185 (46.2%)
W1	
A	42 (10.5%)
B	75 (18.8%)
C	263 (65.8%)
D	20 (5%)
W2	
A	252 (63%)
B	71 (17.8%)
C	37 (9.25%)
D	40 (10%)
W3	
A	115 (28.8%)
B	115 (28.8%)
C	170 (42.5%)
W4	
A	289 (72.2%)
B	34 (8.5%)
C	77 (19.2%)
W5	
0	232 (58%)
1	168 (42%)
W6	
0	279 (69.8%)
1	121 (30.2%)
W7	
Mean (SD)	2.29 (2.99)
Q1, Q3	0.028, 4.33
Range	-5.2 - 11.5

	Overall (N=400)
W8	
Mean (SD)	2.36 (3.68)
Q1, Q3	-0.22, 4.87
Range	-7.7 - 14.3
W9	
Mean (SD)	2.93 (3.14)
Q1, Q3	0, 5
Range	0 - 11
W10	
Mean (SD)	0.089 (3.03)
Q1, Q3	-1.9, 2.02
Range	-9.1 - 9.27
W11	
Mean (SD)	0.307 (4.47)
Q1, Q3	-2.6, 3.11
Range	-14 - 14.9
W12	
Mean (SD)	1.55 (7.67)
Q1, Q3	-3.4, 6.65
Range	-19 - 28.1
W13	
Mean (SD)	3.02 (4.67)
Q1, Q3	-0.152, 5.93
Range	-7.7 - 17.1
W14	
Mean (SD)	5.68 (6.6)
Q1, Q3	0.478, 9.04
Range	-2.7 - 27.4
W15	
Mean (SD)	2.01 (5.69)
Q1, Q3	-1.7, 5.29
Range	-14 - 27.2
W16	
Mean (SD)	3.8 (5)
Q1, Q3	0.297, 6.11
Range	-3.4 - 16.9
W17	
Mean (SD)	4.66 (5.14)
Q1, Q3	0.817, 8.17
Range	-7.9 - 20.3
W18	
Mean (SD)	5.54 (3.61)
Q1, Q3	2.92, 8.32
Range	-3 - 14.9
W19	
Mean (SD)	9.09 (9.26)
Q1, Q3	2.67, 12.6
Range	-5.2 - 57.6
W20	
Mean (SD)	-0.079 (3.11)
Q1, Q3	-2.4, 1.86
Range	-13 - 9.71

	Overall (N=400)
W21	
Mean (SD)	3.79 (4.31)
Q1, Q3	0.321, 7.3
Range	-8.4 - 15.6
W22	
Mean (SD)	4.73 (2.01)
Q1, Q3	3.21, 6.03
Range	0.631 - 10.9
W23	
Mean (SD)	8.5 (4.26)
Q1, Q3	5.14, 11.5
Range	-0.232 - 23.5
W24	
Mean (SD)	2.89 (8.34)
Q1, Q3	-2.9, 8.1
Range	-17 - 38
W25	
Mean (SD)	9.81 (9.21)
Q1, Q3	2.86, 15.4
Range	-4.9 - 41.5

Table 2: Overall Data Summary: By A


	0 (N=215)	1 (N=185)	Total (N=400)	p value
W1				0.378 ¹
A	18 (8.37%)	24 (13%)	42 (10.5%)	
B	41 (19.1%)	34 (18.4%)	75 (18.8%)	
C	143 (66.5%)	120 (64.9%)	263 (65.8%)	
D	13 (6.05%)	7 (3.78%)	20 (5%)	
W2				<0.001 ¹
A	121 (56.3%)	131 (70.8%)	252 (63%)	
B	34 (15.8%)	37 (20%)	71 (17.8%)	
C	30 (14%)	7 (3.78%)	37 (9.25%)	
D	30 (14%)	10 (5.41%)	40 (10%)	
W3				0.889 ¹
A	64 (29.8%)	51 (27.6%)	115 (28.8%)	
B	61 (28.4%)	54 (29.2%)	115 (28.8%)	
C	90 (41.9%)	80 (43.2%)	170 (42.5%)	
W4				0.031 ¹
A	160 (74.4%)	129 (69.7%)	289 (72.2%)	
B	11 (5.12%)	23 (12.4%)	34 (8.5%)	
C	44 (20.5%)	33 (17.8%)	77 (19.2%)	
W5				<0.001 ²
0	146 (67.9%)	86 (46.5%)	232 (58%)	
1	69 (32.1%)	99 (53.5%)	168 (42%)	
W6				0.580 ²
0	153 (71.2%)	126 (68.1%)	279 (69.8%)	
1	62 (28.8%)	59 (31.9%)	121 (30.2%)	
W7				<0.001 ³
Mean (SD)	1.82 (2.91)	2.83 (3)	2.29 (2.99)	
Q1, Q3	-0.216, 3.76	0.77, 5.18	0.028, 4.33	

	0 (N=215)	1 (N=185)	Total (N=400)	p value
Range	-5.2 - 11.5	-4.1 - 10.3	-5.2 - 11.5	
W8				0.010 ³
Mean (SD)	1.92 (3.49)	2.87 (3.84)	2.36 (3.68)	
Q1, Q3	-0.51, 3.83	0.293, 5.8	-0.22, 4.87	
Range	-5.7 - 12.4	-7.7 - 14.3	-7.7 - 14.3	
W9				<0.001 ³
Mean (SD)	2.28 (2.73)	3.68 (3.41)	2.93 (3.14)	
Q1, Q3	0, 4	0, 6	0, 5	
Range	0 - 11	0 - 11	0 - 11	
W10				0.404 ³
Mean (SD)	-0.028 (3.07)	0.225 (2.98)	0.089 (3.03)	
Q1, Q3	-2.2, 1.97	-1.6, 2.16	-1.9, 2.02	
Range	-9.1 - 7.57	-7.9 - 9.27	-9.1 - 9.27	
W11				0.851 ³
Mean (SD)	0.346 (4.47)	0.262 (4.48)	0.307 (4.47)	
Q1, Q3	-2.8, 2.93	-2.3, 3.2	-2.6, 3.11	
Range	-14 - 14.9	-13 - 12.2	-14 - 14.9	
W12				0.230 ³
Mean (SD)	1.12 (7.87)	2.04 (7.42)	1.55 (7.67)	
Q1, Q3	-4, 6.21	-3, 7.08	-3.4, 6.65	
Range	-19 - 28.1	-17 - 20.9	-19 - 28.1	
W13				0.026 ³
Mean (SD)	2.54 (4.58)	3.58 (4.73)	3.02 (4.67)	
Q1, Q3	-0.522, 5.29	0.567, 6.61	-0.152, 5.93	
Range	-7.1 - 17.1	-7.7 - 16.9	-7.7 - 17.1	
W14				<0.001 ³
Mean (SD)	4.52 (5.97)	7.02 (7.05)	5.68 (6.6)	
Q1, Q3	0.178, 7.21	0.914, 12.1	0.478, 9.04	
Range	-2.7 - 23.9	-2.7 - 27.4	-2.7 - 27.4	
W15				0.020 ³
Mean (SD)	1.39 (5.59)	2.73 (5.75)	2.01 (5.69)	
Q1, Q3	-1.9, 4.12	-1.5, 6.4	-1.7, 5.29	
Range	-14 - 17.7	-10 - 27.2	-14 - 27.2	
W16				<0.001 ³
Mean (SD)	5.59 (5.34)	1.71 (3.58)	3.8 (5)	
Q1, Q3	1.22, 11.4	-0.261, 2.31	0.297, 6.11	
Range	-2 - 15.7	-3.4 - 16.9	-3.4 - 16.9	
W17				0.039 ³
Mean (SD)	4.17 (5.08)	5.23 (5.17)	4.66 (5.14)	
Q1, Q3	0.32, 7.51	1.38, 9.03	0.817, 8.17	
Range	-7.9 - 20.3	-6.3 - 18	-7.9 - 20.3	
W18				0.002 ³
Mean (SD)	5.01 (3.52)	6.15 (3.64)	5.54 (3.61)	
Q1, Q3	2.6, 7.2	3.71, 9	2.92, 8.32	
Range	-3 - 14.5	-1.7 - 14.9	-3 - 14.9	
W19				<0.001 ³
Mean (SD)	7.62 (8.69)	10.8 (9.63)	9.09 (9.26)	
Q1, Q3	1.75, 11.2	4.16, 15.2	2.67, 12.6	
Range	-5.2 - 57.6	-3.1 - 50.9	-5.2 - 57.6	
W20				0.495 ³
Mean (SD)	0.02 (2.99)	-0.193 (3.24)	-0.079 (3.11)	
Q1, Q3	-2.1, 1.71	-2.6, 1.88	-2.4, 1.86	

	0 (N=215)	1 (N=185)	Total (N=400)	p value
Range	-7 - 9.71	-13 - 9.49	-13 - 9.71	
W21				<0.001 ³
Mean (SD)	2.88 (4.16)	4.86 (4.24)	3.79 (4.31)	
Q1, Q3	-0.224, 6.02	1.67, 8.23	0.321, 7.3	
Range	-8.4 - 15.6	-4 - 14.2	-8.4 - 15.6	
W22				<0.001 ³
Mean (SD)	5.07 (2.03)	4.32 (1.92)	4.73 (2.01)	
Q1, Q3	3.6, 6.57	2.95, 5.42	3.21, 6.03	
Range	1.46 - 10.9	0.631 - 10.9	0.631 - 10.9	
W23				0.018 ³
Mean (SD)	8.03 (3.91)	9.04 (4.58)	8.5 (4.26)	
Q1, Q3	4.99, 10.5	5.27, 12.6	5.14, 11.5	
Range	1.33 - 21.1	-0.232 - 23.5	-0.232 - 23.5	
W24				0.071 ³
Mean (SD)	2.19 (8.21)	3.7 (8.45)	2.89 (8.34)	
Q1, Q3	-3.2, 7.9	-2.4, 8.7	-2.9, 8.1	
Range	-17 - 25.7	-13 - 38	-17 - 38	
W25				0.013 ³
Mean (SD)	10.9 (10)	8.58 (8.05)	9.81 (9.21)	
Q1, Q3	3.19, 16.7	2.56, 14.5	2.86, 15.4	
Range	-3.6 - 41.5	-4.9 - 34.1	-4.9 - 41.5	

1. Pearson's Chi-squared test
2. Pearson's Chi-squared test with Yates' continuity correction
3. Linear Model ANOVA

Scatterplot Matrix without Transformation








Table 3: Model Summaries: $Y = W_i + A$, for $i = 1, 2, \dots, 25$

	estimate	std.error	p.value	adj.r.squared
(Intercept)	6.58	0.469	<0.001	0.324
W1 B	-1.4	0.55	0.009	.
W1 C	-2.5	0.475	<0.001	.
W1 D	0.736	0.777	0.344	.
A 1	3.4	0.287	<0.001	.
(Intercept)	4.59	0.25	<0.001	0.242
W2 B	0.247	0.406	0.542	.
W2 C	0.634	0.541	0.242	.
W2 D	-0.342	0.521	0.512	.
A 1	3.46	0.312	<0.001	.

	estimate	std.error	p.value	adj.r.squared
(Intercept)	4.39	0.312	<0.001	0.242
W3 B	0.327	0.398	0.412	.
W3 C	0.436	0.365	0.232	.
A 1	3.43	0.303	<0.001	.
(Intercept)	4.42	0.222	<0.001	0.257
W4 B	0.112	0.546	0.838	.
W4 C	1.2	0.383	0.002	.
A 1	3.46	0.302	<0.001	.
(Intercept)	3.66	0.198	<0.001	0.433
W5 1	3.14	0.271	<0.001	.
A 1	2.76	0.268	<0.001	.
(Intercept)	4.53	0.226	<0.001	0.245
W6 1	0.471	0.328	0.152	.
A 1	3.42	0.302	<0.001	.
(Intercept)	3.34	0.159	<0.001	0.625
W7	0.727	0.036	<0.001	.
A 1	2.7	0.216	<0.001	.
(Intercept)	3.45	0.141	<0.001	0.692
W8	0.636	0.026	<0.001	.
A 1	2.83	0.194	<0.001	.
(Intercept)	2.69	0.111	<0.001	0.832
W9	0.869	0.023	<0.001	.
A 1	2.22	0.146	<0.001	.
(Intercept)	4.67	0.206	<0.001	0.242
W10	0.046	0.05	0.354	.
A 1	3.42	0.303	<0.001	.
(Intercept)	4.65	0.206	<0.001	0.245
W11	0.05	0.034	0.142	.
A 1	3.44	0.302	<0.001	.
(Intercept)	4.52	0.196	<0.001	0.324
W12	0.13	0.019	<0.001	.
A 1	3.31	0.286	<0.001	.
(Intercept)	3.58	0.167	<0.001	0.57
W13	0.427	0.024	<0.001	.
A 1	2.99	0.229	<0.001	.
(Intercept)	2.91	0.126	<0.001	0.775
W14	0.39	0.013	<0.001	.
A 1	2.46	0.168	<0.001	.
(Intercept)	4.23	0.168	<0.001	0.509
W15	0.317	0.021	<0.001	.
A 1	3.01	0.245	<0.001	.
(Intercept)	4.21	0.274	<0.001	0.253
W16	0.082	0.033	0.012	.
A 1	3.75	0.326	<0.001	.
(Intercept)	3.2	0.193	<0.001	0.51
W17	0.351	0.024	<0.001	.
A 1	3.06	0.245	<0.001	.
(Intercept)	1.86	0.221	<0.001	0.575
W18	0.56	0.032	<0.001	.
A 1	2.8	0.229	<0.001	.
(Intercept)	3.41	0.21	<0.001	0.429
W19	0.164	0.014	<0.001	.


	estimate	std.error	p.value	adj.r.squared
A 1	2.91	0.267	<0.001	.
(Intercept)	4.67	0.206	<0.001	0.243
W20	-0.058	0.049	0.231	.
A 1	3.42	0.303	<0.001	.
(Intercept)	3.28	0.171	<0.001	0.581
W21	0.481	0.027	<0.001	.
A 1	2.48	0.231	<0.001	.
(Intercept)	4.31	0.439	<0.001	0.242
W22	0.07	0.076	0.361	.
A 1	3.49	0.308	<0.001	.
(Intercept)	0.538	0.245	0.029	0.635
W23	0.514	0.025	<0.001	.
A 1	2.92	0.211	<0.001	.
(Intercept)	4.32	0.188	<0.001	0.389
W24	0.16	0.016	<0.001	.
A 1	3.19	0.273	<0.001	.
(Intercept)	2.21	0.199	<0.001	0.597
W25	0.226	0.012	<0.001	.
A 1	3.95	0.222	<0.001	.

Playtime!

Different Methods of Variable Selection:

Decision Trees, Lasso, Forward, Stepwise, Manual (not backward)

Sweet, Sweet Plot



```

## Call:
## rpart(formula = formulize("Y", c(names(dc1)[4:28], "A")), data = dc1)
##   n= 400
##
##           CP nsplit rel error   xerror   xstd
## 1 0.54543153    0 1.0000000 1.0035463 0.06921446
## 2 0.09872680    1 0.4545685 0.4584950 0.03280511
## 3 0.05146478    2 0.3558417 0.4070547 0.02683046
## 4 0.04592446    3 0.3043769 0.3887065 0.02588447
## 5 0.02691989    4 0.2584524 0.3462752 0.02281628
## 6 0.01774951    5 0.2315325 0.2938947 0.02013334
## 7 0.01617286    6 0.2137830 0.2681117 0.01825518
## 8 0.01610594    7 0.1976102 0.2603524 0.01806450
## 9 0.01000000    8 0.1815042 0.2470480 0.01756582
##
## Variable importance
##  W9 W14  W8 W23 W25 W13   A W16 W21  W7 W12 W17 W18 W19
## 24 18 13 13 11 10   3  1  1  1  1  1  1  1
##
## Node number 1: 400 observations,   complexity param=0.5454315
##   mean=6.255473, MSE=11.98608
##   left son=2 (244 obs) right son=3 (156 obs)
##   Primary splits:
##       W9 < 3.5           to the left,  improve=0.5454315, (0 missing)
##       W14 < 5.763803     to the left,  improve=0.5181421, (0 missing)
##       W8 < 2.992449      to the left,  improve=0.4821869, (0 missing)
##       W7 < 3.478499      to the left,  improve=0.4175468, (0 missing)
##       W21 < 4.90963      to the left,  improve=0.4038650, (0 missing)
##   Surrogate splits:
##       W14 < 5.262932     to the left,  agree=0.940, adj=0.846, (0 split)
##       W8 < 2.92829       to the left,  agree=0.872, adj=0.673, (0 split)
##       W23 < 9.745147     to the left,  agree=0.855, adj=0.628, (0 split)
##       W25 < 11.65137     to the left,  agree=0.805, adj=0.500, (0 split)
##       W13 < 3.613826     to the left,  agree=0.802, adj=0.494, (0 split)
##
## Node number 2: 244 observations,   complexity param=0.05146478
##   mean=4.211024, MSE=3.867181
##   left son=4 (184 obs) right son=5 (60 obs)
##   Primary splits:
##       W9 < 1.5           to the left,  improve=0.2614948, (0 missing)
##       A splits as LR, improve=0.2540243, (0 missing)
##       W7 < 1.591133      to the left,  improve=0.2526917, (0 missing)
##       W21 < 1.663075     to the left,  improve=0.2055047, (0 missing)
##       W8 < 2.017509      to the left,  improve=0.1808941, (0 missing)
##   Surrogate splits:
##       W14 < 2.53977      to the left,  agree=0.893, adj=0.567, (0 split)
##       W8 < 2.903125      to the left,  agree=0.836, adj=0.333, (0 split)
##       W25 < 13.25427     to the left,  agree=0.803, adj=0.200, (0 split)
##       W16 < 11.3988      to the left,  agree=0.799, adj=0.183, (0 split)
##       W13 < 4.309836     to the left,  agree=0.791, adj=0.150, (0 split)
##
## Node number 3: 156 observations,   complexity param=0.0987268
##   mean=9.4532, MSE=7.921833
##   left son=6 (135 obs) right son=7 (21 obs)

```

```

## Primary splits:
## W9 < 9.5 to the left, improve=0.3830205, (0 missing)
## W7 < 4.999441 to the left, improve=0.3164421, (0 missing)
## W14 < 13.03272 to the left, improve=0.3133315, (0 missing)
## A splits as LR, improve=0.2846859, (0 missing)
## W21 < 4.90963 to the left, improve=0.2515501, (0 missing)
## Surrogate splits:
## W14 < 20.21393 to the left, agree=0.936, adj=0.524, (0 split)
## W23 < 15.62551 to the left, agree=0.910, adj=0.333, (0 split)
## W11 < 10.56538 to the left, agree=0.885, adj=0.143, (0 split)
## W17 < 15.30834 to the left, agree=0.885, adj=0.143, (0 split)
## W13 < 13.02812 to the left, agree=0.878, adj=0.095, (0 split)
##
## Node number 4: 184 observations, complexity param=0.02691989
## mean=3.636782, MSE=2.5425
## left son=8 (118 obs) right son=9 (66 obs)
## Primary splits:
## A splits as LR, improve=0.27588740, (0 missing)
## W7 < 1.39736 to the left, improve=0.13836180, (0 missing)
## W21 < 3.076161 to the left, improve=0.10365300, (0 missing)
## W12 < 1.487588 to the left, improve=0.08995449, (0 missing)
## W1 splits as RRLR, improve=0.08627216, (0 missing)
## Surrogate splits:
## W16 < 0.7283739 to the right, agree=0.674, adj=0.091, (0 split)
## W22 < 1.713776 to the right, agree=0.674, adj=0.091, (0 split)
## W23 < 2.328696 to the right, agree=0.674, adj=0.091, (0 split)
## W8 < -5.151453 to the right, agree=0.663, adj=0.061, (0 split)
## W25 < -2.560438 to the right, agree=0.663, adj=0.061, (0 split)
##
## Node number 5: 60 observations, complexity param=0.01774951
## mean=5.972035, MSE=3.817129
## left son=10 (34 obs) right son=11 (26 obs)
## Primary splits:
## A splits as LR, improve=0.3715656, (0 missing)
## W7 < 1.590959 to the left, improve=0.3063926, (0 missing)
## W21 < 2.455516 to the left, improve=0.2793826, (0 missing)
## W12 < 0.9629807 to the left, improve=0.2108504, (0 missing)
## W8 < 1.879978 to the left, improve=0.1933822, (0 missing)
## Surrogate splits:
## W25 < 4.990111 to the right, agree=0.800, adj=0.538, (0 split)
## W16 < 1.168843 to the right, agree=0.783, adj=0.500, (0 split)
## W17 < 5.369905 to the right, agree=0.733, adj=0.385, (0 split)
## W22 < 3.75348 to the right, agree=0.683, adj=0.269, (0 split)
## W2 splits as LRLl, agree=0.667, adj=0.231, (0 split)
##
## Node number 6: 135 observations, complexity param=0.04592446
## mean=8.766184, MSE=5.145359
## left son=12 (58 obs) right son=13 (77 obs)
## Primary splits:
## A splits as LR, improve=0.3169800, (0 missing)
## W7 < 4.999441 to the left, improve=0.2928541, (0 missing)
## W21 < 4.90963 to the left, improve=0.2803883, (0 missing)
## W12 < 1.297934 to the left, improve=0.2278584, (0 missing)
## W9 < 5.5 to the left, improve=0.2232378, (0 missing)

```


```

## Surrogate splits:
##      W16 < 7.491763   to the right, agree=0.756, adj=0.431, (0 split)
##      W25 < 16.86896   to the right, agree=0.756, adj=0.431, (0 split)
##      W21 < 3.170922   to the left,  agree=0.681, adj=0.259, (0 split)
##      W19 < 4.571226   to the left,  agree=0.659, adj=0.207, (0 split)
##      W12 < 0.1056728  to the left,  agree=0.652, adj=0.190, (0 split)
##
## Node number 7: 21 observations
##   mean=13.86973, MSE=3.23064
##
## Node number 8: 118 observations
##   mean=3.010417, MSE=1.935495
##
## Node number 9: 66 observations
##   mean=4.756646, MSE=1.672211
##
## Node number 10: 34 observations
##   mean=4.930597, MSE=2.456896
##
## Node number 11: 26 observations
##   mean=7.333916, MSE=2.322863
##
## Node number 12: 58 observations,   complexity param=0.01617286
##   mean=7.294701, MSE=3.41116
##   left son=24 (43 obs) right son=25 (15 obs)
##   Primary splits:
##       W7  < 5.200705   to the left,  improve=0.3919170, (0 missing)
##       W14 < 15.69639   to the left,  improve=0.3720128, (0 missing)
##       W9  < 7.5         to the left,  improve=0.3720128, (0 missing)
##       W18 < 8.31034    to the left,  improve=0.3595877, (0 missing)
##       W19 < 12.06569   to the left,  improve=0.3563726, (0 missing)
##   Surrogate splits:
##       W18 < 9.142641   to the left,  agree=0.948, adj=0.800, (0 split)
##       W21 < 8.249895   to the left,  agree=0.948, adj=0.800, (0 split)
##       W19 < 15.61409   to the left,  agree=0.931, adj=0.733, (0 split)
##       W12 < 8.316907   to the left,  agree=0.897, adj=0.600, (0 split)
##       W9  < 7.5         to the left,  agree=0.862, adj=0.467, (0 split)
##
## Node number 13: 77 observations,   complexity param=0.01610594
##   mean=9.874574, MSE=3.592136
##   left son=26 (23 obs) right son=27 (54 obs)
##   Primary splits:
##       W7  < 3.536022   to the left,  improve=0.2791772, (0 missing)
##       W9  < 5.5         to the left,  improve=0.2493821, (0 missing)
##       W14 < 12.33164   to the left,  improve=0.2082537, (0 missing)
##       W21 < 4.786183   to the left,  improve=0.1811454, (0 missing)
##       W8  < 4.274089   to the left,  improve=0.1773352, (0 missing)
##   Surrogate splits:
##       W18 < 6.649654   to the left,  agree=0.896, adj=0.652, (0 split)
##       W8  < 3.479762   to the left,  agree=0.857, adj=0.522, (0 split)
##       W12 < -0.2520162 to the left,  agree=0.844, adj=0.478, (0 split)
##       W21 < 4.786183   to the left,  agree=0.844, adj=0.478, (0 split)
##       W17 < 5.275259   to the left,  agree=0.792, adj=0.304, (0 split)
##

```

```
## Node number 24: 43 observations
##   mean=6.611798, MSE=1.850068
##
## Node number 25: 15 observations
##   mean=9.252359, MSE=2.716976
##
## Node number 26: 23 observations
##   mean=8.340136, MSE=2.780899
##
## Node number 27: 54 observations
##   mean=10.52813, MSE=2.507683
```

I'm Bored



From the scatterplot matrix there appears to be several variables that are very strongly correlated. Techniques to consider: lasso, pls, others?

Of the variables that are highly correlated, can select the variable(s) that appear to be most correlated with the response

Must not lose focus. The objective is to measure the treatment effect of A, not predict Y.

Use MARS to Pick Out Interaction Terms

```
## x[400,32] with colnames A1 W1B W1C W1D W2B W2C W2D W3B W3C W4B W4C W51 W61 W7 W8 ...
## y[400,1] with colname Y
## maxmem 0.0 GB
## malloc 128 B: nUses *pnPreds 32 sizeof(int)
## malloc 160 B: nDegree nMaxTerms 40 sizeof(int) 4
## calloc 4 B: iDirs nMaxTerms 40 nPreds 32 sizeof(int) 4
## malloc 160 B: BoolFullSet nMaxTerms 40 sizeof(bool) 4
## malloc 50 kB: xOrder nRows 400 nCols 32 sizeof(int) 4
## malloc 400 kB: BetaCacheGlobal nMaxTerms 40 nMaxTerms 40 nPreds 32 sizeof(double) 8
## malloc 125 kB: bxOrth nCases 400 nMaxTerms 40 sizeof(double) 8
## malloc 125 kB: bxOrthCenteredT nMaxTerms 40 nCases 400 sizeof(double) 8
## malloc 320 B: bxOrthMean nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc 8 B: yMean nResp 1 sizeof(double) 8
```

```

## Forward pass term 1
## malloc      1 kB: Q          nMaxTerms 40 sizeof(tQueue) 32
## malloc      1 kB: SortedQ    nMaxTerms 40 sizeof(tQueue) 32
## malloc      3 kB: xbx        nCases 400 sizeof(double) 8
## malloc      320 B: CovSx     nMaxTerms 40 sizeof(double) 8
## calloc      8 B: CovCol      nMaxTerms 40 sizeof(double) 8
## calloc      8 B: ycboSum     nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## Forward pass term 2
## malloc      3 kB: xbx        nCases 400 sizeof(double) 8
## malloc      320 B: CovSx     nMaxTerms 40 sizeof(double) 8
## calloc      8 B: CovCol      nMaxTerms 40 sizeof(double) 8
## calloc      8 B: ycboSum     nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## Forward pass term 4
## malloc      3 kB: xbx        nCases 400 sizeof(double) 8
## malloc      320 B: CovSx     nMaxTerms 40 sizeof(double) 8
## calloc      8 B: CovCol      nMaxTerms 40 sizeof(double) 8
## calloc      8 B: ycboSum     nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## Forward pass term 6
## malloc      3 kB: xbx        nCases 400 sizeof(double) 8
## malloc      320 B: CovSx     nMaxTerms 40 sizeof(double) 8
## calloc      8 B: CovCol      nMaxTerms 40 sizeof(double) 8
## calloc      8 B: ycboSum     nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## Forward pass term 8
## malloc      3 kB: xbx        nCases 400 sizeof(double) 8
## malloc      320 B: CovSx     nMaxTerms 40 sizeof(double) 8
## calloc      8 B: CovCol      nMaxTerms 40 sizeof(double) 8
## calloc      8 B: ycboSum     nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## Forward pass term 10
## malloc      3 kB: xbx        nCases 400 sizeof(double) 8
## malloc      320 B: CovSx     nMaxTerms 40 sizeof(double) 8
## calloc      8 B: CovCol      nMaxTerms 40 sizeof(double) 8
## calloc      8 B: ycboSum     nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8

```

[illegible]

[illegible]

[illegible]

[illegible]

```

## malloc      8  B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8  B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8  B: ybxSum      nResp 1 sizeof(double) 8
## Forward pass term 38
##
## Reached nk 40
## After forward pass GRSq 0.896 RSq 0.933
## malloc     160  B: iPivots      nTerms 40 sizeof(int) 4
## malloc     100 kB: xUsed        nCases 400 nUsedCols 32 sizeof(double) 8
## malloc       3 kB: Residuals    nCases 400 nResp 1 sizeof(double) 8
## malloc     256  B: qraux        nUsedCols 32 sizeof(double) 8
## malloc     100 kB: work        nCases 400 nUsedCols 32 sizeof(double) 8
## Prune method "backward" penalty 3 nprune null: selected 24 of 32 terms, and 14 of 32 preds
## After pruning pass GRSq 0.906 RSq 0.931
## Getting leverages

## Call: earth(formula=Y~., data=dc2, trace=1.5, degree=3, nk=40)
##
##
## coefficients
## (Intercept)          4.2591617
## A1                   2.4264695
## W1C                  -0.6599950
## h(-0.530967-W7)      0.4505634
## h(W7- -0.530967)     0.4906124
## h(2-W9)              -0.9805526
## h(W9-2)              0.5373457
## h(W9-8)              0.5056333
## h(9.96584-W17)       0.0660589
## A1 * W61             -1.0748691
## A1 * h(2.78832-W7)   -0.2742078
## W1C * h(W16-5.60908) -0.1191151
## W1C * h(5.60908-W16) -0.1130028
## W2D * h(W17-9.96584) -1.0937951
## h(W7- -0.530967) * h(W18-2.12195) -0.0151246
## h(W7- -0.530967) * h(2.12195-W18) -1.3167697
## h(2.57375-W8) * h(W9-2) -1.0004109
## h(W9-2) * h(2.12155-W13) 0.2006590
## h(2-W9) * h(-0.764684-W16) -1.0086522
## h(W11-5.47256) * h(9.96584-W17) -0.0312022
## h(W12-4.0743) * h(9.96584-W17) -0.0115547
## A1 * W51 * W61       -2.3061926
## A1 * W1C * h(5.60908-W16) 0.1328901
## A1 * W61 * h(W7- -0.0901544) 0.3354175
##
## Selected 24 of 32 terms, and 14 of 32 predictors
## Termination condition: Reached nk 40
## Importance: W9, A1, W7, W1C, W51, W61, W8, W13, W16, W17, W2D, W11, ...
## Number of terms at each degree of interaction: 1 8 12 3
## GCV 1.133263      RSS 330.4093      GRSq 0.9059239      RSq 0.9310848

```

What if hinge functions $h(x)$ aren't allowed and we had to use linear associations only?

```
## x[400,32] with colnames A1 W1B W1C W1D W2B W2C W2D W3B W3C W4B W4C W51 W61 W7 W8 ...
## y[400,1] with colname Y
## maxmem 0.0 GB
## malloc      128 B: nUses          *pnPreds 32 sizeof(int)
## malloc      160 B: nDegree        nMaxTerms 40 sizeof(int) 4
## calloc       4 B: iDirs          nMaxTerms 40 nPreds 32 sizeof(int) 4
## malloc      160 B: BoolFullSet    nMaxTerms 40 sizeof(bool) 4
## malloc       50 kB: xOrder        nRows 400 nCols 32 sizeof(int) 4
## malloc      400 kB: BetaCacheGlobal nMaxTerms 40 nMaxTerms 40 nPreds 32 sizeof(double) 8
## malloc      125 kB: bxOrth        nCases 400 nMaxTerms 40 sizeof(double) 8
## malloc      125 kB: bxOrthCenteredT nMaxTerms 40 nCases 400 sizeof(double) 8
## malloc      320 B: bxOrthMean     nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc       8 B: yMean          nResp 1 sizeof(double) 8
## Forward pass term 1
## malloc       1 kB: Q             nMaxTerms 40 sizeof(tQueue) 32
## malloc       1 kB: SortedQ       nMaxTerms 40 sizeof(tQueue) 32
## malloc       3 kB: xbx           nCases 400 sizeof(double) 8
## malloc      320 B: CovSx          nMaxTerms 40 sizeof(double) 8
## calloc       8 B: CovCol         nMaxTerms 40 sizeof(double) 8
## calloc       8 B: ycboSum        nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc       8 B: ybxSum         nResp 1 sizeof(double) 8
## Forward pass term 2
## malloc       3 kB: xbx           nCases 400 sizeof(double) 8
## malloc      320 B: CovSx          nMaxTerms 40 sizeof(double) 8
## calloc       8 B: CovCol         nMaxTerms 40 sizeof(double) 8
## calloc       8 B: ycboSum        nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc       8 B: ybxSum         nResp 1 sizeof(double) 8
## malloc       8 B: ybxSum         nResp 1 sizeof(double) 8
## Forward pass term 4
## malloc       3 kB: xbx           nCases 400 sizeof(double) 8
## malloc      320 B: CovSx          nMaxTerms 40 sizeof(double) 8
## calloc       8 B: CovCol         nMaxTerms 40 sizeof(double) 8
## calloc       8 B: ycboSum        nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc       8 B: ybxSum         nResp 1 sizeof(double) 8
## malloc       8 B: ybxSum         nResp 1 sizeof(double) 8
## Forward pass term 6
## malloc       3 kB: xbx           nCases 400 sizeof(double) 8
## malloc      320 B: CovSx          nMaxTerms 40 sizeof(double) 8
## calloc       8 B: CovCol         nMaxTerms 40 sizeof(double) 8
## calloc       8 B: ycboSum        nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc       8 B: ybxSum         nResp 1 sizeof(double) 8
## malloc       8 B: ybxSum         nResp 1 sizeof(double) 8
## malloc       8 B: ybxSum         nResp 1 sizeof(double) 8
## Forward pass term 8
## malloc       3 kB: xbx           nCases 400 sizeof(double) 8
## malloc      320 B: CovSx          nMaxTerms 40 sizeof(double) 8
## calloc       8 B: CovCol         nMaxTerms 40 sizeof(double) 8
## calloc       8 B: ycboSum        nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc       8 B: ybxSum         nResp 1 sizeof(double) 8
## malloc       8 B: ybxSum         nResp 1 sizeof(double) 8
## malloc       8 B: ybxSum         nResp 1 sizeof(double) 8
```

[illegible]

[illegible]

```

## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## Forward pass term 30
## malloc      3 kB: xbx          nCases 400 sizeof(double) 8
## malloc     320 B: CovSx          nMaxTerms 40 sizeof(double) 8
## calloc      8 B: CovCol      nMaxTerms 40 sizeof(double) 8
## calloc      8 B: ycboSum      nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## Forward pass term 32
## malloc      3 kB: xbx          nCases 400 sizeof(double) 8
## malloc     320 B: CovSx          nMaxTerms 40 sizeof(double) 8
## calloc      8 B: CovCol      nMaxTerms 40 sizeof(double) 8
## calloc      8 B: ycboSum      nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## Forward pass term 34
## malloc      3 kB: xbx          nCases 400 sizeof(double) 8
## malloc     320 B: CovSx          nMaxTerms 40 sizeof(double) 8
## calloc      8 B: CovCol      nMaxTerms 40 sizeof(double) 8
## calloc      8 B: ycboSum      nMaxTerms 40 nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## malloc      8 B: ybxSum      nResp 1 sizeof(double) 8
## Forward pass term 36
##
## RSq changed by less than 0.001 at 35 terms, 18 terms used (DeltaRSq 0.00098)
## After forward pass GRSq 0.889 RSq 0.913
## malloc     160 B: iPivots      nTerms 40 sizeof(int) 4
## malloc      56 kB: xUsed        nCases 400 nUsedCols 18 sizeof(double) 8
## malloc       3 kB: Residuals    nCases 400 nResp 1 sizeof(double) 8
## malloc     144 B: qraux         nUsedCols 18 sizeof(double) 8
## malloc      56 kB: work         nCases 400 nUsedCols 18 sizeof(double) 8

```



```

## Prune method "backward" penalty 3 nprune null: selected 15 of 18 terms, and 11 of 32 preds
## After pruning pass GRSq 0.89 RSq 0.908
## Getting leverages

## Call: earth(formula=Y~., data=dc2, trace=1.5, degree=3, nk=40,
##           linpreds=TRUE)
##
##               coefficients
## (Intercept)      3.5225713
## A1              1.2817632
## W1C             -1.1738625
## W7              0.1558773
## W9              0.7670360
## W17             -0.0435700
## A1 * W1C         0.6826550
## A1 * W7          0.2613782
## W1C * W19        0.0280239
## W1C * W25        -0.0314256
## W7 * W12         0.0135496
## W7 * W19        -0.0117085
## W9 * W19         0.0069741
## A1 * W51 * W61   -1.9141280
## W1C * W20 * W25  -0.0055586
##
## Selected 15 of 18 terms, and 11 of 32 predictors
## Termination condition: RSq changed by less than 0.001 at 18 terms
## Importance: W9, A1, W1C, W7, W51, W61, W12, W19, W17, W25, W20, ...
## Number of terms at each degree of interaction: 1 5 7 2
## GCV 1.330175    RSS 440.6072    GRSq 0.8895776    RSq 0.9081002

```

All Subset

$$Y = A + W2 + W4 + W5 + W7 + W8 + W9 + W13 + W14 + W15 + W16 + W19 + W21 + W22$$

Best Subset

$$Y = A + W2 + W4 + W5 + W7 + W8 + W9 + W13 + W14 + W15 + W16 + W19 + W21 + W22$$