

Villalba-Diez, J., Ordieres-Meré, J., Chudzick, H., Lopez-Rojo, P. (2015). NEMAWASHI: Attaining Value Stream alignment within Complex Organizational Networks. Procedia CIRP, 37, 134--139. <https://doi.org/10.1016/j.procir.2015.08.021>

Nemawashi : prepare the ground .

Hypothesis : there is a list of KPIs given , with values at different time points .

$$KPI_i = KPI_i(t) \quad i=1, \dots, n$$

This method visualizes the dynamics of the organization through its KPIs .

Example : A kpi - System is 3 dimensional and has following data .

	Quality [ppm]	Delivery Rate [%]	Cost [€/part]
CW1	3300	91	17
CW2	2700	93	18
CW3	1800	89	16
CW4	1500	92	15
CW5	1300	95	16


Step 1. NORMALIZE

$$\textcircled{1} \quad x_i^* = \frac{x_i - \bar{x}}{\sigma_x} ; \textcircled{2} \quad x_i^* = \frac{x_i - x_{\min}}{x_{\max} - x_{\min}}$$




	Q^*	DR^*	C^*
CW1	$\frac{3300 - 1300}{3300 - 1300} = 1$		
CW2	$\frac{2700 - 1300}{3300 - 1300} = 0'7$	$\frac{91-89}{95-89} = 0'33$	$\frac{18-15}{18-15} = 1$
CW3	$\frac{1800 - 1300}{3300 - 1300} = 0'25$	$\frac{93-89}{95-89} = 0'66$	$\frac{16-15}{18-15} = 0'33$
CW4	$\frac{1500 - 1300}{3300 - 1300} = 0'1$	$\frac{89-89}{95-89} = 0$	$\frac{15-15}{18-15} = 0$
CW5	$\frac{1300 - 1300}{3300 - 1300} = 0$	$\frac{92-89}{95-89} = 0'5$	$\frac{16-15}{18-15} = 0'33$
		$\frac{95-89}{95-89} = 1$	

Step 2. Represent graphically the organizational dynamics.




Simplex: the coordinates of all the points add one:
 $[x, y, z]$ $x+y+z=1$



Step 3. Temporal normalization.

	Q^{**}	DR^{**}	C^{**}
CW1	$\frac{1}{1+0'33+0'66} = 0'5$	$\frac{0'33}{1+0'33+0'66} = 0'65$	$\frac{0'66}{1+0'33+0'66} = 0'33$
CW2	$\frac{0'7}{0'7+0'66+1} = 0'297$	$\frac{0'66}{0'7+0'66+1} = 0'28$	$\frac{1}{0'7+0'66+1} = 0'42$
CW3	$\frac{0'25}{0'25+0+0'33} = 0'43$	0	$\frac{0'33}{0'25+0+0'33} = 0'57$
CW4	$\frac{0'1}{0'1+0'5+0} = 0'167$	$\frac{0'5}{0'1+0'5+0} = 0'833$	0
CW5	0	$\frac{1}{0+1+0'33} = 0'75$	$\frac{0'33}{0+1+0'33} = 0'25$



Step 4. Interpretation of the dynamics.

The system is in Alignment on a timepoint t_j if the distance between $|t_{j-2}, t_{j-1}|$ is bigger than the distance between $|t_{j-1}, t_j|$.

Distance: $|cw_1 - cw_2| > |cw_2 - cw_3| \rightarrow$ The distance decreases so we have alignment in CW3.
 $|cw_2 - cw_3| < |cw_3 - cw_4| \rightarrow$ No alignment in CW4
 $|cw_3 - cw_4| > |cw_4 - cw_5| \rightarrow$ Alignment in CW5.

