
CRIT	CAL PATI	H	
OF A	PROJECT	CRAPH	TIMELY)

OF A PROJECT (CRAPH TIMELY)									
fx	ample 1			The WP	cannot e-decessa	start is do	12		
	Example 1. Intil Pre-decessor is done Workpackage Pre-decessor Duration								
	Workpo	renag	פ וי	— —	φ.,	4			
	B			A		2			
	5							1 . 11	
	C	•		A		3	Wh	at is the tical pa-	- 9 - 1-
	I	)		B - C		1		icai pa	/ N ·
· Step 1. Time-Chart/Gantt Diagram							*		
	o lep 1.		2	3	4	\$		1	(D)
P								>CY GI	raph
ž	3							• • •	•
							CRI' PA	MCAL TH	
ı	D					<u> </u>			
ster 2 Early Start (ES)/Latc Start (LS)									
• Step 2. Early Start (Es)/Late Start (LS) - Chart Early Finish (EF)/Late Finish (LF)						<i>Mart</i>			
	Nhat is -	the Fo	<u> </u>	ate stan	+/Fivis	in for	each	pachage	2
	: Hant	dela	JAIN G	ate stan	rall pro	ject	time	line?	
Ľ	- 1000		, –						
		٤S	LS	Et(E2+	-d) L	f (LS	+1)	SLACK'	K .
	A	0	0					0	
	В	1	2	3		4		1	
	С			4		4		O	
	D		4			5		0	

\*SLACK: | ES-LS = | EF-LF | : SLACK the slack determines how critical work packages are in the timeline. Critical Path is formed by those workpackages with sack equal to zero. critical path = { A, C, D} Critical Path. Example 2. Workpackage Pre-decessor Dration What is the critical path?



Step 3. Critical path.

Example 3.

Given this Projectoraph perform following calculations:

1) Critical Path

- 2) Average Poth length
- 3) Clustering Coefficient
  4) Determine the project bottle nech based on these calculations.