

Postfix is a well know mail server to configure and utilize for messaging.


`sudo apt install mailutils`

Using `tail -f`, command we can follow a file update live.

This is useful many times monitoring log while debugging or recreating a issue of a support ticket/case by customer.

`tail -f /var/log/messages`

`tail -f /var/log/mail.log`

A terminal window titled 'Terminal' with a dark background and light text. The prompt is 'jigarpandya@aharnish: ~'. The command 'tail -f /var/log/mail.log' has been executed, showing a series of log entries from Postfix. The entries include cleanup, queue manager (qmgr), local delivery, and master process reloads. The log shows the Postfix mail system starting and refreshing at 12:04:41 and 12:11:47 on Jan 29. The queue manager is also shown removing a message at 11:54:39. The terminal window has a menu bar with 'File', 'Edit', 'View', 'Search', 'Terminal', and 'Help'. The top status bar shows 'Fri 12:19' and system icons on the right.

```
jigarpandya@aharnish:~$ tail -f /var/log/mail.log
Jan 29 11:54:39 aharnish postfix/cleanup[6800]: BBED51C42F16: message-id=<20210129062439.BBED51C42F16@aharnish>
Jan 29 11:54:39 aharnish postfix/qmgr[5583]: BBED51C42F16: from=<jigarpandya@aharnish>, size=375, nrcpt=1 (queue active)
Jan 29 11:54:39 aharnish postfix/local[6802]: BBED51C42F16: to=<jigarpandya@aharnish>, relay=local, delay=0.11, delays=0.08/0.01/0/0.03, dsn=2.0.0, st
atus=sent (delivered to mailbox)
Jan 29 11:54:39 aharnish postfix/qmgr[5583]: BBED51C42F16: removed
Jan 29 12:04:41 aharnish postfix/postfix-script[1297]: starting the Postfix mail system
Jan 29 12:04:41 aharnish postfix/master[1299]: daemon started -- version 3.3.0, configuration /etc/postfix
Jan 29 12:11:47 aharnish postfix/postfix-script[2380]: refreshing the Postfix mail system
Jan 29 12:11:47 aharnish postfix/master[1299]: reload -- version 3.3.0, configuration /etc/postfix
Jan 29 12:11:47 aharnish postfix/postfix-script[2438]: refreshing the Postfix mail system
Jan 29 12:11:47 aharnish postfix/master[1299]: reload -- version 3.3.0, configuration /etc/postfix
```

‘mail’ command enables user to command line messaging.

```
Activities Terminal Fri 12:20 jigarpandya@aharnish: ~
File Edit View Search Terminal Help
status=sent (delivered to mailbox)
Jan 29 11:54:39 aharnish postfix/qmgr[5583]: BBED51C42F16: removed
Jan 29 12:04:41 aharnish postfix/postfix-script[1297]: starting the Postfix mail system
Jan 29 12:04:41 aharnish postfix/master[1299]: daemon started -- version 3.3.0, configuration /etc/postfix
Jan 29 12:11:47 aharnish postfix/postfix-script[2380]: refreshing the Postfix mail system
Jan 29 12:11:47 aharnish postfix/master[1299]: reload -- version 3.3.0, configuration /etc/postfix
Jan 29 12:11:47 aharnish postfix/postfix-script[2438]: refreshing the Postfix mail system
Jan 29 12:11:47 aharnish postfix/master[1299]: reload -- version 3.3.0, configuration /etc/postfix

Jan 29 12:20:18 aharnish postfix/pickup[2443]: 2FFD51C42F24: uid=1000 from=<jigarpandya@aharnish>
Jan 29 12:20:18 aharnish postfix/cleanup[2799]: 2FFD51C42F24: message-id=<20210129065018.2FFD51C42F24@aharnish>
Jan 29 12:20:18 aharnish postfix/qmgr[2444]: 2FFD51C42F24: from=<jigarpandya@aharnish>, size=390, nrcpt=1 (queue active)
Jan 29 12:20:18 aharnish postfix/local[2801]: 2FFD51C42F24: to=<jigarpandya@aharnish>, relay=local, delay=0.21, delays=0.13/0.05/0/0.03, dsn=2.0.0, status=sent (delivered to mailbox)
Jan 29 12:20:18 aharnish postfix/qmgr[2444]: 2FFD51C42F24: removed

jigarpandya@aharnish: ~
File Edit View Search Terminal Help
jigarpandya@aharnish:~$ mail jigarpandya
Cc:
Subject: This is test two email
hi
This is for your refernce.
Take care.
jigarpandya@aharnish:~$
```

jigarpandya@aharnish: ~

File Edit View Search Terminal Help

```
jigarpandya@aharnish:~$ sudo systemctl services status postfix
```

```
[sudo] password for jigarpandya:
```

```
Unknown operation services.
```

```
jigarpandya@aharnish:~$ sudo systemctl status postfix
```

```
● postfix.service - Postfix Mail Transport Agent
```

```
Loaded: loaded (/lib/systemd/system/postfix.service; enabled; vendor pr
```

```
Active: active (exited) since Fri 2021-01-29 12:04:41 IST; 22min ago
```

```
Process: 2442 ExecReload=/bin/true (code=exited, status=0/SUCCESS)
```

```
Process: 1302 ExecStart=/bin/true (code=exited, status=0/SUCCESS)
```

```
Main PID: 1302 (code=exited, status=0/SUCCESS)
```

```
Jan 29 12:04:41 aharnish systemd[1]: Starting Postfix Mail Transport Agent
```

```
Jan 29 12:04:41 aharnish systemd[1]: Started Postfix Mail Transport Agent.
```

```
Jan 29 12:11:47 aharnish systemd[1]: Reloading Postfix Mail Transport Agen
```

```
Jan 29 12:11:47 aharnish systemd[1]: Reloaded Postfix Mail Transport Agent
```

```
Jan 29 12:11:47 aharnish systemd[1]: Reloading Postfix Mail Transport Agen
```

```
Jan 29 12:11:47 aharnish systemd[1]: Reloaded Postfix Mail Transport Agent
```

```
jigarpandya@aharnish:~$ sudo systemctl stop postfix
```

```
jigarpandya@aharnish:~$ sudo systemctl status postfix
```

```
● postfix.service - Postfix Mail Transport Agent
```

```
Loaded: loaded (/lib/systemd/system/postfix.service; enabled; vendor pr
```

```
Active: inactive (dead) since Fri 2021-01-29 12:28:01 IST; 4s ago
```

```
Process: 2442 ExecReload=/bin/true (code=exited, status=0/SUCCESS)
```

```
Process: 1302 ExecStart=/bin/true (code=exited, status=0/SUCCESS)
```

```
Main PID: 1302 (code=exited, status=0/SUCCESS)
```

```
Jan 29 12:04:41 aharnish systemd[1]: Starting Postfix Mail Transport Agent
```

```
Jan 29 12:04:41 aharnish systemd[1]: Started Postfix Mail Transport Agent.
```

```
Jan 29 12:11:47 aharnish systemd[1]: Reloading Postfix Mail Transport Agen
```

```
Jan 29 12:11:47 aharnish systemd[1]: Reloaded Postfix Mail Transport Agent
```

```
Jan 29 12:11:47 aharnish systemd[1]: Reloading Postfix Mail Transport Agen
```

```
Jan 29 12:11:47 aharnish systemd[1]: Reloaded Postfix Mail Transport Agent
```

```
Jan 29 12:28:01 aharnish systemd[1]: Stopped Postfix Mail Transport Agent.
```

```
jigarpandya@aharnish:~$
```

[illegible]