

Write a function to swap two integers ***WITHOUT USING POINTERS***.

Note: DO NOT REMOVE ANYTHING FROM GIVEN CODE STUB EXCEPT COMMENTS.
DO NOT ALTER main FUNCTION.

Input Format

two integers separated by space

Constraints

-100000000 <= two numbers <= 100000000

Output Format

two integers separated by space. Compared to input, position of two integers should be swapped.

Sample Input 0

1 2

Sample Output 0

2 1

Sample Input 1

0 0

Sample Output 1

0 0

Sample Input 2

-100000000 100000000

Sample Output 2

100000000 -100000000

Submissions:

[178](#)

Max Score:

10

Difficulty:

Easy

Rate This Challenge:

[Download problem statement](#)

[Download all test cases](#)

[Suggest Edits](#)

Collapse

Admin Options

[Edit Challenge](#)

[View Submissions](#)

```
1
#include <iostream>
2

3
/*retrn type here*/ swap(/*arguments here*/)
4
{
5
    /* Write code here */
6
}
7

8
int main() {
9
    int num1, num2;
10
    std::cin >> num1 >> num2;
11
    swap(num1, num2);
12
    std::cout << num1 << " " << num2;
13
    return 0;
14
}
```

Line: 1 Col: 1