설치

권기웅

1. Android SDK

1.1 Android SDK 설치

1.1.1 설치

https://developer.android.com/



Next...

1.1.2 에뮬레이터 만들기





디바이스 하나 고르고



설치할 OS 이미지



뭐 하나 다운받고


Virtual Device Configuration
System Image
Select a system image
Recommended
x86 Images
Other Images
Release Name
API Level
ABI
Target
R
30
x86
Android 11.0 (Google Play)
R
API Level
30
Android
11.0
Google Inc.
System Image
x86
We recommend these Google Play images because this device is compatible with Google Play.
Previous
Next
Cancel
Finish

끝


Virtual Device Configuration
Android Virtual Device (AVD)
Verify Configuration
AVD Name
Pixel 2 API 30
Pixel 2
5.0 1080x1920 420dpi
Change...
R
Android 11.0 x86
Change...
Startup orientation
Portrait
Landscape
Emulated
Graphics:
Automatic
Show Advanced Settings
AVD Name
The name of this AVD.
Previous
Next
Cancel
Finish

1.1.3 에뮬레이터

시작


Device Manager
Create device
?
Device
API
Size on Disk
Actions
Pixel 2 API 30
Android 11.0 Google Play | x86
30
513 MB
Launching emulator
Starting AVD...
Minimize

3:31
Wednesday, Nov 2
17°C

2. 환경변수

2.1 ANDROID_HOME 추가

변수 이름 : ANDROID_HOME

변수 값 : %LOCALAPPDATA%\Android\Sdk



2.2 PATH 에 추가

%LOCALAPPDATA%\Android\Sdk\platform-tools



3. 프로젝트

3.1 프로젝트 만들기

```
npx react-native init 프로젝트명
```

```
C:₩Windows₩System32₩cmd.exe
Microsoft Windows [Version 10.0.19044.2130]
(c) Microsoft Corporation. All rights reserved.

D:₩Kwon₩wsReactNative>npx react-native init rn01_test

                Welcome to React Native!
              Learn once, write anywhere

√ Downloading template
√ Copying template
√ Processing template
√ Installing dependencies


  Run instructions for Android:
    • Have an Android emulator running (quickest way to get started), or a device connected.
    • cd "D:₩Kwon₩wsReactNative₩rn01_test" && npx react-native run-android

  Run instructions for Windows:
    • See https://aka.ms/ReactNativeGuideWindows for the latest up-to-date instructions.
```

3.2 JavaHome 변경

android/gradle.properties 수정

org.gradle.java.home=C:\\Program Files\\Android\\Android Studio\\jre 추가



3.3 실행

npx react-native run-android



3.4 결과


5:23
Engine: Hermes for RN 0.70.4
Welcome to
React Native
Step One
Edit App.js to change this screen and then come back to see your edits.
See Your Changes
Double tap R on your keyboard to reload your app's code.
Debug
Press Cmd or Ctrl + M or Shake your device to open the React Native debug menu.
Learn More

4. 실제 폰에서

4.1 실제 폰 세팅

4.1.1 개발자 모드 켜고

소프트웨어 정보 > 빌드번호 계속 꾹꾹꾹



4.1.2 USB 디버깅 켜고

개발자 옵션 > USB 디버깅 켜기



4.2 실행


SKT 5:30
98%
Engine: Hermes for RN 0.70.4
Welcome to
React Native
Step One
Edit App.js to change this screen and then come back to see your edits.
See Your Changes
Double tap R on your keyboard to reload your app's code.
Debug
Press Cmd or Ctrl + M or Shake your device to open the React Native debug menu.
Learn More
Read the docs to discover what to do next:
The Basics
Explains a Hello World for React Native.
Style
Covers how to use the prop named style which controls the visuals.
Layout
React Native uses flexbox for layout, learn how it works.
The full list of components and