

Head First Learn to Code

A Brain-Friendly Guide

Watch out for
common traps
and pitfalls



Avoid embarrassing
syntax errors

Bend your mind
around 130 puzzles
& exercises



**A learner's guide
to coding and
computational
thinking**

Launch your
programming
career in
one chapter




Learn why everything
your friends know about
computer science is
probably wrong

Eric Freeman

Learn to Code

What will you learn from this book?

It's no secret the world around you is becoming more connected, more configurable, more programmable, more computational. You can remain a passive participant, or you can learn to code. With *Head First Learn to Code* you'll learn how to *think computationally* and how to write code to make your computer, mobile device, or anything with a CPU *do things for you*. Using the Python programming language, you'll learn step by step, the core concepts of programming as well as many fundamental topics from computer science, such as data structures, storage, abstraction, recursion, and modularity.



Why does this book look so different?

Based on the latest research in cognitive science and learning theory, *Head First Learn to Code* uses a visually rich format to engage your mind, rather than a text-heavy approach that puts you to sleep. Why waste your time struggling with new concepts? This multi-sensory learning experience is designed for the way your brain really works.

"This is one of the most surprising, entertaining, and brilliantly planned software books I've ever read. It's more interesting and better thought-out than all other beginning programming books I know, put together."

— David Gelernter
Professor of Computer Science,
Yale University

"*Head First Learn to Code* has humor, emotions, and step-by-step instructions. This book turns on your brain, makes you laugh and teaches you to be a code master—it's a keeper."

— Sarita Menon, Ph.D.
Smore Magazine

"This is the book I wish would have been around when I first started learning to code. Unlike other beginner's programming books, Freeman strikes a perfect balance of humor, concise tutorials, and helpful background information."

— Patrick Benfield
Innovation Director, The Magellan International School

US \$45.99

CAN \$60.99

ISBN: 978-1-491-95886-5



9 781491 958865



twitter.com/oreillymedia
facebook.com/oreillymedia

oreilly.com
wickedlysmart.com

Praise for *Head First Learn to Code*

“This is one of the most surprising, entertaining and brilliantly-planned software books I’ve ever read. It’s more interesting and better thought-out than all other beginning programming books I know put together. I run into people all the time who need to learn programming and want to know what course to take; I plan to tell them to forget about courses and get this book instead.”

— **David Gelernter, Professor of Computer Science, Yale University**

“*Head First Learn to Code* has humor, emotions, and step by step instructions. This book turns on your brain, makes you laugh and teaches you to be a code master—it’s a keeper.”

— **Smore Magazine, a science magazine to know more and be more**

“The book is a great read, even for an experienced programmer, with new perspectives on how to teach difficult concepts we take for granted. Whether you’re just starting out or trying to figure out ways to bring more people to code, this book will serve you well. Eric has made learning to code accessible and approachable without dumbing anything down and setting the expectations of effort and difficulty that actually exist.”

— **Avi Flombaum, Dean and Chief Product Officer of the Flatiron School**

“As a high school computer science teacher, *Head First Learn to Code* is my new primary resource for introducing topics to students. It has an immensely personal touch and its conversational nature, humor, and general style make it feel as if you are learning from another human rather than merely reading a piece of text.”

— **Brandon Shufflebarger, Regents School of Austin**

“This is the book I wish would have been around when I first started learning to code. Unlike other beginner’s programming books, Freeman strikes a perfect balance of humor, concise tutorials, and helpful background information—without sounding condescending or overly technical. *Head First Learn to Code* will certainly be a valuable resource for beginning coders at our school fablab.”

— **Patrick Benfield, Innovation Director, The Magellan International School**

“It takes talent and creativity to write in such an accessible manner. I am looking forward to using the book next school year in an introductory course. I became enthralled with the relevant and accessible examples that were substantive rather than the typical irrelevant and superficial examples presented to the reader of a typical text on the subject.”

— **Josh Sharfman, Teacher, Shalhevet Advanced Studies, Computer Science**

“In keeping with a book about a language named for Monty Python, there’s a lot of meta-humor here about the software industry, about programmer culture, and about tutorial books themselves. It’s nice to be reminded that coding takes place in the (sometimes illogical) world of humans.”

— **Adjunct Professor of Music Technology at NYU and Montclair State University**

“As a National Champion Rock Band Coach, I understand that students must feel inspired by a subject in order to consistently practice and enjoy themselves in the process. Without inspiration and joy, people eventually lose focus and enthusiasm. That’s why good teachers are so valuable to our society. They can break a potentially boring complex subject, like learning code, down into easily digestible, delicious nuggets of fun. As an educator, Eric Freeman is masterful. He shows us how learning can be simple, enjoyable and easily retainable.”

— **James Mays, Director, Band Aid School of Music**

“HFL2C is a pleasurable, entertaining and effective way to learn computational thinking and python basics. The book has strong pedagogical underpinnings, an exciting array of learning activities and is well written in a fun and conversational tone that is approachable and breaks down complex computational concepts in an easy, digestible way.”

— **Troy Welch, Coordinator, Innovations, Thompson Rivers University**

Praise for other books by Eric Freeman

“I feel like a thousand pounds of books have just been lifted off of my head.”

— **Ward Cunningham, inventor of the Wiki**

“The admirable clarity, humor and substantial doses of clever make it the sort of book that helps even non-programmers think well about problem-solving.”

— **Cory Doctorow, co-editor of Boing Boing, Science Fiction author**

“Freeman continues to use innovative teaching methods for communicating complex concepts to basic principles.”

— **Mark Arana, Strategy & Innovation, The Walt Disney Studios**

“I can think of no better tour guide than Eric.”

— **Miko Matsumura, VP of Marketing and Developer Relations at Hazelcast
Former Chief Java Evangelist, Sun Microsystems**

“The definitive book on HTML5 for everyone from beginners to experienced developers.”

— **Aaron LaBerge, CTO, ESPN**

“The highly graphic and incremental approach precisely mimics the best way to learn this stuff...”

— **Danny Goodman, author of *Dynamic HTML: The Definitive Guide***

“Eric clearly knows his stuff. As the Internet becomes more complex, inspired construction of web pages becomes increasingly critical. Elegant design is at the core of every chapter here, each concept conveyed with equal doses of pragmatism and wit.”

— **Ken Goldstein, former CEO of Shop.com and author of
*This is Rage: A Novel of Silicon Valley and Other Madness***

Other O'Reilly books by Eric Freeman

Head First HTML and CSS
Head First JavaScript Programming
Head First HTML5 Programming
Head First Design Patterns

Other books in O'Reilly's *Head First* series

Head First HTML and CSS
Head First JavaScript Programming
Head First HTML5 Programming
Head First Design Patterns
Head First Servlets and JSP
Head First Java
Head First Python

Head First Learn to Code



Wouldn't it be dreamy if there was a book for learning to code that was more fun than going to the dentist and more revealing than an IRS form? It's probably just a fantasy...

Eric Freeman

Beijing • Boston • Farnham • Sebastopol • Tokyo

O'REILLY®

Head First Learn to Code

by Eric Freeman

Copyright © 2018 Eric Freeman. All rights reserved.

Printed in the United States of America.

Published by O'Reilly Media, Inc., 1005 Gravenstein Highway North, Sebastopol, CA 95472.

O'Reilly Media books may be purchased for educational, business, or sales promotional use. Online editions are also available for most titles (<http://oreilly.com/safari>). For more information, contact our corporate/institutional sales department: (800) 998-9938 or corporate@oreilly.com.

Editors: Jeff Bleiel, Dawn Schanafelt, Meghan Blanchette

Cover Designer: Randy Comer

Production Editor: Melanie Yarbrough

Indexer: Lucie Haskins

Proofreader: Rachel Monaghan

Printing History:

January 2018: First Edition.

Nutshell Handbook, the Nutshell Handbook logo, and the O'Reilly logo are registered trademarks of O'Reilly Media, Inc. The *Head First* series designations, *Head First Learn to Code*, and related trade dress are trademarks of O'Reilly Media, Inc.

Many of the designations used by manufacturers and sellers to distinguish their products are claimed as trademarks. Where those designations appear in this book, and O'Reilly Media, Inc., was aware of a trademark claim, the designations have been printed in caps or initial caps.

While every precaution has been taken in the preparation of this book, the publisher and the author assume no responsibility for errors or omissions, or for damages resulting from the use of the information contained herein.

In other words, if you use anything in *Head First Learn to Code* to, say, run a nuclear power plant, you're on your own.

No turtles were harmed in the making of this book.

ISBN: 978-1-491-95886-5

[M]

Before KISS I had zero experience playing in a rock band
that wears makeup. —Gene Simmons



Eric Freeman

Eric is described by Head First series co-creator Kathy Sierra as “one of those rare individuals fluent in the language, practice, and culture of multiple domains from hipster hacker, corporate VP, engineer, think tank.” And his background matches that description well. By training, Eric is a computer scientist, having studied with industry luminary David Gelernter during his Ph.D. work at Yale University. Professionally, Eric is a former media company executive—having held the position of CTO of Disney.com at The Walt Disney Company. Eric has also held positions at O’Reilly Media, NASA, and several startups, and his IP is licensed and in use on every Mac and PC. Over the last 15 years Eric has been one of the top-selling technical authors on topics from beginning web development to high-level software design.

Eric is currently is a Principal at WickedlySmart, LLC, and lives with his wife and young daughter in Austin, Texas.

Write to Eric at eric@wickedlysmart.com or visit <http://wickedlysmart.com>.

Table of Contents (summary)

Intro	xxv
1 Getting started: <i>Thinking computationally</i>	1
2 Know your value: <i>Simple values, variables, and types</i>	33
3 Decisive code: <i>Booleans, decisions, and loops</i>	73
4 Providing some structure: <i>Lists and iteration</i>	125
5 Getting functional: <i>Functions and abstraction</i>	179
4b Putting some order in your data: <i>Sorting and nested iteration</i>	225
6 Putting it all together: <i>Text, strings, and heuristics</i>	245
7 Getting modular: <i>Modules, methods, classes, and objects</i>	291
8 Beyond iteration and indices: <i>Recursion and dictionaries</i>	341
9 Persistence: <i>Saving and retrieving files</i>	393
10 You really should get out more: <i>Using web APIs</i>	435
11 Getting interactive: <i>Widgets, events, and emergent behavior</i>	467
12 A trip to Objectville: <i>Object-oriented programming</i>	523
Appendix: The Top Ten Topics (we didn't cover): <i>Leflovers</i>	575

Table of Contents (the real thing)

Intro

Your brain on coding. Here you are trying to *learn* something, while here your *brain* is doing you a favor by making sure the learning doesn't *stick*. Your brain's thinking, "Better leave room for more important things, like which wild animals to avoid and whether naked snowboarding is a bad idea." So how *do* you trick your brain into thinking that your life depends on knowing how to code?



Who is this book for?	xxvi
We know what you're thinking	xxvii
We think of a "Head First" reader as a learner	xxviii
Metacognition: thinking about thinking	xxix
Here's what WE did	xxx
Here's what YOU can do to bend your brain into submission	xxxi
Read Me	xxxii
Acknowledgments	xxxvii
The Review Team	xxxviii

1

thinking computationally

Getting Started

Knowing how to think computationally puts you in control.

It's no secret the world around you is becoming more connected, more configurable, more programmable, and more, well, **computational**. You can remain a passive participant, or you can *learn to code*. When you can code, you're the director, the creator—you're telling all those computers what they should be doing *for you*. When you can code, you control your own destiny (or at least you'll be able to program your internet-connected lawn sprinker system). But how do you learn to code? First, learn to **think computationally**. Next, you grab a **programming language** so you can speak the same lingo as your computer, mobile device, or anything with a CPU. What's in it for you? More time, more power, and more creative possibilities to do the things you really want to do.

Breaking it down	2
How coding works	6
Are we even speaking the same language?	7
The world of programming languages	8
How you'll write and run code with Python	13
A very brief history of Python	15
Putting Python through its paces	18
Saving your work	20
Congrats on coding your first Python program!	21
Phrase-O-Matic	25
Getting the code in the machine	26



simple values, variables, and types

2 Know Your Value

Computers really only do two things well: store values and perform operations on those values. You might think they’re doing a whole lot more, as you send texts, shop online, use Photoshop, or rely on your phone to navigate in your car; however, everything computers do can be broken down into **simple operations** that are performed on **simple values**. Now, part of **computational thinking** is learning to use these operations and values to build something that is much more sophisticated, complex, and meaningful—and we’re going to get to that. First, though, we’re going to take a look at what these values are, the operations you can perform on them, and just what role **variables** play in all this.

Coding the Dog Age Calculator	34
Going from pseudocode to code	36
Step 1: Getting some input	37
How the input function works	38
Using variables to remember and store values	38
Assigning the user’s input to a variable	39
Step 2: Getting more input	39
It’s time to run some code	40
Getting some code entered	43
A deep dive on variables	44
Adding some expression	45
Variables are called VARY-ables for a reason	46
Better living through operator precedence	47
Computing with operator precedence	48
Back away from that keyboard!	51
Step 3: Computing the dog’s age	52
Houston, we’ve got a problem!	53
To err is human to code	54
A little more debugging..	56
What are Python types, anyway?	58
Fixing our code	59
Houston, we have liftoff	60
Step 4: User-friendly output	61



booleans, decisions, and loops

3

Decisive Code

Have you noticed how, so far, our programs aren't very, well, interesting? That is, all our code has strictly been a set of statements the interpreter evaluates from **top to bottom**—no twists in the plot, no sudden turns, no surprises, no independent thinking. For code to be more interesting, it needs to **make decisions**, to **control its own destiny**, and to do things **more than once** straight through. And in this chapter that's exactly what we're going to learn to do. Along the way we'll learn about the mysterious game called shoushiling, meet a character named Boole, and see how a data type with only two values could be worth our time. We're even going to learn how to deal with the dreaded **infinite loop**.

Would you like to play a game?	74
First, a high-level design	76
The computer's choice	77
How to use the random number	78
Introducing the Boolean type	81
Making decisions	82
Decisions and more decisions	83
Back to Rock, Paper, Scissors	84
Getting the user's choice	85
Taking a look at the user's choice	88
Adding the code to detect a tie	89
Who won?	90
How to implement the game logic	92
More about Boolean operators	93
Got documentation?	98
How to add comments to your code	99
We need to finish that game!	100
How do we know if the user's choice is invalid?	101
How to continually prompt the user	104
Doing things more than once	105
How the while loop works	106
How to use while to prompt the user until you get a valid choice	110
Congratulations on coding your first game!	112



lists and iteration

4 Providing Some Structure

There's more to data types than numbers, strings, and Booleans.

So far you've been writing Python code using **primitive types**—those floats, integers, strings, and of course Booleans—with values like 3.14, 42, “hey, it's my turn”, and True. And you can do a lot with primitives, but at some point you'll want to write code that deals with lots of data—say, all the items in a shopping cart, the names of all the notable stars, or an entire product catalog. For that we need a little more *ummph*. In this chapter we're going to look at a new type, called a **list**, which can hold a collection of values. With lists, you'll be able to provide some **structure** for your data, rather than just having a zillion variables floating around your code holding values. You're also going to learn how to treat all those values as a whole as well as how to **iterate** over each item in a list using that `for` loop we mentioned in the last chapter. After this chapter, your ability to deal with data is going to grow and expand.

Can you help Bubbles-R-Us?	126
How to represent multiple values in Python	127
How lists work	128
How big is that list, anyway?	131
Accessing the last item in the list	132
Python makes this even easier	132
Using Python's negative indices	133
Meanwhile, back at Bubbles-R-Us...	135
How to iterate over a list	138
Fixing the output glitch	139
Really fixing the output glitch	140
The for loop, the preferred way to iterate over a list	142
How the for loop works on a range of numbers	145
Doing more with ranges	146
Putting it all together	148
Building your own list, from scratch	156
Doing even more with lists	157
Test drive the final report	161
And the winners are...	161
Testing the most cost-effective solution	165



functions and abstraction

5 Getting Functional

You already know a lot. Variables and data types and conditionals and iteration—that’s enough to **write** basically **any program** you’d ever want to. In fact, a computer scientist would tell you it’s enough to write any program that anyone could ever conceive of. But you don’t want to stop now, because your next step in computational thinking is learning how to **create abstractions** in your code. That may sound complex, but it’s actually going to make your coding life simpler. Creating abstractions gives you leverage; with abstraction, you can more easily create programs of increasing complexity and power. You can put your code in neat little packages that you can reuse over and over. And you can forget all the nitty-gritty details of your code and to start thinking at a higher level.

What's wrong with the code, anyway?	181
Turning a block of code into a FUNCTION	183
We created a function, so how do we use it?	184
But how does all this actually work?	184
Functions can RETURN things too	192
How to call a function that has a return value	193
Getting a little refactoring under our belts	195
Running the code	196
How to abstract the avatar code	197
Writing the get attribute function body	198
Calling get attribute	199
Let's talk about variables a little more...	201
Understanding variable scope	202
When variables get passed to functions	203
Making the drink me function call	204
What about using global variables in functions?	207
Going further with parameters: default values and keywords	210
How default parameter values work	210
Always list your required parameters first!	211
Using arguments with keywords	212
How to think about all these options	212



sorting and nested iteration

4

Putting Some Order in Your Data

part 2

Sometimes the default ordering of your data doesn't cut it.

You've got that list of high scores on 80s arcade games, but you really need it sorted alphabetically by game name. Then there's that list of the number of times your coworkers have stabbed you in the back—it would be nice to know who's at the top of that list. To do that, though, we need to learn how to sort data, and to do that we'll need to explore some algorithms that are a little more involved than the ones we've seen so far. We're also going to have to explore how nested loops work as well as think a little about the efficiency of the code we're writing.

Understanding bubble sort	228
Starting with pass 1	228
Some bubble sort pseudocode	231
Implementing bubble sort in Python	234
Computing bubble solution numbers	236




text, strings, and heuristics

6 Putting It All Together

You've already got a lot of superpowers. Now it's time to use them. In this chapter we're going to integrate what we've learned so far, bringing it all together to build some **increasingly cool code**. We're also going to keep adding to your knowledge and coding skills. More specifically, in this chapter we'll explore how to write code that **grabs some text**, slices it, dices it, and then does a little **data analysis** on it. We're going to find out what a **heuristic** is too, and implement one. Get ready—this is an all-out, heads-down, pedal-to-the-metal, serious coding chapter!

Welcome to the data sciences	246
How do you compute something like readability?	247
The game plan	248
Writing some pseudocode	249
We need some text to analyze	250
Setting up the function	252
First up: we need the total number of words in our text	253
Computing the total number of sentences	257
Writing the count sentences function	258
Computing the number of syllables, or, learning to love heuristics	264
Setting up the heuristic	267
Writing the heuristic	268
How to count vowels	269
Ignoring consecutive vowels	269
Writing the code to ignore consecutive vowels	270
Removing final e's, y's, and punctuation	272
Putting slicing (substrings) to work	274
Finishing off the heuristic code	276
Implementing the reading ease formula	278
Taking it even further	283

Definitely some
sophisticated writing in
this book.



modules, methods, classes, and objects

7 Getting Modular

Your code is growing in size and complexity. As that happens you need better ways to abstract, to modularize, to organize your code. You've seen that functions can be used to group lines of code together into bundles you can reuse over and over. And you've also seen that collections of functions and variables can be placed into modules so that they can be more easily shared and reused. In this chapter we'll revisit modules and learn how to use them even more effectively (so you're all ready to share your code with others) and then we're going to look at the ultimate in code reuse: *objects*. You're going to see that Python objects are all around you, just waiting to be used.

A quick module review	294
The <code>__name__</code> global variable	296
Updating <code>analyze.py</code>	297
Using <code>analyze.py</code> as a module	299
Adding docstrings to <code>analyze.py</code>	301
Exploring other Python modules	305
Wait, did someone say “turtles”?!	306
Creating your very own turtle	308
Turtle lab	309
Adding a second turtle	311
What are turtles, anyway?	314
What are objects?	315
Okay, what's a class then?	316
How to use objects and classes	318
What about those methods and attributes?	319
Seeing classes and objects everywhere	320
Get ready for some turtle races	322
Planning the game	323
Let's start coding	324
Setting up the game	324
Writing the setup code	325
Not so fast!	326
Starting the race	328

Nice job, I was quickly able to use the `analyze` module, especially with the help of the great documentation!



CRIME SCENE DO NOT ENTER

CRIME SCENE DO NOT ENTER

CRIME SCENE DO NOT ENTER

recursion and dictionaries

8

Beyond Iteration and Indices

It's time to take your computational thinking up a notch. And this is the chapter to do it: we've been happily coding along with an iterative style of programming—we've created data structures like lists and strings and ranges of numbers, and we've written code to compute by iterating over them. In this chapter we're going to look at the world differently, first in terms of computation, and then in terms of data structures. Computationally we'll look at a style of computing that involves writing code that *recurs*, or calls itself. We'll expand the kinds of data structures we can work with by looking at a dictionary-like data type that is more like an *associative map* than a list. We'll then put them together and cause all kinds of trouble. Be forewarned: these topics take a while to settle into your brain, but the effort is going to pay off in spades.



A different way to compute	342
And now the different way...	343
Now let's write some code for our two cases	344
Let's get some more practice	347
Using recursion to detect palindromes	348
Writing a recursive palindrome detector	349
The Anti-Social Network	360
Introducing the dictionary	362
Let's see how to create a dictionary	362
Keys and values do not have to be strings	363
Of course you can remove keys as well	363
But you might want to test to see if it exists first	363
What about iterating through a dictionary?	364
Leveraging dictionaries at the Anti-Social Network	366
But how do we add more attributes?	368
Remember the Anti-Social Network's killer feature?	370
Finding the most anti-social user	371
Can we just remember function call results?	376
Using a dictionary to remember our Fibonacci results	376
Memoization	377
A closer look at the koch function	380
Truly exploring the koch fractal	382

saving and retrieving files

9 Persistence

You know you can save values in variables, but once your program ends poof!—they’re gone forever. That’s where *persistent* storage comes in—storage that allows your values and data to stick around a while. Most of the devices you’re going to run Python on also have persistent storage, like hard drives and flash cards, or they may have access to storage in the cloud as well. In this chapter you’ll see how to write code to store and retrieve data from files. What good is that? Oh, anytime you want to save a user’s configuration, store the results of your big analysis for the boss, read an image into your code to process it, write some code to search a decade’s worth of email messages, reformat some data to be used in your spreadsheet app—we could go on and on.

Ready for some Crazy Libs?	394
How Crazy Libs is going to work	396
Step 1: Read the text of the story from a file	399
How to use file paths	400
Absolute paths	401
Oh, and don’t forget to clean up when you’re done!	402
Reading a file into your Python code	403
Oh, give it a break already...	406
Using the readline method of the file object	407
How do we know when we’ve read the last line?	409
Reading in a Crazy Lib template	410
Processing the template text	411
Using a new string method to fix the bug	413
Actually fixing the bug	414
Some code has real problems	415
Handling exceptions	417
Explicitly handling exceptions	418
Updating Crazy Libs to handle exceptions	420
Our last step: storing the Crazy Lib	421
Updating the rest of the code	421



using Web APIs

10 You Really Should Get Out More

You've been writing some great code, but you really need to get out more. There's a whole world of **data** just waiting for you on the web: Need weather data? Or how about access to a huge database of recipes? Or are sports scores more your thing? Maybe a music database of artists, albums, and songs? They're all out there for the taking from **Web APIs**. To use them all you need is to learn a bit more about how the web works, how to speak the local web lingo, and how to use a couple of new Python modules: `requests` and `json`. In this chapter we're going to explore Web APIs and take your Python skills to new heights; in fact, we're going to take them all the way to outer space and back.

Extending your reach with Web APIs	436
How Web APIs work	437
All Web APIs have a web address	438
Time for a quick upgrade	441
Doing the upgrade	442
All we need now is a good Web API...	443
A closer look at the API	444
Web APIs provide data using JSON	445
Now let's look at that request module again	447
Putting it all together: making a request to Open Notify	449
How to use JSON in Python	450
Using the JSON module on our ISS data	451
Let's add some graphics	452
Meet the screen object	453
Let's add a turtle to represent the ISS	455
Turtles can look like space stations too	456
Forget the ISS—where are we?	457
Finishing off the ISS code	458



Widgets, events, and emergent behavior

11 Getting Interactive

You've certainly written some graphical applications, but you haven't created a real user interface yet. That is, you haven't written anything that lets the user interact with a graphical user interface (otherwise known as a GUI). To do that you need to adopt a new way of thinking about how a program executes, one that is more **reactive**. Wait, did the user just click on that button? Your code better know how to react and what to do next. Coding for interfaces is quite different from the typical procedural method we've been using, and it requires a different way of thinking about the problem. In this chapter you're going to write your first real GUI, and no, we're not going to write a simple to-do list manager or height/weight calculator, we're going to do something far more interesting. We're going to write an artificial life simulator with emergent behavior.



Enter the WONDERFUL WORLD of Artifical Life	468
A closer look at the Game of Life	469
What we're going to build	472
Do we have the right design?	473
Building the data model	477
Representing the grid	477
Computing a generation of the Game of Life	478
Computing each cell's fate	478
Completing the model code	482
Building the view	485
Creating your first widget	486
Adding the rest of the widgets	487
Correcting the layout	488
Placing the widgets into a grid layout	489
Translating the grid layout to code	489
Moving on to the controller	491
Adding an update function	491
Ready for another new style of computation?	494
How the start/pause button is going to work	497
Another kind of event	499
We have the technology: the after method	501
How to enter and edit cells directly	504
Writing the grid view handler	505
Now it's time to add some patterns	506
Writing a handler for the OptionMenu	507
Writing the pattern loader	510
Taking it Even Further!	517

object-oriented programming

12 A Trip to Objectville


In this book you've used functions to abstract your code. And you've approached coding in a **procedural** manner using simple statements, conditionals, and `for/while` loops with functions—none of this is exactly **object-oriented**. In fact, it's not object-oriented *at all!* We have looked at objects and how to use them in our code, but you haven't created any objects of your own yet, and you haven't really approached designing your code in an object-oriented way. So, the time has come to leave this boring procedural town behind. In this chapter, you're going to find out why using objects is going to make your life so much better—well, better in a **programming sense** (we can't really help you with other areas of your life *and* your coding skills, all in one book).

Breaking it down, a different way	524
What's the point of object-oriented programming, anyway?	525
Designing your first class	527
Writing your first class	528
How the constructor works	528
Writing the bark method	531
How methods work	532
Adding some inheritance	534
Implementing the ServiceDog class	535
A closer look at subclassing	536
A ServiceDog IS-A Dog	537
Testing IS-A in code	538
Overriding and extending behavior	542
Welcome to Jargon City	544
Object can HAS-Another object	546
Designing a Doggie Hotel	549
Implementing the Doggie Hotel	550
Adding some hotel activities	554
I can do anything you can, or Polymorphism	555
It's about time we teach the other dogs to walk	556
The power of inheritance	558



appendix: leftovers


The Top Ten Topics (We Didn't Cover)



We've covered a lot of ground, and you're almost finished with this book.


We'll miss you, but before we let you go, we wouldn't feel right about sending you out into the world without a little more preparation. We can't possibly fit everything you'll need to know into this relatively small chapter. Actually, we *did* originally include everything you need to know about Python programming (not already covered by the other chapters), by reducing the type point size to .00004. It all fit, but nobody could read it. So we threw most of it away, and kept the best bits for this Top Ten appendix.

#1 List comprehensions	576
#2 Dates and times	577
#3 Regular expressions	578
#4 Other data types: tuples	579
#5 Other data types: sets	580
#6 Server-side coding	581
#7 Lazy evaluation	582
#8 Decorators	583
#9 Higher-order and first-class functions	584
#10 A lot of libraries	585



how to use this book

Intro



In this section, we answer the burning question:
"So, why DID they put that in a book on learning to code?"

Who is this book for?

If you can answer “yes” to all of these:

- ① Do you want to **learn, understand, and remember** how to program?
- ② Do you prefer **stimulating dinner party conversation** to **dry, dull, academic lectures**?

this book is for you.

[Note from marketing: this book is
for anyone with a credit card.]

This is NOT a reference book. *Head First Learn to Code* is a book designed for learning to code. It's not an encyclopedia of programming facts (you have Google for that, right?).

Who should probably back away from this book?

If you can answer “yes” to any one of these:

- ① Are you completely new to computers?
If you don't know your way around your computer, how to manage files and folders, how to install apps, or how to use a word processor, you should probably learn those first.
- ② Are you a kick-butt programmer looking for a **reference book**?
- ③ Are you **afraid to try something different**? Would you rather have a root canal than mix stripes with plaid? Do you believe that a technical book can't be serious if we have fun learning to code?



this book is not for you.

We know what you're thinking.

“How can this be a serious book?”

“What’s with all the graphics?”

“Can I actually learn it this way?”

And we know what your brain is thinking.

Your brain craves novelty. It’s always searching, scanning, *waiting* for something unusual. It was built that way, and it helps you stay alive.

Today, you’re less likely to be a tiger snack. But your brain’s still looking. You just never know.

So what does your brain do with all the routine, ordinary, normal things you encounter? Everything it *can* to stop them from interfering with the brain’s *real* job—recording things that *matter*. It doesn’t bother saving the boring things; they never make it past the “this is obviously not important” filter.

How does your brain *know* what’s important? Suppose you’re out for a day hike and a tiger jumps in front of you. What happens inside your head and body?

Neurons fire. Emotions crank up. *Chemicals surge*.


And that’s how your brain knows...

This must be important! Don’t forget it!

But imagine you’re at home, or in a library. It’s a safe, warm, tiger-free zone. You’re studying. Getting ready for an exam. Or trying to learn some tough technical topic your boss thinks will take a week, 10 days at the most.

Just one problem. Your brain’s trying to do you a big favor. It’s trying to make sure that this *obviously* non-important content doesn’t clutter up scarce resources. Resources that are better spent storing the really *big* things. Like tigers. Like the danger of fire. Like how you should never again snowboard in shorts.

And there’s no simple way to tell your brain, “Hey brain, thank you very much, but no matter how dull this book is, and how little I’m registering on the emotional Richter scale right now, I really *do* want you to keep this stuff around.”




We think of a “Head First” reader as a learner.

So what does it take to *learn* something? First, you have to *get it*, then make sure you *don’t forget it*. It’s not about pushing facts into your head. Based on the latest research in cognitive science, neurobiology, and educational psychology, *learning takes a lot more than text on a page*. We know what turns your brain on.


Some of the Head First learning principles:

Make it visual. Images are far more memorable than words alone, and make learning much more effective (up to 89% improvement in recall and transfer studies). It also makes things more understandable.




Put the words within or near the graphics they relate to, rather than on the bottom or on another page, and learners will be up to twice as likely to solve problems related to the content.

Use a conversational and personalized style. In recent studies, students performed up to 40% better on post-learning tests if the content spoke directly to the reader, using a first-person, conversational style rather than taking a formal tone. Tell stories instead of lecturing. Use casual language. Don’t take yourself too seriously. Which would you pay more attention to: a stimulating dinner party companion, or a lecture?



Don't just learn to code—learn to think computationally.

Get the learner to think more deeply. In other words, unless you actively flex your neurons, nothing much happens in your head. A reader has to be motivated, engaged, curious, and inspired to solve problems, draw conclusions, and generate new knowledge. And for that, you need challenges, exercises and thought-provoking questions, and activities that involve both sides of the brain and multiple senses.



Get—and keep—the reader’s attention. We’ve all had the “I really want to learn this, but I can’t stay awake past page one” experience. Your brain pays attention to things that are out of the ordinary, interesting, strange, eye-catching, unexpected. Learning a new, tough, technical topic doesn’t have to be boring. Your brain will learn much more quickly if it’s not.

Touch their emotions. We now know that your ability to remember something is largely dependent on its emotional content. You remember what you care about. You remember when you *feel* something. No, we’re not talking heart-wrenching stories about a boy and his dog. We’re talking emotions like surprise, curiosity, fun, “what the...?”, and the feeling of “I rule!” that comes when you solve a puzzle, learn something everybody else thinks is hard, or realize you know something that “I’m more technical than thou” Bob from Engineering *doesn’t*.



Metacognition: thinking about thinking

If you really want to learn, and you want to learn more quickly and more deeply, pay attention to how you pay attention. Think about how you think. Learn how you learn.

Most of us did not take courses on metacognition or learning theory when we were growing up. We were *expected* to learn, but rarely *taught* how to learn.

But we assume that if you're holding this book, you really want to learn how to code to create programs and apps. And you probably don't want to spend a lot of time. And you want to *remember* what you read, and be able to apply it. And for that, you've got to *understand* it. To get the most from this book, or *any* book or learning experience, take responsibility for your brain.

The trick is to get your brain to see the new material you're learning as Really Important. Crucial to your well-being. As important as a tiger. Otherwise, you're in for a constant battle, with your brain doing its best to keep the new content from sticking.

So how **DO** you get your brain to think coding is as important as a tiger?

There's the slow, tedious way, or the faster, more effective way. The slow way is about sheer repetition. You obviously know that you *are* able to learn and remember even the dullest of topics, if you keep pounding on the same thing. With enough repetition, your brain says, "This doesn't *feel* important to him, but he keeps looking at the same thing *over and over and over*, so I suppose it must be."

The faster way is to do **anything that increases brain activity**, especially different *types* of brain activity. The things on the previous page are a big part of the solution, and they're all things that have been proven to help your brain work in your favor. For example, studies show that putting words *within* the pictures they describe (as opposed to somewhere else in the page, like a caption or in the body text) causes your brain to try to make sense of how the words and picture relate, and this causes more neurons to fire. More neurons firing = more chances for your brain to *get* that this is something worth paying attention to, and possibly recording.

A conversational style helps because people tend to pay more attention when they perceive that they're in a conversation, since they're expected to follow along and hold up their end. The amazing thing is, your brain doesn't necessarily *care* that the "conversation" is between you and a book! On the other hand, if the writing style is formal and dry, your brain perceives it the same way you experience being lectured to while sitting in a roomful of passive attendees. No need to stay awake.

But pictures and conversational style are just the beginning.



Here's what WE did:

We used **pictures**, because your brain is tuned for visuals, not text. As far as your brain's concerned, a picture really *is* worth 1,024 words. And when text and pictures work together, we embedded the text *in* the pictures because your brain works more effectively when the text is *within* the thing the text refers to, as opposed to in a caption or buried in the text somewhere.



We used **redundancy**, saying the same thing in *different* ways and with different media types, and *multiple senses*, to increase the chance that the content gets coded into more than one area of your brain.

We used concepts and pictures in **unexpected** ways because your brain is tuned for novelty, and we used pictures and ideas with at least *some emotional content*, because your brain is tuned to pay attention to the biochemistry of emotions. That which causes you to *feel* something is more likely to be remembered, even if that feeling is nothing more than a little **humor**, **surprise**, or **interest**.



Be the Python interpreter

We used a personalized, **conversational style**, because your brain is tuned to pay more attention when it believes you're in a conversation than if it thinks you're passively listening to a presentation. Your brain does this even when you're *reading*.



BULLET POINTS

We included more than 120 **activities**, because your brain is tuned to learn and remember more when you **do** things than when you *read* about things. And we made the exercises challenging-yet-doable, because that's what most *people* prefer.



We used **multiple learning styles**, because *you* might prefer step-by-step procedures, while someone else wants to understand the big picture first, while someone else just wants to see a code example. But regardless of your own learning preference, *everyone* benefits from seeing the same content represented in multiple ways.


We include content for **both sides of your brain**, because the more of your brain you engage, the more likely you are to learn and remember, and the longer you can stay focused. Since working one side of the brain often means giving the other side a chance to rest, you can be more productive at learning for a longer period of time.


And we included **stories** and exercises that present **more than one point of view**, because your brain is tuned to learn more deeply when it's forced to make evaluations and judgments.

We included **challenges**, by providing exercises and by asking **questions** that don't always have a straight answer, because your brain is tuned to learn and remember when it has to *work* at something. Think about it—you can't get your *body* in shape just by *watching* people at the gym. But we did our best to make sure that when you're working hard, it's on the *right* things. That **you're not spending one extra dendrite** processing a hard-to-understand example, or parsing difficult, jargon-laden, or overly terse text.

We used **people**. In stories, examples, pictures, and so on, because, well, *you're* a person. And your brain pays more attention to *people* than it does to *things*.

We used an **80/20** approach. We assume that if you're going to be a kick-butt programmer, this won't be your only book. So we don't talk about *everything*. Just the stuff you'll actually *need*.





Cut this out and stick it
on your refrigerator.



Here's what YOU can do to bend your brain into submission

So, we did our part. The rest is up to you. These tips are a starting point; listen to your brain and figure out what works for you and what doesn't. Try new things.

① Slow down. The more you understand, the less you have to memorize.

Don't just *read*. Stop and think. When the book asks you a question, don't just skip to the answer. Imagine that someone really *is* asking the question. The more deeply you force your brain to think, the better chance you have of learning and remembering.

② Do the exercises. Write your own notes.

We put them in, but if we did them for you, that would be like having someone else do your workouts for you. And don't just *look* at the exercises. **Use a pencil.** There's plenty of evidence that physical activity *while* learning can increase the learning.

③ Read the “There Are No Dumb Questions”

That means all of them. They're not optional sidebars—**they're part of the core content!** Don't skip them.

④ Make this the last thing you read before bed. Or at least the last challenging thing.

Part of the learning (especially the transfer to long-term memory) happens *after* you put the book down. Your brain needs time on its own, to do more processing. If you put in something new during that processing time, some of what you just learned will be lost.

⑤ Drink water. Lots of it.

Your brain works best in a nice bath of fluid. Dehydration (which can happen before you ever feel thirsty) decreases cognitive function.

⑥ Talk about it. Out loud.

Speaking activates a different part of the brain. If you're trying to understand something, or increase your chance of remembering it later, say it out loud. Better still, try to explain it out loud to someone else. You'll learn more quickly, and you might uncover ideas you hadn't known were there when you were reading about it.

⑦ Listen to your brain.

Pay attention to whether your brain is getting overloaded. If you find yourself starting to skim the surface or forget what you just read, it's time for a break. Once you go past a certain point, you won't learn faster by trying to shove more in, and you might even hurt the process.

⑧ Feel something!

Your brain needs to know that this *matters*. Get involved with the stories. Make up your own captions for the photos. Groaning over a bad joke is *still* better than feeling nothing at all.

⑨ Create something!

Apply this to something new you're designing, or rework an older project. Just do *something* to get some experience beyond the exercises and activities in this book. All you need is a pencil and a problem to solve...a problem that might benefit from programming.

⑩ Get sleep.

You've got to create a lot of new brain connections to learn to program. Sleep often; it helps.

Read Me

This is a learning experience, not a reference book. We deliberately stripped out everything that might get in the way of learning whatever it is we're working on at that point in the book. And the first time through, you need to begin at the beginning, because the book makes assumptions about what you've already seen and learned.

We want you to learn the thinking process behind programming.

Some might call that computer science, but here's a little secret: computer science isn't a science and it's not even all that much about computers (any more than astronomy is about telescopes). It's a way of thinking, otherwise known these days as computational thinking, and once you learn to think computationally, you'll be in a good position to apply that to any problem, environment, or programming language.

In this book we use Python.

Learning to drive without a vehicle is a little academic. And learning to think computationally without a programming language is more of a thought experiment than a marketable skill. So, in this book we use the very popular Python language. We'll tell you more about its accolades in Chapter 1, but whether you're a hobbyist or hoping to land a six-figure software development position, Python is a good place to start (and maybe end).

We don't exhaustively cover every aspect of the Python language.

Not even close. There's a lot you can learn about Python. This book is not a reference book, it's a learning book, so it doesn't cover everything there is to know about Python. Our goal is to teach you the fundamentals of coding and computational thinking so that you can pick up a book on *any programming language* and not feel totally lost.

You can use a Mac or PC, or Linux for that matter.

As Python is our primary vehicle used in this book and it is cross-platform, you can use whatever operating system you're used to. Most of the screenshots in this book are from a Mac, but they should look similar on your PC or Linux box.

This book advocates well-structured and readable code based

on best practices. You want to write code that you and other people can read and understand, code that will still work in next year's version of Python. In this book we're going to teach you to write clear, well-organized code from the get-go—code you can be proud of, code you'll want to frame and put on the wall (just take it down before you bring your date over). The only thing that differs from what we'd write as professional code is that this book uses handwritten annotations next to code to explain what the code is doing. We found this works better in a learning book than traditional comments in code (if you have no idea what we're talking about, you will; just give it a few chapters). But don't worry because we'll teach you how to document your code and we'll show you examples of how we'd document our own code. All that said, we're interested in teaching you to write code in the most straightforward way so you can get the job done and move on to better things.

Annotations
like this

Programming is serious business. You're going to have to work,

sometimes hard. A programmer has a different mindset, a different way of thinking about the world. At times you're going to find coding very logical, while at other times it can be very abstract, if not downright mind bending. Some programming concepts take time to sink into your brain—you actually do have to sleep on them before you'll get it. But no worries; we're going to do all that in a brain-friendly way. Just take your time, give the concepts time to sink in, and go over the material multiple times if needed.

The activities are NOT optional.

The exercises and activities in this book are *not* add-ons; they're part of the core content of the book. Some of them are to help with memory, some are for understanding, and some will help you apply what you've learned. If you skip them you will be missing large parts of the book (and you'll probably be very confused). The crossword puzzles are the only things you don't have to do, but they're good for giving your brain a chance to think about the words in a different context.

The redundancy is intentional and important.

One distinct difference in a Head First book is that we want you to really get it. And we want you to finish the book remembering what you've learned. Most reference books don't have retention and recall as a goal, but this book is about learning, so you'll see some of the same concepts come up more than once.

The examples are as lean as possible.

Our readers tell us that it's frustrating to wade through 200 lines of an example looking for the two lines they need to understand. Most examples in this book are shown within the smallest possible context, so that the part you're trying to learn is clear and simple. Don't expect all of the examples to be robust—they are written specifically for learning, and aren't always fully functional. That said, for the larger examples we also try to make them fun, fascinating, and downright cool—something you'd want to show your friends and family.

We've placed all the example files on the web so you can download them. You'll find them at <http://wickedlysmart.com/hflearntocode>.

Operators are NOT standing by, but you can get all the code and samples files you'll need at <http://wickedlysmart.com/hflearntocode>.
↓



The Brain Power exercises don't usually have answers.

For some of them, there is no right answer, and for others, part of the learning experience of the Brain Power activities is for you to decide if and when your answers are right. In some of the Brain Power exercises, you will find hints to point you in the right direction.

Get the code examples, help, and discussion online.

You'll find everything you need for this book online at <http://wickedlysmart.com/hflearntocode>, including code sample files and additional support material.

You're going to have to install Python


More than likely your computer is either not going to have Python installed, or it's not going to have the right version of Python installed. In this book we use Python 3, which at the time of writing was version 3.6. So, you'll need to install version 3.6 or later. Here's how:

- **For macOS**, open your browser and enter:


<https://www.python.org/downloads>

On this page you should see the macOS download links. If not, look under the Downloads menu on the page.

1. Click the Download button for Python 3.x (where x is the latest version). Do not download version 2.7.
2. Once the installer is downloaded, open the installation package in your downloads folder and follow the installation instructions.
3. After you've completed the install, navigate to your **Applications** folder, under which you'll find the **Python 3.x** folder. To test your installation, double click the IDLE application in the **Python 3.x** folder:



4. When the IDLE application appears on your screen, you should see something similar to the screenshot below. If not, recheck your installation for any errors that might have occurred.



Note that you'll need administrator privileges to install Python—if you commonly install apps, you should be fine; otherwise, ask your administrator for help.

The IDLE app is located in the Python 3.x folder, which you'll find in the Applications folder. We'll talk more about what IDLE is in the first chapter.


It's a good idea to add IDLE to your dock if you haven't already, as we'll be using it a fair bit in this book. To do that control-click the icon in the dock and choose Options > Keep in Dock from the pop-up menu.

You can choose the IDLE > Quit IDLE menu option to exit the application.

- **For Windows**, open your browser and enter:

<https://www.python.org/downloads>

1. Click the Download button for Python 3.x (where x is the latest version). Do not download version 2.7.
2. Choose to either save or run the executable installer. If the latter, click to run the installer after you've downloaded it.
3. When you see the installer window appear on your screen, make sure the "Add Python to PATH" checkbox is checked at the bottom of the installer, then click "Install Now."
4. After you've completed the install, navigate using the Start button to **All Programs**, and in your list of apps you should see a menu option for Python 3.x (with your version number in place of the x). Under the Python menu you'll see choices for Python 3.x, documentation, and IDLE, which is an editor we will also be using in this book.
5. To test, click the IDLE menu item; when the IDLE application appears on your screen, you should see something similar to the screenshot below. If not, recheck your installation and any errors that might have occurred.




You can choose the IDLE
> Quit IDLE menu option
to exit the application.

Note to Linux users: We're not
worried about you; let's be real,
you know what you're doing. Just
grab the appropriate distribution
from python.org

A word on organizing your code

Your *source code* is all the code you'll be writing with this book. We recommend keeping your code organized on a per-chapter basis and throughout the book we've assumed that you'll be creating one folder per chapter, like this:



You should also visit:

<http://wickedlysmart.com/hflearntocode>

There you'll find instructions for downloading the complete source code for the book. In this code you'll find our versions of the programs you're going to write as well as a few data files and images you'll need. We do ask that you take the time to type in the programs yourself (this will help you develop your muscle memory for coding and help things sink into your brain), but if you run into any issues you just can't figure out, you can always compare your code with ours to see where you might have made a mistake.



Acknowledgments*

A huge thanks goes out first to my esteemed technical reviewers: **Elisabeth Robson** carefully and expertly reviewed the manuscript with a keen Head First and computer science eye. **Josh Sharfman** was the MVP reviewer who added depth and quality to every corner of the book. **David Powers**, in his usual style, rigorously scoured the technical text (his Harry Potter knowledge ain't too shabby either). And veteran Head First author **Paul Barry** provided a much-needed Python critical eye. In addition, my **review team** (listed on the next page) was invaluable across every aspect of reviewing the book.

My biggest thanks to my editors, **Jeff Bleiel**, **Dawn Schanafelt**, and **Meghan Blanchette**. Meghan was instrumental in getting this book off the ground, Dawn carefully saw it through its early developmental stages, and Jeff drove the book through to its publication.

Also a big thanks to the entire O'Reilly team including **Susan Conant**, **Rachel Roumeliotis**, and **Melanie Yarbrough**. At WickedlySmart, thanks to **Jamie Burton** for all her help, including early reader surveys and managing the review team forum. And as always, thanks to **Bert Bates** and **Kathy Sierra** for inspiration, interesting discussion, and all their help solving writing conundrums. Thanks to **Cory Doctorow** for his support and for lending his writing to Chapter 7.

Finally, a number of individuals and organizations unknowingly inspired aspects of this book, including **Daniel P. Friedman**, **Nathan Bergey**, the **Raspberry Pi Foundation**, and **Socratica**.



Elisabeth Robson

Josh Sharfman

David Powers


Paul Barry



Jeff Bleiel



Meghan Blanchette



Dawn Schanafelt

Jamie Burton



Bert Bates



Kathy Sierra



*The large number of acknowledgments is because we're testing the theory that everyone mentioned in a book acknowledgment will buy at least one copy, probably more, what with relatives and everything. If you'd like to be in the acknowledgment of our *next* book, and you have a large family, write to us.

The Review Team

Meet the review team!

An amazing group of people took on reviewing this book. With backgrounds from **newbie** to **expert**, and professions as diverse as **architect**, **dentist**, **elementary school teacher**, **real estate agent**, and **AP computer science teacher**, they participated across the globe from **Albania** to **Australia**, from **Kenya** to **Kosovo**, from the **Netherlands** to **Nigeria** to **New Zealand**.

This group read every page, did every exercise, and entered and executed every line of code, providing feedback and encouragement over 600 pages.


They also, on their own, worked as a team, helping each other through new concepts, double-checking errors, and locating problems in the text and code.

Every reviewer here made significant contributions to this book and vastly improved its quality.

Thank you!



Crystal Gilmore Rodriguez



Ridvan Bunjaku



Troy Welch



Hudson Read



Mark S. van der Linden



Mitch Johnson



Chris Talent



Andrea Toston



Chris Griggs



David Oparanti



Johnny Rivera




David Kinoti



Michael Peek



Mauro Caser




Benjamin E. Hall



Alfred J. Speller



Tiron Andric



Dennis Fitzgerald




Abdul Rahman Shaik

Also a big thanks to **Christopher Davies**, **Constance Mallon**, and **Wanda Hernandez** for their significant contributions to this book.

1 thinking computationally

Getting Started



Knowing how to think computationally puts you in control. It's no secret the world around you is becoming more connected, more configurable, more programmable, and more, well, **computational**. You can remain a passive participant, or you can *learn to code*. When you can code, you're the director, the creator—you're telling all those computers what they should be doing *for you*. When you can code, you control your own destiny (or at least you'll be able to program your internet-connected lawn sprinker system). But how do you learn to code? First, learn to **think computationally**. Next, you grab a **programming language** so you can speak the same lingo as your computer, mobile device, or anything with a CPU. What's in it for you? More time, more power, and more creative possibilities to do the things you really want to do. Come on, let's get started...

Breaking it down

The first thing that stands between you and writing your first real piece of code is learning the skill of breaking problems down into achievable little actions that a computer *can do for you*. Of course, you and the computer will also need to be speaking a common language, but we'll get to that topic in just a bit.

Now breaking problems down into a number of steps may sound like a new skill, but it's actually something you do every day. Let's look at a simple example: say you wanted to break the activity of fishing down into a simple set of instructions that you could hand to a robot, who would do your fishing for you. Here's our first attempt to do that:



Let's break the process of catching fish down into a number of easily understood steps.

① Put worm on hook.

We follow the steps in order.

② Cast line into pond.

Some steps are simple instructions, or statements if you will, like "cast line into pond."

③ Watch the bobber until it goes underwater.

A statement might conditionally wait before proceeding.

④ Hook and pull in fish.

This statement only happens after the bobber has gone underwater in the previous statement.

⑤ If done fishing, then go home; otherwise, go back to step 1.

Statements can also make decisions, like is it time to go home or should we keep fishing?

Notice that often statements repeat, like here: if we don't go home, we instead go back to the beginning and repeat the instructions to catch another fish.

← The bobber

← The hook

← The worm

You can think of these statements as a nice **recipe** for fishing. Like any recipe, this one provides a set of steps that, when followed in order, will produce some result or outcome (in our case, hopefully, catching some fish).

Notice that most steps consist of a simple instruction, like “cast line into pond,” or “pull in the fish.” But also notice that other instructions are a bit different because they depend on a condition, like “is the bobber above or below water?” Instructions might also direct the flow of the recipe, like “if you haven’t finished fishing, then cycle back to the beginning and put another worm on the hook.” Or, how about a condition for stopping, as in “if you’re done, then go home”?

You’re going to find that these simple statements or instructions are the foundation of coding. In fact, every app or software program you’ve ever used has been nothing more than a (sometimes large) set of simple instructions to the computer that tell it what to do.



Exercise

Real recipes don’t just tell you *what to do*, they also include objects that are used in making a particular dish (like measuring cups, whisks, food processors, and of course ingredients). What objects are used in our fishing recipe? Circle all the objects in the fishing recipe on the previous page, and check your answer at the end of the chapter before moving on.

This is a workbook.
You can write in it; in
fact, we encourage it.

Sharpen your pencil

One thing to understand right up front is that computers do **exactly** what you tell them—nothing more, nothing less. Look at our recipe for fishing on the previous page. If you were the robot and you followed these instructions precisely, what problems might you encounter? Do you think we would really be successful using this recipe?

- A. If there are no fish, you’re going to be fishing for a very long time (like, forever).
- B. If the worm falls off the hook, you’ll never know about it or replace it.
- C. What happens if we run out of worms?
- D. Did we specify what to do with a fish when we pulled it in?
- E. What happened to the fishing rod?
- F. _____

Can you think
of more issues?



In case you are not familiar with fishing, this is a bobber, otherwise known as a fishing float. When a fish bites, it goes underwater.

You’ll find the answers to Sharpen Your Pencil exercises at the end of the chapter.



Just as there are many
recipes for the same dish,
with algorithms, you'll find
there are many ways to solve
the same problem. Some
more tasty than others.

Actually, a recipe is a perfectly good way to describe a set of instructions to a computer. You might even run into that term loosely used here and there in more advanced programming books. Heck, you'll even find books on common software development techniques that are called cookbooks. That said, if you want to get technical we can—a computer scientist or serious software developer would commonly call a recipe an **algorithm**. What's an algorithm? Well, not much more than a recipe—it's a sequence of instructions that solves some problem. Often you'll find algorithms are first written in an informal form of code called **pseudocode**.

More on
pseudocode in
a bit...

One thing to keep in mind is that, whether you're talking about a recipe, pseudocode, or an algorithm, the whole point is to work out a high-level description of how to solve a problem before you get into the nitty-gritty details of writing code that the computer can understand and execute.

In this book, you'll hear us interchange all these terms, where appropriate—and, oh, in your next job interview you might want to use the term *algorithm* or even *pseudocode* to ensure that larger signing bonus (but there's still nothing wrong with the word *recipe*).

As you'll see,
this can make
the task of
coding more
straightforward
and less error-
prone.



Code Magnets

Let's get a little practice with recipes algorithms. We put the Head First Diner's algorithm for making an three-egg omelet on the fridge to remember it, but someone came along and messed it up. Can you put the magnets back in the right order to make our algorithm work? Note that the Head First Diner makes two kinds of omelets: plain and cheese. **Make sure you check your answer at the end of the chapter.**

Rearrange these magnets here
to make the algorithm work.



If the customer ordered cheese:

Add cheese on top

while eggs aren't fully mixed:

Transfer eggs to plate

While eggs aren't fully cooked:

Remove pan from heat

Heat saute pan

Stir eggs

Serve

Crack three eggs into bowl

whip eggs

Transfer eggs to pan



How coding works

So you've got a task you want the computer to do for you, and you know you'll need to break that task down into a number of instructions the computer can understand, but how are you going to *actually tell* the computer to do something? That's where a programming language comes in—with a programming language you can describe your task in terms that *you and the computer* both understand. But before we take a deep dive into programming languages, let's look at the steps you'll take to actually write code:

1 Craft your algorithm

This is where you take the problem or task you want solved and turn it into a high-level recipe, pseudocode, or algorithm that describes the steps that need to be performed by the computer to achieve whatever result you are after.

- ① Put worm on hook.
- ② Cast line into pond.
- ③ Watch the bobber until it goes underwater.
- ④ Hook and pull in fish.
- ⑤ If done fishing, then go home; otherwise, go back to step 1.

This is the step where we map out our solution before doing the hard work of translating it into a programming language.

2 Write your program

Next, you take that recipe and translate it into a specific set of instructions that are written in a programming language. This is the *coding* stage, and we call the result a *program* or just “*your code*” (or, more formally, the *source code*).

```
def hook_fish():
    print('I got a fish!')

def wait():
    print('Waiting...')
    print('Get worm')
    print('Put worm on hook')
    print('Throw in lure')

while True:
    response = input('Is bobber underwater? ')
    if response == 'yes':
        is_moving = True
        print('I got a bite!')
        hook_fish()
    else:
        wait()
```

This is the “*coding*” step where you turn your algorithm into code (which is shorthand for *source code*) that is ready to execute in the next step.

3 Run your program

Finally, you take your source code and hand it to the computer, which will start carrying out your instructions. Depending on the language you’re using, this process might be called *interpreting*, *running*, *evaluating*, or *executing* your code.

We often use some of these terms interchangeably as well.



When your source code is complete, you’re ready to execute it. If all goes well, and you designed your code well, you’ll get the result from the computer you were looking for.

Are we even speaking the same language?

Think of a **programming language** as a special-purpose language created expressly for specifying tasks to a computer. Programming languages give you a way to describe your recipes in a manner that is clear and precise enough that a computer can understand it.

To learn a programming language there are two things you need to nail down two things: what things can you say using the language, and what do those things mean? A computer scientist would call these the **syntax** and **semantics** of the language. Just stash those terms in the back of your brain for now; we'll be getting you up to speed on both as the book progresses.

Now, as it turns out, just like spoken languages, there are *many* programming languages, and, as you may already have figured out, in this book we're going to use the Python programming language. Let's get a little better feel for languages and Python...



Relax

Don't worry; at this point we don't expect you to read or write code. For gosh sakes, you've got the whole book ahead of you—for now we're just getting familiar with code, what it looks like, and how it works. The important thing in this chapter is just to take it all in.

You'll find that the techniques you're learning in this book can be applied to just about any programming language you might encounter in the future.

YOU SAY TOMATO



On the left you'll find some statements written in English, and on the right you'll find statements written in a programming language. Draw a line from each English statement to its corresponding code translation. We did the first one for you. Make sure you check your work with the solution at the end of the chapter before proceeding.

Print "Hi there" on the screen.

```
for num in range(0, 5):
    pour_drink()
```

If the temperature is more than 72, then print "Wear shorts" on the screen.

```
name = input('What is your name? ')
```

A grocery list with bread, milk, and eggs on it.

```
if temperature > 72:
    print('Wear shorts')
```

Pouring five drinks.


```
grocery_list = ['bread', 'milk', 'eggs']
```

Ask the user, "What is your name?"

```
print('Hi there')
```

The world of programming languages

If you're reading this book you may have, in passing, heard about various programming languages. Just walking through the programming section of your local bookstore you might encounter Java, C, C++, LISP, Scheme, Objective-C, Perl, PHP, Swift, Clojure, Haskell, COBOL, Ruby, Fortran, Smalltalk, BASIC, Algol, JavaScript, and of course Python, to name just a few. You might also be wondering where all these names came from. The truth is, programming language names are a lot like the names of rock bands—they're names that meant something to the people who created the language. Take Java, for instance: it was named, not surprisingly, after coffee (the preferred name Oak was already taken). Haskell was named after a mathematician, and the name C was chosen because C was the successor of the languages A and B at Bell Labs. But why are there so many languages and what are they all about? Let's see what a few folks have to say about the languages they use:





why we chose python



Choices, choices...

As you can see, there are a lot of languages and opinions out there, and we've barely scratched the surface of modern languages. You can also see there's a lot of terminology that comes along with these languages, and, as you progress, those terms are going to make a lot more sense to you. For now, just know there's a wide variety of languages out there, with more being created every day.

So, in this book, what should we use? Here's the thing: first and foremost, we want to learn how to think *computationally*—that way, no matter what language you run across in the future, you'll be in a good position to learn it. But, that said, we have to start with *some language*, and, as you already know, we're going to use Python. Why? Our friends above said it well: it's considered one of the best languages for beginners because it's such a readable and consistent language. It's also a powerful language in that no matter what you want to do with it (now or beyond this book), you can find support in terms of code extensions (we call them *modules* or *libraries*) and a supportive community of developers to give you a hand. Finally, some developers will even tell you Python is just *more fun* than other languages. So how can we go wrong?



Sharpen your pencil

Look how easy it is
to write Python

You don't know Python yet, but we bet you can make some good guesses about how Python code works. Take a look at each line of code below and see if you can guess what it does. Write in your answers below. If you get stuck, the answers are on the next page. We did the first one for you.

```
customers = ['Jimmy', 'Kim', 'John', 'Stacie']

winner = random.choice(customers)

flavor = 'vanilla'

print('Congratulations ' + winner +
      ' you have won an ice cream sundae!')

prompt = 'Would you like a cherry on top? '

wants_cherry = input(prompt)

order = flavor + ' sundae '

if (wants_cherry == 'yes'):

    order = order + ' with a cherry on top'

print('One ' + order + ' for ' + winner +
      ' coming right up...')
```

Make a list of customers.

Python Output

Congratulations Stacie you have won an ice cream sundae!
Would you like a cherry on top? yes
One vanilla sundae with a cherry on top for Stacie coming
right up...

This should help; it's the output of this code. Do you think this code has the same output every time you run it?

Sharpen your pencil Solution

Look how easy it is to write Python

```
customers = ['Jimmy', 'Kim', 'John', 'Stacie']

winner = random.choice(customers)

flavor = 'vanilla'

print('Congratulations ' + winner +
      ' you have won an ice cream sundae!')

prompt = 'Would you like a cherry on top? '

wants_cherry = input(prompt)

order = flavor + ' sundae '

if (wants_cherry == 'yes'):
    order = order + ' with a cherry on top'

print('One ' + order + ' for ' + winner +
      ' coming right up...')
```

Python Output

```
Congratulations Stacie you have won an ice cream sundae!
Would you like a cherry on top? yes
One vanilla sundae with a cherry on top for Stacie coming
right up...
```

You don't know Python yet, but we bet you can make some good guesses about how Python code works. Take a look at each line of code below and see if you can guess what it does. Write in your answers below. If you get stuck, the answers are on the next page. We did the first one for you.

Make a list of customers.

Randomly choose one of those customers.

Set the name or variable called flavor to the text 'vanilla'.

Print out a congratulations message to the screen that includes the winning customer's name. For instance, if Kim is the winner this code prints "Congratulations Kim you have won an ice cream sundae!"

Set the name or variable called prompt to the text "Would you like a cherry on top?"

Ask the user to type in some text, and assign it to wants_cherry. Notice that when the user is asked for input, the prompt is first displayed (as seen in the Python output).

Set order to the text 'vanilla' followed by 'sundae'.

If the user answered yes to 'Would you like a cherry on top?', then add the text " with a cherry on top" to the order.

Print out that the winner's order is coming right up.


P.S. If you can't help yourself and you have to type this code in, add `import random` at the very top of the file before running it. We'll get to what that does later, but note that running the code at this point is not required or all that useful. That said, we just know someone's going to have to try it. You know who you are!

How you'll write and run code with Python

Now that we've talked about and even looked at some code, it's time to start thinking about how you'd actually write and execute some real code. As we mentioned, depending on the language and environment, there are a lot of different models for how you do that. Let's get a sense for how you're going to be writing and running your Python code:


1 Writing your code

First you get your code typed into an editor and saved. You can use any text editor, like Notepad on Windows or TextEdit on the Mac, to write your Python code. That said, most developers use specialized editors known as IDEs (or Integrated Development Environments) to write their code. Why? IDEs are a bit like word processors—they give you lots of nice features like autocompletion of common Python keywords, highlighting of the language syntax (or of errors), as well as built-in testing facilities. Python also conveniently includes an IDE called IDLE, which we'll be looking at shortly.




3 How your code is interpreted

We've been describing Python as a language that you and the computer both understand. And, as we've learned, an interpreter does the job of reading your code and executing it. To do this, the interpreter actually translates your code behind the scenes into a lower-level machine code that can be directly executed by your computer hardware. You won't need to worry about how it does this; just know that the interpreter will do the job of executing each statement of your Python code.



2 Running your code

Running your code is as easy as handing it to the Python interpreter, a program that takes care of everything needed to execute the code you've written. We'll step through the details of this in a bit, but you can access the interpreter through IDLE, or directly from your computer's command line.



there are no Dumb Questions

Q: Why not use English to program computers? Then we wouldn't need to learn these special-purpose programming languages.

A: Yes, wouldn't that be nice. As it turns out, English is full of ambiguity, which makes creating such a translator extremely difficult. Researchers have made small inroads in this area, but we're a long way from using English, or any other spoken language as a programming language. Also, in the few languages that have tried to be more English-like, we've found that programmers prefer languages that are less like a spoken language and that are more streamlined for coding.

Q: Why isn't there just one programming language?

A: Technically all modern programming languages are equivalent in that they can all compute the same things, so, in theory, we could use one programming language to serve all our needs. Like spoken languages, however, programming languages differ in their expressive power—that is, you'll find some types of programming tasks (say, building websites) are easier in some languages than others. Other times the choice of a programming language just comes down to taste, using a particular methodology, or even the need to use the language that your employer has adopted. Count on one thing, though: there will be even more languages, as programming languages continue to evolve.

Q: Is Python just a toy language for beginners? If I wanted to be a software developer, is learning Python going to help me?

A: Python is a serious language and used in many products you probably know and love. In addition, Python's one of the few professional languages that is also considered an excellent language for beginners. Why? Compared to many existing languages, Python approaches things in a straightforward and consistent way (something you'll have a better understanding of over time, and as you gain experience with Python and other languages).

Q: What's the difference between learning to code and thinking computationally? Is the latter just a computer science thing?

A: Computational thinking is a way of thinking about problem solving that grew out of computer science. With computational thinking we learn how to break problems down, to create algorithms to solve them, and to generalize those solutions so we can solve even bigger problems. Often, though, we want to teach a computer to execute those algorithms for us, and that's where coding comes in. Coding is the means by which we specify an algorithm to a computer (or any computational device, like your smartphone). So the two really go hand in hand—computational thinking gives us a way to create solutions to problems that we want to code, and coding provides a means of specifying our solutions to a computer. That said, computational thinking can be valuable even if you aren't coding.



Where do you think the name Python most likely came from?

Check the most likely answer below:

- A.** Python's creator loved snakes, and had previously created the less successful Cobra language.
- B.** The creator of Python loved pie... thus, Pie-thon.
- C.** The Python name is inspired by the name of a British surreal comedy group.
- D.** Python is an acronym for Programming Your Things, Hosted On the Network
- E.** The Python name was inspired by the Anaconda runtime system, on which it is built.

C. Monty Python is the British comedy group who created the show Monty Python's Flying Circus. Feel free to watch a few of their shows as homework—whether it is your cup of tea or not, you'll often see Monty Python references in the Python community.

A very brief history of Python



Python 1.0

Over in the Netherlands, at the National Research Institute for Mathematics and Computer Science, they had a big problem: their scientists found programming languages difficult to learn. Yes, even to these highly educated, skilled scientists, the most current programming languages were confusing and inconsistent. To the rescue, the Institute developed a new language called “ABC” (you thought we were going to say “Python,” didn’t you?), which was designed to be much easier to learn. While ABC was somewhat successful, an enterprising young developer named Guido van Rossum, after a weekend of binge-watching Monty Python reruns, thought he could take things further—so, using what he’d learned from ABC, Guido created Python. And the rest is history.

Note from editor: umm, “the rest” is actually in the next few paragraphs.



Python 2.0

Python came of age with version 2.0 and a whole new set of features aimed at supporting its growing community of developers. For instance, in recognition that Python was truly now a global language, 2.0 was extended to handle character sets from languages far beyond the typical English letters. Python also improved many technical aspects of the language, like better handling of computer memory as well as better support for common types of data like lists and character strings.

The Python development crew also worked hard to make Python open to a whole community of developers who could help improve the language and implementation.

Actually, we just made up the part about the binge weekend.



Python 3.0

Nobody’s perfect, and there came a time when Python’s creators looked back and saw a few things in Python they wanted to improve. While Python was known for its adherence to keeping things straightforward, experience with the language had revealed a few parts of its design that could be improved, and a few things that hadn’t aged well that needed to be removed.

All these changes meant that some aspects of Python 2 would no longer be supported. That said, Python’s creators made sure there were ways to keep the 2.0 code running. So, if you have code written in Python 2, don’t worry—Python 2 is still alive and well, but know that Python 3 is the future of the language.

We fully expect our flying car is going to be Python enabled.

1994

2000

2008

The Future!




So, it sounds like there are two versions of Python out there, version 2 and version 3. Which are we going to use and how different are they?

Good question. And you're right, there are two versions of Python—to be a little more specific, at the time this book was printed, the current versions are 3.6 and 2.7.

Here's how we're going to think about the versions. As it turns out, when you view the two languages, from, say, 10,000 feet, they are remarkably similar, and in fact you might not even be able to see any differences. That said, there *are* differences, and if you aren't paying attention to the version you are using, they could trip you up. We'll be using the newest version of Python in this book—that is, version 3. We'd rather get you started with the version that is going to carry on into the future.

Now there is a lot of code in the world already written in Python 2, and you certainly might encounter it in a module you've downloaded online or, if you happen to become a software developer, as part of some old code you become responsible for. After this book you'll be in a good position to study the small differences between Python 3 and 2, should you need to.

When we say Python 3 or 2, we mean in each case, the latest version of 3 or 2 (at the time of writing, 3.6 and 2.7).




We're not going to get much further if you haven't installed Python yet. If you haven't taken the time to install Python, now is the time. Check out the "You're going to have to install Python" section in the introduction to get started. Remember, if you're using a Mac or Linux there's a good chance you already have Python installed; however, there's also a good chance you have version 2, not version 3. So whether you're on a Mac, a Windows, or a Linux machine, at this point you may need to install version 3 of Python.

So, go do that and once you've got Python up and running, you're ready to dive into some real code.


Putting Python through its paces

Now that you've got Python installed, let's put it to work. We're going to start with a small test program just to make sure everything is up and running. To do that, you need to use an editor to enter your program before you can execute it; that's where IDLE, the Python editor (or Integrated Development Environment if you prefer), comes in. Go ahead and open IDLE like we did in the introduction. As a reminder, on the Mac you'll find IDLE under the **Applications > Python 3.x** folder. On Windows navigate using the Start button to All Programs, and you'll find IDLE under the Python 3.x menu option.




When you first open IDLE, it displays an interactive interpreter called the Python Shell. If you're really curious, type `1+1` (that's one plus one) into it and hit return. More on this in the next chapter.

When you first run IDLE it displays an interactive window, called the Python Shell, that you can type Python statements directly into. You can also use an editor to type your code into; to do that, choose **File > New File** from the IDLE menu. You'll see a new, empty editor window appear.



Use the **File > New File** menu option to get a new window ready for entering Python code.


IDLE works just like a word processor, only it knows about Python code and assists you by highlighting Python language keywords, helping you with formatting, and even, when appropriate, autocompleting common Python keywords to make code entry even easier.



After choosing New File, you should see a new, empty window on top of the Python Shell window.

After creating a new file and getting a new blank editing window, you're going to type in one line of code to test things out; go ahead and enter this code:


```
print('You rock!')
```



Pay careful attention to every detail of spelling and punctuation, as Python and other programming languages are quite intolerant of mistakes.

Saving your work


Now that you've typed in your first line of code, let's save it. To do that just choose **File > Save** from the IDLE menu:



Before we execute our code we need to save it. In IDLE, the Save menu item is under the File menu. Simply choose this option and give your source code a name. When we're writing Python code, we use an extension of ".py" on the end of the filename.

Source code, source file, code, and program are all common names for your files with code in them.

And then give your code a name with a *.py* extension. We chose the name *rock.py*. Note that, although we didn't show it, we also created a folder for Chapter 1 code, called *ch1*, and we recommend you do too.



You'll want to follow the same code organization scheme we do in this book. If you haven't done so already, take a look at page xxxvi in the book's introduction.

Finally, when you have a folder for your code and a name, click Save.



A Test Drive

Execute your code by using the Run Module menu item in the Run menu. If you haven't saved your code, IDLE will ask you to.

This is where it all comes together. After you've got the code saved, choose the **Run > Run Module** menu item. After that, look at the Python Shell window and you should see your program's output there.

The screenshot shows the Python IDLE application window. The menu bar at the top includes Apple, Python, File, Edit, Format, Run, Options, Window, and Help. A callout arrow points from the text above to the 'Run' menu. The 'Run' menu is open, showing options: Python Shell, Check Module, and Run Module (which is highlighted in blue). Below the menu bar, a Python shell window displays the following code and output:

```

Python 3.6.0 (default, Feb 22 2017, [GCC 4.2.1 Compatible Apple LLVM 8.0.0 (clang-800.0.42.1)]) on darwin
Type: rock.py...
>>> W.print('You rock!')
Visit:
*Python 3.6.0 Shell.py - /Users/ericfreeman/Desktop/Python 3.6.0 Shell.py (3.6.0)*
Python 3.6.0 (default, Feb 22 2017, 13:46:35)
[GCC 4.2.1 Compatible Apple LLVM 8.0.0 (clang-800.0.42.1)] on darwin
[GCC 4.2.1 Compatible Apple LLVM 8.0.0 (clang-800.0.42.1)] on darwin
-----RESTART: /Users/ericfreeman/Desktop/ch1/rock.py -----
You rock!
>>>

```

Congrats on coding your first Python program!

You've installed Python, you've entered a short bit of real Python code using IDLE, and you've even executed your first Python program. Now it's not a very complex bit of code, but you've gotta start somewhere. And the good news is, we're all set up and ready to move on to a serious business application!

The screenshot shows the Python IDLE Python Shell window. It displays the following text:

```

*Python 3.6.0 Shell.py - /Users/ericfreeman/Desktop/Python 3.6.0 Shell.py (3.6.0)*
Python 3.6.0 (default, Feb 22 2017, 13:46:35)
[GCC 4.2.1 Compatible Apple LLVM 8.0.0 (clang-800.0.42.1)] on darwin
-----RESTART: /Users/ericfreeman/Desktop/ch1/rock.py -----
You rock!
>>>

```

Handwritten annotations on the left side of the window explain the output:

- An arrow points from the text "And here's the output, just as we expected!" to the line "You rock!" in the shell.
- An arrow points from the text "Every time you run your code, IDLE will restart the Python interpreter and then execute your code." to the line "-----RESTART: /Users/ericfreeman/Desktop/ch1/rock.py -----".





Watch it!

Did you get something other than “You rock!”?

The process of writing and testing code can be error-prone. If you weren’t successful on your first try, get used to it: all of us developers are constantly fixing errors in our code. Here are a few things to try:

- If Python reported an error like invalid syntax check your code for incorrect punctuation, like missing parentheses. If you look at the code highlighting in IDLE, usually you can quickly determine where these errors are.
- If Python reported an error like Python NameError: name 'prin' is not defined check your code for typos, like a name that isn’t spelled correctly—in this case, the word print.
- If Python reported an error like EOL while scanning that typically means you left out a single quote on one of the ‘You rock’ string of characters—make sure you’ve surrounded it with two single quotes, like 'You rock!'.
- If you’re really stuck, try the book’s community page on wickedlysmart.com.

there are no Dumb Questions

Q: Why do we use Run Module to execute our code?

A: Python calls a file of Python code a *module*. So, all this means is “run all the Python code in my file.” Modules are also a way to further organize code that we’ll get to later.

Q: What exactly do you mean by input and output?

A: Right now we’re just dealing with simple kinds of input and output. Our output is the text that is generated from your program and displayed in the Python Shell window. Likewise, input is any text your program gets from you in the shell window. More generally, all kinds of input and output are possible, such as mouse input, touch input, graphics and sound output, and so on.

Q: I’ve figured out that print gives you a way to print text to the user, but why the name print? When I first saw that, I thought it was something for the printer.

A: Think way, way back to when computers were more likely to output to a printer than a screen. Back in those days, the name print made a lot more sense than it does now. Of course, Python is

young enough to not have an excuse for using the name print, but print has traditionally been the way to output to the screen in a lot of languages. So, print outputs to the screen (by way of the Python Shell window), and on a related note, you saw an example earlier of input, which gets user input from the Python Shell.

Q: Is print the only way to output from Python?

A: No, it’s just the most basic way. Computers and programming languages excel at output (and input), and Python is no exception. Using Python (or most languages), you can output to web pages, the network, files on storage devices, graphics devices, audio devices, and many other things.

Q: Okay, well, when I use print, I type something like print('hi there'). What exactly is going on there?

A: What you’re doing is using some functionality built into Python to print. More specifically, you’re asking a function called print to take your text in quotes and output it to the Python Shell. Now, we’re going to be getting more into exactly what functions are, what text is, and so on later, but, for now, just know you can use this function anytime you want to print to the shell.



Python Exposed

This week's interview: are you serious?

Head First: Welcome, Python! We're looking forward to digging in and finding out what you're all about.

Python: Glad to be here.

Head First: Let's see, you're named after a comedy troupe, and you're known for being a beginner's language; honestly, should anyone take you seriously?

Python: Well, let's see, I'm used for everything from running silicon chip production lines to applications that help create major motion pictures (you didn't hear it from me, but can you say, "George Lucas"?!) to powering interfaces for air traffic control systems. I could go on... does that sound serious?

Head First: Well, then, if you're such a serious language, how on earth can newbies easily use you? I mean, the projects you're describing sound quite complex. Would you have us believe it doesn't take a hardcore, complex language to pull all that off?

Python: One of the reasons newbies *and professionals* appreciate me is because my code is quite straightforward and readable. Ever look at a language like, say, Java? Blech. My gosh, the effort you have to go to just to say, "Hello World!" That takes a single line of Python code.

Head First: Okay, you're readable, great, but what exactly does that mean, anyway?

Python: Given I mentioned Java, let me just give you a little example. Let's say you want to tell your user "Hello!" Here's how you do it with Java:

```
class HelloWorldApp {
    public static void main(String[] args) {
        System.out.println("Hello!");
    }
}
```

That's a lot to take in. I'd call it totally unreadable, especially to someone just learning to program. What the heck does all that mean, anyway? Is all that really necessary? Now let's look at my version, which I've written in Python of course:

```
print('Hello!')
```

I think you'd have to agree that is more straightforward and readable—anyone can look at that line and have a decent idea of what it does. But that's just a simple example. Overall, Python strikes people as clear, almost English-like, and consistent...

Head First: Consistent? What does that mean?

Python: One way to think about consistency is that there aren't a lot of surprises in the language. In other words, once you understand a bit of the language, other things tend to work as you might guess, or expect. Not all languages are like that.

Head First: I want to go back to something you said earlier—you mentioned some rather esoteric examples, like air traffic control, chip manufacturing, being the main software for the space shuttle, and so on. That all sounds very industrial and special purpose. I'm not sure Python is going to be the best language for our readers.

Python: The space shuttle? You made that up. For the others, I was giving you examples of things you *might consider serious*, given that you claimed Python was otherwise. Some of the most common uses of Python are for things like creating websites, writing games, and even creating desktop apps.

Head First: Can we switch gears? Someone just handed me a note: our sources tell us that there are actually *two versions* of Python, and what's more, they are actually... gosh, how do I say it, *incompatible with each other*. How on earth is that being consistent?

Python: Like anything, languages tend to grow and evolve, and yes, there are two versions of Python, version 2 and version 3. Version 3 has new things in it that were not part of version 2, but there are ways to make things backward compatible. Let me walk your readers through...

Head First: ...on that note, we're out of time. We look forward to our next ambush, er, I mean opportunity, to speak with you.

Python: Thanks, my pleasure...I think.



Okay, it's time to get serious and to write a real-world business application using Python. Check out this Phrase-O-Matic code—you're going to be impressed.



- 1**

```
# let python know we'll be using some random
# functionality by importing the random module
import random
```
- 2**

```
# make three lists, one of verbs, one of adjectives,
# and one of nouns
verbs = ['Leverage', 'Sync', 'Target',
         'Gamify', 'Offline', 'Crowd-sourced',
         '24/7', 'Lean-in', '30,000 foot']

adjectives = ['A/B Tested', 'Freemium',
              'Hyperlocal', 'Siloed', 'B-to-B',
              'Oriented', 'Cloud-based',
              'API-based']

nouns = ['Early Adopter', 'Low-hanging Fruit',
         'Pipeline', 'Splash Page', 'Productivity',
         'Process', 'Tipping Point', 'Paradigm']
```
- 3**

```
# choose one verb, adjective, and noun from each list
verb = random.choice(verbs)
adjective = random.choice(adjectives)
noun = random.choice(nouns)
```
- 4**

```
# now build the phrase by "adding" the words together
phrase = verb + ' ' + adjective + ' ' + noun
```
- 5**

```
# output the phrase
print(phrase)
```

Phrase-O-Matic

In a nutshell this program takes three lists of words, randomly picks one word from each list, combines the words into a phrase (suitable for your next startup's slogan), and then prints out the phrase. Don't worry if you don't understand every aspect of this program; after all, you're on page 25 of a 600-page book. The point here is just to start to get some familiarity with code:

- 1 The `import` statement tells Python we're going to be using some additional built-in functionality that's in Python's `random` module. Think of this as extending what your code can do—in this case, by adding the ability to randomly choose things. We'll get into the details of how `import` works later in the book.
- 2 Next we need to set up three lists. Declaring a list is straightforward—just place each item in the list within quotes and surround it by square brackets, like this:

```
verbs = ['Leverage', 'Sync', 'Target',
         'Gamify', 'Offline', 'Crowd-sourced',
         '24/7', 'Lean in', '30,000 foot']
```

Notice we're assigning each list to a name, like `verbs`, so we can refer to it later in the code.

- 3 Next we need to choose one word randomly from each list. To do that we're using `random.choice`, which takes a list and randomly chooses one item. We then take that item, and assign it to the corresponding name (`verb`, `adjective`, or `noun`) so we can refer to it later.
- 4 We then need to create the phrase, and we do this by gluing the three items together (the verb, adjective, and noun)—in Python we can glue these together using the plus sign. Notice also that we have to insert spaces between the words; otherwise, we'd end up with phrases like “Lean-inCloud-basedPipeline.”
- 5 Finally, we output the phrase to the Python Shell with the `print` statement and...voila! *We're in marketing*

Slogans for Your Next Python-based Startup


- 24/7 Freemium Productivity
- Lean-in Hyperlocal Splash Page
- Gamify Siloed Early Adopter
- Offline API-based Process
- Crowd-sourced Cloud-based Pipeline

`random.choice` is another built-in function from Python. We'll learn more about these later in the book.

Computer scientists like to call gluing text together “concatenation.” It’s a pretty handy word, so you’ll see it more in this book.

Getting the code in the machine

You've entered one program into IDLE, but let's step through it again—we're going to create a new Python file by choosing **File > New File** from the menu. Go ahead and do that, and then type the code from two pages back into the editor.




```
idle  File Edit Format Run Options Window Help
Python 2.7.9 (v2.7.9-68dcfafe5f
GCC 4.2.1 (Apple Inc. build 36
Type >>>
import random
verbs = ['Leverage', 'Synergize', 'Offload', '24/7', 'Lean in']
adjectives = ['Agile', 'Scalable', 'Hyperlocal', 'Oriented', 'Cloud-based', 'API-based']
nouns = ['Early Adopter', 'Low-hanging Fruit', 'Pipeline', 'Splash Page', 'Productivity', 'Process', 'Tipping Point', 'Paradigm']
verb = random.choice(verbs)
adjective = random.choice(adjectives)
noun = random.choice(nouns)
phrase = verb + ' ' + adjective + ' ' + noun
print(phrase)
```

Here's an example of a typo; notice how it is highlighted. If you get this, double-check that your code is correct.

Pay special attention to the words and punctuation that are being used. We'll get to all this detail in later chapters, but for now it's great to get accustomed to it.

Note that IDLE highlights common errors. You might see errors highlighted while you're typing your code or when you run your code, depending on the error. Here a missing quote error is highlighted. If you see any errors, you'll want to double-check the code and fix them.

We purposefully added an error here to show what IDLE does; as long as you faithfully type in the code from two pages back, you should not see this error.



```
idle  File Edit Format Run Options Window Help
Python 2.7.9 (v2.7.9-68dcfafe5f
GCC 4.2.1 (Apple Inc. build 36
Type >>>
ve: Close ⌘W 'Sync', 'Target',
Save ⌘S 'Offline', 'Crowd-sourced',
Save As... ⌘⌘S 'in in', '30,000 foot'
Save Copy As... ⌘⌘S
ad: Print Window ⌘P 'ested', 'Freemium',
      'Local', 'Sliced', 'B-to-B',
      'Oriented', 'Cloud-based', 'API-based']

nouns = ['Early Adopter', 'Low-hanging Fruit',
         'Pipeline', 'Splash Page', 'Productivity',
         'Process', 'Tipping Point', 'Paradigm']

verb = random.choice(verbs)
adjective = random.choice(adjectives)
noun = random.choice(nouns)

phrase = verb + ' ' + adjective + ' ' + noun
print(phrase)
```

Remember, IDLE will color your code according to its function.

IDLE will also insert indenting when appropriate after you hit the Return key.

Notice that extra whitespace—that is, spaces and return characters—can be used to make your code more readable; Python largely ignores whitespace (we'll talk about an exception to that later).



A Test Drive

Remember, to execute your code, use the Run Module menu item in the Run menu. If you haven't saved your code, IDLE will ask you to.

Now it's time to run the Phrase-O-Matic. Let's explicitly go through this once more to really set it in—after you've got the code saved, choose the Run > Run Module menu item. After that, look for the output in the shell window, and get ready for your next startup's slogan!

```

>>> import random
>>> verbs = ['Leverage', 'Sync', 'Target',
   ... 'Gamify', 'Offline', 'Crowd-sourced',
   ... '24/7', 'Lean in', '30,000 foot']
>>> adjectives = ['A/B Tested', 'Freemium',
   ... 'Hyperlocal', 'Siloed', 'B-to-B',
   ... 'Oriented', 'Cloud-based', 'API-based']
>>> nouns = ['Early Adopter', 'Low-hanging Fruit',
   ... 'Pipeline', 'Splash Page', 'Productivity',
   ... 'Process', 'Tipping Point', 'Paradigm']
>>> verb = random.choice(verbs)
>>> adjective = random.choice(adjectives)
>>> noun = random.choice(nouns)
>>> phrase = verb + ' ' + adjective + ' ' + noun
>>> print(phrase)
  
```



We're going to Gamify A/B
Tested Splash Pages!

We ran Phrase-O-Matic a few times; check out what we got.

```

>>> Sync B-to-B Early Adopter
>>> ===== RESTART =====
>>>
>>> Leverage Siloed Productivity
>>> ===== RESTART =====
>>>
>>> 24/7 A/B Tested Low-hanging Fruit
>>> ===== RESTART =====
>>>
>>> Crowd-sourced API-based Tipping Point
>>> ===== RESTART =====
>>>
>>> Sync API-based Low-hanging Fruit
  
```

To re-run Phrase-O-Matic, first click on your code window, then choose Run > Run Module again.



BULLET POINTS


- To write code, you first have to break a problem down into a simple set of actions that solves the problem.
- We call this set of actions an algorithm, or less formally a recipe for solving a problem.
- Actions are in the form of statements that can carry out very simple tasks, make decisions, or control the flow of an algorithm by repeating parts of the code.
- Computational thinking is a way of thinking about problem solving that grew out of computer science.
- Coding is the act of taking an algorithm and translating its steps into a programming language that can be executed on a computer.
- Algorithms are sometimes expressed in a more human-readable pseudocode before being translated to an actual programming language.
- Programming languages are special-purpose languages created expressly for describing tasks to computers.
- English makes for a poor programming language because it is quite ambiguous.
- There are many programming languages, each created with inherent advantages and disadvantages, but all have the same computational power.
- The Python name doesn't come from a snake, but from the creator's love of the Monty Python comedy troupe.
- New and experienced programmers appreciate Python's clean and consistent design.
- There are two versions of Python, 2 and 3, and this book focuses on Python 3 (although the differences are minor in a lot of cases).
- Python code is executed by an interpreter, which translates high-level Python code into low-level machine code that your computer can execute directly.
- Python provides an editor called IDLE that is tailored to writing Python code.
- You can use whitespace in a Python program to increase readability.
- `input` and `print` are two functions provided by Python for simple, shell-based input and output.



Coding Crossword

Let's give your right brain something to do.

It's your standard crossword, but all of the solution words are from Chapter 1.



Across

1. Layman's term for algorithm.
5. Python IDE.
6. Input to interpreter or compiler.
7. Language named for coffee.
8. Human-readable code.
10. Flying _____.
11. Technical name for recipe.
12. One of best beginner languages.
14. Low-level code.
16. Python is this type of language.
17. Python is one of them.

Down

2. Running a program.
3. Another word for source code.
4. Kind of thinking this book teaches.
9. Too ambiguous for code.
10. Supportive side of Python.
13. Head First Diner serves them.
15. One company using Python



Sharpen your pencil Solution

Real recipes don't just tell you *what to do*, they also include objects that are used in making a particular food (like utensils, appliances, and ingredients). What objects are used in our fishing recipe?

- ① Put worm on hook
- ② Cast line into pond
- ③ Watch the bobber until it goes underwater.
- ④ Hook and pull in fish.
- ⑤ If done fishing, then go home; otherwise, go back to step 1.



Sharpen your pencil Solution

One thing to understand right up front is that computers do **exactly** what you tell them—nothing more, nothing less. Look at our recipe for fishing on page 2. If you were the robot and you followed these instructions precisely, what problems might you encounter? Do you think we would really be successful using this recipe?

- A. If there are no fish, you're going to be fishing for a very long time (like, forever).
- B. If the worm falls off the hook, you'll never know about it or replace it.
- C. What happens if we run out of worms?
- D. Did we specify what to do with a fish when we pulled it in?
- E. What happened to the fishing rod?
- F. Are there any specifics of what a good cast is? If the worm lands on a lily pad, do we need to redo the cast?

It looks like the answer was "all of the above."

Typically when the bobber goes underwater, you try to "hook" the fish before pulling it in. This doesn't say anything about that.

How do we know if we're done fishing? By the time? When we're out of worms? Something else?


There's a lot we assumed in our recipe; we're sure you probably thought of a lot of other instructions that were unspecified in addition to these.



Code Magnets Solution

We put the Head First Dinner's recipe algorithm for making an three-egg omelet on the fridge to remember it, but someone came along and messed it up. Can you put the magnets back in the right order to make our algorithm work? Note that the Head First Dinner makes two kinds of omelets: plain and cheese.

Here are the unscrambled magnets!



There are several correct variations you could come up with; just make sure you understand our solution, and that yours, if different, makes logical sense.

We start by setting everything up: heating the pan, cracking the eggs.

Then we whip the eggs until they are thoroughly mixed.

Notice we indented whipping the eggs to indicate this is done as long as the eggs aren't yet whipped. If you indicated this in another way, that is fine.

Next we move the eggs to the preheated pan.

And cook them until they are done.

Notice we just indented stirring the eggs to indicate the eggs are stirred as long as they aren't done. If you indicated this in another way, that is fine.

If the customer wanted cheese, then add it.

We also indented adding cheese, because that is only done if the customer ordered cheese.

And in either case, remove the pan from the heat, and transfer it to a plate.

Finally, we serve the omelet.

YOU SAY TOMATO SOLUTION



On the left you'll find some statements written in English, and on the right you'll find statements written in a programming language. Draw a line from each English statement to its corresponding code translation. We did the first one for you.

Print “Hi there” on the screen.

```
for num in range(0,5):  
    pour drink();
```

If the temperature is more than 72, then print "Wear shorts" on the screen.

```
name = input('What is your name? ')
```

A grocery list with bread, milk, and eggs on it.


```
if temperature > 72:  
    print('Wear shorts')
```

Pouring five drinks.

Ask the user, “What’s your name?”



Coding Crossword Solution





Know Your Value



Computers really only do two things well: store values and perform operations on those values. You might think they're doing a whole lot more, as you send texts, shop online, use Photoshop, or rely on your phone to navigate in your car; however, everything computers do can be broken down into **simple operations** that are performed on **simple values**. Now, part of **computational thinking** is learning to use these operations and values to build something that is much more sophisticated, complex, and meaningful—and we're going to get to that. First, though, we're going to take a look at what these values are, the operations you can perform on them, and just what role **variables** play in all this.

Coding the Dog Age Calculator

You didn't think we were going to take you through 50 pages of Python specifications on values and operations before writing some real code, did you? Of course not—we've got real work to do!

Up next, the **Dog Age Calculator**. You already know what the calculator does: you enter a dog's chronological age and the calculator tells you the dog's age in relative *human years*. To perform that calculation you simply multiply the dog's chronological age by the number 7. Or, is it that simple? We shall see...

But where do we even start? Do we just start trying to write some code? Well, remember the concept of pseudocode, which we briefly discussed in the last chapter? Recall that pseudocode allows you to work out a high-level solution of your problem before you have to get into all the specifics required to write code. That's a good place to start.

Especially given
you don't know
how to code yet!

So what exactly is pseudocode? Think of it as nothing more than your algorithm written in human-readable form. With pseudocode, you typically spell out, step by step, everything your solution needs to do to solve your problem (in our case, figuring out a dog's age in human years).

↑ Remember, you've already seen
one example of pseudocode in
the fishing recipe on page 2
of Chapter 1.

They say 12 is
the new 9...

↗
Codie, 12



Sharpen your pencil



We're going to write some pseudocode. First, think about how you'd write an algorithm or recipe that computes a dog's age in human years. Once you have an idea, write it down as a set of steps in plain English (or your chosen language). Make your solution user-friendly by asking the user for the dog's name and age. You'll also want to generate some nice output at the end, like "Your dog, Rover, is 72 years old in human years."

Again, just write your pseudocode in English. **Important:** make sure that you compare your answer with ours at the end of the chapter before you move on.

Or, if you get stuck, feel free to peek ahead.

Write your pseudocode here.



Here is an example of how the Dog Age Calculator will work.

Python 3.6.0 Shell

```
What is your dog's name? Codie
What is your dog's age? 12
Your dog Codie is 84 years old in human years
>>>
```

Going from pseudocode to code

Now that we've written our pseudocode, we have a good sense of the steps our code will need to take to implement the Dog Age Calculator—of course the pseudocode doesn't provide every detail, but it will provide us with a nice guide to follow as we *implement* each step in code.

So let's do just that: we'll take our pseudocode step by step, and implement as we go.

When we translate our ideas, algorithms, or pseudocode to real code, we often say we're implementing them.



As a first step to transforming our pseudocode into code, step through each line of your pseudocode and make some notes about what you think the code will have to do. Just keep it high level. Make sure and check your answers with ours before you move on. We did the first one for you.

As always, if you get stuck, feel free to peek ahead, but try not to until you've made a first pass through every line.

Dog Age Calculator Pseudocode

1. Ask the user for the dog's name.

2. Ask the user for the dog's age.

3. Multiply the dog's age by the number 7 to get the dog's age in human years.

4. Output to the user:
 "Your dog"
 the dog's name
 "is"
 the dog's age in human years
 "years old in human years"

1. Prompt the user to get the dog's name and then have the user type it in. We'll presumably need to save the name somewhere so we can use it in step 4.

2.

3.

4.

↑ Put your notes for each step here.

there are no
Dumb Questions

Q: Why bother with something English-like when the computer only understands a programming language?

A: Working out things in pseudocode gives you the opportunity to think about your algorithm without the burden and complexity of actual computer code. It also gives you the opportunity to study your solution, possibly improving it, before committing it to code.

Q: Do experienced software developers use pseudocode?

A: Yes. Planning out how you are going to attack a problem before committing it to more complex coding is always a good idea. Some developers are good enough to do a lot of that in their head, but many still use pseudocode or similar techniques to map out things before they code. Pseudocode is also commonly used for communicating coding ideas to other developers.

↖ You are here.

Step 1: Getting some input

Now we're ready to tackle step 1—asking the user for the dog's name. As we've indicated in our notes, we're going to need to prompt the user to give us their dog's name, and then remember that name so we can use it in step 4 (when we print out the name and dog's age in human years). So there's really two things we need to do here: prompt the user to get the dog's name, and then store that name for later use. Let's focus on prompting the user and getting the name first.

You may have already noticed in a couple of the code exercises from Chapter 1 that we used a Python function named `input` to solicit input from the user. While a function may sound like something from math class, think of it as just a way to call upon built-in functionality provided by Python.


Let's look at the syntax for *calling* the `input` function and then we'll look at how it works:

Remember, the syntax tells us how we write things in a computer language.

Dog Age Calculator Pseudocode

1. Ask the user for the dog's name.
2. Ask the user for the dog's age.
3. Multiply the dog's age by the number 7 to get the dog's age in human years.
4. Output to the user:
 "Your dog"
 the dog's name
 "is"
 the dog's age in human years
 "years old in human years"

We're going to spend a lot of time on functions in this book, and before long, you'll understand exactly how they work, but for now just think of them as a way of asking Python to do some work for us and don't worry too much about the details.



How the `input` function works

Alright, we now know how to type in the `input` function (in other words we know the syntax), but how does it actually work? Like this:

- ① When the interpreter sees your call to the `input` function, it takes your prompt text and displays it for the user in the Python Shell.
- ② The interpreter then waits for the user to type in a response, which the user completes by pressing the Return key.
- ③ Finally, the text the user typed in is passed back to your code.

Okay, so the text the user typed in is passed back to our code, but what does that mean? Well, when you call the `input` function, it goes off and gets text from the user and then, as a result of calling the function, *returns* that text for your code to make use of.

Now, that text isn't going to be too useful if we can't remember it for later, because we'll need it in step 4 when we print out our user-friendly output. So, how do we remember things with Python?

Using variables to remember and store values

One of the most common things you'll do when programming is to store a value so you can use it later. To do that, we use a **variable**. Think of a variable as a name you can always use to retrieve a value you've previously stored. Here's how we store, or *assign*, a value to a variable:

First name your variable. Almost any name will do, but we'll talk more about legal names in a bit...

Next add an equals sign, followed by the value you want stored and assigned to your variable.


`dog_name` = 'Codie'

Again, on the lefthand side we have a variable, which you can think of as a name you can refer to over and over to recall a value.

And on the righthand side we have the value—in this case, the text 'Codie'.

Pretty much every programming language you're ever going to encounter works this way too.

We refer to text as a string. Think of this like a string of characters. You'll find this terminology is common across practically every programming language. There are a lot of other types of values you can use in Python too, such as numbers, which we'll talk about soon.



Make it stick

Syntax tells us how to write Python statements.

Semantics tell us what Python statements mean.

Assigning the user's input to a variable

Now that you know a little bit about variables (don't worry, we're going to dive in deep in a few pages), let's store the user's input in a variable. To do that we simply call the `input` function and assign its *return value* to a variable. Here's how we do that:

Let's use the variable `dog_name`.

Then we call the `input` function, which prompts the user with "What is your dog's name?"

`dog_name = input("What is your dog's name? ")`

When the user finishes entering a name, the `input` function then passes that name back to your code in the form of a return value.

And that return value is then assigned to the variable `dog_name`.

Wondering about how to name variables? Or how to correctly use single and double quotes? Hang on, we'll discuss both shortly.

We're moving on to step 2.

Step 2: Getting more input

We also need to get the dog age from the user. How? We'll do this just like we did with the dog name: first we make use of the `input` function and supply it with a prompt like "What is your dog's age?" Then we will take the age the user types in and store this in a variable called, say, `dog_age`. When we say "we will" we actually mean YOU will, in this next exercise:



It's your turn. Write the code to get the dog's age using the `input` function, just as we did with the dog's name. Prompt the user with "What is your dog's age?" and store the result in a variable called `dog_age`. Make some notes as well about what each piece of your code does. Check your answer in the back of the chapter before moving on.

Dog Age Calculator Pseudocode

1. Ask the user for the dog's name.
2. Ask the user for the dog's age.
3. Multiply the dog's age by the number 7 to get the dog's age in human years.
4. Output to the user:
 "Your dog"
 the dog's name
 "is"
 the dog's age in human years
 "years old in human years"

It's time to run some code

It's one thing to look at code on paper, and it's another to actually execute real code. Let's take the code from the last couple of pages and get some experience executing it in a different way—rather than entering code into IDLE's editor, we're going to use the Python Shell instead. Why? Well, you're going to see that the shell is a great way to experiment with and test small pieces of code. Don't worry: when we get to writing longer programs, we'll be right back in the editor.

To use the shell, run `idle3` as usual, only this time we'll be typing into the Python Shell window:

Using the shell is a great way to test out small pieces of code to see how it works.

```
Python 3.6.0 Shell
Python 3.6.0 (default, Feb 22 2017, 13:46:35)
[GCC 4.2.1 Compatible Apple LLVM 8.0.0] on darwin
Type "copyright", "credits" or "license()" for more information.
>>>
```

This is the shell prompt; it's waiting for you to type something.

Your version numbers and startup messages may differ slightly depending on your version and operating system, as may your window's look and feel and color.

After you've located the shell, click in the window and locate the prompt, which looks like `>>>`. Type `1 + 1` and hit return; Python will evaluate your expression and print its value (in this case 2) before displaying another prompt. Congrats, you've successfully used the Python Shell! Now let's try some of our code:

- 1 Let's start by entering the code to get the dog's name and then hitting return.

```
Python 3.6.0 Shell
>>> dog_name = input("What is your dog's name? ")
What is your dog's name?
```

Python will display this.

Type this in and hit return.

- 2 Next, enter your favorite dog name and press return again.

Python 3.6.0 Shell

```
>>> dog_name = input("What is your dog's name? ")
What is your dog's name? Rover
```

Type a dog's name here
and hit return.

```
>>>
```

Behind the scenes Python takes your dog's name and stores it, and assigns it to the `dog_name` variable. After that, you'll get another command prompt.

Notice that an assignment statement doesn't evaluate to a value like, say, `1 + 1` does. Rather, as you already know, the assignment statement takes the value on the righthand side and assigns it to the variable on the lefthand side.



The variable `dog_name` should now hold the value '`Rover`', or whatever dog name you entered. How can you show it does?

- 3 We've looked at `print` a few times; let's use `print` to see the value of the variable `dog_name`. You can also determine the value of `dog_name` more directly in the shell by just entering the variable name.

Python 3.6.0 Shell

```
>>> dog_name = input("What is your dog's name? ")
```

What is your dog's name? Rover

```
>>> print(dog_name)
```

Rover

```
>>> dog_name
```

'Rover'

```
>>>
```

We can use `print` to display the current value of the variable `dog_name`, which is `Rover`.

Or enter any variable and the shell will evaluate it, displaying its value.

Note that `print` does not display quotes around a string value, while evaluating it directly in the shell does.



I noticed you can't keep your single and double quotes straight—sometimes you use text surrounded by single quotes and sometimes by double quotes. What's the deal?

Good catch. First of all, remember we call text in quotes **strings**, like a string of characters. And you are exactly right: we have mostly used single quotes but then changed to double quotes with the `input` function. As it turns out, Python doesn't care—either single or double quotes are just fine, as long as you are consistent. In other words, if you start a string with a single quote, then you have to end it with a single quote. Likewise, if you start a string with a double quote, then be sure to end it with a double quote.

So, why did we choose one over the other? In general a lot of Python developers prefer to use single quotes, and so do we; however, there is a case where you'll be forced to use double quotes, and that is when you need to use a single quote *as part of your string*.

Notice that our prompt needs to use a single quote in the word `dog`'s:

```
dog_name = input("What is your dog's name? ")
```

To use a single quote as part of your string, just surround the text with double quotes.

The same is true if you need to use a double quote in your string's text, in which case you'll need to surround your string by single quotes.

Getting some code entered

Alright, enough playing around in the shell; we've got a real app to build here! Next, we'll enter the existing two lines of code (the ones that prompt the user for the dog's name and age), then give that code a quick test before moving on to finish converting our pseudocode to code.

So, in IDLE, choose **File > New File** and let's get our first two lines of the dog calculator typed in. Here's the code:

```
dog_name = input("What is your dog's name? ")
dog_age = input("What is your dog's age? ")
```

After you've entered and double-checked the code, choose **File > Save** and save your work in a new folder *ch2* with the filename *dogcalc.py*.



Note the extra space, so there is space between the prompt and where the user types.



A Test Drive

The Test Drive is where we'll ask you to stop what you're doing, make sure all the new code is up to date, and then execute and test your new code.

We're not done with the calculator yet, but it's a good idea to test code as you go to make sure everything is working as you'd expect. After you've saved the code, choose the **Run > Run Module** menu item. Look for the output in your shell window. Remember, the code is going to ask you to enter your dog's name and age.

Keep in mind at this point all your code will do is ask you for your dog's name and age, and then display another prompt.

Python 3.6.0 Shell

```
What is your dog's name? Rover
What is your dog's age? 12
>>>
```

If you get a "SyntaxError: EOL while scanning string literal" when executing this code, double-check your use of single and double quotes with the code above.

A deep dive on variables

We've gotten a little experience by creating a variable name and assigning a value to it, but how do these variables really work and how can you make use of them? Let's take a little time over the next few pages to better understand variables. After that, we'll finish off our Dog Age Calculator. Let's start by looking at what is happening behind the scenes when we assign a value to a variable.

`dog_name = 'Codie'`

← We often just call
this "assignment."

- 1 The first thing Python does is evaluate the righthand side of the assignment, which evaluates to the string 'Codie', and then it finds a free spot in your computer's memory where it stores the string. You can think of this like taking an empty cup and throwing the text 'Codie' in it.

- 2 With the string 'Codie' stored, Python then creates a label—think of it as a sticky note if you want—with the name `dog_name`, and puts it on the cup.

- 3 Of course we can create and store as many values as we need. How about two more:

`phrase = "Your dog's name is "`



`dog_age = 12`

Note we can store numbers
as well as strings.

- 4 Anytime we need to retrieve the stored values, we can use the variables:

```
print(phrase)
print(dog_name)
```


This retrieves the value for
phrase and `dog_name`, and
then prints...




Adding some expression

So far our values have been pretty simple, but there's no need for them to be—instead of using simple values, you can use *expressions* to *compute* values. If you've ever seen any form of mathematical expression, Python's expressions should look familiar to you: they just consist of simple values combined with *operators* like `+`, `-`, `*`, and `/`. For instance, what if it is Codie's birthday?


Almost without exception, programming languages use an asterisk for the multiplication symbol.



Or we need to compute Codie's weight in kilograms?



Or we need to compute the average age of Codie, Fido, and Sparky?




In these expressions we can use variables anywhere you'd use a value. As an example, let's rewrite the average of Codie, Fido, and Sparky's age:

```
codie = 12
fido = 5
sparky = 1
avg = (codie + fido + sparky) / 3
```

Anywhere we put a variable, it is replaced with its value to compute the expression.




Of course we aren't limited to simple math and numbers in our expressions. Remember concatenation from Chapter 1? We use concatenation to add strings together.




Variables are called VARY-ables for a reason


Variables are called variables because their values usually *vary* over time. Let's take Codie's height for example, which we start at 22:



Let's say Codie has grown and we need to update his height by one inch, which changes the value that `dog_height` is holding.



But there's a better way to update Codie's height. Let's do that when Codie grows another two inches:





Better living through operator precedence

Evaluate this expression:

```
mystery_number = 3 + 4 * 5
```

Is `mystery_number` 35? Or is it 23? Well, it depends on whether you added three to four first, or if you multiplied four times five first. What's the right answer? 23.

How did we know the right order of evaluation? *Operator precedence*. Operator precedence tells you the order in which operations should be applied. This isn't a computer programming thing, mind you, it's a mathematics thing, and in your algebra class you most likely covered precedence at some point (either recently or long ago). If you've forgotten it, no worries—we're going to cover it now.

To understand operator precedence, think of operators being listed from highest to lowest precedence, like this:


Highest

- ** Two asterisks give us exponentiation, which has the highest precedence.
 - Next highest is negation (in other words, just putting a negative sign in front of a value).
 - * / % Followed by multiplication, division, and modulus.
 - + - And then addition and subtraction.
- If you remember your math, $2^{**}3$ is the same as 2^3 .
- The % is the modulus operator—modulus gives you the remainder of a division. For instance, $7 \% 3$ is 1 because 3 divides into 7 twice, leaving a remainder of 1.

Lowest


Computing with operator precedence

Let's evaluate an expression to understand how operator precedence is applied. Here's an expression to evaluate:



You can determine how any Python numeric expression is evaluated by simply applying its operations in the order of their precedence (highest first). In these examples we're using numbers to keep things simple, but of course we could replace any of these numbers with variables and the same rules apply.

But what if this isn't the way you wanted to evaluate this expression? What if you really wanted to add 1 to 2 *before* the division and multiplication occurred? That's where parentheses come in. With parentheses you can dictate the order:



You can add as many parentheses as you need to evaluate your expression in the appropriate order. For instance:

$$((3 / 1) + 2) * 3) ** 2$$

Make it stick

Remember the mnemonic **PEMDAS** for **Parentheses, Exponents, Multiplication, Division, Addition, and Subtraction**. If you follow that order of evaluation, left to right, you'll always evaluate expressions correctly. If you have trouble remembering PEMDAS, you could always try "Please Excuse My Dear Aunt Sally."

This expression first does division, then addition, then multiplication, then exponentiation, and evaluates to 225.

Who am I?



Here's modulus again—it may seem esoteric, but it has a lot of uses in coding. Some folks like to call this remainder.



Expressions

'kit e' + ' ' + 'cat'	1
(14 - 9) * 3	2
3.14159265 * 3**2	15
42	21
'h' + 'e' + 'l' + 'l' + 'o'	28.27433385
8 % 3	42
7 - 2 * 3	-13
(7 - 2) * 3	'kit e cat'

Values

Who's the impostor?



Get ready for the classic shell game, usually played with cups and balls; in this game we're going to use variables and values. Using what you know about variables, values, and assignment, see if you can beat the cup game. Work through the code and see which cup has the 1 in it at the end of the game. Will it be in cup 1, cup 2, or cup 3? Place your bet now!

```
cup1 = 0
cup2 = 1
cup3 = 0
cup1 = cup1 + 1
cup2 = cup1 - 1
cup3 = cup1
cup1 = cup1 * 0
cup2 = cup3
cup3 = cup1
cup1 = cup2 % 1
cup3 = cup2
cup2 = cup3 - cup3
```

Use your brain to evaluate this code and see, when it completes, which cup has the 1 in it. When you're done, check your answer at the end of the chapter (you can type the code in as well, but only to check yourself).





What does this expression evaluate to? Or do you think this is an error in Python because we're multiplying a number times a string?

`3 * 'ice cream'`

You might want to try typing it into the Python Shell.

Crack the Code Challenge

You're all ready for your first spy assignment, but to get started you need your all-important passcode. You'll find the passcode below in code—that is, literally, in code. Work through the code in your head to figure out the passcode, but be careful—get it wrong, and it may be the last code you'll ever look at. We wish you luck.

```
word1 = 'ox'  
word2 = 'owl'  
word3 = 'cow'  
word4 = 'sheep'  
word5 = 'flies'  
word6 = 'trots'  
word7 = 'runs'  
word8 = 'blue'  
word9 = 'red'  
word10 = 'yellow'  
word9 = 'The ' + word9  
passcode = word8  
passcode = word9  
passcode = passcode + ' f'  
passcode = passcode + word1  
passcode = passcode + ' '  
passcode = passcode + word6  
print(passcode)
```

Here's your passcode; all you have to do is work through the code to get it.



↖ This prints your passcode.

Back away from that keyboard!

You know variables have a name, and you know they have a value.

But what can you call your variables? Is any name okay? Well, no, but the rules around creating variable names are simple: just follow the two rules below to create valid variable names:

1 Start your variables with a letter or an underscore.

2 After that, use as many letters, numeric digits, or underscores as you like.

Oh, and one more thing: we really don't want to confuse Python by using any of the built-in *keywords*, like **False** or **while** or **if**, so consider those off-limits for your own variable names. We'll get to these keywords and what they mean throughout the rest of the book, but here's a list just to take a quick look at:

False	as	continue	else	from	in	not	return	yield
None	assert	def	except	global	is	or	try	
True	break	del	finally	if	lambda	pass	while	
and	class	elif	for	import	nonlocal	raise	with	



These rules are specific to Python; other programming languages have their own rules, which can be quite different.

Expect Python to complain or at least be confused if you use any of these reserved keywords as variable names.

there are no Dumb Questions

Q: What's a keyword?

A: A keyword is basically a word that Python reserves for its own use. Keywords are part of the core Python language, and so using them as variables in code would result in confusion.

Q: What if I used a keyword as part of my variable name? For instance, can I have a variable named `if_only` (that is, a variable that contains the keyword `if`)?

A: You sure can—just don't match the keyword *exactly*. It's also good to write clear code, so in general you wouldn't want to use something like `elze`, which might be confused with `else`. Again, we'll look at what these keywords mean throughout the book.

Q: Does Python consider `myvariable` and `MyVariable` the same thing?

A: Python treats these as two different variables names. More technically, Python is said to be *case sensitive*, meaning it treats upper- and lowercase letters differently. Today, most common programming languages are case sensitive, but not all are.

Q: Are there any conventions for naming variables? Do I use `myVar`, `MyVar`, or `my_var`, or does it matter?

A: There are conventions that Python programmers follow. Python programmers prefer to use lowercase letters for variables. If a variable name has multiple words, then put underscores between the words, like

`max_speed`, `height`, or `super_turbo_mode`. As we'll see later, there are some additional conventions for naming other things in Python. Also, these conventions are specific to Python; you'll find each language has its own conventions.

Q: Okay, but what makes a good variable name? Or does it matter?

A: To Python it doesn't matter at all, as long as your variable names follow the rules. To you, your variable names could matter a lot. When you choose names that are clear and meaningful, your code becomes more readable and understandable. Short, terse names can be hard to read, as can long, cumbersome names. In general, call variables what they are; for instance, don't name your variable `num` when you should have named it `number_of_hotdogs`.

Step 3: Computing the dog's age

We've got the first two steps in our pseudocode out of the way, so let's move on to step 3. In this step we simply need to multiply the dog's age by 7 to get the dog's age in human years. It seems like that would be straightforward, so let's do a little experimentation back in the shell:

Python 3.6.0 Shell

```
>>> dog_age = 12
First let's define our
variable dog_age and set
it to the number 12.

>>> human_age = dog_age * 7
Now let's just try to multiply
it by 7 and assign it to a
new variable, human_age.

>>> print(human_age)
84
And then let's print human_age.

We get 84. Perfect, just what we wanted!
```

Could we
get back to more
pressing matters,
namely the dog age
code?



Jackson, 9

Dog Age Calculator Pseudocode

1. Ask the user for the dog's name.
2. Ask the user for the dog's age.
3. Multiply the dog's age by the number 7 to get the dog's age in human years.
4. Output to the user:
"Your dog"
the dog's name
"is"
the dog's age in human years
"years old in human years"



Below you'll find the Dog Age Calculator code so far. Using the experiment above as a guide, add the code to compute the dog age in human years.

```
dog_name = input("What is your dog's name? ")
dog_age = input("What is your dog's age? ")
```

Add your new
code here, then
check your →
answer before
moving on.



A Test Drive

Let's test drive our code now that we've got step 3 coded. Go ahead and get the new code into your `dogcalc.py` file, save your code, and choose the **Run > Run Module** menu item. After that, head to the shell and enter your dog's name and age, and then check the output to see that we're calculating the human age correctly.

Here's the code again:

```
dog_name = input("What is your dog's name? ")
dog_age = input("What is your dog's age? ")
human_age = dog_age * 7
print(human_age)
```

Add this new code
to your file.

Throughout the book you'll find the gray
background signifies new code additions.

← Could you have printed `dog_age * 7`
directly? Like `print(dog_age * 7)`?
Give it a try.

Houston, we've got a problem!

Did you get what we got? We entered that Codie was 12 and expected to see an output of 84, but we got 121212121212! What on earth! Where did we go wrong? We've double-checked our code, and everything looks good. Why would this output be different than our test run in the command-line interpreter?



Python 3.6.0 Shell

```
What is your dog's name? Codie
What is your dog's age? 12
121212121212
>>> ↑ Okay, that's not right!
```



Think about the number 121212121212. Is there anything you can think of that explains how Python got this number?

Hint: how many 12s are in 121212121212?

To err is human to code

Finding and fixing **errors** is part of coding. No matter how well you plan your pseudocode and how diligent you are writing your code, errors are a part of coding life; in fact, most programmers view **debugging** as a natural part of the coding process. What's debugging? Debugging is the process of removing errors from the software you're writing. We formally call these errors *defects*, and informally everyone just calls them *bugs*.


As you code you'll actually encounter three different kinds of errors. Let's have a look at them:

They're called **bugs** because one of the first programming errors was caused by a moth that became stuck in an early computer relay. So, we ended up calling the process of removing errors **debugging**. More at: https://en.wikipedia.org/wiki/Software_bug.



syntax errors

You'll know quickly if you have a syntax error in Python when you get the dreaded 'Syntax Error' message from the interpreter. **Syntax errors** are the equivalent of making grammatical errors—in other words, you've typed something that violates the conventions for writing correct Python. The good news is syntax errors are usually easy to fix—just find the offending line of code and double-check your syntax.



runtime errors

Runtime errors occur when you've written a syntactically correct program, but Python encounters a problem running your program. An example of a runtime error would be if at some point in your code you accidentally divided a number by zero (an invalid mathematical operation in any language). To fix runtime errors, look at the specific error you received and then track down where in your code you're causing the runtime condition to occur.



Semantic errors

Semantic errors are also known as logic errors. With a semantic error your program will appear to operate normally—the interpreter won't complain that you've made a syntax error and at runtime you won't encounter any issues, but your program won't give you the results you expected. These always occur because what you think you've told your program to do isn't actually what you're telling it to do. Semantic errors can be some of the toughest errors to debug.






We currently have a bug in our Dog Age Calculator because we're getting 1212121212 instead of 84. What kind of error is this?

- A. Runtime error
- D. Calculation error
- B. Syntax error
- E. None of the above
- C. Semantic error
- F. All of the above

Answer C because there are no syntax or runtime errors.



Great debugging. The reason you got the result 121212121212 instead of 84 is that Python, as you guessed, treated the dog age as a string and not a number. Why does that matter? Well, let's take a closer look at how Python deals with multiplication...

A little more debugging...

Let's do a little investigative debugging and see exactly what is happening. Using our handy Python Shell let's try a few things:

Python 3.6.0 Shell

```
>>> '3' * 7
'3333333' ← Note this is a string.

>>> 3 * 7 ← If Python multiplies two numbers, it works as you'd expect.

21 ← And this is a number.

>>> 'ice cream' * 3 ← As reported, if Python multiplies a string and a number, it just repeats the string that many times.

'ice cream ice cream ice cream' ← And it looks like we can multiply ANY string by a number and it evaluates to a string that is the repetition of that string.

>>> num = input('input a number: ')
input a number: 12 ← This evaluates to a string that contains 'ice cream' three times.

>>> num ← Let's get a number from the user using the input function.

'12' ← Yes, it looks like we're getting a string back from input.

>>> num * 7 ← And multiply by 7.

'1212121212121212' ← As suspected.


>>>
```

So why is Python treating the number we entered using the `input` function as a string? After all, we clearly typed in a number when prompted. The reason is because the `input` function always returns a string. How do we know? Well, while our experiment seems to bear this out, there are actually more direct ways to know. First of all, we could just look at the Python specification, which says:

`input(prompt)` After the prompt argument is written to output, the function then reads a line from input, converts it to a string, and returns that.

There are also ways, in code, we could examine the value and determine it is a string. Both of these topics, specifications and examining values, are something we'll be getting to later, but for now just know that we've uncovered the problem: *input is returning a string when we need a number*.

This definition is from the Python specification (we abbreviated it slightly).



Careful what you ask for...



It certainly feels like Python could just figure this out and decide our string is actually a number, but that might lead to surprises down the road when you really meant for a number to be a string. That's the thing: it's hard for an interpreter to decide the right thing every time, and that is why Python tries NOT to make any assumptions. Python, as we said early on, tries to avoid surprises by taking you at your word (er, code)—if you say something is a string, then Python treats it as a string. If you instead represent something as a number, then Python's good with that too. What Python *doesn't* like to do is start guessing what you intend, because it's going to get it wrong a lot of the time, leading to more debugging by you.

What this all means is that as a programmer you're better served by understanding the type of data you're using and operating on. So, maybe we need to take a closer look at types and what they're all about.

What are Python types, anyway?

Every piece of data in Python has a **type**. Types are important because they determine how Python operates on our data. As we've seen with multiplication, it makes a big difference if we're multiplying a number by a string or a number by a number. So, as you code, you want to be very conscious of the types you're using and operating on.

We've already seen a few examples of different data types. We have **strings**, which, as you already know, you can think of as a sequence of characters, like "What is your dog's age?" We've also seen a few **number** types in passing. When it comes to numbers, Python supports two main types: **integers** and **floats**. Let's take a closer look:



Python has other types too, like **booleans**, **lists**, **dictionaries**, and **objects**, that we'll be getting to later in the book.

there are no Dumb Questions

Q: I get that a string is a sequence of characters, but what can I do with them other than concatenate them and print them out?

A: Don't be fooled by our simple beginnings: string processing is an important part of our computational world—just think of all the text being processed by Google or Facebook as an example. We're going to explore strings a lot more as the book progresses and find out how we can search them, change them, format them, and create all kinds of interesting algorithms that operate on them.

Q: Do I have to worry about mixing integers and floats like I do with integers and strings?

A: Not really. Anytime you use ints and floats together in an expression, Python will typically convert everything to a floating-point value.

Q: What if a variable is assigned to an int value and then I switch it to be assigned to a string value?

A: Python is totally fine with that. Remember the value has a type, not the variable. So you can assign variables to values and change those values over time, even if it means the type changes as well. Note, however, that this is not considered a good practice, as code quickly becomes confusing when variables change types in a piece of code.



Serious Coding

In need of some rocket-scientist-style numbers? Python has you covered there too; with Python you can use scientific notation or imaginary numbers should you need to.

Fixing our code

Well, it looks like our little bug was caused by an assumption we made about types: we assumed that if we supplied a number when prompted by the `input` function, then we'd have a number returned to us. But, as we've discovered, the `input` function always returns a string. No worries, though—this is exactly why we test as we go, to uncover bugs like this. And, as it turns out, Python has a handy way to convert a string to a numeric value.

Here's how it works:

- ① First, let's create a string representation of a number.

```
answer = '42'
```

Here the string '42' is assigned to the variable `answer`.

- ② Next, call the `int` function and pass it the string.

```
answer = int('42')
```

Here the string '42' is converted to an integer and assigned to the variable `answer`.

*there are no
Dumb Questions*

Q: What happens if my string doesn't have a number in it and I call the `int` function? Like `int('hi')`?

A: If you call the `int` function and pass it a string that does not contain a number, then you'll get a runtime error that indicates your value is not a number.

Q: Does the `int` function work only with integers values; for instance, could I use `int('3.14')`?

A: The `int` function only works for integers (or rather, strings that represent integers), but if you need to convert a string that contains a float value, like '3.14', you can use the `float` function, like `float('3.14')`, to convert it to a floating-point value.



So we know that the bug is caused by our assumption that `dog_age` is a number, when in fact Python is treating it as a string. Take the code below and add an `int` function to fix this problem.

There's a few ways to approach this, so be sure and check your work with the answer at the end of the chapter.

```
dog_name = input("What is your dog's name? ")
dog_age = input("What is your dog's age? ")
human_age = dog_age * 7
print(human_age)
```



A Test Drive

We added the `int` function here so that the `dog_age` value is converted to an integer just before it is multiplied by 7.

So now that we've figured out the code to convert the string to an int (in the last exercise), let's get it added. First make the changes below to update your code to handle the conversion of the dog age to an integer, then save your code and choose the **Run > Run Module** menu item. After that, head to the console and enter your dog's name and age, and check the output to see that we're finally calculating the human age correctly.

Here's the code (changes are highlighted):

```
dog_name = input("What is your dog's name? ")
dog_age = input("What is your dog's age? ")
human_age = int(dog_age) * 7
print(human_age)
```

Houston, we have liftoff

Much better this time! Now our calculation works; we got 84 just as we'd expect. Give this version a few more test runs with some different values. After that, we're ready to implement the last step of our pseudocode and finish the Dog Age Calculator.

Python 3.6.0 Shell

```
What is your dog's name? Codie
What is your dog's age? 12
84
>>> Here's what we got.
```




Watch it!

If your code isn't working as expected...

As you already know, errors, whether they are runtime, syntactic, or semantic, can get in the way of your Dog Age Calculator working correctly. If Python is complaining about invalid syntax check your code for incorrect punctuation, like missing parentheses. If you're still not seeing the issue, many people read the code backward to look for typos they aren't seeing, or do some peer review by having their friends look at the code and compare it with the book's source code. Also make sure you've got the `int` type conversion function and its parentheses. You can always download the source code as well and directly compare it with yours. Remember the code can be found at <http://wickedlysmart.com/hflearntocode>.

Step 4: User-friendly output

Well, we've made it to the last step of our pseudocode—we have input from the user, we've computed the dog's age in human years, and now all we need to do is provide some nice output. To do that, we just need to survey our current variables, which hold all the values we need, and to use some print statements to output them as specified by our algorithm:



Dog Age Calculator Pseudocode

1. Ask the user for the dog's name.
2. Ask the user for the dog's age.
3. Multiply the dog's age by the number 7 to get the dog's age in human years.
4. Output to the user:
 "Your dog"
 the dog's name
 "is"
 the dog's age in human years
 "years old in human years"

Our pseudocode already does a nice job of specifying the exact output we need to code. Before we write the code, though, let's look at another way you can use the print function that will make your job easier. So far we've just been providing print with one *argument*, like:

print('Hi there')
 or:
 print(42)
 or:
 print('Good' + 'bye')

Until now we've only been passing single values to print, either strings or numbers.

We refer to the values we provide to a function as its arguments. We also typically say that we pass those arguments to a function.

We've also used string concatenation to build up strings in the print function, but that still, ultimately, evaluates to just one argument.

But you can actually pass multiple arguments to print, like:

You can pass as many arguments to print as you like, separated by commas.

```
print('Hi there', 42, 3.7, 'Goodbye')
```

An argument is just a fancy name for the values you pass to a function. More on this topic as we progress...

When you pass multiple arguments, print will display each one with a one-space separator in between.

Python 3.6.0 Shell

Hi there 42 3.7 Goodbye

>>>



With your newfound print functionality, write the code to call to the `print` function that will produce the user-friendly output:

Output to the user:

"Your dog"
the dog's name
"is"
the dog's age in human years
"years old in human years"

Here's what you
need to output. ↗



A Final Test Drive

Okay, we've got the step 4 code sketched out in the Sharpen exercise, which we've reproduced below. Go ahead and make the changes, then save your code and choose the **Run > Run Module** menu item. After that, head to the shell and give your Dog Age Calculator a try!

Here's the code:

Remove this
code.
→
→
Add this
code to your
dogcalc.py file.

```
dog_name = input("What is your dog's name? ")  
dog_age = input("What is your dog's age? ")  
human_age = int(dog_age) * 7  
print(human_age)  
print('Your dog',  
      dog_name,  
      'is',  
      human_age,  
      'years old in human years')
```

Our final output
→

Python 3.6.0 Shell

```
What is your dog's name? Codie  
What is your dog's age? 12  
Your dog Codie is 84 years old in human years  
>>>
```

Just what we'd
planned for!



Brain Building

Well, the chapter is almost over; you've got just the bullet points and a crossword to go. Why not do a few extra reps for that brain before you go?

Here's one for you: say you have two variables, `first` and `last`, like below. Can you swap their values? See if you can write the code. As usual, you'll find our solution at the end of the chapter.

```
first = 'somewhere'  
last = 'over the rainbow'  
print(first, last)
```

← Write your
code here.

```
print(first, last)
```

Here's the output
you should get
when you run
this code.

A screenshot of a computer screen showing the Python 3.6.0 Shell. The window title is "Python 3.6.0 Shell". The shell output shows:

```
somewhere over the rainbow  
over the rainbow somewhere  
>>>
```



What if you left the quotes off of Codie's name? What would this evaluate to?

dog_name = Codie




BULLET POINTS

- Computers do two things well: store values and perform operations on those values.
- Using pseudocode is a great way to start the design of your program.
- Syntax tells us how to form Python statements; semantics tells us what they mean.
- A file containing Python code is also called a module.
- You can use the Python Shell to enter and evaluate one statement or expression at a time.
- The input function prompts the user, gets a line of input, and returns it as a string.
- We call functions and they can return values as a result.
- We can store a value for later use by assigning it to a variable.
- When you assign a value to a variable, Python stores the value in memory, and labels it with the variable name for later use.
- A variable can vary, with its value changing over time.
- Python provides simple rules for naming variables and doesn't allow them to be named the same name as a keyword.
- Keywords are reserved words in a programming language.
- A string is a Python type that consists of a sequence of characters.
- Python supports two numeric types, integers and floating-point numbers, in addition to a couple other types intended for scientific computation.
- The int function will convert a string to an integer value. The float function converts a string to a floating-point value.
- We test our code often to detect issues early on.
- There are three kinds of errors: syntax, runtime, and semantic.
- If you multiply a string times a number, n , Python will repeat the string n times.
- You can combine strings with the concatenation operator.
- Concatenation just means adding strings together.
- For strings, Python uses + as the concatenation operator.
- When we pass values to functions, we call those values arguments.



Coding Crossword

It's time for something completely different. It's your standard crossword, but all of the solution words are from Chapter 2.



Across

3. What we're coding.
6. Can't name a variable after one of these.
7. Determines how we write statements in Python.
8. Stores a value for later use.
9. The other numeric type.
11. 12 years old.
13. Name of values passed to a function.
14. Input returns this.
17. Special character you can use in your variable names.
19. Another dog.
20. Another name for a file of Python.
21. Assign a variable to a value with this.

Down

1. Has a decimal point.
2. The value of a variable can do this.
4. Adding strings together.
5. What statements mean.
10. Input shows this to the user.
12. Function to convert strings to integers.
15. Evaluates your code line by line.
16. Values are stored in this.
18. Error encountered before your code is run.



Sharpen your pencil Solution

We're going to write some pseudocode. First, think about how you'd write an algorithm or recipe that computes a dog's age in human years. Once you have an idea, write it down as a set of steps in plain English (or your chosen language). Make your solution user-friendly by asking the user for the dog's name and age. You'll also want to generate some nice output, like "Your dog, Rover, is 72 years old in human years."

Again, just write your pseudocode in English.

Ask the user for the dog's name.

Ask the user for the dog's age (in dog years).

Multiply the dog's age by the number 7 to get the dog age in human years.

Output to the user:

"Your dog"
then the dog's name
"is"
then the dog's age in human years
"years old in human years"

First we need to get some information from the user.

Next we'll need to calculate the dog's age in human terms.

Finally, we need to output our results in a user-friendly manner.





Sharpen your pencil Solution

As a first step to transforming our pseudocode into code, step through each line of your pseudocode and make some notes about what you think the code will have to do. Just keep it high level.

Dog Age Calculator Pseudocode

1. Ask the user for the dog's name.
2. Ask the user for the dog's age.
3. Multiply the dog's age by the number 7 to get the dog's age in human years.
4. Output to the user:
 "Your dog"
the dog's name
 "is"
the dog's age in human years
 "years old in human years"

1. Prompt the user to get the dog's name and then have the user type it in. We'll presumably need to save the name somewhere so we can use it in step 4.

2. Prompt the user to get the dog's age and then have the user type it in. We'll also need to save this somewhere so we can use it in step 4.

3. Take the age from step 2 and multiply it by the number 7. We'll also need to store this somewhere for use in step 4.

4. First print to the console "Your dog", then print the value from step 1, then print "is", then print the value from step 3, then print "years old in human years".



Exercise SOLUTION

It's your turn. Write the code to get the dog's age using the `input` function, just as we did with the dog's name. Prompt the user with "What is your dog's age?" and store the result in a variable called `dog_age`. Make some notes as well about what each piece of your code does.

```
dog_age = input("What is your dog's age? ")
```

↑
Here's our new
variable, `dog_age`.


↑
And here's the call to `input`, which
will prompt the user with "What is
your dog's age?" and then return
the input to be stored in `dog_age`.

Who am I? Solution

A bunch of Python expressions lost their values. Can you help them get back together? For each expression on the right, draw a line to the value it evaluates to. Careful—there may be some impostors hanging out too.



Expressions Values



Exercise Solution

Get ready for the classic shell game, usually played with cups and balls; in this game we're going to use variables and values. Using what you know about variables, values, and assignment, see if you can beat the cup game. Work through the code and see which cup has the number 1 in it at the end of the game. Will it be in 1, 2, or 3? Place your bet now!

```

cup1 = 0           cup1 is 0
cup2 = 1           cup1 is 0, cup2 is 1
cup3 = 0           cup1 is 0, cup2 is 1, cup3 is 0
cup1 = cup1 + 1   cup1 is 1, cup2 is 1, cup3 is 0
cup2 = cup1 - 1   cup1 is 1, cup2 is 0, cup3 is 0
cup3 = cup1       cup1 is 1, cup2 is 0, cup3 is 1
cup1 = cup1 * 0   cup1 is 0, cup2 is 0, cup3 is 1
cup2 = cup3       cup1 is 0, cup2 is 1, cup3 is 1
cup3 = cup1       cup1 is 0, cup2 is 1, cup3 is 0
cup1 = cup2 % 1   cup1 is 0, cup2 is 1, cup3 is 0
cup3 = cup2       cup1 is 0, cup2 is 1, cup3 is 1
cup2 = cup3 - cup3  cup1 is 0, cup2 is 0, cup3 is 1

```

Winner!



Crack the Code Challenge SOLUTION

You're all ready for your first spy assignment, but to get started you need your all-important passcode. You'll find the passcode below in code—that is, literally in code. Work through the code in your head to figure out the passcode, but be careful—get it wrong, and it may be the last code you'll ever look at. We wish you luck.

```
word1 = 'ox'
word2 = 'owl'
word3 = 'cow'
word4 = 'sheep'
word5 = 'flies'
word6 = 'trots'
word7 = 'runs'
word8 = 'blue'
word9 = 'red'
word10 = 'yellow'
word9 = 'The ' + word9
passcode = word8
passcode = word9
passcode = passcode + ' f'
passcode = passcode + word1
passcode = passcode + ' '
passcode = passcode + word6
print(passcode)
```

```
The red fox trots
>>>
```

If you type the code in and run it, you'll get this.

The red fox trots
The passcode!



Below you'll find the Dog Age Calculator code so far. Using the experiment above as a guide, add the code to compute the dog age in human years.

Throughout the book you'll find the gray background signifies new code additions.

```
dog_name = input("What is your dog's name? ")
dog_age = input("What is your dog's age? ")
human_age = dog_age * 7
print(human_age)
```

Let's also print the human age when we're done so we can see the final value.

Let's take the dog_age the user entered and multiply it by 7. We'll then take the result and assign it to the variable human_age.



Sharpen your pencil Solution

So we know that our bug is caused by our assumption that `dog_age` is a number, when in fact Python is treating it as a string. Take the code below and add an `int` function to fix this problem.

There are quite a few ways to add the `int` function. Here's a few:

```
dog_name = input("What is your dog's name? ")
dog_age = input("What is your dog's age? ")
dog_age = int(dog_age) ←
human_age = dog_age * 7
print(human_age)
```

First get `dog_age` as a string and then call the `int` function on it, and then reassign the result to the `dog_age` variable.

```
dog_name = input("What is your dog's name? ")
dog_age = int(input("What is your dog's age? "))
human_age = int(dog_age) * 7
print(human_age) ←
```

Just wait until you are going to use `dog_age` as an integer and call `int` there.

```
dog_name = input("What is your dog's name? ")
dog_age = int(input("What is your dog's age? "))
human_age = dog_age * 7 ←
print(human_age)
```

Or finally, use `int` around the call to `input`. This way, `dog_age` is always assigned to an integer.

If you find these confusing, we'll be getting into how to use `and` `call` functions later in the book. For now, just know you can pass a string to the `int` function and have it convert the string to an integer.



Sharpen your pencil

Solution

With your newfound print functionality, write the call to the `print` function that will produce the user-friendly output:

Here's what you need to output.

Output to the user:
 "Your dog"
 the dog's name
 "is"
 the dog's age in human years
 "years old in human years"

```
print('Your dog',
      dog_name,
      'is',
      human_age,
      'years old in human years')
```

Here we have each part of the output we need, separated in the print function by commas.

Note you can add vertical space to your code like this for readability.



Brain Building Solution

Well, the chapter is almost over; you've just got the bullet points and a crossword to go. Why not do a few extra reps for that brain before you go?

Here's one for you: say you have two variables, `first` and `last`, like below. Can you swap their values? See if you can write the code:


```
first = 'somewhere'
last = 'over the rainbow'
print(first, last)
temp = first
first = last
last = temp
print(first, last)
```

A common technique is to use a temporary variable to store the first item while you set it to the second item. Then you set the second item to the temporary variable.

Trace through this until you understand how it works.



Coding Crossword Solution



3 booleans, decisions, and loops

* ★ Decisive Code




Have you noticed how, so far, our programs aren't **very, well, interesting?** That is, all our code has strictly been a set of statements the interpreter evaluates from **top to bottom**—no twists in the plot, no sudden turns, no surprises, no independent thinking. For code to be more interesting, it needs to **make decisions**, to **control its own destiny**, and to do things **more than once** straight through. And in this chapter that's exactly what we're going to learn to do. Along the way we'll learn about the mysterious game called shoushiling, meet a character named Boole, and see how a data type with only two values could be worth our time. We're even going to learn how to deal with the dreaded **infinite loop**. Let's get started!

We may even
create one just
for the fun of it!

Would you like to play a game?


Passed down from the ancient Chinese Han dynasty, the game *shoushiling* has been used to settle court case decisions, to decide multimillion-dollar deals, and perhaps most importantly, to determine who gets to sit in the front seat of the car.

Today you know the game as *Rock, Paper, Scissors*, and we're going to implement it so that you can play the game against a rather tough opponent: *your computer*.



How Rock, Paper, Scissors works

If you've never heard of Rock, Paper, Scissors we're going to go over its simple rules now; and if you do know the game, this will be a good review for you. The game is played by two players, who each, upfront, secretly choose either rock, paper, or scissors. The two players then typically count out loud to three (or shout "rock-paper-scissors!") and then show their choice through their hand position, which is either, you guessed it, a rock, paper, or scissors. The winner can be determined by this chart:





If you've never played Rock, Paper, Scissors before, grab a friend and play a few games. Even if you know the game, grab a friend and refresh your memory.

How you're going to play against the computer

Given the computer doesn't have hands, we'll have to change the way the game works, at least a little—what we'll do is have the computer preselect its choice of rock, paper, or scissors, but not tell us. We'll then enter our choice, and the computer will compare the two before revealing the winner.

It helps to see an example of how the game is going to be played. Below in the Python Shell you'll find a few rounds of Rock, Paper, Scissors being played that show each possible outcome: the user wins, the computer wins, and a draw.

Python 3.6.0 Shell

rock, paper or scissors? rock

← Computer prompts you for rock, paper, or scissors and you respond with rock.

User won, I chose scissors.

← Computer determines you've won.

rock, paper or scissors? rock

← Let's run it again.

We both chose rock, play again.

← Looks like a tie, so try again.

rock, paper or scissors? paper

← Computer wins this time.

Computer won, I chose scissors.

First, a high-level design

The first thing we need to do is figure out the flow of the game. Let's put our pseudocode skills to use by reviewing this high-level design for the game. Notice we've added something new this time too: a diagram that helps map out the flow of the game in the form of a flowchart.

Here's the basic idea:

1 User starts the game.

- A** The computer determines what its choice is going to be: rock, paper, or scissors.

2 Game play begins.

- A** Get the user's choice.

- B** Examine the user's choice. If it is invalid (not rock, paper, or scissors), go back to step 2A.


If it is the same as the computer's, set the winner to a tie and move on to step 3.

- C** Determine who wins by the rules of the game.

3 Game finishes.

Tell the user who won along with what the computer's choice was.

Now we have a high-level idea of the kinds of things the program needs to do. Next we'll dig into each step and figure out a few more details.



The computer's choice

Looking at our high-level design, the first thing we need to do is have the computer make its choice in the game; that is, it needs to choose rock, paper, or scissors. To make the game interesting, that choice should be random and not predictable by the user.

Making random choices is a task many programs need to perform, and you'll find practically every programming language provides a way to generate random numbers. Let's see how we can get a random number in Python, and how we turn that into a choice of rock, paper, or scissors.

How to generate a random number

Python ships with a lot of prebuilt code—that is, code you don't have to write yourself. You'll often find prebuilt code supplied in the form of a *module* (sometimes called a *library*), and we'll be discussing modules in detail later in the book. But for now, we'd like to use the `random` module, and to do that we *import* it into our code using Python's `import` statement.

Here's how we do that:

```
Use the import keyword first.          Follow that by the name of the module you want to use—in this case, the random module.
↓                                         ↓
import random                         Typically we place import statements at the top of the code file so that you can easily keep track of all the modules you're importing.

Remember, a module is just another file with Python code in it.
```

After you've imported the `random` module, you're all ready to make use of the many random functions it provides. We're going to use just one of them for now:

```
We start with the name of the module—in this case random.           Then we add a period (otherwise known to coders as a dot).           Then comes the function name, randint.
↓                                         ↓                                         ↓
random.randint(0, 2)                  ...this is a range, so randint will give us random integers between 0 and 2.   So randint will return 0, 1 or 2.

We pass randint two numbers....
```

We're going to dive into all the specifics of this notation later in the book, but for now, just take it all in.





Keep calling
randint to see
what you get!

See for yourself. Get into the Python Shell, import the random module, and then generate some random integers with random.randint(0, 2).

Python 3.6.0 Shell

```
>>> import random  
>>> random.randint(0, 2)
```

What will you get?

there are no
Dumb Questions

Q: How are random numbers going to help?

A: Think of generating a random number like throwing the dice. In this case we have three choices (rock, paper, scissors), so generating a random number of 0, 1, or 2 is sort of like having a dice with three sides. Once we generate a random number, we'll then associate that number with our choices, so 0 = rock, 1 = paper, and 2 = scissors.

Q: Why do you start with 0 for the random numbers? Why not generate the numbers 1, 2, and 3? That makes more sense.

A: Ah, not to a computer scientist. Programmers usually think of sequences of numbers starting at zero. This will start to feel more natural (and sensible) as you see it used in a variety of ways in code. For now, just go with the flow.

Q: Are random numbers truly random?

A: No, random numbers generated by a digital computer are *pseudorandom*, meaning not truly random. Pseudorandom numbers, at some level, have patterns that are predictable, whereas truly random numbers do not. To generate true random numbers, we have to make use of natural phenomena like radioactive decay—not a very convenient method for everyday use. For most programming applications, though, pseudorandom numbers are generally sufficient.

Q: So import gives me a way to access Python code written by someone else?

A: Python developers take useful code and make it available in modules. By using import, you can make use of their code and use it along with your own. For instance, the random module includes many functions you can use to generate random numbers. Right now we're just making use of the randint function, but we'll be seeing more of this module as the book progresses.

How to use the random number

Alright, we know how to generate a random number of either 0, 1, or 2, and we're going to use that number to represent the computer's game choice. So, if we generate a 0, then the computer's choice is rock; if it's a 1, it will be paper; and if it's 2, the choice is scissors. Let's write that code:

Remember to import the random module.

```
import random
```

We added an extra line (also known as "whitespace") just to separate the imported module from the actual code we're writing. That should help with readability as our code grows.

```
random_choice = random.randint(0, 2)
```

And we can't forget to assign our random number to a variable so we can actually make use of it later in code.

Here's where we generate the random number to represent the computer's choice.



A Test Drive

Add this new code to your file.

We added an extra line just to provide some output.

Here's what we got.
You might want to try it a few times to see the choices are random.

Just to get things rolling, go ahead and get this code into a file called `rock.py`, save your code, and choose the **Run > Run Module** menu item to make sure everything's working.

Here's the code so far:

```
import random
```

```
random_choice = random.randint(0, 2)
print('The computer chooses', random_choice)
```

Python 3.6.0 Shell

The computer chooses 2


>>>

Taking things further...

By using the `random` module we've now implemented a way for the computer to randomly make its choice, but it's a little unsatisfying. Why? Well, our goal was to have the computer choose rock, paper, or scissors, and we've done that by mapping those choices to the integers 0, 1, and 2, but wouldn't it be nicer if we had a variable that was set to a string "rock", "paper", or "scissors" instead? Let's make that happen. But to do that we're going to have to step back and learn about how to make decisions in Python.



Assume `random_choice` is already set to 0, 1, or 2 and write some pseudocode to set the variable `computer_choice` to "rock", "paper", or "scissors" based on `random_choice`'s value.



You don't know how to code this in Python yet, but remember pseudocode uses English-like language. Don't overthink it.

True? Or False?

Python makes decisions by asking questions with yes or no answers, only in Python we call those true or false answers. The questions themselves are just expressions, similar to the expressions you've already learned, but instead of evaluating to strings or integers or floating-point numbers, they evaluate to True or False. Here's an example:

Here's an expression comparing the values of two variables that hold numbers.

```
bank_balance > ferrari_cost
```

You can read this as "is the bank_balance greater than the ferrari_cost?"

We call this a relational operator; in this case it's the greater than operator, which is True if the first operand is greater than the second, and False if not.

We're going to look at other relational operators like "less than," "equal to," and so on in a bit.

The result of this expression is either True or False depending on whether the bank balance is greater than the cost of the ferrari.

You can assign the result of this expression to a variable as well, and you can even print it if you want.

Again, this is the expression.

```
decision = bank_balance > ferrari_cost
print(decision)
```

Here's the output.

Python 3.6.0 Shell

```
False
>>> No Ferrari today.
```

The decision variable holds the (True or False) value of the comparison.

decision


False



The values True and False belong to their own data type, the Boolean type. Let's take a look at it...

Introducing the Boolean type

Oh, forgive us, we've been talking about a brand new data type, but we haven't formally introduced you. The **Boolean** data type is a simple one; it has only two values, and, as you can guess, they are `True` and `False`.



You can treat Booleans like any other type in that you can store them in a variable, print them, or use them in expressions. Let's get some practice in with them, and then we're going to see how to use them to make decisions.

there are no
Dumb Questions

Q: Boolean?

A: Right, pronounced Boo-lee-an. Strange name, huh? Unlike numbers and strings, Booleans are named after a person, George Boole, a 19th-century mathematician who formalized much of the logic we use with computers today. While it may sound overly formal, you'll find the word *Boolean* in common use amongst programmers today. We're sure in no time it will be rolling right off your tongue as well.



Get out your pencil and put some Boolean expressions through their paces. For each expression below, compute its value and write in your answer. Be sure to check your answers at the end of the chapter. Remember, Boolean expressions always evaluate to either `True` or `False`.

`your_level > 5`

The `==` operator tests if two values are equal to each other. It's `True` if they are and `False` if not.

`color == "orange"`

The `!=` operator tests if two values are NOT equal to each other.

`color != "orange"`

When `your_level` is 2, what does this evaluate to? _____

When `your_level` is 5, what does this evaluate to? _____

When `your_level` is 7, what does this evaluate to? _____

Is this expression `True` or `False` when `color` has the value "pink"? _____

Or has the value "orange"? _____

Is this expression `True` or `False` when `color` has the value "pink"? _____



Serious Coding

That's two equals signs put together.

Did you notice in the last exercise that the `==` operator tests for equality, while we've been using `=` for assignment? That is, we use one equals sign to assign values to variables, and we use two equals signs to test if two values are equal to each other. Accidentally substituting one for the other is a common coding mistake for beginners (and sometimes the more experienced).

Making decisions

Now that we know about Boolean expressions and relational operators, like `>` and `<` and `==`, we can use them to make decisions in code. To do that we use the `if` keyword combined with a Boolean expression. Here's an example:

Start with the keyword `if`.

Then we have a Boolean expression, sometimes called a conditional expression, that evaluates to True or False.

Next we have a colon.

```
if bank_balance >= ferrari_cost:  
    print('Why not?')  
    print('Go ahead, buy it')
```

Then we have one or more statements that will be executed if the condition is True.

Notice that all the statements we want executed when the conditional is True are indented.

The convention in Python is to indent four spaces.

But we don't have to stop there: we can supply an alternative set of statements to execute if the conditional expression is False.

We add an `else` keyword.

```
if bank_balance >= ferrari_cost:  
    print('Why not?')  
    print('Go ahead, buy it')  
  
else:  
    print('Sorry')  
    print('Try again next week')
```

You'll find anytime we have a colon in Python, it is followed by an indented set of statements.

Then we have one or more statements that will be executed if the condition is False.

Notice that all the statements we want executed when the conditional is False are indented four spaces too.

Decisions and more decisions

But there's more: we can even set up a whole series of conditions, by using the `elif` keyword. Admittedly, `elif` is a strange keyword, but it's just a contraction of "else if," so don't let it throw you. Let's see how `elif` works:

Start with your first condition, using an `if` keyword.

```
if number_of_scoops == 0:
    print("You didn't want any ice cream?")
    print('We have lots of flavors.')
elif number_of_scoops == 1:
    print('A single scoop for you, coming up.')
elif number_of_scoops == 2:
    print('Oh, two scoops for you!')
elif number_of_scoops >= 3:
    print("Wow, that's a lot of scoops!")
else:
    print("I'm sorry I can't give you negative scoops.")
```

And finally, you can supply a final `else`, which acts as a catch-all if all previous conditions fail.

Follow that with an `elif` keyword and a second condition.

And then add any number of other `elifs` with their own conditions.

Remember, for each `if`, `elif`, and `else`, we can supply as many statements to execute as we like.

Note that only the code of the first True condition will be executed, or if no conditions are True, the `else`'s code will be executed.



Sharpen your pencil

Below you'll find several potential values for the `number_of_scoops` variable. Using each value, write down what the output of the code above would be with `number_of_scoops` set to the indicated value. We did the first one for you.

When `number_of_scoops` has this value, the output is... ↴

<code>number_of_scoops = 0</code>	You didn't want any ice cream? We have lots of flavors.
<code>number_of_scoops = 4</code>	
<code>number_of_scoops = 1</code>	
<code>number_of_scoops = 3</code>	
<code>number_of_scoops = 2</code>	
<code>number_of_scoops = -1</code>	

Sharpen your pencil

Take a moment and READ the code above out loud to yourself in English (or your chosen language). After you've gotten comfortable speaking the code, jot down the words you use.

Back to Rock, Paper, Scissors

We're still finishing up the first stage of our Rock, Paper, Scissors game. Remember, before our Boolean diversion, we wanted to improve our code so that the computer could pick a string, "rock", "paper", or "scissors", instead of a number 0, 1, or 2. Now that you've learned how to use Python's `if` statement, you're all set to do that. What we're going to do now is write some code that, depending on the value of `random_choice`, sets a new variable, `computer_choice`, to one of those three strings.

Here's our code so far.

```
import random

random_choice = random.randint(0,2)
print('The computer chooses', random_choice)

if random_choice == 0:
    computer_choice = 'rock'
elif random_choice == 1:
    computer_choice = 'paper'
else:
    computer_choice = 'scissors'


print('The computer chooses', computer_choice)
```

And just to test things, let's print out `computer_choice`.



A Test Drive

Make sure you have this new code added to your `rock.py` file, and then give it a test run.



We don't need this anymore, so you can delete it.

Add this new code to your file `rock.py`.

Check to see if `random_choice` is 0 and if so, set the computer's choice to the string "rock".

Otherwise, check to see if `random_choice` is 1 and if so, set the computer's choice to the string "paper".

Otherwise, the only choice left is "scissors".

Here's our first run; remember to try it a few times.

Python 3.6.0 Shell

The computer chooses scissors

>>>

Getting the user's choice

Now that we have the computer's choice, it's time to get the user's choice. After Chapter 2, you're a pro at getting user input. Let's start by prompting the user and storing the response in a variable called `user_choice`.


```
import random

random_choice = random.randint(0, 2)

if random_choice == 0:
    computer_choice = 'rock'
elif random_choice == 1:
    computer_choice = 'paper'
else:
    computer_choice = 'scissors'

print('The computer chooses', computer_choice)

user_choice = input('rock, paper or scissors? ')
print('You chose', user_choice, 'and the computer chose', computer_choice)
```



We're assigning the string returned from the input function to the variable `user_choice`.

We don't need this debugging print statement anymore.

We're using the `input` function again, and prompting for the user's choice in the game.

Let's add a print statement just to keep track of things as we're coding this.




A Test Drive

Can you say quick turnaround?
Make sure you have this even newer code added to your `rock.py` file, and then give it a test run too.

Here's our first run; remember to try this a few times.

Python 3.6.0 Shell

```
rock, paper or scissors? rock
You chose rock and the computer chose paper
>>>
```



Good eye.

We said there were a lot of other useful functions in the `random` module, and there are. One of those is the function `choice`, and here's how it works:

First create a list of choices, which is just a list of strings.

Don't be confused by the square brackets; we'll be learning about lists in the next chapter.

```
choices = ['rock', 'paper', 'scissors']  
computer_choice = random.choice(choices)
```

Then we pass our list to the `choice` function, which will randomly choose one item for us.

So now that you mention it, this is exactly what we'd want to use if we were to implement this again because this approach uses less code and is more readable. That said, if we'd used this from the beginning of this chapter, we would have had no reason to talk about decisions, or Boolean values, or relational operators, or conditionals, or data types...well, you see the point.

But we're glad you asked because `choice` is a great function to use to do just this kind of thing, especially after the next chapter when you totally understand lists.

NOTE: for those Type A's out there dying to update their code to use `random.choice`, go for it, if you must. All you need to do is replace every line between the import and the input statement with the code above. That said, this isn't necessary at this point, but you know how you are, so we're letting you know.



Head First: Welcome Boolean. We know you're super-busy out there, working in all those Python programs, so we're glad you could take time out to talk to us.

Boolean: No problem. It's true, I *am* busier than ever these days. People are using Boolean values all over the place. It's nuts!

Head First: That's amazing given you are, well, just two values, yes or no.

Boolean: I'm actually the two values `True` or `False`, not yes or no.

Head First: Right, of course, but either way, you're two values. Hardly enough to call you a data type, no?

Boolean: Actually, Boolean values are pretty core to any algorithm or program. Every language has them, not just Python. I'm everywhere.

Head First: Okay, big guy, you tell us then—what's the big deal?

Boolean: Think of a Boolean value representing any current condition in your code: Is the temperature above 98.6? Is the data fully loaded? Is the list sorted yet? Did your credit card charge go through? All of those are Boolean values, `True` or `False`, that determine where your code goes from there.

Head First: You're talking about conditional expressions. We test those conditions to determine the code that we should evaluate next.

Boolean: The official term is *Boolean expression*, and that is part of it, sure. You can test a condition and then, using something like the `if` statement, specify what is to come next. We call it *controlling the flow* of the program.

Head First: Well, if that is just part of it, what's the rest of it?

Boolean: As your readers are going to see you can also repeat code over and over while a Boolean expression is `True`. Say you want to keep prompting for a password while the user is entering it incorrectly; say you want to keep retrieving data while you haven't reached the end of it; say you want to keep updating the screen as long as a game's player is moving.

Head First: Okay, but I'm still not over the two values thing. It's hard to take you seriously.

Boolean: I'm a lot more than two simple values. There's a whole algebra named after me—Boolean Algebra, maybe you've heard of it?

Head First: No.

Boolean: Oh boy. Boolean Algebra is a whole branch of mathematics that studies how we deal with Boolean values.

Head First: Again, just the values `True` and `False`!?

Boolean: Here's an example: take the game your audience is working on. Now there's a whole bit of logic that needs to determine who wins. How do you take that graph of rock versus paper versus scissors and translate that to code that figures out the winner?

Head First: You got me.

Boolean: Okay, to solve that we need to...

Head First: Well, thank you so much, Boolean; as always it's been a pleasure to have you, but it looks like we're out of time. We're looking forward to the next time we can have you on.

Boolean: Yeah, I can, uh, barely wait.

Taking a look at the user's choice

Now that we've got the user's choice, let's examine it. According to our flowchart, we've got three possibilities:

- The user and the computer made the same choice, and we have a tie.
- The user and the computer made different choices, and we need to determine who won.
- The user entered an invalid choice, and needs to enter another choice.


We'll tackle these in order (saving the last one for a bit later in the chapter), but first, let's observe that no matter who wins, or if there is a tie, we need some kind of variable to hold that information. So let's use a variable, `winner`, that will hold the outcome of the game, which will be either 'Tie', 'User', or 'Computer'. Create that variable and give it an initial value like this:

```
winner = ''
```

This is an empty string; there is no space between the two quotes. ← We'll add this to our code in just a sec... ←

Here we've assigned the empty string to the new variable `winner` as an initial value. An empty string is a string that has no characters in it (yet it's still a string). You might think of it like this: a laundry basket is still a laundry basket even if it currently has no laundry in it. Right? You'll find this kind of thing pops up all over programming languages: empty strings, empty lists, empty files, and so on. For us, setting `winner` to an empty string gives us a way to indicate that `winner` is going to be a string, even if we're not yet in a position to put any meaningful characters in it (because we haven't computed the outcome).

Now that we've created the `winner` variable to hold the outcome of the game, let's proceed with implementing the possibilities at the top of the page. Looking at the first item above, where the user and the computer make the same choice, we'll need to set `winner` to 'Tie'. To do that, we need to first write the code to compare the user's and computer's choices, and, again, if they are the same, then we'll set our new `winner` variable to 'Tie'.



This possibility is where the user enters a word that isn't rock, paper, or scissors; we're going to come back and handle this case a bit later.

Although there's nothing wrong with this approach, later in the book we'll see an alternative, that, for Python, is a better way to provide an initial value for `winner`.



Sharpen your pencil

Your turn again. Based on our plan on the previous page, finish the code fragment below. Your code should determine if there is a tie, and if so, set the `winner` variable to 'Tie'. After you've completed this exercise, we'll get this code into the `rock.py` file in the next step.

```
if _____ == _____:  
    winner = _____
```

Adding the code to detect a tie

We've got a new variable to add, `winner`, and we've got some new code that compares the user's and computer's choice to see if they are the same, in which case we have a tie. Let's take a look at all the code together:

```
import random  
  
winner = ''  
  
random_choice = random.randint(0,2)  
  
if random_choice == 0:  
    computer_choice = 'rock'  
elif random_choice == 1:  
    computer_choice = 'paper'  
else:  
    computer_choice = 'scissors'  
  
user_choice = input('rock, paper or scissors? ')  
print('You chose', user_choice, 'and the computer chose', computer_choice)  
  
if computer_choice == user_choice:  
    winner = 'Tie'
```

Here's our new variable, `winner`. Right now it's just going to be set to an empty string, but later it will be set to the winner, which will be either 'User', 'Computer', or 'Tie'.



Go ahead and make these changes to `rock.py`. We'll test things thoroughly in a bit when we've added more code. For now, just run the code to make sure you don't have any syntax errors. Note, because we've removed the `print` statements, you won't currently see any output when you run your code.


You can go ahead and remove this code.

And if the computer and the user make the same choice, we're going to set the `winner` to 'Tie'.

Who won?

So now that we've written the code to deal with a tie, we're ready for the interesting part of the code: *figuring out who won*. We already have everything we need to decide a winner—we've got the computer's choice in the variable `computer_choice`, and we've got the user's choice in the variable `user_choice`. So what we need at this point is to figure out *the logic of determining who won*. To do that it really pays to study our Rock, Paper, Scissors diagram to see if we can break the process of determining the winner down into a simple set of rules. Here's another insight too: if we pick a side, say, by figuring out the ways the computer can win, then we know if the *computer doesn't win*, the user does. That can really simplify our logic because we only need to look at one set of cases.


So with that in mind, let's take a look at all the cases where the computer wins:



To Do:

- The user and the computer made the same choice, and we have a draw or tie.
- The user and the computer made different choices, and we need to determine who won.
- The user entered an invalid choice, and needs to enter another choice.

Now we need
to tackle this.



Right.

Let's step through this in more detail. We've already determined if there is a tie, so we can rule out that case. So, assuming there isn't a tie, who won? The computer or the user? Well, let's start by looking at the cases where the computer wins:

- The computer wins if it chooses paper and the user chooses rock.
- The computer wins if it chooses rock and the user chooses scissors.
- The computer wins if it chooses scissors and the user chooses paper.

In all other cases the computer does not win.

So what about the user? What are the cases where the user wins? Well, we could enumerate those just like we did with the computer, but do we really need to? We've assumed there isn't a tie (and our code already takes care of that), and we've gone through the cases where the computer is going to win, and if none of those applies, guess what: the user wins. So we don't need to write any code to determine if the user wins, we just need to know the computer doesn't win in order to call the user a winner.

Let's work through the actual logic to bring this all together.

How to implement the game logic

As you can see there are three ways the computer can win, and for each way we have to test two conditions, like “did the computer choose paper?” AND “did the user choose rock?” But, so far, in our coding, we’ve never had to test two conditions at once. That said, we *do know* how to test for a single condition, like, if the computer chose paper:



```
computer_choice == 'paper'
```

A simple Boolean expression that we're familiar with at this point, which asks if the computer's choice is paper

And if the user chose rock:

```
user_choice == 'rock'
```

And another expression asking if the user's choice is rock

But how do we test for both conditions?

To do that we can use a **Boolean operator**. It sounds fancy, but Boolean operators are just a way to combine Boolean expressions together, and, for now, there are only three of them to know about: **and**, **or**, and **not**.

We'll see one additional Boolean operator in a bit.

To test if the computer chose paper AND the user chose rock, we can use the **and** Boolean operator and combine our expressions, like this:

Here's our first condition.

```
computer_choice == 'paper' and user_choice == 'rock'
```

Here's our second condition.

Placing an **and** operator between them means this entire expression will be True if and only if both conditions are True.

This entire phrase is a Boolean expression and will evaluate to either True or False.

And we can use this Boolean expression with an **if** statement:

```
if computer_choice == 'paper' and user_choice == 'rock':  
    winner = 'Computer'
```

Now the **if** statement's conditional expression is the entire combined Boolean expression.

↑ So this code handles one of the three cases where the computer wins.

3 If the expression is True, then we execute the **if**'s code block.

More about Boolean operators

As you've already seen, the `and` operator is True if, and only if, both of its conditions (or we can call them operands) are True. But what about `or` and `not`; how do they work? Like `and`, `or` is used to combine two Boolean values or expressions, and is True if *either* of those values or expressions evaluates to True.

You've got the money for the Ferrari if you have enough money in the bank balance...

```
if bank_balance > ferrari_cost or loan == ferrari_cost:  
    print('Buy it!')
```

OR, you have a loan that is equal to the cost of the Ferrari.

Note that only one of these conditions needs to be True to get the Ferrari, but both can be True as well. If both are False, then you'll have to wait for the Ferrari.


The `not` operator, on the other hand, when placed before any single Boolean value or expression, gives you the opposite of the Boolean value—in other words, if `not`'s operand evaluates to True then `not` evaluates to False, and if its operand is False then `not` evaluates to True. We like to say that `not` *negates* its operand.

```
if not bank_balance < ferrari_cost:  
    print('Buy it!')
```

Here we've put a `not` in front of a Boolean expression.

First we evaluate this relational operator to True or False, and then the `not` operator is applied, evaluating to the opposite Boolean value.

You can read this as "if the bank account is NOT less than the Ferrari cost," then buy it.



Take out your pencil and put some more Boolean expressions through their paces. For each expression below, compute its value and write in your answer.

`age > 5 and age < 10`

When `age` is 6, what does this evaluate to? _____

When `age` is 11, what does this evaluate to? _____

When `age` is 5, what does this evaluate to? _____

`age > 5 or age == 3`

When `age` is 6, what does this evaluate to? _____

Notice we added parens here, which makes this more readable. ↗

When `age` is 2, what does this evaluate to? _____

When `age` is 3, what does this evaluate to? _____


`not (age > 5)`

When `age` is 6, what does this evaluate to? _____

When `age` is 2, what does this evaluate to? _____




Wondering about precedence with Boolean operators? The relational operators (`>`, `<`, `==`, and so on) are highest, followed by `not`, `or`, and then `and`. You can also add parentheses to your Boolean expressions to override the default precedence or to add clarity to your expression.



Code Magnets

We'd already worked out the code for the game logic on the fridge with code magnets, but someone came along and knocked most of it on the floor. Can you reconstruct the code snippets so that we can determine the winner? Notice, there may be some extra code magnets, so you may not use all of them. Check your answer at the end of the chapter.



```
    if computer_choice == user_choice :  
        winner = 'Tie'
```

← This is the first case, where the computer and user made the same choice, so we have a tie.

```
elif computer_choice == 'paper' and user_choice == 'rock':  
    winner = 'Computer'
```

~ You're lucky they didn't knock off the first test to see if the computer won, and the very last part where the user wins.

```
else :  
    winner == 'User'
```

Place your magnets here.

```
winner = 'Computer'          winner = 'Computer'  
                                user_choice == 'paper'  
computer_choice == 'rock'  
  
user_choice == 'scissors'    computer_choice == 'scissors'  
                                winner = 'User'
```



```

import random

winner = ''

random_choice = random.randint(0,2)

if random_choice == 0:
    computer_choice = 'rock'
elif random_choice == 1:
    computer_choice = 'paper'
else:
    computer_choice = 'scissors'

user_choice = input('rock, paper or scissors? ')


if computer_choice == user_choice:
    winner = 'Tie'
elif computer_choice == 'paper' and user_choice == 'rock':
    winner = 'Computer'
elif computer_choice == 'rock' and user_choice == 'scissors':
    winner = 'Computer'
elif computer_choice == 'scissors' and user_choice == 'paper':
    winner = 'Computer'
else:
    winner = 'User'

print('The', winner, 'wins!')

```

Play it a few times and make sure it appears to be working. We'll add more user-friendly output next!

You may even see "The Tie wins!" but we'll fix that in a sec.



Here's the code for the game logic. Go ahead and enter this code.

Python 3.6.0 Shell

```

rock, paper or scissors? rock
The Computer wins!
>>>

```


Display the winner

Now it's time to display the winner. If you look at the sample output again, either the user or the computer wins, or there's a tie.

```
Python 3.6.0 Shell
rock, paper or scissors? rock
User won, I chose scissors.

rock, paper or scissors? rock
We both chose rock, play again.

rock, paper or scissors? paper
Computer won, I chose scissors.
```



Let's first take care of the code to handle the tie. Looking at our existing code, if there's a tie then the `winner` variable will be assigned to the value '`Tie`'. So, let's set up a condition for this case:

```
if winner == 'Tie':
    print('We both chose', computer_choice + ', play again.')
```

If `winner` has been set to '`Tie`' then...

Remember that `print` adds a space between values separated by commas. So, sometimes we'll use string concatenation if we don't want spaces (like if we need to follow a word immediately by punctuation).

Print the message along with the choice both players made.

Note we could have used `user_choice` here too. Because there is a tie, they both have the same value.

If there isn't a tie, we need to announce the winner, which is conveniently stored in the `winner` variable.

```
else:
    print(winner, 'won, I chose', computer_choice + '.')
```

This code will be run, only if there isn't a tie.

`else:`

`print(winner, 'won, I chose', computer_choice + '.')`

We announce the winner.

And then report what the computer's choice was.



A Test Drive

```

import random

winner = ''

random_choice = random.randint(0,2)

if random_choice == 0:
    computer_choice = 'rock'
elif random_choice == 1:
    computer_choice = 'paper'
else:
    computer_choice = 'scissors'

user_choice = input('rock, paper or scissors? ')

if computer_choice == user_choice:
    winner = 'Tie'
elif computer_choice == 'paper' and user_choice == 'rock':
    winner = 'Computer'
elif computer_choice == 'rock' and user_choice == 'scissors':
    winner = 'Computer'
elif computer_choice == 'scissors' and user_choice == 'paper':
    winner = 'Computer'
else:
    winner = 'User'

print('The', winner, 'wins!')

```

Remove this.

Here's the code for game output. Go ahead and enter this code.

```

if winner == 'Tie':
    print('We both chose', computer_choice + ', play again.')
else:
    print(winner, 'won. The computer chose', computer_choice + '.')

```

Alright, we have a fully functioning game! Give it a whirl.

Python 3.6.0 Shell

```

rock, paper or scissors? rock
Computer won. The computer chose paper.
>>>

```

Got documentation?

It's a good time to step back and look at all the code you've written. There's actually enough code that if you revisited it in the future you might have to remind yourself of what each piece does and how it all fits together. You might also have to study the code to remember the design decisions you made and why you made them.

Also notice that the code has an inherent structure and is pretty well organized in that it's divided into pieces that handle the parts of our algorithm (or the actions in the corresponding flowchart). Let's mark these sections and also add some notes to remind us in the future of how all this works.

It's also handy to document your code for anyone else who might want to take a look at it, like another programmer.

Here we're doing some setup by importing the random module and setting up the winner variable.

The computer randomly chooses rock, paper, scissors by generating a random number from 0 to 2 and then mapping that to a corresponding string.

Get the user's choice with a simple input statement.

Here's our game logic, which checks to see if the computer wins (or not), and makes the appropriate change to the winner variable.

Here we announce the game was a tie, or the winner along with the computer's choice.

```
import random
winner = ''

random_choice = random.randint(0,2)

if random_choice == 0:
    computer_choice = 'rock'
elif random_choice == 1:
    computer_choice = 'paper'
else:
    computer_choice = 'scissors'

user_choice = input('rock, paper or scissors? ')

if computer_choice == user_choice:
    winner = 'Tie'
elif computer_choice == 'paper' and user_choice == 'rock':
    winner = 'Computer'
elif computer_choice == 'rock' and user_choice == 'scissors':
    winner = 'Computer'
elif computer_choice == 'scissors' and user_choice == 'paper':
    winner = 'Computer'
else:
    winner = 'User'

if winner == 'Tie':
    print('We both chose', computer_choice + ', play again.')
else:
    print(winner, 'won, I chose', computer_choice + '.')
```

But isn't this silly that we're documenting this code *in a book*? After all, you've got real, live code on your computer. Why don't we document the *actual code* so the documentation is right there when you need it? Let's see how to do that.

How to add comments to your code

With Python, and pretty much any programming language, you can add human-readable comments right into your code. To add a comment with Python, type a hash character (#) on any line, and then your comment. Python will conveniently ignore anything you type after the hash. With comments, the general idea is to add remarks to your code that are going to be read by you, or other programmers, with the goal of providing additional information about the design, structure, or approach you used in the code. Let's look at an example:

 Start your comment with a hash character and then type your human-readable text after it. Each new line needs its own hash.

```
# This code supports my weekly habit of seeing if I can
# afford a ferrari. The general algorithm is to compare
# my bank account amount to the current cost of a ferrari.
```

```
if bank_balance >= ferrari_cost:
    # If it's greater I can finally buy one.
    print('Why not?')
    print('Go ahead, buy it')

else:
    print('Sorry')
    print('Try again next week')    # bummer
```

 Comments can start anywhere on the line.

 They can even start after code on a line.



Exercise

In the IDLE editor add comments to your `rock.py` file. Feel free to use our comments on the previous page as a starter, but also make your own comments. You'll want your comments to be meaningful to anyone who, in the future, might read your code (including you!). Check our solution at the end of the chapter to see how we did it.



Watch it!

Do as we say, not as we do.

Documenting code is an important part of coding, but you're going to notice in this book we don't do a lot of it. That's because our method of using handwritten code annotations is more effective in *Head First* book form (and all those comments tend to kill lots of trees when we have to include them in every code listing).

 Annotations like these.



Thinking about the Rock, Paper, Scissors game again, what happens if you don't enter rock, paper, or scissors correctly? Say you enter "rack" instead of "rock": How does your program behave? Do you think that behavior is correct?

We need to finish that game!

You realize that we haven't quite finished our game, right? Check out the To Do list: we haven't dealt with that possibility of invalid user input. Now the user is *supposed* to enter "rock" or "scissors" or "paper," but they might not; they might mistype, like "scisors," or they might just be troublemakers who decide to enter "dog," "hammer," or "no." So, when you're creating an app or program that's going to be used by actual people, you want to keep in mind that they often make mistakes, and your code needs to deal with that.

So, let's deal with it.

But first we have to figure out how we want the game to behave when the user enters an invalid answer. Looking back at the flowchart, our original intent was to have the program reprompt the user if the input was invalid.

Perhaps something like this:

```
Python 3.6.0 Shell
rock, paper or scissors? rack ← If we get
rock, paper or scissors? papper ← invalid input, we
rock, paper or scissors? rock can just keep
User won, I chose scissors. prompting until
                           we get valid
                           input.

>>>
```

We can always make it more elaborate later, but for now we'll just reprompt the user until we get a valid input.


Are you ready to get this coded and finish this game? We just need to make sure we know how to approach coding two aspects of this:

1. How do we detect invalid input?
2. How do we continually prompt the user until we get a valid answer?

To Do:

- The user and the computer made the same choice, and we have a tie.
- The user and the computer made different choices, and we need to determine who won.
- The user entered an invalid choice, and needs to enter another choice.

We forgot something.



Users often make mistakes. Make sure your code anticipates and handles these mistakes—even if the only user is you.

How do we know if the user's choice is invalid?

How do we detect if the user's input is invalid? Well, you probably know we're going to make use of our new Boolean logic skills, but what does an expression that detects invalid answers look like? Sometimes it's good to just talk things out: we know if the user's choice is *invalid* if:



Convert the spoken English above into its Boolean expression equivalent. We've done the first part for you.

`user_choice != 'rock' and _____`

Complete the Boolean expression.

Checking out and cleaning up the expression

Hopefully your Boolean expression in the last Sharpen exercise was close to our solution. Here it is again, this time as part of an `if` statement:

```
if user_choice != 'rock' and user_choice != 'paper' and user_choice != 'scissors':
```

↖ This statement says, basically, if
the user's input is invalid...

↙ Wow, long and hard to read!

That looks like a perfectly acceptable statement. But sometimes really long lines like this are quite unwieldy once we start typing them into an editor, or if we have to go back and read them later. It would be nice if we could reformat the statement a bit and make it look more like:

```
if user_choice != 'rock' and  
    user_choice != 'paper' and  
    user_choice != 'scissors':
```

↙ Ah, much better and
easier on the eyes!

↖ Uh oh, not
good ↗

Python 3.6.0 Shell

```
if user_choice != 'rock' and  
    ^  
SyntaxError: invalid syntax  
>>>
```

The only problem is when we try to break the code into more than one line, Python complains about our syntax.


There is another way—we can wrap a set of parentheses around the expression, like this:


```
if (user_choice != 'rock' and  
    user_choice != 'paper' and  
    user_choice != 'scissors'):
```

↑ Wrap parens around your expression and
then you can break it into multiple lines.

And Python is just fine with the reformatting of the code.

Okay, now that we know how to detect an invalid user choice, we still need to figure out how to reprompt the user.. Let's spend a little time thinking through how that might work....





Before you go on to solve the reprompting problem, I had a question about the user input. Are we considering 'ROCK' or 'Rock' or other variations of 'rock' as valid entries too?

No, but we could, and you bring up a good

point. First of all, what is the issue here? Well, the strings 'rock' and 'ROCK', for example, are different strings because Python treats strings as case sensitive. In other words, in Python (and almost every programming language), the following equality test would evaluate to `False`:

```
'rock' == 'ROCK' ← False
```

So if the user enters `Rock` instead of `rock`, right now our code would say that entry was invalid (and our logic code, for that matter, wouldn't know what to do with `Rock`).

That said, the suggestion does seem very reasonable—after all, if you enter the word `rock` no matter the capitalization, it should count as a valid answer.

So what do we do? Well, we could just add in additional logic to test all permutations of upper- and lowercase letters for the words `rock`, `paper`, and `scissors`, and that would work. However, it would make our code very complex, and there are better ways to approach this problem that we're going to learn about later in the book.

But right now, let's just assume that the user needs to enter an answer in lowercase, and we'll point out how this could have been more easily solved when we get to it later in the book.



While you were discussing upper- and lowercase strings, we went ahead and wrote the code to reprompt the user, only our approach was flawed. Can you take a look and see what you think the flaw might be? You'll find the code, some notes, and a sample run of the code below.

```
user_choice = input('rock, paper or scissors? ') ← First we get the user's choice.  
if (user_choice != 'rock' and  
    user_choice != 'paper' and  
    user_choice != 'scissors'):  
    user_choice = input('rock, paper or scissors? ') ← Then we test to see if the input was valid.  
print('User chose', user_choice) ← If not, then we get the user's choice again.
```

We thought we were on the right track, but what do you think we're missing?

Python 3.6.0 Shell


```
rock, paper or scissors? rack ← We're getting reprompted.  
rock, paper or scissors? papper  
User chose papper  
>>> ↑  
Ugh! But then we can just enter invalid input again.
```

How to continually prompt the user

Our first attempt failed. We tried to test the user input and then if it wasn't valid, prompt again. The problem is, this solution only works once. If the user enters "rocknroll" on the second try, then that string will be accepted as the valid user input.

Now we could keep adding `if` statements for a second and third and fourth try, but that would lead to a coding mess, and our requirements are to reprompt the user as many times as it takes.

The problem is, given our Python knowledge, we only know how to do things once. What we really need to be able to do is write code in a way that it can repeat over and over, as many times as needed. We need a way to do things *more than once*.



→ We're here; we need to keep getting the user's choice until it's valid.



```
while juggling:  
    keep_balls_in_air()
```



Doing things more than once

You do a lot of things more than once:


Lather, rinse, repeat...

Wax on, wax off...

Keep turning the pages of the book, until it's done.

Of course you'll often need to do things in code more than once, and Python gives you a couple of ways to repeatedly execute code in a loop using its `while` and `for` statements. We'll look at both of these ways of looping, but let's focus on `while` for now.

We've talked a lot about expressions that evaluate to Boolean values, like `scoops > 0`, and these kinds of expressions are the key to the `while` statement. Here's how the `while` statement works:



While Python uses indenting to identify a block of code, this is actually a bit unusual, as most programming languages use matched pairs of curly braces or parentheses.

How the while loop works

Seeing as this is your first `while` loop, let's trace through a round of its execution to see exactly how it works. Notice we've added a declaration for the variable `scoops` at the top of the code, and initialized it to the value 5.

Now let's start executing this code. First we set `scoops` to 5.

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```

A note from readers who have read this before you: read the next several pages slowly and carefully. There's a lot to take in and you really want to get how this works into your brain.

After that we encounter the `while` statement. When we evaluate a `while` statement, the first thing we do is evaluate the conditional to see if it's True or False.

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```

Is `scoops` greater than zero? Looks like it to us!



Because the conditional is True, we start executing the block of code. The first statement in the body prints the string "Another scoop!" to the shell.

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```



The next statement subtracts one from the number of scoops and then sets `scoops` to that new value, 4.

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```



That's the last statement in the block, so we loop back up to the conditional and start over again.

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```

Observe that our code never changes. But the variables in our code, like `scoop`, are changing throughout the computation. At this stage, `scoops` is equal to 4.

Evaluating our conditional again, this time `scoops` is 4. But that's still more than zero.


```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```

Still plenty left!



Once again we write the string "Another scoop!" to the shell.

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```



understanding the while loop, continued

The next statement subtracts one from the number of scoops and sets `scoops` to that new value, which is 3.

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```



That's the last statement in the block, so we loop back up to the conditional and start over again.

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```



Evaluating our conditional again, this time `scoops` is 3. But that's still more than zero.

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```

Once again we write the string "Another scoop!" to the shell.

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```



And as you can see, this continues. Each time we loop, we decrement (reduce `scoops` by 1), write another string to the browser, and keep going.

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```




And continues...

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```



Until the last time...this time something's different. `scoops` is 0, and so our conditional evaluates to `False`. That's it, folks; we're not going to go through the loop anymore, and we're not going to execute the block. This time, we bypass the block and execute the statement that follows it.

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```



Now we execute the other `print` statement, and write the string "Life without ice cream isn't the same". We're done!

```
scoops = 5
while scoops > 0:
    print('Another scoop!')
    scoops = scoops - 1
print("Life without ice cream isn't the same.")
```





Write a quick game. Here's how it works: you prompt the player with "What color am I thinking of?" and you see how many guesses it takes the player to guess it.

```
color = 'blue'  
guess = ''  
guesses = 0  
  
while _____:  
    guess = input('What color am I thinking of? ')  
    guesses = guesses + 1  
print('You got it! It took you', guesses, 'guesses')
```



How to use while to prompt the user until you get a valid choice

Now that you know how to use `while`, you're all ready to get this code reprompting the user. To do that we just need to make a couple simple changes to the previous attempt: we're going to start by initializing `user_choice` to the empty string, and then we're going to replace the `if` keyword with `while`.

Like this:

```
user_choice = ''  
  
while (user_choice != 'rock' and  
       user_choice != 'paper' and  
       user_choice != 'scissors'):  
    user_choice = input('rock, paper or scissors? ')  
  
    ↗ Each time through the loop, our code  
    prompts the user for a choice, and assigns  
    the input to the user_choice variable.  
  
    ↙ So, when we finally get a valid choice,  
    the while loop stops and we have that  
    choice in the user_choice variable.  
  
    ↙ While the user_choice isn't  
    valid, we'll keep executing the  
    code body.  
  
    ↙ We're setting user_choice to  
    the empty string because when  
    it first enters the while loop  
    it needs a value.
```





A Test Drive

```

import random

winner = ''

random_choice = random.randint(0,2)

if random_choice == 0:
    computer_choice = 'rock'
elif random_choice == 1:
    computer_choice = 'paper'
else:
    computer_choice = 'scissors'

user_choice = input('rock, paper or scissors? ')
user_choice = ''
while (user_choice != 'rock' and
       user_choice != 'paper' and
       user_choice != 'scissors'):
    user_choice = input('rock, paper or scissors? ')

if computer_choice == user_choice:
    winner = 'Tie'
elif computer_choice == 'paper' and user_choice == 'rock':
    winner = 'Computer'
elif computer_choice == 'rock' and user_choice == 'scissors':
    winner = 'Computer'
elif computer_choice == 'scissors' and user_choice == 'paper':
    winner = 'Computer'
else:
    winner = 'User'

if winner == 'Tie':
    print('We both chose', computer_choice + ', play again.')
else:
    print(winner, 'won. The computer chose', computer_choice + '.')

```

Now we have a fully functional game. Our game randomly picks a computer choice, prompts the user until it receives a valid choice, and then figures out the winner (or if the game is a tie)!



In your `rock.py` file, replace the `input` statement with the new `while` loop, and then give it a final test run. At this point, the game should be complete!

Delete the old input statement.

Here's our new code to handle the user input. This code will keep prompting the user until they enter rock, paper, or scissors.

Python 3.6.0 Shell

```

rock, paper or scissors? scissors
rock, paper or scissors? rock
User won. The computer chose scissors.
RESTART: /ch3/rock.py
rock, paper or scissors? paper
rock, paper or scissors? rock
rock, paper or scissors? paper
Computer won. The computer chose scissors.

```

Congratulations on coding your first game!

What's the best thing to do after coding your new game? Play a few rounds, of course! Sit back, relax, and let everything in this chapter sink in as you try to defeat the computer at Rock, Paper, Scissors. Of course, you're not quite done yet—you've still got the extra credit, the bullet points, and a crossword to do, but take some time and enjoy the game first.



extra credit



Exercise

Remember the color guessing game? It has a bug. Have you noticed if you guess the color correctly on the first try, it prints: "You got it! It took you 1 guesses". Can you fix the bug so that it prints "guess" for one guess and "guesses" for multiple guesses?

```
color = 'blue'  
guess = ''  
guesses = 0  
  
while guess != color:  
    guess = input('What color am I thinking of? ')  
    guesses = guesses + 1  
print('You got it! It took you', guesses, 'guesses')
```



Your code
fixes here



Beware of the THE DREADED INFINITE LOOP

Before we wrap up this chapter we need to talk about infinite loops. You see, when you write code without loops it just goes straight through—you know it's going to end, someday. But with loops, things get more interesting.

Let's say you've just written your latest code, you feel good about it, and you confidently run it. What happens next? Nothing. Any output slows to a crawl. Your program seems to be doing something, but what, you're not quite sure. Whatever it is, it's taking a long time.

You just encountered an infinite loop—that is, a loop that is looping and looping and is never going to end, ever.

It's easier to get into this situation than it sounds. In fact, sooner or later you're going to encounter one, so it might as well be now. Let's create one:

```
counter = 10

while counter > 0:
    print('Counter is', counter)
    counter = counter + 1
print('Liftoff!')
```

← Be our guest: type it in and run it.

So what do you do when you have an out-of-control program running on your computer? If you're using IDLE, simply close the shell window to terminate the program. If you're using your computer's command line, then typically a tap of Control+C (Ctrl+C on some keyboards) will terminate the program as well.

And what do you do with your code? Well, infinite loops are logic errors. You've created some logic that never lets the loop end, so examine the conditional of your loop (or loops) and trace through the execution of your code until you determine what about the conditional logic is wrong. In our case, we simply need to rewrite the `counter + 1` as `counter - 1`, so that the code counts down.

Python 3.6.0 Shell

```
Counter is 814304
Counter is 814305
Counter is 814306
Counter is 814307
Counter is 814308
Counter is 814309
Counter is 814310
```

Uh oh, this is out of control.





BULLET POINTS


- Many programs make use of random numbers.
- Practically all languages provide a means of generating random numbers.
- Python provides a **random** module for generating random numbers.
- Use the **import** statement to include Python's random functionality in your code.
- The Boolean data type has two values, **True** and **False**.
- Boolean or conditional expressions evaluate to **True** or **False**.
- Relational operators, like `==`, `>`, and `<`, compare two values.
- Relational operators are provided for numbers and strings.
- Boolean expressions provide the foundation of the **if** statement.
- The **if** statement evaluates a Boolean expression and then, if **True**, executes a code block.
- A code block is a set of Python statements that are executed together.
- Code blocks are indented sections of code.
- The **elif** keyword can be used to test additional conditionals in an **if** statement.
- The **elif** keyword is a contraction of “else if.”
- The **else** keyword can be used to provide a final alternative or catch-all for an **if** statement.
- Boolean expressions can be combined with the Boolean operators **and** and **or**.
- The Boolean operator **not** can be used to negate a Boolean expression or value.
- The **while** statement evaluates a Boolean expression and executes a code block while the expression remains **True**.
- We call a string without any characters an **empty** string.
- You use `=` for assignment and `==` for equality testing.
- You can add comments to your code by using the hash character (#) followed by arbitrary text.
- It's a good idea to use comments to add documentation to your code so you can remember your design decisions later (or so others can understand your code).
- Anticipating user error is an important part of designing a user-centered program, like a game.
- Logic errors can lead to infinite loops.



Coding Crossword

Let's give your right brain something to do.

It's your standard crossword, but all of the solution words are from Chapter 3.



Across

2. == is for.
4. >, <, and == are for.
6. Keeps executing as long as True.
7. Has two values.
8. If its Boolean expression is True it executes a code block.
10. Character for comments.
11. = is for.
13. Boolean is another one of these.
14. Cuts paper.
15. A string with nothing in it.
19. Many programs need to generate these.
20. Paper wraps _____.
21. Rock blunts.
22. Alternative for if.

Down

1. Can't afford.
3. Foundation of if and while.
5. Ancient Chinese game.
9. True or _____.
12. Catch-all.
16. How you include the random module.
17. Boole's first name.
18. We often say repeating code is in one of these.



See for yourself. Get into the Python Shell, import the `random` module, and then generate some random integers with `random.randint(0,2)`:

Python 3.6.0 Shell

```
>>> import random  
>>> random.randint(0,2)  
1  
>>> random.randint(0,2)  
0  
>>> random.randint(0,2)  
1  
>>> random.randint(0,2)  
2  
>>>
```

Your output should look slightly different because these are random numbers! Perhaps you'll see 2, 2, 0, 0, or maybe 1, 2, 0, 1, or maybe 1, 1, 1, 1 (it could happen!) or who knows—that's the fun of random numbers!



Assume `random_choice` is already set to 0, 1, or 2 and write some pseudocode to set the variable `computer_choice` to "rock", "paper", or "scissors" based on `random_choice`'s value.

if `random_choice` equals 0, then set `computer_choice` to "rock"
otherwise, if `random_choice` equals 1, then set `computer_choice` to "paper"
otherwise, set `computer_choice` to "scissors"



Sharpen your pencil Solution

Get out your pencil and put some Boolean expressions through their paces. For each expression below, compute its value and write in your answer.

 This tests if the first value is greater than the second. You can also use `>=` to test if the first value is greater than or equal to the second.

`your_level > 5`

When `your_level` is 2, what does this evaluate to? False

When `your_level` is 5, what does this evaluate to? False

When `your_level` is 7, what does this evaluate to? True

 This is a Boolean expression. The `==` operator tests if two values are equal to each other.

`color == "orange"`

Is this expression True or False when `color` has the value "pink"? False

Or has the value "orange"? True

 The `!=` operator tests if two values are NOT equal to each other.

`color != "orange"`

Is this expression True or False when `color` has the value "pink"? True



Below you'll find several values of `number_of_scoops`. Using each value, write down what the output of the code above would be when run with the given value. We did the first one for you.

 When `number_of_scoops` has this value, the output is... 

`number_of_scoops = 0`

You didn't want any ice cream?
We have lots of flavors.

`number_of_scoops = 4`

Wow, that's a lot of scoops!

`number_of_scoops = 1`

A single scoop for you, coming up.

`number_of_scoops = 3`

Wow, that's a lot of scoops!

`number_of_scoops = 2`

Oh, two scoops for you!

`number_of_scoops = -1`

I'm sorry I can't give you negative scoops



Sharpen your pencil Solution



Sharpen your pencil Solution

Take a moment and READ the code above out loud to yourself in English (or your chosen language). After you've gotten comfortable speaking the code, jot it down using your pencil.

if the number of scoops is zero, then print 'You didn't want any ice cream? We have lots of flavors.'

Else if the number of scoops is one, then print 'A single scoop for you, coming up.'

Else if the number of scoops is two, then print 'Oh, two scoops for you!'

Else if the number of scoops is greater than or equal to three, then print 'Wow, that's a lot of scoops!'

Else, print "I'm sorry I can't give you negative scoops."



Sharpen your pencil Solution

Your turn again. Based on our plan on the previous page, finish the code fragment below. Your code should determine if there is a tie, and if so, set the winner variable accordingly. After you've done this we'll get this code into the `rock.py` file.

```
if computer_choice == user_choice :
    winner = 'Tie'
```



Sharpen your pencil Solution

Get out your pencil and put some more Boolean expressions through their paces. For each expression below, compute its value and write in your answer.

`age > 5 and age < 10`

When age is 6, what does this evaluate to? True

False

When age is 11, what does this evaluate to? False

True

`age > 5 or age == 3`

When age is 5, what does this evaluate to? True

False

When age is 6, what does this evaluate to? True

False

When age is 2, what does this evaluate to? False

True


`not age > 5`

When age is 6, what does this evaluate to? False

True

When age is 2, what does this evaluate to? True

False



Code Magnets Solution

We'd already worked out the code for the game logic on the fridge with code magnets, but someone came along and knocked most of it on the floor. Can you reconstruct the code snippets so that we can determine the winner? Notice, there may be some extra code magnets, so you may not use all of them.

```

if computer_choice == user_choice :
    winner = 'Tie'

elif computer_choice == 'paper' and user_choice == 'rock' :
    winner = 'Computer'

elif computer_choice == 'rock' and user_choice == 'scissors' :
    winner = 'Computer'

elif computer_choice == 'scissors' and user_choice == 'paper' :
    winner = 'Computer'

else :
    winner = 'User'

```



Exercise Solution

In the IDLE editor add comments to your *rock.py* file. Feel free to use our comments on the previous page as a starter, but make the comments your own; that is, make sure they are meaningful to you.

Here's our attempt to document Rock, Paper, Scissors.



```

# ROCK, PAPER, SCISSORS
# Passed down from the ancient Chinese Han dynasty, the game
# shoushiling is now better known as Rock, Paper, Scissors.
# This code implements a version of the game that is you against
# the computer.

# Here we're doing some setup by importing the random module
# and setting up the winner variable.

import random

winner = ''

# The computer randomly chooses rock, paper, scissors by
# generating a random number from 0 to 2 and then mapping that
# to a corresponding string.

random_choice = random.randint(0,2)

if random_choice == 0:
    computer_choice = 'rock'
elif random_choice == 1:
    computer_choice = 'paper'
else:
    computer_choice = 'scissors'

# Get the user's choice with a simple input statement.

user_choice = input('rock, paper or scissors? ')

# Here's our game logic, which checks to see if the computer wins
# (or not), and makes the appropriate change to the winner variable.

if computer_choice == user_choice:
    winner = 'Tie'
elif computer_choice == 'paper' and user_choice == 'rock':
    winner = 'Computer'
elif computer_choice == 'rock' and user_choice == 'scissors':
    winner = 'Computer'
elif computer_choice == 'scissors' and user_choice == 'paper':
    winner = 'Computer'
else:
    winner = 'User'

# Here we announce the game was a tie, or the winner along
# with the computer's choice.

if winner == 'Tie':
    print('We both chose', computer_choice + ', play again.')
else:
    print(winner, 'won. The computer chose', computer_choice + '.')

```



Sharpen your pencil Solution

Convert the spoken English above into its Boolean expression equivalent. We've done the first part for you.

```
user_choice != 'rock' and user_choice != 'paper' and user_choice != 'scissors'
```



Sharpen your pencil Solution

While you were turning the page we went ahead and wrote the code to reprompt the user, only our approach was flawed. Can you take a look and see what you think the flaw might be? You'll find the code, some notes, and a sample run of the code below.

```
user_choice = input('rock, paper or scissors? ') ← First we get the
if (user_choice != 'rock' and
    user_choice != 'paper' and
    user_choice != 'scissors'): ← Then we test to see
                                if the input was valid.
    user_choice = input('rock, paper or scissors? ')
print('User chose', user_choice)
```

If not, then we get the user's choice again.

We thought we were on the right track, but what do you think we're missing?

Python 3.6.0 Shell

```
rock, paper or scissors? rack ← We're getting reprompted.
rock, paper or scissors? papper
User chose papper
>>> ↑ But then we can just enter invalid input again.
Ugh!
```

ANALYSIS: On the good side, the code to detect invalid input is working great. However, the attempt to reprompt the user, while it works, only works the first time. We really need a way for this to work as many times as the user enters invalid input.



Exercise Solution

Write a quick game. Here's how it works: you prompt the player with "What color am I thinking?" and you see how many guesses it takes the player to guess it.

```
color = 'blue'  
guess = ''  
guesses = 0  
  
while guess != color:  
    guess = input('What color am I thinking of? ')  
    guesses = guesses + 1  
print('You got it! It took you', guesses, 'guesses')
```



extra credit


Exercise Solution

Remember the color guessing game? It has a bug. Have you noticed if you guess the color correctly on the first try, it prints: "You got it! It took you 1 guesses". Can you fix the bug so that it prints "guess" for one guesses and "guesses" for multiple guesses?

```
color = 'blue'  
guess = ''  
guesses = 0  
  
while guess != color:  
    guess = input('What color am I thinking of? ')  
    guesses = guesses + 1  
if guesses == 1:  
    print('You got it! It took you 1 guess')  
else:  
    print('You got it! It took you', guesses, 'guesses')
```



Coding Cross Solution





Providing Some Structure



There's more to data types than numbers, strings, and Booleans. So far you've been writing Python code using **primitive types**—those floats, integers, strings, and of course Booleans—with values like 3.14, 42, "hey, it's my turn", and True. And you can do a lot with primitives, but at some point you'll want to write code that deals with lots of data—say, all the items in a shopping cart, the names of all the notable stars, or an entire product catalog. For that we need a little more *ummph*. In this chapter we're going to look at a new type, called a **list**, which can hold a collection of values. With lists, you'll be able to provide some **structure** for your data, rather than just having a zillion variables floating around your code holding values. You're also going to learn how to treat all those values as a whole as well as how to **iterate** over each item in a list using that `for` loop we mentioned in the last chapter. After this chapter, your ability to deal with data is going to grow and expand.




Can you help Bubbles-R-U's?

Check out the Bubbles-R-U's company. Their tireless research makes sure bubble wands and machines everywhere blow the best bubbles. Today they're testing the "bubble factor" of several different formulations of their new bubble solution—that is, they're testing how many bubbles can be blown with a given solution. Here's their data:

Each bubble solution was tested for the number of bubbles it can create.



Each test tube is labeled 0 to 9 and contains a different bubble solution.



And here's the bubble factor score for each solution.



Of course you want to get all this data into Python so you can write code to help analyze it. But that's a lot of values. How are you going to construct your code to handle all these values?

How to represent multiple values in Python

You know how to represent single values like strings, numbers, and Booleans with Python, but how do you represent *multiple* values, like all the bubble factor scores from the 10 bubble solutions? To do that we use Python **lists**. A list is a Python data type that can hold many values. Here's a Python list that holds all the bubble factor scores:

```
scores = [60, 50, 60, 58, 54, 54, 58, 50, 52, 54]
```

↑ Here's all 10 values, grouped together into a list, and assigned to the `scores` variable.

Many programming languages call their ordered data type an array instead of a list.

We placed numbers in this list, but you can put whatever values you want.

We also often call types like lists a data structure because they provide a way to organize values or data.

Once you have your data in a list, you can access the individual scores when you need to. Each individual score, or *item*, has an index. Computer scientists like to number things starting at zero, so the first item has an index of 0. You can retrieve any item in the list using its index, like this:

To access an item in the list we use this syntax: the variable name of the list followed by the index of the item, surrounded by square brackets.

```
score = scores[3]
print('Solution #3 produced', score, 'bubbles.')
```

The index is zero-based, so the first item in the list is at index 0, the second items is index 1, and so on.

Remember we said computer scientists like to start things from zero.

```
Python 3.6.0 Shell
>>> Solution #3 produced 58 bubbles.
```

My bubble solution #3 is definitely going to be the best.



How lists work

It looks like we might have some interesting work to do for Bubbles-R-Us, but before we start, let's make sure we've got lists down, and rather than using bubble factor scores, let's put another kind of value in our lists: strings, or even better, smoothie flavors! After we understand lists a bit better, we'll get right back to helping Bubbles-R-Us.



So, once you have a bunch of values you want to group together, you can create a list that holds them, and then access those values in the list whenever you need them. Most often you'll use lists when you want to group together similar things, like bubble factor scores, ice cream flavors, daytime temperatures, or even the answers to a set of true/false questions. Let's look again at how to create a list, paying a little more attention to the syntax this time.

How to create a list

Let's say you wanted to create a list that holds the name of a bunch of smoothies. Here's how you'd do that:

```
smoothies = ['coconut', 'strawberry', 'banana', 'pineapple', 'acai berry']
```

Let's assign the list to a variable named `smoothies`.

To begin the list, use the `[` character, otherwise known as an opening square bracket.


And then we have each item of the list...

Notice that each item in the list is separated by a comma.

...and we end the list with a closing square bracket.


As we already said, every item in a list resides at a location, or index. With the `smoothies` list, the first item, "coconut," is at index 0; the second, "strawberry," is at index 1; and so on. Here's a conceptual look at how lists are stored:

The list collects all these values together.



How to access a list item

Each item in the list has an index, and that's your key to both accessing and changing the values in a list. We've already seen how to access an item by starting with the list's variable name and then adding on an index, surrounded by square brackets. You can use that notation anywhere you'd use a variable:




Updating a value in the list

You can also change the value of an item in a list using its index:

`smoothies[3] = 'tropical'`

This sets the value of the item at index 3 (previously 'pineapple') to a new value, 'tropical'.

So, after this line of code, the smoothie list will look like this:





Sharpen your pencil

It's a good time to get some practice with lists. Pretend you're the Python interpreter and trace through this code, figuring out what the final output is. After you've completed the exercise, we'll take our list knowledge a little further.

```
eighties = ['', 'duran duran', 'B-52s', 'muse']  
newwave = ['flock of seagulls', 'postal service']  
  
remember = eighties[1]  
  
eighties[1] = 'culture club'  
  
band = newwave[0]  
  
eighties[3] = band  
  
eighties[0] = eighties[2]  
  
eighties[2] = remember  
  
print(eighties)
```



How big is that list, anyway?


Say someone hands you a nice big list with important data in it. You know how to get what's in the list, but you have no idea exactly how big it is (in other words, how many items it has). Luckily, Python provides a built-in function to tell you, called `len`. Here's how you use the `len` function:

Use the `len` function to tell you the number of items currently in the list.

Just pass the `len` function the list you'd like to know the length of.

```
length = len(smoothies)
```

After this statement is executed, the `length` variable will hold the number of items in the list, in this case 5.



Notice that because we start numbering the indices of the list at 0, the length of the list will always be one greater than the last index.

This important fact crops up in a lot of other programming languages as well.



Now that you know how to get the length of a list, how can you use the length's value to obtain the last item of a list?

Accessing the last item in the list

Accessing the last item of a list is something you'll do often when coding. Say you've got a list that holds the most recent scores of a sports game and you need to display the latest score. Or say you have a list of current wind speeds of an approaching hurricane, and you need to report the lastest speeds. You get the point: lists often have data arranged with the latest, and often most important, values at the end (that is, at the largest index), so accessing the last item of the list is a common task.

The conventional way to do this, across many programming languages, is to use the length of the list as an index. But remember, lists are indexed starting at zero, so the index of the last item is actually one less than the length of the list. To get the last item of our smoothies list, we do this:

```
length = len(smoothies)  
last = smoothies[length-1]  
print(last)
```

This is a common technique in most languages: figure out the length of the list and then subtract one to get the index of the last item.


Python 3.6.0 Shell

```
acai berry  
>>>
```

Python makes this even easier

Finding the last item of a list is such a common task that Python actually provides an easier way to do it. Here's how it works: you can use a negative index, starting at -1 , to specify the items in a list in reverse order. So an index of -1 is the last item in the list, an index of -2 is the second to last, and so on.

Python supports negative indices as offsets from the END of the list. So, -1 is the last item, -2 is the item before that, -3 is the third to the last item, and so on. Note that a lot of languages don't offer the convenient negative indices syntax like Python does.



Here's what negative indices look like, which start from the end of the list.

Using Python's negative indices

Let's give Python's negative indices a try. Let's say we want to take the last three smoothies on our list and print them:

```
last = smoothies[-1]           ← With an index of -1 we
second_last = smoothies[-2]    ← get the last item.
third_last = smoothies[-3]     ← And -2 gets us the
print(last)                   ← second to the last item.
print(second_last)            ← Likewise -3 gets us the
print(third_last)             ← third to the last item.
                                Now let's print them.
```

Python 3.6.0 Shell

```
acai berry
tropical
banana
>>>
```

The Thing-A-Ma-Jig



The Thing-A-Ma-Jig is quite a contraption—it clanks and clunks and even thunks, but what it really does, well, you've got us stumped. Coders claim they know how it works. Can you uncrack the code and find its quirks?

```
characters = ['t', 'a', 'c', 'o']
output = ''
length = len(characters)
i = 0
while (i < length):
    output = output + characters[i]
    i = i + 1


length = length * -1
i = -2

while (i >= length):
    output = output + characters[i]
    i = i - 1

print(output)
```

View this as a character-building exercise—spend some real time on this and make your brain work; it will thank you later.

When you think you know what this code does, write your answer here and check the solution at the end of the chapter.



Try these as an alternative for the characters list above:

```
characters = ['a', 'm', 'a', 'n', 'a', 'p', 'y', 'a', 'n', 'a', 'c']
```

or

```
characters = ['w', 'a', 's', 'i', 't', 'a', 'r']
```

If you need hints, look at the code comments at the end of the chapter.

there are no Dumb Questions

Q: Does the order of items in a list matter?

A: The list is an ordered data type. So, most of the time, it matters, but not always. In the Bubbles-R-Us scores list, the ordering matters a lot, because the index of the score in the list tells us which bubble solution got that score—bubble solution 0 got score 60, and that score is stored at index 0. If we mixed up the scores in the list, then we'd ruin the experiment! However, in other cases, the order may not matter. For instance, if you're using a list just to keep track of grocery items you need to pick up, the order probably doesn't matter much. So it really depends on how you're using the list. You'll probably find that ordering matters more often than not when you use a list. Python also has other data types—for instance, dictionaries and sets—that are unordered. More on those later in the book.

Q: How many things can you put into a list?

A: Theoretically, as many as you want. Practically, however, the number is limited by things like the memory on your computer. Each list item takes up a little bit of space in memory and if you keep adding items to a list, eventually you'll run

out of memory. However, depending on the kind of items you're putting in your list, the maximum number of items you can put into a list is probably in the many thousands or hundreds of thousands. Once you get into the millions there are other solutions (like databases) that are probably going to be more appropriate.

Q: Can you have a list without any elements?

A: Remember when we talked about empty strings? Yes, you can have empty lists too. In fact, you'll see an example of using an empty list in this chapter. To create an empty list, just write:

```
empty_list = []
```

If you start with an empty list, you can add things to it later. We'll see how shortly.

Q: So far we've seen strings and numbers in a list; can you put other things in lists too?

A: You can; in fact, you can put values from any Python type (including ones you haven't seen yet) into a list.

Or even another list!

Q: Can values in a list have different types, or do they all have to be the same?

A: There is no requirement in Python that all the values in a list be of the same type. We call lists with items of different types *heterogeneous* lists. Here's one:

```
heterogenous = ['blue', True, 13.5]
```

Q: What happens if I try to access an item in a list that doesn't exist?

A: You mean like you have a list of 10 items and you try to access item at index 99? If you do that you'll get a runtime error, like this:

```
IndexError: list index out of range
```

Q: Okay, well, can I assign a new value to a list index that doesn't exist?

A: No, you can reassign an item to a new value, but you can't assign a value to an item that doesn't exist—if you do you'll get a runtime "out of bounds" error. Note that some languages do allow this, but not Python. In Python we have to first add a new item to the list instead.




```
smoothies = ['coconut', 'strawberry', 'banana', 'pineapple', 'acai berry']
most_recent = _____
recent = smoothies[most_recent]
```

The smoothie flavors below were added to the list in the order of their creation. Finish the code to determine the *most recent* smoothie flavor created.

There are two ways to do this;
one uses len, the other doesn't.
Can you get them both?



Meanwhile, back at Bubbles-R-Us...



```
scores = [60, 50, 60, 58, 54, 54,  
58, 50, 52, 54, 48, 69,  
34, 55, 51, 52, 44, 51,  
69, 64, 66, 55, 52, 61,  
46, 31, 57, 52, 44, 18,  
41, 53, 55, 61, 51, 44]
```

The Bubbles-R-Us CEO

What we need to build

New bubble scores

Hey, I really need this report to be able to make quick decisions
about which bubble solution to produce! Can you get this coded?

- Bubbles-R-Us CEO

Bubble solution #0 score: 60

Bubble solution #1 score: 50

Bubble solution #2 score: 60

← rest of scores here...

Bubbles tests: 36

Highest bubble score: 69

Solutions with highest score: [11, 18]

understanding the report

Let's take a closer look at what the CEO is looking for:

We need to start by listing all the solutions and their corresponding scores.

Then we need to print the total number of bubble scores...

...followed by the highest score and each solution that has that score.

Bubbles-R-Us

Hey, I really need this report to be able to make quick decisions about which bubble solution to produce! Can you get this coded?
- Bubbles-R-Us CEO

Bubble solution #0 score: 60
Bubble solution #1 score: 50
Bubble solution #2 score: 60

← rest of scores here...


Bubbles tests: 36
Highest bubble score: 69
Solutions with highest score: [11, 18]



Time once again to put your pseudocoding skills to use! Go ahead and write some pseudocode that will create the bubble score report. Take each item in the report separately and think of how you'd break it down and generate the right output. Put any notes and your pseudocode here.

Do your best and take this as far as you can, and then we'll work through the entire bubble score report together.

Cubicle conversation



Judy: The first thing we need to do is display every score along with its solution number.

Joe: And the solution number is just the index of the score in the list, right?

Judy: Oh, yeah, that's totally right.

Frank: Slow down a sec. So we need to take each score, print its index, which is the bubble solution number, and then print the corresponding score.

Judy: You've got it, and the score is just the corresponding item in the list.

Joe: So, for bubble solution #10, its score is just `scores[10]`.

Judy: Right.

Frank: Okay, but there are a lot of scores. How do we write code to output all of them?

Judy: Iteration, my friend.

Frank: Oh, you mean like a `while` loop?

Judy: Right, we loop through all the values from zero to the length...oh, I mean the length minus one, of course.

Joe: This is starting to sound very doable. Let's write some code; I think we know what we're doing.


Judy: That works for me! Let's do it, and then we'll come back to the rest of the report.

How to iterate over a list

Your goal is to produce some output that looks like this:

```
Bubble solution #0 score: 60  
Bubble solution #1 score: 50  
Bubble solution #2 score: 60  
. . .  
Bubble solution #35 score: 44
```

Scores 3 through 34 will be here...we're saving some trees (or electrons depending on which version of the book you have).



We'll do that by outputting the score at index 0, and then we'll do the same for index 1, 2, 3, and so on, until we reach the last index in the list. You already know how to use a while loop; let's see how we can use that to output all the scores:

And then we'll show you a better way in a sec...

```
scores = [60, 50, 60, 58, 54, 54, 58, 50, 52, 54, 48, 69,  
34, 55, 51, 52, 44, 51, 69, 64, 66, 55, 52, 61,  
46, 31, 57, 52, 44, 18, 41, 53, 55, 61, 51, 44]
```

i = 0 ↗ Create a variable to keep track of the current index, which we'll start at 0.

length = len(scores) ↗ Get the length of the scores list.

while i < length: ↗ Loop over the items while our index is less than the length of the list.

Note we didn't need length-1 here because we're using < (less than length).

```
print('Bubble solution #', i, 'score:', scores[i])
```

```
i = i + 1
```

And finally, increment the index i by one before looping again.

Here we create the report output by using the variable i to represent our solution #. The variable i is also being used as the index into the scores list.




A quick Test Drive

It's about time we get some real code written. Go ahead and get the code on the previous page into a file called `bubbles.py` before running it.

Here's what we got; not bad!

```
Python 3.6.0 Shell
Bubble solution # 0 score: 60
Bubble solution # 1 score: 50
Bubble solution # 2 score: 60
...
Bubble solution # 34 score: 51
Bubble solution # 35 score: 44 Hmm, we have
                                an extra space
                                here.
>>>
```

Just one small nit:
did you notice how
the output has an
extra space after
the hash character?
The CEO's version
doesn't have that.



Fixing the output glitch

Let's look at the `print` statement to identify where the extra space is coming from:

```
print('Bubble solution #', i, 'score:', scores[i])
```

As you know, when we provide multiple values to `print`, separated by commas, by default behavior is to add a space between each one.

To fix this we could just do something like:

```
bubble_string = 'Bubble solution #' + i
print(bubble_string, 'score:', scores[i])
```

Concatenate the string "Bubble solution#" to `i` first, then hand it to the `print` function.



It looks like by just concatenating "Bubble solution #" to the `i` variable we can easily get rid of the extra space, but this isn't going to work. Can you spot where we went wrong?

Really fixing the output glitch

Did you figure out where we went wrong? Well, you can't concatenate a string to an integer. D'oh! But how do we change an integer into a string? Well, remember when we did the opposite? We changed a string into an integer using the `int` function. As it turns out, there is also a `str` function that does the opposite: give it an integer, and it will give you back a string representation of that integer.

Given that, we can rework our code like this:

```
bubble_string = 'Bubble solution #' + str(i)  
print(bubble_string, 'score:', scores[i])
```

All we need to do is pass the integer `i` to the `str` function and it will convert it into a string representation.

Let's get that into our code, only we'll do it without the extra `bubble_string` variable. Instead, we'll make our code more concise and add the call to `str` right in with the `print` arguments. Check out the Test Drive below for the changes.



A quick fix Test Drive

Let's make a quick update to the code and then you'll have the CEO's spec implemented, so far, just like he wanted it.

```
scores = [60, 50, 60, 58, 54, 54, 58, 50, 52, 54, 48, 69,  
34, 55, 51, 52, 44, 51, 69, 64, 66, 55, 52, 61,  
46, 31, 57, 52, 44, 18, 41, 53, 55, 61, 51, 44]  
  
i = 0  
length = len(scores)  
while i < length:  
    print('Bubble solution #' + str(i), 'score:', scores[i])  
    i = i + 1
```

Here we just concatenate "Bubble solution #" with `i` before it is passed to `print`. And we make sure to use the `str` function so we have a string representation of `i`.

Much better

```
Python 3.6.0 Shell  
Bubble solution #0 score: 60  
Bubble solution #1 score: 50  
Bubble solution #2 score: 60  
...  
Bubble solution #34 score: 51  
Bubble solution #35 score: 44  
>>>
```



Code Magnets

Time for a quick exercise. We wrote some code to see which smoothies have coconut in them. We had all the code nicely laid out on our fridge using fridge magnets, but the magnets fell on the floor. It's your job to put them back together. Be careful; a few extra magnets got mixed in. Check your answer at the end of the chapter before you go on.

Rearrange the magnets here.

```
while i < len(has_coconut)
```

```
:  
:  
:  
i = i + 2  
i = i + 1
```

```
i = 0
```

```
if has_coconut[i]
```

```
while i > len(has_coconut)
```

```
smoothies = ['coconut',
             'strawberry',
             'banana',
             'tropical',
             'acai berry']
```

```
has_coconut = [True,
               False,
               False,
               True,
               False]
```

```
print(smoothies[i], 'contains coconut')
```

Here's the output
we're expecting. ↴


Python 3.6.0 Shell

```
coconut contains coconut
tropical contains coconut
>>>
```




The for loop, the preferred way to iterate over a list

So, you can use a while loop to iterate over your lists, but the preferred method is actually using a for loop. Think of the for loop as the while loop's cousin—the two basically do about the same thing, except we typically use a while loop when we're looping over some *condition*, and a for loop when we're *iterating over* a sequence of values (like a list). Let's return to our smoothies to see how we loop, or iterate, over a list with the for loop. After we've done that, we'll nail down the Bubbles-R-Us code.




How the for loop works


Let's execute the code above. The first time through the loop, the first item in the list `smoothies` is assigned to the variable `smoothie`. After that the body of the for loop is executed.




Next time through the loop, the next item, “strawberry,” in the list `smoothies` is assigned to the variable `smoothie`. After that the code block is executed.



The third time through the loop, the next item, “banana,” in the list `smoothies` is assigned to the variable `smoothie`. After that the code block of the `for` loop is executed.





And by now you can see the pattern—the fourth time through the loop, the next item, “tropical,” is assigned to the variable `smoothie` before we execute the code block.



understanding the for loop

And as you can guess at this point, the fifth, or last time, through the loop, the next item, “acai berry,” in the list `smoothies` is assigned to the variable `smoothie`. After that the code block of the `for` loop is executed for the last time.



Judy: Oh, you're saying when we used a `while` loop we had the counter `i`, which we used for the score number and as an index to get the scores.

Frank: Exactly, and when we're using a `for` statement, we just seem to have the item of the list. Where's the index?

Judy: Uh, good question.

Joe (shouting from across the room): Guys, I did some research, there's another way to use `for`. The way you're talking about is great for sequences when you don't care about an index, but you can use `for` with a range of indices to iterate through the bubble solutions.

Frank: Say what?

Joe: It's almost easier to show you...

How the for loop works on a range of numbers

There's another kind of sequence the `for` loop works on: a range of numbers. In fact, Python gives you a built-in function called `range` that you can use to generate different sequences of numbers. After you've generated a sequence of numbers, you can use the `for` loop to iterate through them.

Here's how you generate a range from 0 to 4:

```
range(5)
```

The range starts at 0 and gives you a sequence of 5 numbers.

Creates the sequence 0, 1, 2, 3, 4.

You can combine `range` with `for` like this:

```
for i in range(5):
    print('Iterating through', i)
```

The `i` variable is assigned to each item of the sequence before the body is executed.

range makes the sequence 0, 1, 2, 3, 4.

```
Python 3.6.0 Shell
Iterating through 0
Iterating through 1
Iterating through 2
Iterating through 3
Iterating through 4
>>>
```

So say you want to iterate through our smoothies and print the index of each. Here's how you can do that:

```
length = len(smoothies)
for i in range(length):
    print('Smoothie #', i, smoothies[i])
```

Create a range from zero to the length of smoothies.

Each time we iterate, we print "Smoothie#", the index, and the smoothie at that index.

```
Python 3.6.0 Shell
Smoothie # 0 coconut
Smoothie # 1 strawberry
Smoothie # 2 banana
Smoothie # 3 tropical
Smoothie # 4 acai
>>>
```

Doing more with ranges

With a range you don't have to create sequences from zero to some number; you can create all kinds of ranges of numbers. Here's a few examples:

Try a starting and ending number

`range(5, 10)`

Creates a sequence starting at 5 and going up to 10, so: 5, 6, 7, 8, 9

Add a step size

You can add a "step size" as well, which tells Python to count by increments.

`range(3, 10, 2)`

Creates a sequence starting at 3 and going up to 10, but counting by steps of 2, so: 3, 5, 7, 9

Count backward

We can even count backward by making the first argument larger than the second, and using a negative step size.

`range(10, 0, -1)`

Creates a sequence starting at 10 and going down to 0, but by steps of -1, so: 10, 9, 8, 7, 6, 5, 4, 3, 2, 1

Or start from negative numbers

You can start at a negative number too.

`range(-10, 2)`

Creates a sequence starting at -10 counting to 2, so: -10, -9, -8, -7, -6, -5, -4, -3, -2, -1, 0, 1

there are no
Dumb Questions

Q: Does `range(5)` just create a list, like [0, 1, 2, 3, 4]?

A: No, it doesn't, although we can easily see how you'd think that. The reason it doesn't is Python actually creates something a lot more efficient than a list. For now, though, it is fine to think of it that way; just know you can't substitute `range` for a list in your code. Oh, and if you ever want to use `range` to create a list, you can do that like this:

```
list(range(5))
```

to create the list you mentioned in your question.

Q: You used a variable name called `i`. That doesn't seem very good for readability. Why not `index` or `smoothie_index` or something like that?

A: Good catch. You're right, the variable `i` may not be the most readable variable name, but when a variable is used as an index in a iteration, there is a long history of using variables like `i`, `j`, and `k`—so much so, it is almost blindly followed by programmers and in fact it might strike them as odd to use a longer variable name. So, we encourage you, for this exception, to use short variable names, and before long it will feel like second nature to you.

WHO DOES WHAT?

We had our `range` function calls figured out, and then they got all mixed up. Can you help us figure out who does what? Be careful, we're not sure if each range matches zero, one, or more sequences. We've already figured one out, which is marked below:

<code>range(8)</code>	-3, -2, -1, 0
<code>range(0, 8)</code>	3, 6
<code>range(0, 8, 1)</code>	0, 1, 2, 3, 4, 5, 6, 7
<code>range(0, 8, 2)</code>	0, 1, 2, 3, 4, 5, 6
<code>range(0, 7)</code>	0, 2, 4, 6
<code>range(-3, 1)</code>	3, 4, 5, 6, 7
<code>range(3, 8)</code>	3, 5, 7
<code>range(3, 8, 3)</code>	1, 2, 3, 4
<code>range(3, 8, 2)</code>	



Putting it all together

Let's now use our knowledge of ranges and the `for` loop to rework the `while` loop we previously wrote to generate the bubble solution numbers plus their scores.

Here's our bubble scores list.



```
scores = [60, 50, 60, 58, 54, 54, 58, 50, 52, 54, 48, 69,  
         34, 55, 51, 52, 44, 51, 69, 64, 66, 55, 52, 61,  
         46, 31, 57, 52, 44, 18, 41, 53, 55, 61, 51, 44]
```

First, get length of
the scores list, as
before.
↓

```
length = len(scores)
```

```
while i < length:
```

```
    for i in range(length):
```

```
        print('Bubble solution #' + str(i), 'score:', scores[i])
```

Then we create our output. Notice this is
exactly the same print statement we used
with the while loop—nothing changed!

You can delete the while loop.

Then create a range from the scores
length, and iterate over those values from
zero to the length of scores minus one.

Test drive the bubble report

Type the new code in and save it in the file *bubbles.py*, and then give it a test run. Check out the brilliant report you just generated for the Bubbles-R-Us CEO.

Just what the CEO ordered

It's nice to see all the bubble scores in a report, but it's still hard to find the highest scores. We need to work on the rest of the report requirements to make it a little easier to find the winner.



Python 3.6.0 Shell

```
Bubble solution #0 score: 60
Bubble solution #1 score: 50
Bubble solution #2 score: 60
Bubble solution #3 score: 58
Bubble solution #4 score: 54
Bubble solution #5 score: 54
Bubble solution #6 score: 58
Bubble solution #7 score: 50
Bubble solution #8 score: 52
Bubble solution #9 score: 54
Bubble solution #10 score: 48
Bubble solution #11 score: 69
Bubble solution #12 score: 34
Bubble solution #13 score: 55
Bubble solution #14 score: 51
Bubble solution #15 score: 52
Bubble solution #16 score: 44
Bubble solution #17 score: 51
Bubble solution #18 score: 69
Bubble solution #19 score: 64
Bubble solution #20 score: 66
Bubble solution #21 score: 55
Bubble solution #22 score: 52
Bubble solution #23 score: 61
Bubble solution #24 score: 46
Bubble solution #25 score: 31
Bubble solution #26 score: 57
Bubble solution #27 score: 52
Bubble solution #28 score: 44
Bubble solution #29 score: 18
Bubble solution #30 score: 41
Bubble solution #31 score: 53
Bubble solution #32 score: 55
Bubble solution #33 score: 61
Bubble solution #34 score: 51
Bubble solution #35 score: 44
```

Sharpen your pencil

```
smoothies = ['coconut',
             'strawberry',
             'banana',
             'tropical',
             'acai berry']
```

```
has_coconut = [True,
               False,
               False,
               True,
               False]
```

```
i = 0
```

```
while i < len(has_coconut) :  
    if has_coconut[i] :  
        print(smoothies[i],  
              'contains coconut')  
  
    i = i + 1
```




Another quick exercise. Remember the fridge magnet code from a few pages back? Update that code so that it uses a `for` loop instead of a `while` loop. If you need a hint, revisit the way we reworked the `while` loop for Bubbles-R-Us.

You don't need to turn back a few pages
because we've reproduced the solution
for you here.

Your code goes here. ↴

Fireside Chats



Tonight's talk: **The WHILE and FOR loop answer the question "Who's more important?"**

The WHILE loop

What, are you kidding me? Hello? I'm the *general* looping construct in Python. I don't need a sequence or a range, as I can be used with any type of conditional. Did anyone notice I was taught first in this book?

And that's another thing: have you noticed that the FOR loop has no sense of humor? I mean if we all had to do skull-numbing iteration all day, I guess we'd all be that way.

Oh, I don't think that could possibly be true.

This book just said that FOR and WHILE loops are pretty much the same thing, so how could that be?

The FOR loop

I don't appreciate that tone.

Cute. But have you noticed that 9 times out of 10, coders use FOR loops?

Not to mention, doing iteration over, say, a list that has a fixed number of items with a WHILE loop is just a bad, clumsy practice.

Ah, so you admit we're more equal than you let on, huh?

I'll tell you why...

When you use a WHILE loop you have to initialize your counter and increment it in separate statements. If, after lots of code changes, you accidentally moved or deleted one of these statements, well, then things could get ugly. But with a FOR loop, everything is packaged right in the FOR statement for all to see and with no chance of things getting changed or lost.

The WHILE loop

Well, isn't that nice and neat of you. Hey, most of the iteration I see doesn't even include counters; it's stuff like:

```
while (input != ''):
```

try that with a FOR loop!

Not only better, prettier.

Hey, I can iterate over a sequence too.

Like what?

I'm sure I can work with them too.

Oh sure, you're the tough guy. Next time you need to iterate while a condition is `True`, don't call me, and then we'll see how heavy duty you are.

The FOR loop

So that's all you got? You're only better when you've got a condition to loop over?

Oh, I didn't realize this was a beauty contest. I'd argue people iterate over sequences *way more* than they write loops over general conditionals.

I think we've already covered that ground. Sure you can, but it's, well, it *ain't* pretty. Don't forget I'm quite general too, I don't just work on lists.

There are lots of sequences in Python. We've seen lists and ranges and strings, but there's even more you can iterate over, like files, and quite a few other more advanced data types the readers haven't even looked at it in this book.

Perhaps, but, again, wouldn't be pretty. Face it, when it comes to heavy-duty iteration, I'm designed for it.

Likewise, don't call me when you need to iterate over a sequence!

Cubicle conversation continued...

Judy: Right, and the first thing we need to do is determine the total number of bubble tests. That's easy; it's just the length of the scores list.

Joe: Oh, right. We've got to find the highest score too, and then the solutions that have the highest score.

Judy: Yeah, that last one is going to be the toughest. Let's work out finding the highest score first.


Joe: Sounds like a good place to start.

Judy: To do that I think we just need to maintain a highest score variable that keeps track as we iterate through the list. Here, let me write some Python-like pseudocode:

```
DECLARE a variable high_score and set to 0. ← Add a variable to hold the high score.
FOR i in range(length)
    PRINT i and the bubble solution score[i]
    IF scores[i] > high_score:
        high_score = scores[i]; ← If we have a new high score, then assign it to high_score.
    PRINT high_score ← After the loop we just display the high score.
```

Joe: Oh nice; you did it with just a few lines added to our existing code.

Judy: Each time through the list we look to see if the current score is greater than `high_score`, and if so, that's our new high score. Then, after the loop ends we just display the high score.





Sharpen your pencil

Go ahead and implement the pseudocode on the previous page to find the highest score by filling in the blanks in the code below. Once you're done, add the code to *bubbles.py* and give your code a test. Check the results in the shell, and fill in the blanks in our shell below with the number of bubble tests and the highest score. As always, check your answer at the end of the chapter before you go on.

```
scores = [60, 50, 60, 58, 54, 54,  
         58, 50, 52, 54, 48, 69,  
         34, 55, 51, 52, 44, 51,  
         69, 64, 66, 55, 52, 61,  
         46, 31, 57, 52, 44, 18,  
         41, 53, 55, 61, 51, 44]
```

```
high_score = _____
```


← Fill in the blanks to complete the code here...

```
length = len(scores)  
for i in range(length):  
    print('Bubble solution #' + str(i), 'score:', scores[i])  
    if _____ > high_score:  
        _____ = scores[i]  
  
print('Bubbles tests:', _____)  
print('Highest bubble score:', _____)
```

...and then fill in the blanks showing the output you get in the console.



```
Python 3.6.0 Shell  
  
Bubble solution #0 score: 60  
Bubble solution #1 score: 50  
Bubble solution #2 score: 60  
...  
Bubble solution #34 score: 51  
Bubble solution #35 score: 44  
Bubbles tests: _____  
Highest bubble score: _____
```



More than one? When we need to store more than one thing, what do we use? A list, of course. So, can we iterate through our existing scores list looking for scores that only match the highest score, and then add those to a new list that we can later display in the report? You bet we can, but to do that we'll have to learn how to create a brand new, empty list, and then understand how to add new elements to it.

Remember here's what we have left.

Hey, I really need this report to be able to make quick decisions about which bubble solution to produce! Can you get this coded?
– Bubbles-R-Us CEO

```
Bubble solution #0 score: 60
Bubble solution #1 score: 50
Bubble solution #2 score: 60
```

← rest of scores here...

```
Bubbles tests: 36
Highest bubble score: 69
Solutions with highest score: [11, 18]
```

Building your own list, from scratch

Before we take on finishing this code, let's get a sense for how to create a new list, and how to add items to it. You already know how to explicitly create a list with values, like this:

```
menu = ['Pizza', 'Pasta', 'Soup', 'Salad']
```

But you can also omit the initial items and just create an empty list:

```
menu = []
```

A new list, all ready to go with no items and a length of zero.



Once you've created an empty list you can add new items with append, like this:

```
menu = []
```

As before, a new list item is created.


```
menu.append('Burger')
```

The string 'Burger' is added to the list.

```
menu.append('Sushi')
```

And a second item is created that holds the string 'Sushi'.

```
print(menu)
```



You can also create a new, empty list in Python by calling `list()`, but more on this later in the book. Just tuck that in the back of your brain for now.



Sharpen your pencil

You've seen how to create an empty list with two square brackets, but what do you think the code below does? Feel free to type the code into the shell to experiment. Record your observations here.

```
mystery = ['secret'] * 5
```

Multiplication of a number and a list? What on earth does this do?

```
mystery = 'secret' * 5
```


How is it different from this?

Doing even more with lists

There's a lot more you can do with lists, like insert new items, delete items, add lists together, and search for items in a list—here are a few examples to whet your appetite.

Delete an item from a list


Need to get rid of an item in a list? Python provides a built-in function called `del` to do just that. Here's how it works:



After you've deleted an item from a list, all the items with greater indices move down one. So if you delete the item at index 2, then the item previously at index 3 takes its place. The item at index 4 becomes 3, and so on.

Add one list to another

Let's say you have a list, and someone hands you another list and you want to add all those items to your list. No worries, here's how you do that:



What is the difference between using `append` and using `extend` on lists?

doing more with lists

There's another way to combine lists as well—you can just add the lists together using the `+` operator, like this:

```
menu = menu + ['BBQ', 'Tacos']
```

If we execute this instead of our previous use of the `extend` function, we get the same result.



Note: `extend` extends an existing list. When you use `+` you get a brand new list with the items of both lists in it.

```
Python 3.6.0 Shell  
['Sushi', 'BBQ', 'Tacos']  
=>  
>>>
```

Or insert items into your list

Let's say you really need to add an item in the middle of your list. Use the `insert` function to do that.

Here's the index where we want an item inserted.

```
menu.insert(1, 'Stir Fry')  
print(menu)
```

And here's the item.

```
Python 3.6.0 Shell  
['Sushi', 'Stir Fry', 'BBQ', 'Tacos']  
=>  
>>>
```

`insert` adds a new item at the supplied index, in this case 1.

As we said, we'll be seeing even more list operations as the book progresses, but these are some good operations to get you started.

there are no Dumb Questions

Q: What happens if I insert an item after an index that doesn't exist, like `menu.insert(100, 'French Fries')`?

A: If you try to insert an item beyond the end of your list, it will simply add the item in the last position in your list.


Q: What does the syntax `mylist.append(value)` actually mean? It looks similar to the `random.randint(0,2)` syntax we used in the last chapter.

A: Yes, they are related; both are an example of something we'll get to later in the book: the use of functions and objects (actually we'll make our use of terminology even more precise at that stage of the book). Now that all won't mean a lot to you right now, but we're going to see how data types, like lists, can provide their own

special behavior to do things like append items. So, `mylist.append` is using the behavior `append`, which is provided by the list. For now, go with the syntax, and down the road you'll better understand the true meaning behind it as we explore objects and functions.

Q: Well, why do we have `menu.append` and `menu.insert`, but `del menu[0]`? Why isn't it `menu.delete(0)` or something similar? I thought Python was consistent?

A: It's a very good question. It turns out the designers of Python thought common operations, like `len` and `del`, deserved a bit of special treatment. They also thought that, for example, `len(menu)` was more readable than `menu.length()`. The reasoning behind this has been debated at great length, but that's the way it is in Python. And, as in the last question, you're asking all the right things, and the madness behind the method will be clearer once we get to talking about functions and objects.



Judy: Yes, we'll start with an empty list to hold the solutions with the highest scores, and add each solution that has that high score one at a time to it as we iterate through the scores list.

Frank: Great, let's get started.

Judy: But hold on a second...I think we might need another loop.

Frank: We do? It seems like there should be a way to do that in our existing loop.

Judy: Actually, I'm sure we do. Here's why: we have to know what the highest score is *before* we can find all the solutions that have that highest score. So we need two loops: one to find the highest score, which we've already written, and then a second one to find all the solutions that have that score.

Frank: Oh, I see. And in the second loop, we'll compare each score to the highest score, and if it matches, we'll add the index of the bubble solution score to the new list we're creating for the solutions with the highest scores.

Judy: Exactly! Let's do it.

Sharpen your pencil



Can you help write the loop to find *all the scores* that match the high score? You'll find all the code up until now listed below. Give it a real shot below before you check the solution.

```
scores = [60, 50, 60, 58, 54, 54,  
         58, 50, 52, 54, 48, 69,  
         34, 55, 51, 52, 44, 51,  
         69, 64, 66, 55, 52, 61,  
         46, 31, 57, 52, 44, 18,  
         41, 53, 55, 61, 51, 44]  
  
high_score = 0  
  
length = len(scores)  
for i in range(length):  
    print('Bubble solution #' + str(i), 'score:', scores[i])  
    if scores[i] > high_score:  
        high_score = scores[i]  
  
print('Bubbles tests:', length)  
print('Highest bubble score:', high_score)  
best_solutions = []
```

Here's all the
code so far.
←

Here's the new list you'll use to store the bubble
solutions with the highest score.

Write your code here, using
more lines if necessary.



Remember, the variable
high_score has the highest
score in it; you can use that
in your code.

Test drive the final report



Go ahead and add your code to generate the bubble solutions with the highest score to your code in `bubbles.py` and run another test drive. All of our code is shown below:

```

scores = [60, 50, 60, 58, 54, 54,
          58, 50, 52, 54, 48, 69,
          34, 55, 51, 52, 44, 51,
          69, 64, 66, 55, 52, 61,
          46, 31, 57, 52, 44, 18,
          41, 53, 55, 61, 51, 44]

high_score = 0

length = len(scores)
for i in range(length):
    print('Bubble solution #' + str(i), 'score:', scores[i])
    if scores[i] > high_score:
        high_score = scores[i]

print('Bubbles tests:', length)
print('Highest bubble score:', high_score)

best_solutions = []
for i in range(length):
    if high_score == scores[i]:
        best_solutions.append(i)

print('Solutions with the highest score:', best_solutions)

```

If this code looks new to you, then you may not have studied the solution to the last Sharpen your pencil exercise. You'll want to do that now.

And the winners are...

Bubble solutions #11 and #18 both have a high score of 69, so they are the best bubble solutions in this batch of test solutions!

Python 3.6.0 Shell

```

Bubble solution #0 score: 60
Bubble solution #1 score: 50
...
Bubble solution #34 score: 51
Bubbles tests: 36
Highest bubble score: 69
Solutions with the highest score: [11,18]

```

Great job! Just one more thing... can you figure out the most cost-effective bubble solution? With that final bit of data, we'll definitely take over the entire bubble solution market. Here's a list with the cost of each solution you can use to figure it out.



Here's the new cost list. Notice that it has a cost for each of the corresponding solutions in the scores list.



```
costs = [.25, .27, .25, .25, .25, .25,  
         .33, .31, .25, .29, .27, .22,  
         .31, .25, .25, .33, .21, .25,  
         .25, .25, .28, .25, .24, .22,  
         .20, .25, .30, .25, .24, .25,  
         .25, .25, .27, .25, .26, .29]
```

So, what's the job here? It's to take the leading bubble solutions—that is, the ones with the highest bubble scores—and choose the lowest-cost one. Now, luckily, we've been given a `costs` list that mirrors the `scores` list. That is, the bubble solution score at index 0 in the `scores` list has the cost at index 0 in the `costs` list (.25), the bubble solution at index 1 in the `scores` list has a cost at index 1 in the `costs` list (.27), and so on. So, for any score you'll find its cost in the `costs` list at the same index.

Sometimes we call these *parallel* lists:


Scores and costs are parallel lists because for each score there is a corresponding cost at the same index.

```
costs = [.25, .27, .25, .25, .25, .25, .33, .31, .25, .29, .27, .22, ..., .29]
```

The cost at 0 is the cost of the bubble solution at 0...

And likewise for the other cost and score values in the lists.

```
scores = [60, 50, 60, 58, 54, 54, 58, 50, 52, 54, 48, 69, ..., 44]
```



Judy: Well, we know the highest score already.

Frank: Right, but how do we use that? And we have these two lists, but how do we get those to work together?

Judy: I'm pretty sure either of us could write a simple `for` loop that goes through the `scores` list again and picks up the items that match the highest score.

Frank: Yeah, I could do that. But then what?

Judy: Anytime we hit a score that matches the highest score, we need to see if its cost is the lowest we've seen.

Frank: Oh, I see, so we'll have a variable that keeps track of the index of the “lowest cost high score.” Wow, that's a mouthful.

Judy: Exactly. And once we get through the entire list, whatever index is in that variable is the index of the item that not only matches the highest score, but has the lowest cost as well.

Frank: What if two items match in cost?

Judy: Hmm, we have to decide how to handle that. I'd say, whatever one we see first is the winner. Of course we could do something more complex, but let's stick with that unless the CEO says differently.

Frank: This is complicated enough I think I want to sketch out some pseudocode before writing anything.

Judy: I agree; whenever you are managing indices of multiple lists things can get tricky. Let's do that; in the long run I'm sure it will be faster to plan it first.

Frank: Okay, I'll take a first stab at it...

I'm pretty sure I nailed the pseudocode.
Check it out below. Make sure you've got
it down, and then we'll go ahead and translate
it into real code.

Create a variable to hold the cost of
the most cost-effective solution. We'll
make it larger than any item in costs
and also make it a float to match the
type of each item in the costs list.



DECLARE a variable cost and set to 100.0

DECLARE a variable most_effective

FOR i in range(length):

IF the bubble solution at scores[i] equals high_score AND bubble solution at costs[i] is less than cost:

 SET the value of most_effective to the value of i

 SET the value of cost to the cost of the bubble solution

Create a variable to hold the index
of the most cost-effective solution.



Iterate over every solution, and if
a solution has the highest score...



...and a lower cost than
previous solutions...

↑ ...then record the index
and cost of current
solution.

At the end of the loop most_effective holds
the index of the solution with the highest score
and lowest cost. And the variable cost holds
the cost of that solution. Note, if there is a
tie between one or more solutions, this code will
always pick the solution it sees first in the list.

BRAIN POWER

As Judy suggested in the cubicle conversation, if there are multiple high score solutions with the same cost, this code favors the first solution it finds. But why is that? What aspect of the code makes that happen? What if you wanted to favor the last solution you found instead; how would you do that?

Answer: Because this code is always comparing the current low cost by using less than. So once a low cost is established, it takes an even lower cost (not an equal cost) to pick a new winner. You could favor the last solution it sees by changing the less than comparison to a less than or equal to, \leq , comparison.



Testing the most cost-effective solution

```
scores = [60, 50, 60, 58, 54, 54,
          58, 50, 52, 54, 48, 69,
          34, 55, 51, 52, 44, 51,
          69, 64, 66, 55, 52, 61,
          46, 31, 57, 52, 44, 18,
          41, 53, 55, 61, 51, 44]
```

```
costs = [.25, .27, .25, .25, .25, .25,
          .33, .31, .25, .29, .27, .22,
          .31, .25, .25, .33, .21, .25,
          .25, .25, .28, .25, .24, .22,
          .20, .25, .30, .25, .24, .25,
          .25, .25, .27, .25, .26, .29]
```

```
high_score = 0

length = len(scores)
for i in range(length):
    print('Bubble solution #' + str(i), 'score:', scores[i])
    if scores[i] > high_score:
        high_score = scores[i]

print('Bubbles tests:', length)
print('Highest bubble score:', high_score)
```

```
best_solutions = []
for i in range(length):
    if high_score == scores[i]:
        best_solutions.append(i)

print('Solutions with the highest score:', best_solutions)
```

```
cost = 100.0
most_effective = 0
for i in range(length):
    if scores[i] == high_score and costs[i] < cost:
        most_effective = i
        cost = costs[i]
print('Solution', most_effective,
      'is the most effective with a cost of', costs[most_effective])
```

We should have everything coded below for the Bubbles-R-Us CEO. Check out the code and see how it matches the pseudocode, and then enter the new code into *bubbles.py* and give it another test run. All the code is shown below. When you've got a winning solution, turn to page to see if it matches ours.



Don't forget the new costs list.

We translated Frank's Python-like pseudocode directly to Python.



We also added some output to add the most cost-effective solution to the report.

THE WINNER: SOLUTION #11


The last bit of code you wrote really helped determine the TRUE winner; that is, the solution that produces the most bubbles at the lowest cost. Congrats on taking a lot of data and crunching it down to something Bubbles-R-Us can make real business decisions with.

Now, if you're like us, you're dying to know what is in Bubble Solution #11. Look no further: the Bubbles-R-Us CEO said he'd be delighted to give you the recipe after all your unpaid work.

So, you'll find the recipe for Bubble Solution #11 below. Take some time to let your brain process lists by making a batch, getting out, and blowing some bubbles before you begin the next chapter. Oh, but don't forget the bullet points and the crossword before you go!



```
Python 3.6.0 Shell
...
Bubble solution #34 score: 51
Bubbles tests: 36
Highest bubble score: 69
Solutions with the highest score: [11,18]
Solution 11 is the most effective with a cost of 0.22
>>>
```



DO try this at HOME!





I have to ask:
we already knew the highest
score solutions, they are in the
best_solutions list, so why did
we need to go through EVERY
score again?

You're right: we didn't need to.

We could have found the lowest-cost solution from just the list in `best_solutions`, because that list is the result of already figuring out one or more solutions with the highest bubble scores. The only reason we didn't was to keep things simple on our first attempt.

Others might be asking, though: what's the difference? Who cares? It works! Well, it is all about the efficiency of the code. How much work is your code doing? And, for a list as small as ours, there really isn't much of a difference; however, if you had a *huge* list of data you'd want to avoid iterating over it multiple times if you had a more efficient way. And we do.

To determine the lowest-cost solution (with the highest score), all we need to do is consider the solutions in the `best_solutions` list. Doing that is a little more complex, but not much.

COMPARE this code to the previous version; can you see the differences? Think through how each executes; can you see how much less work this version does to compute the most cost-effective solution? It's worth some time to see the difference.

```
We've rewritten the
code to compute the
most cost-effective
solution.
```

```
cost = 100.0
most_effective = 0
```

```
for i in range(len(best_solutions)):
    index = best_solutions[i]
    if cost > costs[index]:
        most_effective = index
        cost = costs[index]
```

```
print('Solution', most_effective,
      'is the most efftive with a cost of',
      costs[most_effective])
```

```
This time we'll iterate over
the best_solutions list instead
of the scores lists
```

```
And we use each best_solutions
item as an index into the cost list.
```

```
So, in this code we're using ↗
the values in best_solutions as
our indices.
```

```
We examine the cost of each
solution in the best_solutions
list, and look for the lowest.
```

```
And as before we
print the results.
```




BULLET POINTS

- Lists are a **data structure** for ordered data.
- A list holds a set of items, each with its own **index**.
- Lists use a zero-based index, where the first item is at index **0**.
- You can use the **len** function to get the number of items in a list.
- You can access any item using its index. For example, use **my_list[1]** to access the second item in the list.
- You can also use negative indices to identify items starting at the end of the list.
- Trying to access an item beyond the end of the list will result in a runtime index error.
- Assigning a value to an existing item will change its value.
- Assigning a value to an item that doesn't exist in the list results in an index "out of bounds" runtime error.
- List items can hold values of any type.
- Not all the values in a list need to be the same type.
- Lists that hold values of different types are called heterogeneous.
- You can create an empty list with **my_list = []**.
- You can add a new value to a list using **append**.
- You can extend a list with the items in another list with **extend**.
- You can create a new list from two existing lists by simply adding them together with **+**.
- Use **insert** to add a new item at an index in an existing list.
- The **for** loop is commonly used to iterate through sequences, like lists.
- The **while** loop is most often used when you don't know how many times you need to loop, and you're looping until a condition is met. The **for** loop is most often used when you know the number of times the loop needs to execute.
- The **range** function creates a range of integers.
- You can iterate over ranges with the **for** loop.
- The **str** function converts a number to a string.



Coding cross

Let lists sink into your brain as you do the crossword.



Across

4. Author probably likes this kind of music.
5. Another word for loop.
7. Gets the length.
8. Creates a sequence of numbers.
9. Computer scientists like to start lists at this index.
10. Accessing an item that doesn't exist results in this error.
11. Best bubble company.
14. We made a lot of these drinks.
16. Makes numbers into strings.
17. Every item has one.
18. Adds an item to a list.

Down

1. An ordered data structure.
2. A list with values of different types.
3. Iterates over a condition.
5. Puts an item into a list.
6. How to delete an item.
12. A list with no items.
13. Iterates over a sequence or range.
15. Adds items of one list to another.



Sharpen your pencil Solution

It's a good time to get some practice with lists. Pretend you're the Python interpreter and trace through this code, figuring out what the final output is. After you finish, we'll take our list knowledge a little further.

Let's keep track of the eighties and other variables as we trace through this code. The newwave list never changes throughout this code.

```
eighties = ['', 'duran duran', 'B-52s', 'muse']
```

```
newwave = ['flock of seagulls', 'postal service']
```

```
remember = eighties[1]
```

eighties
['', 'duran duran', 'B-52s', 'muse']

remember

band

'duran duran'

```
eighties[1] = 'culture club'
```

['', 'culture club', 'B-52s', 'muse']

'duran duran'

'duran duran'

```
band = newwave[0]
```

['', 'culture club', 'B-52s', 'muse']

'duran duran'

'flock of seagulls'

```
eighties[3] = band
```

['', 'culture club', 'B-52s', 'flock of seagulls']

'duran duran'

'flock of seagulls'

```
eighties[0] = eighties[2]
```

['B-52s', 'culture club', 'B-52s', 'flock of seagulls']

'duran duran'

'flock of seagulls'

```
eighties[2] = remember
```

['B-52s', 'culture club', 'duran duran', 'flock of seagulls']

'duran duran'

'flock of seagulls'

```
print(eighties)
```

Python 3.6.0 Shell

```
['B-52s', 'culture club', 'duran duran', 'flock of seagulls']
>>>
```

The final output




Exercise Solution

The Thing-A-Ma-Jig

The Thing-A-Ma-Jig is quite a contraption—it clanks and clunks and even thunks, but what it really does, well, you've got us stumped. Coders claim they know how it works. Can you uncrack the code and find its quirks?

What does it all mean? The Thing-A-Ma-Jig takes a sequence of characters and it creates and prints out a palindrome. You might remember that a palindrome is a word that reads the same forward as it does backward, like "tacocat". So if we give the Thing-A-Ma-Jig a sequence of t-a-c-o, it will turn that into the palindrome tacocat for us. For a lot of sequences, like t-a-r, the results aren't so interesting: 'tarat'. But for others, like a-m-a-n-a-p-l-a-n-a-c, they are quite impressive: a manaplanacanalpanama (or, "a man a plan a canal panama").


The important thing, though, is how does this code take half a palindrome and create a full one. Let's study the code:

```
characters = ['t', 'a', 'c', 'o']
output = ''                                ← We'll start with output as the empty string.
length = len(characters) ← Let's get the length of the characters list.
i = 0                                         ← And set i to 0.
while (i < length):
    output = output + characters[i]          ← Now we'll start at 0 and
    i = i + 1                                ← go through each item in
                                                ← the list, adding it to the
                                                ← output list.

length = length * -1                         ← Now let's reset things a bit, setting the length
i = -2                                         ← to its corresponding negative value (so, for
                                                ← example, a length of 8 would become -8).
while (i >= length):
    output = output + characters[i]          ← And we'll set i to -2; you'll see how this is used
    i = i - 1                                ← in the code block.

print(output)                                ← Why backward? Because
                                                ← our indices are now
                                                ← negative, not positive.

Finally, we print the results.
```



We'll be seeing more of
palindromes in Chapter 8.

↑
Study this until you understand it! Go through each pass of the loop and write down the values of the variables and lists that are changing if necessary (and it may be!).



Sharpen your pencil Solution

The smoothie flavors were added to this list in the order of their creation. Finish the code to determine the *most recent* smoothie flavor created.

```
smoothies = ['coconut', 'strawberry', 'banana', 'pineapple', 'acai berry']
most_recent = _____ - 1
recent = smoothies[most_recent]
```

We can make use of Python negative indexes to grab the last item in the list with `-1`.

```
smoothies = ['coconut', 'strawberry', 'banana', 'pineapple', 'acai berry']
most_recent = len(smoothies) - 1
recent = smoothies[most_recent]
```

Or we can get the length of the list, and subtract one.



You can take this a little further.

Note that while breaking down things into clear steps can often help with the clarity of our code, for simple, common operations more succinct code can actually be more readable. Let's take the first attempt at the code above and make it more succinct:

```
smoothies = ['coconut', 'strawberry', 'banana', 'pineapple', 'acai berry']
most_recent = _____ - 1
recent = smoothies[-1]
```

We can just get rid of the `most_recent` variable and use the `-1` value directly in the list index.

We can do this with the second code attempt as well.

```
smoothies = ['coconut', 'strawberry', 'banana', 'pineapple', 'acai berry']
most_recent = len(smoothies) - 1
recent = smoothies[len(smoothies) - 1]
```

Here we've also gotten rid of the intermediate `most_recent` variable and just moved the `len(smoothies) - 1` calculation into the index of the list. This is arguably not as readable, but to an experienced programmer it most likely would be. Code clarity is more an art than a science, so go with what you find most clear and readable—and keep in mind that may change over time!



Code Magnets Solution

We've got code for testing to see which smoothies have coconut in them. We had all the code nicely laid out on our fridge using fridge magnets, but the magnets fell on the floor. It's your job to put them back together. Be careful; a few extra magnets got mixed in.

:

i = i + 2

```
smoothies = ['coconut',
             'strawberry',
             'banana',
             'tropical',
             'acai berry']
```

```
has_coconut = [True,
               False,
               False,
               True,
               False]
```

i = 0

while i < len(has_coconut) :

if has_coconut[i] :

```
    print(smoothies[i], 'contains coconut')
```

i = i + 1

Rearrange the magnets here.


Here's the output
we're expecting. ↴

```
Python 3.6.0 Shell
coconut contains coconut
tropical contains coconut
>>>
```



WHO DOES WHAT? SOLUTION

We had our `range` function calls figured out, and then they got all mixed up. Can you help us figure out who does what? Be careful, we're not sure if each range matches zero, one, or more sequences. We've already figured one out, which is marked below:





Sharpen your pencil Solution

```
smoothies = ['coconut',
             'strawberry',
             'banana',
             'tropical',
             'acai berry']
```

```
has_coconut = [True,
               False,
               False,
               True,
               False]
```

```
i = 0
```

```
while i < len(has_coconut) :
```

```
    if has_coconut[i] :
```

```
        print(smoothies[i],
              'contains coconut')
```

```
    i = i + 1
```



Rewrite your fridge magnet code (from a few pages back) so that it uses a `for` loop instead of a `while` loop. If you need a hint, revisit the way we reworked the `while` loop for Bubbles-R-Us.

Your code goes here. ↴

```
smoothies = ['coconut',
             'strawberry',
             'banana',
             'tropical',
             'acai berry']
```

```
has_coconut = [True,
               False,
               False,
               True,
               False]
```

```
length = len(has_coconut)
```

Let's get the length of the list.

```
for i in range(length):
```

And iterate from 0 to the length of the list (minus 1).

```
    if has_coconut[i]:
```

```
        print(smoothies[i], 'contains coconut')
```

Test the `has_coconut` list at index `i` to see if the item has coconut and if so, print its name from the `smoothies` list at `i`.

Notice we could have written "`if has_coconut[i] == True`", but `has_coconut[i]` evaluates to a Boolean value, so it isn't really necessary.



Sharpen your pencil Solution

Go ahead and implement the pseudocode on the previous page to find the highest score by filling in the blanks in the code below. Once you're done, add the code to *bubbles.py* and give your code a test. Check the results in the shell, and fill in the blanks in our shell below with the number of bubble tests and the highest score.

```
scores = [60, 50, 60, 58, 54, 54,
          58, 50, 52, 54, 48, 69,
          34, 55, 51, 52, 44, 51,
          69, 64, 66, 55, 52, 61,
          46, 31, 57, 52, 44, 18,
          41, 53, 55, 61, 51, 44]
```

```
high_score = 0
```

 Fill in the blanks to complete the code here...

```
length = len(scores)
for i in range(length):
    print('Bubble solution #' + str(i), 'score:', scores[i])
    if scores[i] > high_score:
        high_score = scores[i]

print('Bubbles tests:', length)
print('Highest bubble score:', high_score)
```

Here's what we got.



Python 3.6.0 Shell

```
Bubble solution #0 score: 60
Bubble solution #1 score: 50
Bubble solution #2 score: 60
...
Bubble solution #34 score: 51
Bubble solution #35 score: 44
Bubbles tests: 36
Highest bubble score: 69
```



Sharpen your pencil Solution

You've seen how to create an empty list with two square brackets, but what do you think the code below does? Feel free to type the code into the shell to experiment. Record your observations here.

```
mystery = ['secret'] * 5
```

This syntax creates a list with 'secret' as an item repeated five times: ['secret', 'secret', 'secret', 'secret', 'secret']. This is a Python special feature, so you won't find it in too many other programming languages. It does come in handy at times (for instance, in Chapter 11).

```
mystery = 'secret' * 5
```

Multiplication and strings? Well, we saw this already when Codie's "12" was repeated seven times, remember? So if you multiply a number by a string, you get a new string with the original string repeated.



Sharpen your pencil Solution

Can you help write the loop to find *all the scores* that match the high score? You'll find all the code up until now listed below. Give it a real shot below before you check the solution.

Again, we're starting by creating a new list that will hold all the bubble solutions that match the highest score.

Next, we iterate through the entire scores list, looking for those items with the highest score.

We're just showing you the new code. You know, saving trees and all that.

```
best_solutions = []
for i in range(length):
    if high_score == scores[i]:
        best_solutions.append(i)
```

Each time through the loop, we compare the score at index *i* with the *high_score* and if they are equal, then we add the score at that index to the *best_solutions* list using *append*.


```
print('Solutions with the highest score:', best_solutions)
```

And finally, we can display the bubble solutions with the highest scores. Notice we're using *print* to display the *best_solutions* list. We could have created another loop to display the list items one by one, but, luckily, *print* will do this for us (and, if you look at the output, it also adds commas between the list values; just what we need).



Coding cross Solution

Let lists sink into your brain as you do the crossword.





Getting Functional



You already know a lot. Variables and data types and conditionals and iteration—that’s enough to **write** basically **any program** you’d ever want to. In fact, a computer scientist would tell you it’s enough to write any program that anyone could ever conceive of. But you don’t want to stop now, because your next step in computational thinking is learning how to **create abstractions** in your code. That may sound complex, but it’s actually going to make your coding life simpler. Creating abstractions gives you leverage; with abstraction, you can more easily create programs of increasing complexity and power. You can put your code in neat little packages that you can reuse over and over. And you can forget all the nitty-gritty details of your code and to start thinking at a higher level.



Do a little analysis of the code below. How does it look? Choose as many of the options below as you like, or write in your own analysis:

```
dog_name = "Codie";
dog_weight = 40
if dog_weight > 20:
    print(dog_name, 'says WOOF WOOF')
else:
    print(dog_name, 'says woof woof')

dog_name = "Sparky"
dog_weight = 9
if dog_weight > 20:
    print(dog_name, 'says WOOF WOOF')
else:
    print(dog_name, 'says woof woof')

dog_name = "Jackson"
dog_weight = 12
if dog_weight > 20:
    print(dog_name, 'says WOOF WOOF')
else:
    print(dog_name, 'says woof woof')

dog_name = "Fido"
dog_weight = 65
if dog_weight > 20:
    print(dog_name, 'says WOOF WOOF')
else:
    print(dog_name, 'says woof woof')
```

Discussing my
age wasn't enough?



-
- A. It's the same code over and over, so it seems very redundant.
 - B. It looks tedious to type in!
 - C. It doesn't seem to do a lot for that much code.
 - D. Not the most readable code I've ever seen.
 - E. If we wanted to change how the dogs bark, that would be a lot of changes to make!
 - F. _____
-

What's wrong with the code, anyway?

Okay, so we have some code that is repeated *over and over*. What's wrong with that? Well, at face value, nothing. After all, it works, right? Let's have a closer look at the code in question:

```
dog_name = "Codie"
dog_weight = 40
if dog_weight > 20:
    print(dog_name, 'says WOOF WOOF')
else:
    print(dog_name, 'says woof woof')
```

```
dog_name = "Sparky"
dog_weight = 9
if dog_weight > 20:
    print(dog_name, 'says WOOF WOOF')
else:
    print(dog_name, 'says woof woof')
```

Sure, this code looks innocent enough, but it's tedious to write, it's hard to read, and it will be problematic if your code needs to change over time. That last point will become more and more clear as you gain experience in programming—almost all code does change over time, and the code above is a nightmare waiting to happen because we've got the same logic repeated over and over.

Say you need to add a new bark called “yip yip,” for tiny dogs that are less than 2 lb. How many places do you need to make that change in the existing code?

Oh boy, so what do we do?



How can you improve this code? Take a few minutes to think of a few possibilities.

What we're doing here is comparing the dog's weight to 20, and if it's greater than 20, we're outputting a big WOOF WOOF. If it's less than 20 or equal to 20, we're outputting a smaller woof woof.

And this code is...wait, it's doing EXACTLY the same thing! And the same is true of the rest of the code.

```
dog_name = "Jackson"
dog_weight = 12
if dog_weight > 20:
    print(dog_name, 'says WOOF WOOF')
else:
    print(dog_name, 'says woof woof')
```

```
dog_name = "Fido"
dog_weight = 65
if dog_weight > 20:
    print(dog_name, 'says WOOF WOOF')
else:
    print(dog_name, 'says woof woof')
```

Again, only the details of the dog are different.

And again, different dog, same code.




If only I could find a way to reuse code so that anytime I needed it, I could just use it rather than retyping it. And a way to give it a nice memorable name so that I could remember it. And a way to make edits in just one place instead of many if something changes. That would be dreamy. But I know it's just a fantasy...

Turning a block of code into a FUNCTION


What if we told you that you could take a block of code, put a name on it, and then use and reuse that code anytime you like? You'd probably say, "What took you so long?!"

Python gives us a way to do exactly that, and it's called *defining a function*. You've already *used* a few functions, like, print, str, int, and range. Let's look at how they work again:



When we call a function, we've assumed the function goes off and does a bunch of work (like printing the values we passed it) and then at some point returns and our code resumes where it left off. And that's exactly what a function does.

You don't have to be satisfied calling prebuilt functions; you can create your own. Here's how you do that:



So now that you know how to define a function, let's see how you use it.

We created a function, so how do we use it?

Now that you've created a function by taking a block of code, giving it a name, and defining some parameters (the dog's name and weight) that you'll be supplying when you call it, you're all ready to use your new function.

And given your experience with functions like `print`, `str`, `random`, and `range`, you already know what to do. Let's call `bark` a few times to see how it works:

```
bark('Codie', 40)  
bark('Sparky', 9)  
bark('Jackson', 12)  
bark('Fido', 65)
```

Let's test bark
with all the dogs
we know about.

Great, that's the output
we were expecting!

Python 3.6.0 Shell

```
Codie says WOOF WOOF  
Sparky says woof woof  
Jackson says woof woof  
Fido says WOOF WOOF  
>>>
```

But how does all this actually work?

We've created a function and we've put it to work, and everything seems like it is working as expected, but what is really going on behind the scenes? How does this all really work? Let's take things step by step and see. To do that, let's step through the following code:

```
Here we start with a print  
statement, just to get things going.  
  
print('Get those dogs ready')  
  
def bark(name, weight):  
    if weight > 20:  
        print(name, 'says WOOF WOOF')  
    else:  
        print(name, 'says woof woof')  
  
bark('Codie', 40)  
  
print("Okay, we're all done")  
  
And then we have  
our bark function  
definition.  
  
And then we're  
going to call the  
bark function with  
the arguments  
Codie and 40.  
  
And finally we use a  
print statement to  
say we're done.
```



Pretend you are the Python interpreter. Start at the top of the code and mentally step through and execute each line. Are there any steps that are unclear to you?



Behind the Scenes

Like any good interpreter, let's start at the beginning. So our first line of code is a print statement. This executes as you'd expect and outputs 'Get those dogs ready' to the Python Shell.

```
Python 3.6.0 Shell
Get those dogs ready
```

So far we just have a print statement, which sends its output to the shell.

We start here.

```
print('Get those dogs ready')

def bark(name, weight):
    if weight > 20:
        print(name, 'says WOOF WOOF')
    else:
        print(name, 'says woof woof')

bark('Codie', 40)

print("Okay, we're all done")
```

Up next: the function definition.

After executing the print statement, the interpreter encounters the function definition for the bark function. At this point, the Python interpreter doesn't execute the code in the function; rather, it creates a name, bark, and stores away the function parameters and body (after giving the body a quick syntax scan) for later use. After the definition is processed by the interpreter, we can use the name bark to invoke the function any time we want.

The whole point of this bit of code is to create the function, not to invoke it. So after this code is evaluated, we're all ready to invoke this function at any time with the function's name, bark.

```
print('Get those dogs ready')

def bark(name, weight):
    if weight > 20:
        print(name, 'says WOOF WOOF')
    else:
        print(name, 'says woof woof')


bark('Codie', 40)

print("Okay, we're all done")
```

Next we have a call to the bark function

function. After the function definition is complete, the interpreter next encounters a function call. This time it's a call to the bark function with two arguments: the string 'Codie' and the number 40.

The interpreter retrieves the function definition named bark from memory, and assigns the *arguments* 'Codie' and 40 to the *parameters* name and weight, respectively.



You can think of name and weight as brand new variables that are around as long as your function body is being executed. Anytime you refer to them in your function body, you can count on them to hold the values of the arguments you passed into your function.

Next, after the parameters have been set, the interpreter takes bark's code and begins executing it.



Behind the Scenes

Make it stick

We call, or **invoke**, a function.

You pass **arguments** into your function calls.

A function has zero or more **parameters** that accept values from your function call.

Now we execute the function

body. An important thing to notice here is that the flow of the program has now gone from the call to the bark function to the body of the bark function—we’re no longer proceeding straight through our code, but rather, we’ve jumped to the code in the function body. Keep that in mind.

In the function body we first have a conditional test to see if the weight parameter is greater than 20, and given we passed in 40, it is, so we execute the code block of the conditional.

The block of the conditional prints the parameter name, which has the value of ‘Codie’ and then ‘says WOOF WOOF’.

```
Python 3.6.0 Shell
Get those dogs ready
Codie says WOOF WOOF.
```

And with that, we complete the code in the body of the bark function. So where do we go from here? Well, when a function completes, the control of the program returns back to where the function was called, and the interpreter resumes execution there.

Remember, when a function completes, the control of the program returns back to where the function was called, and the interpreter resumes execution there.

Behind the Scenes

After the values of your arguments have been assigned to each parameter, then it's time to start executing the body of your function.

```
print('Get those dogs ready')

def bark(name, weight):
    if weight > 20:
        print(name, 'says WOOF WOOF')
    else:
        print(name, 'says woof woof')

bark('Codie', 40)

print("Okay, we're all done")
```

```
print('Get those dogs ready')

def bark(name, weight):
    if weight > 20:
        print(name, 'says WOOF WOOF')
    else:
        print(name, 'says woof woof')

bark('Codie', 40)
print("Okay, we're all done")
```

With the call to bark finished, the interpreter resumes execution right after the call to the bark function. So, we'll pick back up here.

Now we execute the code after the function call.

Finally, we return from the call to the bark function and the only code remaining is a simple print statement that outputs Okay, we're all done to the Python Shell.

Python 3.6.0 Shell

```
Get those dogs ready
Codie says WOOF WOOF.
Okay, we're all done
```

Behind the Scenes

```
print('Get those dogs ready')

def bark(name, weight):
    if weight > 20:
        print(name, 'says WOOF WOOF')
    else:
        print(name, 'says woof woof')

bark('Codie', 40)

print("Okay, we're all done")
```



Finally we reach the last line of our program.



A Test Drive

That's a lot to take in. Take a deep breath, and then get this code into a file called `bark.py`, save your code, and choose the **Run > Run Module** menu item to make sure everything's good.

Here's the code:

Add all this new code to your file.

```
def bark(name, weight):
    if weight > 20:
        print(name, 'says WOOF WOOF')
    else:
        print(name, 'says woof woof')

bark('Codie', 40)
bark('Sparky', 9)
bark('Jackson', 12)
bark('Fido', 65)
```

WOW, look how much more readable and clear this code is!

Here's what we got when we tested the code.

Python 3.6.0 Shell

```
Codie says WOOF WOOF
Sparky says woof woof
Jackson says woof woof
Fido says WOOF WOOF
>>>
```



Sharpen your pencil

Here's a little connect-the-dots exercise for you. Using your pencil, start at step 1 and draw a line from each step to the next as the program executes. Feel free to annotate your lines where necessary to explain what is happening in the code's execution. We already drew the first couple lines for you.

We start here.

Print, and then proceed to the next line.

```

1 print('Get those dogs ready')

2 def bark(name, weight):
    if weight > 20:
        print(name, 'says WOOF WOOF')
    else:
        print(name, 'says woof woof')

3 bark('Codie', 40)

4 print("Okay, we're all done")

```



Sharpen your pencil

We've got some more calls to `bark` below. Next to each call, write what you think the output should be, or if you think the code will cause an error. Check your answer at the end of the chapter before you go on.

`bark('Speedy', 20)` _____

← Write what you think the shell will display here.

`bark('Barnaby', -1)` _____

`bark('Scottie', 0, 0)` _____

← Hmm, any ideas what these do?

`bark('Lady', "20")` _____

`bark('Spot', 10)` _____

`bark('Rover', 21)` _____



I thought you
said we were going to
learn about abstraction? So
far it seems this chapter is
just about functions.

Functions are a way to abstract your code.

Think about the first dog example in this chapter. We had a lot of messy code, and if you looked at that code it was a bit hard, at least at first, to figure out what its purpose was. But after some study, it was pretty obvious: we wanted each dog to bark. And we wanted it to bark in a way that was representative of the dog's size—WOOF WOOF for big dogs, and woof woof for small dogs.

So, what we did was pull the code that does the barking out and abstracted it into a function. Once we did that, we could simply write code like this:

```
bark('Codie', 40)
```

We no longer had to worry about *how* the code barks (as we did with every single case of barking before we had this function), we just need to *use* the bark function. And, two months from now when you need to make some more dogs bark, you can reuse this function with very little knowledge of how it works. That allows you to focus on what you're coding (say, a dog show simulator), not the low-level details of barking.

← Or your coworker does.

So we are taking code, abstracting it into a function, and then making use of that abstraction in our code.



Code Magnets

This working code is all scrambled up on the fridge. Can you reconstruct the code snippets to make a working program that produces the output listed below? Notice, there may be some extra code on the fridge, so you may not use all the magnets. Check your answer at the end of the chapter.

,
,

:

:

def

)

{

}

(

how_should_I_get_there(800.3)

else:
 print('Walk')

how_should_I_get_there

elif miles >= 2.0:
 print('Take a car')

miles

kilometer

if miles > 120.0:
 print('Take a plane')

how_should_I_get_there(.5)

how_should_I_get_there(2.0)

Python 3.6.0 Shell

Take a plane

Take a car

Walk

there are no Dumb Questions

Q: Do I need to define my function before the code that calls it? Or can I put my functions at the end of the file?

A: Yes, you need to define functions before they are *called* in your code. One thing to consider: say we have two functions, f1 and f2, where f1 calls f2 in its body. In this case, it is perfectly fine to define f2 after f1 in your code, so long as f1 does not get called before f2 is defined. That's because defining the function body of f1 does not invoke f2, until f1 is actually called. In terms of where to put functions, we suggest defining functions at the top of your file for better organization and clarity.

Q: What kind of values can I pass to a function?

A: In Python you can pass any of the data types you've learned (as well as all the ones you *will* learn) to a function: Booleans, strings, numbers, and lists. Believe it or not, you can even pass a function to another

function—we will get to why you'd want to and what it gets you later in the book (in the Appendix).

That said, there are some other ways to approach passing arguments that we'll look at before the chapter is over.

Q: Sorry, I'm still confused on the whole argument versus parameter thing.

A: Don't overthink it. They are both terms for simple things. Arguments are the values you pass to a function when you make a function call. Parameters are part of the function definition, and get initialized to the arguments passed to the function call.

Q: What happens if I mix up the order of my arguments, so that I'm passing the wrong arguments into the parameters?

A: All bets are off; in fact, we'd guess you're pretty much guaranteed either an error at runtime or incorrectly behaving code. Always take a careful look at a function's parameters, so you know what arguments the function expects to be passed and in what order.

Q: What are the rules for function names?

A: The rules for naming a function are the same as the rules for naming a variable, which we saw in Chapter 2. Just start with an underscore or letter, and continue with letters, underscores, or numbers. Most Python programmers, by convention, keep their function names all lowercase with underscores between words, like `get_name` or `fire_cannon`.

Q: Can functions call other functions?

A: Yes, happens all the time. Note you're already doing this when you call the `print` function within the `bark` function code. Your own functions are no different; you can call them from your other functions.

Functions can RETURN things too

So far you've *only passed things to a function*; that is, you know how to call a function and pass arguments to it. But you can also *get a value back from a function*, with the `return` statement:

Here's a new function, `get_bark`, that returns the appropriate bark, given a dog's weight.

```
def get_bark(weight):
    if weight > 20:
        return 'WOOF WOOF'
    else:
        return 'woof woof'
```

If the weight is greater than 20 we return the string 'WOOF WOOF'.

Otherwise, we return the string 'woof woof'.

But only one will be executed, because as soon as a `return` statement is executed, the code immediately returns from the function.

A function can have zero, one, or more `return` statements.

How to call a function that has a return value

So we've got a function, `get_bark`, that we just need to pass the weight of our dog, and it returns the appropriate bark for that dog. Let's see how to use it:

You call the function like any other function,
only this function returns a value, so let's
set that value to a variable, `codies_bark`.

```
codies_bark = get_bark(40)
print("Codie's bark is", codies_bark)
```

```
Python 3.6.0 Shell
Codie's bark is WOOF WOOF
>>>
```



Get some practice to make return values sink in. Compute the return value of each function call.

```
def make_greeting(name):
    return 'Hi ' + name + '!'
def compute(x, y):
    total = x + y
    if (total > 10):
        total = 10
    return total
```

```
def allow_access(person):
    if person == 'Dr Evil':
        answer = True
    else:
        answer = False
    return answer
```

Defined on the
previous page

`get_bark(20)`

`make_greeting('Speedy')`


`compute(2, 3)`

`compute(11, 3)`

`allow_access('Codie')`

`allow_access('Dr Evil')`

Write what
each call
returns here.



Good catch.

We sure did. You can declare new variables right inside of your function, just as we did. It's often handy to have variables that hold the result of an intermediate calculation that you'll need in your function. We call these *local variables*, because they are local to the function and only exist as long as the function execution does. That's in comparison to the global variables we've been using so far, which exist as long as your entire program does.

But hold that thought. Given our new knowledge of functions, parameters, return values, and so on, we've just received a request to help "refactor" some code. We never turn down a chance to do real coding, so we're going to do that and then circle back and dig into variables (local, global, and otherwise) some more.

Getting a little refactoring under our belts

A new startup around the corner has been working on some code to help their users choose an avatar—you know, an onscreen representation, real or imagined. They've just started, and so far all their code does is ask for the user's preferences for hair color, eye color, gender, and so on—once they get this all working, they'll presumably take all these preferences and generate a nice avatar image for each user.

But they feel like their code is already getting too complex for such a simple task. You'll find the code below; notice that they've tried to make this easy on the user by supplying some default values—the user can either type in a value, or just hit return to accept the default.



For each attribute of the avatar, we prompt the user, including a default choice, like brown hair.

```
hair = input("What color hair [brown]? ")
if hair == '':
    hair = 'brown'
print('You chose', hair)
```

If the user simply hits the Return key, then we assign the variable to the default value. Otherwise, we use what they typed in.

```
hair_length = input("What hair length [short]? ")
if hair_length == '':
    hair_length = 'short'
print('You chose', hair_length)
```

We also print each user's choice.

```
eyes = input("What eye color [blue]? ")
if eyes == '':
    eyes = 'blue'
print('You chose', eyes)
```

We do this over and over for each attribute.

```
gender = input("What gender [female]? ")
if gender == '':
    gender = 'female'
print('You chose', gender)
```

```
has_glasses = input("Has glasses [no]? ")
if has_glasses == '':
    has_glasses = 'no'
print('You chose', has_glasses)
```

```
has_beard = input("Has beard [no]? ")
if has_beard == '':
    has_beard = 'no'
print('You chose', has_beard)
```

Running the code

Let's do a little run-through of the code so far to see how it works. Before we do, though, make sure you've studied the code a bit so you get the gist of it.

The program prompts us for each attribute. We either type out an attribute, or accept the default (like short hair length and no glasses) by hitting return.

And for each attribute, the program confirms the user's choice by printing it back out.



Python 3.6.0 Shell


```
What color hair [brown]? blonde
You chose blonde
What hair length [short]?
You chose short
What color eyes [blue]? brown
You chose brown
What gender [female]? male
You chose male
Has glasses [no]?
You chose no
Has beard [no]? yes
You chose yes
```



Obviously our avatar code is in need of some abstraction. Use this space to work out how you think this code should be abstracted into a function (or functions) and what your function calls might look like. When you're done, we'll walk through it together on the next page (but make sure you do your own work first!).

How to abstract the avatar code

Now that you've done your own thinking, let's take a look and find the commonality in the code that we can abstract into a function:



There are two things that vary over each bit of code, and that's the question and the default value. Those are going to be our parameters because each time we call our function they will be different. Let's start there:

Let's call our function `get_attribute`.

```
def get_attribute(question, default):
```

And we'll use two parameters, `question` for the question to ask, like "What color hair", and `default`, to supply the default value, like "brown".

Writing the get_attribute function body

Now let's work on the function body. Based on the original code, the first thing we need to do is create a string that acts as a question, so that we can prompt and get input from the user.

```
def get_attribute(query, default):  
    question = query + '[' + default + ']? '  
    answer = input(question)
```

Then we'll prompt the user and get their input. We'll assign the answer variable to their input.

Let's put together the question for the user by using the query parameter along with the default parameter, and we'll format the string just like the previous code did.

Now, just as the previous code did, we need to check to see if the user chose the default value by hitting return (in which case, the answer will be the empty string). Then we need to print out their choice:

```
def get_attribute(query, default):  
    question = query + '[' + default + ']? '  
    answer = input(question)  
    if (answer == ''):  
        answer = default  
    print('You chose', answer)
```

Check the answer against the empty string, and if it is the empty string, set the answer to the default parameter.

Finally, we just have one thing left to do: we need to get the answer back to the code that called get_attribute. How do we do that? With the return statement, of course:

```
def get_attribute(query, default):  
    question = query + '[' + default + ']? '  
    answer = input(question)  
    if (answer == ''):  
        answer = default  
    print('You chose', answer)  
    return answer
```

We've got the user's answer, so the only thing left to do is return it.

Calling get_attribute

Now, for each attribute, we just need to write the appropriate call to the `get_attribute` function.

```
def get_attribute(query, default):
    question = query + ' [' + default + ']? '
    answer = input(question)
    if (answer == ''):
        answer = default
    print('You chose', answer)
    return answer
```

```
hair = get_attribute('What hair color', 'brown')
hair_length = get_attribute('What hair length', 'short')
eye = get_attribute('What eye color', 'blue')
gender = get_attribute('What gender', 'female')
glasses = get_attribute('Has glasses', 'no')
beard = get_attribute('Has beard', 'no')
```

We've taken each of the original attributes and created a call to `get_attribute` for each one.




A Test Drive

Get this code above into a file called `avatar.py`, save your code, and choose the **Run > Run Module** menu item to give the avatar code a try.

Make sure you take another look at the code above; look at how much more concise and understandable it is! Not to mention it's more maintainable if you need to change something in the future.



Exactly as it looked and operated before our rework



Python 3.6.0 Shell

```
What color hair [brown]? blonde
You chose blonde
What hair length [short]?
You chose short
What color eyes [blue]? brown
You chose brown
What gender [female]? male
You chose male
Has glasses [no]?
You chose no
Has beard [no]? yes
You chose yes
```



Serious Coding

Reworking code to make it more concise, readable, and well structured is a common activity of good coders. Often this activity is called **refactoring** code.



Functions Exposed

This week's interview:
Sitting down with a Local Variable

Head First: Welcome, Local Variable. We're glad you joined us.

Local Variable: Glad to be here.

Head First: So, we really don't know a lot about you. Maybe you could fill us in.

Local Variable: Ever declare a variable inside a function? That's me.

Head First: And so how is that any different than any other time we declare a variable?

Local Variable: I'm meant to be used only *within* the function body; in fact, that's the only place you can use me!

Head First: What do you mean?

Local Variable: Say you're writing a function and you need a variable to hold something you're calculating in that function, say a variable called `position`. You declare `position` within the function and use it anywhere in the function body. Now, that variable doesn't exist until the function is invoked, and then it exists as long as the function body is being evaluated, but as soon as your function returns, the variable disappears.

Head First: What about the next time the function is invoked?

Local Variable: You get a fresh new local variable called `position`, which is around as long as the function invocation is, and then it goes away again.

Head First: So what good are you if you're just around for a bit and you keep disappearing as soon as the function ends?

Local Variable: Oh, I'm hugely useful. I'm hugely useful. In a function you need variables to hold the temporary results as you compute something. So you have me to do that. And when the function is done, I take care of all the cleanup; you don't even have to worry about me cluttering up your program with unneeded variables.

Head First: So, I don't think this audience has heard her, but we've also had Parameters in for an interview in the past; how are you different from her?

Local Variable: Oh, Parameters! She's like a sister to me. Parameters are essentially local variables, but special ones that get set up when the function is called. Basically each parameter is created and set to the value of the corresponding incoming arguments. And, like a local variable, a parameter is available to you throughout the function body, but then it goes away when the function ends.

Head First: Ah, I didn't know you knew each other. Well, the other interviewee that comes to mind is Global Variable.

Local Variable: Ah yes, overrated if you ask me; that guy's a pain.

Head First: Come again?

Local Variable: A global variable is a variable you declare outside a function. It has global scope.

Head First: Scope?

Local Variable: Scope is the extent of where your variables are visible. It's an area of the program where you can access a variable, to read or change its value. A global variable is visible everywhere in your code.

Head First: Well, what's your scope?

Local Variable: Like I said, just the function body, same as Parameters.

Head First: Well, what's the issue with Global Variable being, well, global scope?

Local Variable: It's not considered the best design decision to use lots of global variables.

Head First: Why, they sound like a convenient thing to me.

Local Variable: I think your readers will hear more about this later, but it can lead to some issues with large programs.

Head First: Maybe next time we can have you and Globals in for a fireside chat?

Local Variable: Oh, I can hardly wait.



What does this code output? Are you sure?
Maybe you better test it for real. Why did you
get that result? Was it what you expected?

```
def drink_me(param):
    msg = 'Drinking ' + param + ' glass'
    print(msg)
    param = 'empty'

glass = 'full'
drink_me(glass)
print('The glass is', glass)
```

Don't even think about skipping this one!

Let's talk about variables a little more...

We're finding out there's more to variables than just declaring them, setting their values, and changing them. By adding functions into the mix, we've introduced a bunch of new concepts like local variables and, by contrast, global variables. And don't forget parameters, which act like local variables (except they are set up for us when the function is invoked). And then we have this concept of scope as well.



Sharpen your pencil

Make sure we can recognize each type of variable. Annotate this code by identifying local and global variables as well as any parameters. Check your answers.

```
def drink_me(param):
    msg = 'Drinking ' + param + ' glass'
    print(msg)
    param = 'empty'

glass = 'full'
drink_me(glass)
print('The glass is', glass)
```

Understanding variable scope

The term *scope* describes where a variable is visible, or accessible, within your code. The rules are pretty straightforward:

- **Global variable:** visible anywhere in your program, although we'll see one minor exception to this in just a sec.
- **Local variable:** only visible within the function body where it is declared.
- **Parameter:** only visible within the function body where it is declared.

Notice local variables are created only within functions.

Let's check out this idea of variable scope with some code we're already familiar with:

The local variables question and answer have local scope within the get_attribute function.

The parameters query and default also have local scope within the get_attribute function.

```
def get_attribute(query, default):  
    question = query + '[' + default + ']? '  
    answer = input(question)  
    if (answer == ''):  
        answer = default  
    print('You chose', answer)  
    return answer
```

Notice we return the value in a local variable, answer, just before the function ends.

```
hair = get_attribute('What hair color', 'brown')  
hair_length = get_attribute('What hair length', 'short')  
eye = get_attribute('What eye color', 'blue')  
gender = get_attribute('What gender', 'female')  
glasses = get_attribute('Has glasses', 'no')  
beard = get_attribute('Has beard', 'no')
```

The variables hair, hair_length, eye, gender, glasses, and beard are all global variables and are visible anywhere in this code.

there are no Dumb Questions

Q: How can you return a local variable from a function if it goes away when the function completes?

A: When you return a local variable from a function, you are returning the *value* of the local variable, not the local variable itself. Think of it like this: if you're running a relay race, you pass the baton (value), not yourself (the variable holding the value), to the next runner. So given only the value is being returned, this is not a problem when the function ends and the variable goes away (because the value the variable held is still around).

The same is true of local variables; they can shadow globals within a function.

Q: What happens if I name a parameter the same name as a global variable, or is that even allowed?

A: It is allowed. What happens is that within your function body any references to that variable will refer to the local version (the parameter), not that global one. So effectively, that particular global variable won't be visible within that function. When this happens we call it *shadowing* a variable (because the local parameter is overshadowing the global variable). This is quite common and isn't necessarily something to avoid as long as your code is well structured. If a parameter name makes sense, go for it—your function really shouldn't be referring to global variables in the function body anyway (more on that topic later).

Q: I get why we might want local variables to hold temporary parts of things we're computing in a function, but why do we need parameters. Can't we just always refer to global variables with the values we want?

A: Technically that could be done, but it would lead to code that is difficult to understand and error prone. Using parameters allows us to write general functions that don't need to depend on specific global variables; instead, they are parameterized, allowing the calling code to determine the arguments to pass to the function.

Take our bark function, for example; if it relied on globals, how would you make it work for various dogs?

Spoiler alert: here's what the drink_me code outputs.

```
Python 3.6.0 Shell
Drinking full glass
The glass is full
>>>
```


When variables get passed to functions

Are you still wondering about the output for the drink_me code? Or, wondering more specifically why the glass didn't get emptied? Most people do. The reason has to do with how variables and values are treated when they are passed to a function. Let's take a look:

Here's our drink_me code again.
Let's step through it and see
how the glass remains full after
drink_me is called.

```
def drink_me(param):
    msg = 'Drinking ' + param + ' glass'
    print(msg)
    param = 'empty'

glass = 'full'
drink_me(glass)
print('The glass is', glass)
```



In this code, after the function is defined, we assign the string value 'full' to the variable glass.

Making the drink_me function call

Now let's call the drink_me function and see what happens with our variables and parameters.

When drink_me is called, the value of the argument glass is evaluated, and its value 'full' is passed along, and assigned to the parameter param.

```
def drink_me(param):
    msg = 'Drinking ' + param + ' glass'
    print(msg)
    param = 'empty'

glass = 'full'
drink_me(glass)
print('The glass is', glass)
```

The value 'full' is assigned to the parameter param.

glass

param

Remember from Chapter 2, when we assign a value to a variable (and you can think of param as a variable), we create a location for the value, and then we label the location (a cup in our diagram) with the variable name.

NOTE: the way Python handles passing arguments is a little more complex than this, in particular when we start talking about objects, but for now this is a good working model for us.

Next we construct the msg using the value of the parameter param.

```
def drink_me(param):
    msg = 'Drinking ' + param + ' glass'
    print(msg)
    param = 'empty'

glass = 'full'
drink_me(glass)
print('The glass is', glass)
```

And then we print it.

Python 3.6.0 Shell
Drinking full glass

glass

param

The value of param at this point is 'full'.




Now for the important part. We're going to assign 'empty' to param.

```
def drink_me(param):
    msg = 'Drinking ' + param + ' glass'
    print(msg)
    param = 'empty'

glass = 'full'
drink_me(glass)
print('The glass is', glass)
```

Nothing about the glass variable has changed; it is still labeling the value 'full'.



Now we've changed the value of the param parameter to 'empty'.

Finally we return from the function call to drink_me, and we execute the print statement.

```
def drink_me(param):
    msg = 'Drinking ' + param + ' glass'
    print(msg)
    param = 'empty'

glass = 'full'
drink_me(glass)
print('The glass is', glass)
```


Our parameter param no longer exists because the function call has completed. Sad.

The print statement prints the value of the glass variable, which is 'full'.

Again, nothing about the glass variable has changed; it is still labeling the value 'full'.

```
Python 3.6.0 Shell
Drinking full glass
The glass is full
>>>
```





You got it. It's common for coders to say, "When I pass the variable `x` to the `do_it` function," but that is a coder colloquialism, and what they really mean is "When I pass *the value of the variable* `x` to the `do_it` function." Think about it this way—when you make a function call, each argument is evaluated *before* it is passed to the function, so if we have:

```
x = 10  
do_it('secret', 2.31, x)
```

The string '`'secret'`' evaluates to the string '`'secret'`' and is passed along, the number `2.31` evaluates to the floating-point number `2.31` and is passed along, and finally, the variable `x` is evaluated to the value `10` before it is passed along. So your function doesn't even know there is a variable `x`, it just gets the value `10` and sets its corresponding parameter to that value.

Now, we're going to see that things get slightly more complicated when we start working with objects, but think of your arguments as always being passed to your functions, not your variables.

What about using global variables in functions?

Global variables are global, right? So they should be visible both inside and outside functions, and they are. To use a global variable in a Python function, we first let Python know we're going to use a global variable with the `global` keyword.

```

greeting = 'Greetings'

def greet(name, message):
    global greeting
    print(greeting, name + '.', message)

greet('June', 'See you soon!')

```

Create a global variable greeting.

Tell our function we're going to use a global.

And use it.

Python 3.6.0 Shell

```
Greetings June. See you soon!
>>>
```

Of course you can change the value of a global variable in your function if you want to:

```

greeting = 'Greetings'

def greet(name, message):
    global greeting
    greeting = 'Hi'
    print(greeting, name + '.', message)

greet('June', 'See you soon!')
print(greeting)

```

Change the global greeting to 'Hi'.

Print the value of greeting after the call to greet.

Python 3.6.0 Shell

```
Hi June. See you soon!
Hi
>>>
```

We changed the value of the global greeting within our function to 'Hi'.



Watch it!

Make sure you use the `global` keyword as a best practice

This all seems simple enough: to use a global variable in a function, just use the `global` keyword to state your intent and use it at will. But watch out—this one has bitten many coders before you. If you don't use the `global` keyword you will still be able to read the values of global variables in your functions, but if you try to change the value of this global, one of two things will happen: either it will have been the first time you've used the variable in your function, and Python will assume it is a local variable instead of a global, or you will have already read the value once, and Python will throw an `UnboundLocalError`. Whenever you see this, look for cases where you are unintentionally mixing local and global variables.

Fireside Chats



Tonight's talk: **LOCAL** and **GLOBAL** variables answer the question “Just what is **GLOBAL**'s problem, anyway?”

The LOCAL variable

Look, I get I don't have as big a job as Global, but it's a nice job—anytime I'm needed to hold a value inside a function, I'm there. And as soon as that function is done, I clean up and get out of the way.

Just because you're everywhere doesn't mean folks should go out of their way to use you.

What I mean is, folks shouldn't jump right into a global variable when they don't really need one.

I don't disagree with that for simple code, but for more complex code apparently you haven't spent much time on the top coder discussion site stackoverflow.com, because people say, “Avoid globals!” all the time.

One problem is that if you use a lot of globals, sooner or later you're going to accidentally reuse the same global name. Or imagine giving someone else your code—they won't even know without a lot of study what globals you're using. In fact, they might already have code using the same global names.

The GLOBAL variable

I've got global scope. I'm everywhere; enough said.

No one needs to go out of their way. Just declare a variable outside a function, I'm there.

What are you talking about—who doesn't like a global variable? Especially for simple programs, they are actually one of the clearest and most straightforward ways to store important values.

Oh, you can't be serious; I'm like a basic part of almost every programming language. You think all those smart computer scientists would have put me in if I wasn't totally useful?

Oh sure, blame people being sloppy in their code on me. Who are you going to blame next, the `for` loop?

The LOCAL variable

Another issue is when you're looking at a piece of code that uses a global variable, you have no idea what other parts of the code could be using and changing that value, especially in a large program. At least with a local variable you can typically see all the code that deals with it; after all, it's all right there in the function.

Say you're building some code for a chocolate factory.

You've got a global Boolean variable controlling whether the boiling vat's drain is closed, and you always want set it to `True` before pouring chocolate into the vat.

Ah, but then in all your hundreds of lines of chocolate factory code, a new hire comes along and sets the variable to `False`, without checking to see if there is chocolate in the vat. Can you say inherently dangerous?

Actually, a really good solution to that problem is objects. Which I think the readers will learn about much later in the book.

And guess what, you still use local variables within objects as well.

Have you considered looking for another line of work? Once these readers get more advanced, they may not need you anymore.

The GLOBAL variable

What's the big deal? I don't see the issue.

Okaaaaaay...

Exactly; see how well that works? You have a global variable and you just look to see if it is closed or not. It's in one place, easy to find.

Well, you just need to train people better. And how does a local variable solve that?

Objects, so I've heard.

Oh, well good for you.

Oh, I'm pretty sure they'll be using me for quite a while, at least until they learn...oh, nevermind.

Going further with parameters: default values and keywords

Earlier we'd said you need to be careful about argument order: if you don't pass the correct arguments, in the correct order, then all bets are off in terms of how a function is going to operate. If you've got a function that has speed and altitude parameters and you switch the order when you pass your arguments, watch out!

You'll find this is true across most programming languages; to alleviate this potential ordering problem, Python provides another, more flexible way to provide parameters. With Python, parameters can have *default values* and *keywords*, which allows you to pick and choose your arguments and the order you want to supply them. You'll find parameter keywords and default values used in many Python modules and libraries (not to mention you might want to use keywords and default values in your own code).



You want a speed of 35,000 and an altitude of 580? That could be a bit of a problem. You might want to check your argument order.

← We'll be seeing them used in practice, later in the book, as we explore more Python modules.

How default parameter values work

Your function parameters can have default values. Let's use a simpler version of our `greet` function, without the global variable:

Here's a normal, everyday parameter waiting for an argument.
↓

```
def greet(name, message='You rule!'):  
    print('Hi', name + '.', message)
```

And here's a parameter that doesn't really care if it gets a corresponding argument or not because it has a default value.

This is the default value for `message` if the calling code doesn't pass an argument for `message`.

Now that we've got a parameter with a default value, let's see how we use this:

If we call `greet` without an argument for `message`, then the `greet` function will use the default value for the `message` parameter.

```
greet('John')  
greet('Jennifer', 'How are you today?')
```

And if we supply an argument for `message`, then our `greet` function will gladly accept that as the `message` argument.

```
Python 3.6.0 Shell  
Hi John. You rule!  
Hi Jennifer. How are you today?  
>>>
```

Always list your required parameters first!

If you're providing defaults for some of your parameters, you need to be careful and put all your *required parameters* first. What's a required parameter? Well, if your function has a parameter without a default value, then when your function is called, it *must supply* an argument for that parameter, so it's required. So say we were to expand our greet function like this:

```
def greet(name, message='You rule!', emoticon):
    print('Hi', name + '.', message, emoticon)
```

What not to do!

Our new function definition is not allowed. Python is complaining that a required (non-default as Python calls it) argument follows a default argument.

Here's a new parameter,
but it's required because
there is no default value.

```
Python 3.6.0 Shell
File "defaults.py", line 1
def greet(name, message='You
rule!', emoticon):
^
SyntaxError: non-default argument
follows default argument
```

So what's the big deal? Why can't we do this? The short story: if you work through more complex examples, you'll see the interpreter can easily get into a situation where it has no idea which arguments go with which parameters. While we encourage you to think through such a situation, for now just remember to list all your required (non-default in Python lingo) parameters before the parameters with defaults. So, fixing our code above, we get:

Now the non-defaults
(required) parameters are first...

...followed by the
optional ones.

```
def greet(emoticon, name, message='You rule!'):
    print('Hi', name + '.', message, emoticon)
```

If you've been keeping track of the parameter versus argument definitions, you might be asking why the interpreter is calling these arguments and not parameters. We have the same question, but who are we to argue with the Python interpreter?



Watch it!

Using arguments with keywords

So far every time we've called a function, the arguments have been *positional*. That is, the first argument is mapped to the first parameter, the second argument to the second parameter, and so on. You can also use the parameter names as keywords and specify the arguments in a different order if you like.

To understand how this works, let's take our newly expanded greet function and call it with some keywords:

```
Python 3.6.0 Shell
Hi Jill. Where have you been? thumbs up
>>>
```

```
greet(message='Where have you been?', name='Jill', emoticon='thumbs up')
```

To use a keyword, use the parameter name, followed by an equals sign and the value for that argument.

Using keywords we can mix and match the order of our arguments and even omit them if they have defaults. Just make sure your calls provide any required arguments before the keywords arguments.

You can mix and match positional and keyword arguments as well.

```
greet('Betty', message='Yo!', emoticon=': )')
```

Here we're positionally specifying the name parameter, but using keywords for the others.

```
Python 3.6.0 Shell
Hi Betty. Yo! :)
>>>
```

How to think about all these options

Parameter defaults and argument keywords are fairly specific to the Python language. In some cases you'll find that when you have a function with many parameters, they are quite convenient in allowing you to specify common default values for those who might use your code. We're not going to focus heavily on the use of either in this book, but if you're going to continue Python programming you will come across them, and as we said, we'll need knowledge of them later in the book for some of Python's modules we make use of.



Cement how those keyword arguments work into your brain before this chapter ends by working through the code below and figuring out what it outputs. Write your answer in the Python Shell window below.

```
def make_sundae(ice_cream='vanilla', sauce='chocolate', nuts=True,
                banana=True, brownies=False, whipped_cream=True):
    recipe = ice_cream + ' ice cream and ' + sauce + ' sauce '
    if nuts:
        recipe = recipe + 'with nuts and '
    if banana:
        recipe = recipe + 'a banana and '
    if brownies:
        recipe = recipe + 'a brownie and '
    if not whipped_cream:
        recipe = recipe + 'no '
    recipe = recipe + 'whipped cream on top.'
    return recipe

sundae = make_sundae()
print('One sundae coming up with', sundae)

sundae = make_sundae('chocolate')
print('One sundae coming up with', sundae)

sundae = make_sundae(sauce='caramel', whipped_cream=False, banana=False)
print('One sundae coming up with', sundae)

sundae = make_sundae(whipped_cream=False, banana=True,
                     brownies=True, ice_cream='peanut butter')
print('One sundae coming up with', sundae)
```

Python 3.6.0 Shell

← Output goes here.






I know the chapter is about to end, but I just have one more question about functions. If a function doesn't have a return statement, does it return anything?

It returns None. This is a bit of a can of worms to open up right before the chapter ends, but it's our fault for not bringing it up sooner.

When you have a function that doesn't explicitly return a value with a `return` statement, it returns the value `None`. Not the string "`None`", but the *value* `None`. If you're saying "what on earth is that?" it's one of those strange computational objects, sort of like the empty string or an empty list, or maybe more like `True` or `False`. In this case it's just a value that means *no value* or perhaps *undefined*.

You might also be asking if `None` is a value, what's its type? The type of `None` is `NoneType`. We know, now it all makes sense, right? Here's the trick: don't think too hard about `None`; it's a value that signifies the lack of a value, and we'll see a bit here and there how this can be used. For now, here's more about the type:



You can file `NoneType` under
"truly weird types."

So add that to the stack of things you've got in the back of your brain and we'll return to this topic later.

You'll find many programming languages have similar values with names like `NULL`, `null`, and `nil`.

The case of the attempted robbery not worth investigating

Sherlock finished his phone call with the bumbling chief of police, Lestrade, and sat down in front of the fireplace to resume reading the newspaper. Watson looked at him expectantly.

Five Minute Mystery



“What?” said Sherlock, not looking up from the paper.

“Well? What did Lestrade have to say?” Watson asked.

“Oh, he said they found a bit of rogue code in the bank account where the suspicious activity was taking place.”

“And?” Watson said, trying to hide his frustration.

“Lestrade emailed me the code, and I told him it wasn’t worth pursuing. The criminal made a fatal flaw and will never be able to actually steal the money,” Sherlock said.

“How do you know?” Watson asked.

“It’s obvious if you know where to look,” Sherlock exclaimed. “Now stop bothering me with questions and let me finish this paper.”

With Sherlock absorbed in the latest news, Watson snuck a peek at Sherlock’s phone and pulled up Lestrade’s email to look at the code.

```
balance = 10500
camera_on = True

def steal(balance, amount):
    global camera_on
    camera_on = False
    if (amount < balance):
        balance = balance - amount

    return amount
    camera_on = True

proceeds = steal(balance, 1250)
print('Criminal: you stole', proceeds)
```

← This is the real, actual bank balance in the account.

Why did Sherlock decide not to investigate the case? How could he know that the criminal would never be able to steal the money just by looking at the code? Is there one problem with the code? Or more?




BULLET POINTS

- Functions give us a way to package up, abstract, and reuse code.
- A function has a name, zero or more parameters, and a body.
- You call or invoke a function and pass it zero or more arguments.
- You can pass a Python function any valid Python value.
- The number and order of arguments in a function call needs to match the parameters in the function. You can use keyword arguments to specify a subset of arguments in an arbitrary order.
- When a function is invoked, it assigns the arguments to parameter variables and then executes its code block.
- A function's code block is also known as the body of the function.
- Functions can return values by using the `return` statement.
- To capture the value returned from a function, simply assign the result of the call to a variable.
- Functions can themselves call built-in functions or other functions you've defined.
- You can declare functions in any order as long as they are defined before they are called.
- You can create local variables within a function.
- Local variables exist only as long as the function execution does.
- The places in your code where a variable is visible define its scope.
- Variables that aren't created inside functions are called global variables.
- A function's parameters are treated as local variables in the function body.
- When we name a parameter the same name as a global variable, we say that parameter is shadowing the global variable.
- The `global` keyword is used within a function to signify you'd like to refer to a global variable in the function body.
- Abstracting code often makes your code more readable, well structured, and maintainable.
- Abstracting code also allows you to focus at a higher level, and to forget about the low-level details a function implements.
- Reworking code is often called refactoring.
- You can use parameter defaults to provide default values for missing arguments.
- You can use parameter names as keyword arguments when calling a function.



Coding cross

Get more functional as you do the crossword.



Across

3. Solved the case.
5. Parameters can do this to global variables.
6. An online representation.
9. Another name for the function's block of code.
10. When you call a function, you supply these.
11. Arguments are passed to these.
13. Reworking your code.
14. Functions are great for this.
16. Keyword for using globals in function.
17. Parameter names can be used as these.
18. Another word for calling a function.

Down

1. Parameters are also these.
2. How long a variable lasts.
4. All functions have one.
5. We made some of these with lots of default values.
7. You can use functions to do this.
8. We usually use this to match arguments to parameters.
12. Variables declared in a function.
13. How you pass values back.
15. When we pass a variable to a function, we really pass its _____.

Sharpen your pencil Solution

Do a little analysis of the code below. How does it look? Choose as many of the options below as you like, or write in your own analysis:

- A. It's the same code over and over, so it seems very redundant.
- B. It looks tedious to type in!
- C. It doesn't seem to do a lot for that much code.
- D. Not the most readable code I've ever seen.
- E. If we wanted to change how the dogs bark, that would be a lot of changes to make!
- F. Should we be reusing the same variables over and over for different dogs?

Sharpen your pencil Solution

Here's a little connect-the-dots exercise for you. Using your pencil, start at step 1 and draw a line from each step to the next as the program executes. Feel free to annotate your lines where necessary to explain what is happening in the code's execution. We already drew the first couple lines for you.

We start here.

Print, and then proceed to the next line.

We process the function definition, but we don't execute it.

```
1 print('Get those dogs ready')
2 def bark(name, weight):
3     if weight > 20:
4         print(name, 'says WOOF WOOF')
5     else:
6         print(name, 'says woof woof') bark('Codie', 40)
7
8 bark('Codie', 40)
9 print("Okay, we're all done")
```

SOLUTION CONTINUES ON NEXT PAGE...

Then we call bark, so
we're back to step 2.

- ➊ print('Get those dogs ready')
- ➋ def bark(name, weight):
 if weight > 20:
 print(name, 'says WOOF WOOF')
 else:
 print(name, 'says woof woof') bark('Codie', 40)
- ➌ bark('Codie', 40)
- ➍ print("Okay, we're all done")

Then we execute the
function's body with
steps 2a and 2b...

...before returning
from the function at
3 and then executing
step 4.

- ➊ print('Get those dogs ready')
- ➋ def bark(name, weight):
 if weight > 20:
 print(name, 'says WOOF WOOF')
 else:
 print(name, 'says woof woof') bark('Codie', 40)
- ➌ bark('Codie', 40)
- ➍ print("Okay, we're all done")



Sharpen your pencil Solution

We've got some more calls to bark below. Next to each call, write what you think the output should be, or if you think the code will cause an error. Here's our solution.

bark('Speedy', 20)

Speedy says woof woof

bark("Barnaby", -1)

Barnaby says woof woof

↑ Our bark function doesn't check to make sure dog weights are greater than 0. So this works because -1 is less than 20.

bark('Scottie', 0, 0)

ERROR, bark() takes 2 positional arguments but 3 were given.

bark('Lady', "20")

ERROR, '>' not supported between instances of 'str' and 'int'

bark('Spot', 10)

Spot says woof woof


bark('Rover', 21)

Rover says WOOF WOOF



Code Magnets Solution

This working code is all scrambled up on the fridge. Can you reconstruct the code snippets to make a working program that produces the output listed below? Notice, there may be some extra code on the fridge, so you may not use all the magnets.



```
def how_should_I_get_there( miles ) :
    if miles > 120.0:
        print('Take a plane')
    elif miles >= 2.0:
        print('Take a car')
    else:
        print('Walk')
```

The function takes miles as a parameter and then...

...checks the distance to see if a plane, a car, or walking is appropriate.

```
how_should_I_get_there(800.3)
how_should_I_get_there(2.0)
how_should_I_get_there(.5)
```

kilometer

Python 3.6.0 Shell

```
Take a plane
Take a car
Walk
```



Sharpen your pencil Solution

Get some practice to make return values sink in. Compute the return value of each function call.

`get_bark(20)`

'woof woof'

`make_greeting('Speedy')`

'Hi Speedy!'

`compute(2, 3)`

5

`compute(11, 3)`

10

`allow_access('Codie')`

False

`allow_access('Dr Evil')`

True



Sharpen your pencil Solution

Let's make sure we can recognize each type of variable. Annotate this code by identifying local and global variables as well as any parameters. Here's our solution.

```

def drink_me(param):
    msg = 'Drinking ' + param + ' glass'
    print(msg)
param = 'empty'

glass = 'full'
drink_me(glass)
print('The glass is', glass)

```

Annotations:

- `param`: parameter
- `msg`: local variable
- `param`: local variable
- `glass`: global variable
- `drink_me(glass)`: global variable
- `glass`: global variable



Exercise Solution

Cement how those keyword arguments work into your brain before this chapter ends by working through the code below and figuring out what it outputs. Write your answer in the Python Shell window below.

```
def make_sundae(ice_cream='vanilla', sauce='chocolate', nuts=True,
               banana=True, brownies=False, whipped_cream=True):
    recipe = ice_cream + ' ice cream and ' + sauce + ' sauce '
    if nuts:
        recipe = recipe + 'with nuts and '
    if banana:
        recipe = recipe + 'a banana and '
    if brownies:
        recipe = recipe + 'a brownie and '
    if not whipped_cream:
        recipe = recipe + 'no '
    recipe = recipe + 'whipped cream on top.'
    return recipe

sundae = make_sundae()
print('One sundae coming up with', sundae)

sundae = make_sundae('chocolate')
print('One sundae coming up with', sundae)

sundae = make_sundae(sauce='caramel', whipped_cream=False, banana=False)
print('One sundae coming up with', sundae)

sundae = make_sundae(whipped_cream=False, banana=True,
                     brownies=True, ice_cream='peanut butter')
print('One sundae coming up with', sundae)
```

Python 3.6.0 Shell

```
One sundae coming up with vanilla ice cream and chocolate sauce with nuts and a banana and whipped
cream on top.
One sundae coming up with chocolate ice cream and chocolate sauce with nuts and a banana and whipped
cream on top.
One sundae coming up with vanilla ice cream and caramel sauce with nuts and no whipped cream on top.
One sundae coming up with peanut butter ice cream and chocolate sauce with nuts and a banana and a
brownie and no whipped cream on top.
>>>
```

Did you notice this
code has a bug if
there are no nuts?

↖ Here's our output.



Five Minute Mystery Solution



We're returning the
amount stolen...

...but we're not using it to update the real balance in the account. So the balance of the bank account is the same as it was originally.

```
balance = 10500
camera_on = True
...bu
def steal(balance, amount):
    global camera_on
    camera_on = False
    if (amount < balance):
        balance = balance - amount
    return amount
camera on = True
```

...but it's shadowed by
this parameter.

← So when you change the balance in the function steal, you're not changing the actual bank balance!


```
proceeds = steal(balance, 1250)
print('Criminal: you stole', proceeds)
```

The criminal thinks he stole
the money, but he didn't!

And, in addition to not actually stealing any money, the criminal forgets to turn the camera back on, which is a dead giveaway to the police that something nefarious is going on. Remember, when you return from a function, the function stops executing, so any lines of code after the return are ignored!



Coding Cross Solution



Putting Some Order in Your Data



Sometimes the default ordering of your data doesn't cut it. You've got that list of high scores on 80s arcade games, but you really need it sorted alphabetically by game name. Then there's that list of the number of times your coworkers have stabbed you in the back—it would be nice to know who's at the top of that list. To do that, though, we need to learn how to sort data, and to do that we'll need to explore some algorithms that are a little more involved than the ones we've seen so far. We're also going to have to explore how nested loops work as well as think a little about the efficiency of the code we're writing. Come on, let's take that computational thinking up a level!



I'm back! My bubbleologists did such a great job in Chapter 4 that I'd love to give out some awards. Check out my idea below; I just need for you to write some code to generate one more report. After all the code you've written, I'm sure this will be a walk in the park for you.

Bubbles-R-Us


I just need one more thing; I'd love to give awards to the inventors of the top solutions. Can you give me a list of the top five best bubble solutions in descending order by their bubble score? Something like the report below.

- Bubbles-R-Us CEO

Top Bubble Solutions

- 1) Bubble solution #10 score: 68
- 2) Bubble solution #12 score: 60
- 3) Bubble solution #2 score: 57
- 4) Bubble solution #31 score: 50
- 5) Bubble solution #3 score: 34

Note these aren't real scores; this is just an illustration of what I want.
Thanks!!



Cubicle conversation

Frank: Well, it doesn't *sound* bad, but how do we do it?

Judy: We've been coming up with some great algorithms, so I'm sure we can tackle sorting.

Joe: Actually, sorting algorithms are a topic some computer scientists spend their entire careers researching. They're not something we should "come up with," but rather we need to research the existing algorithms and choose one that is appropriate for our problem.

Frank: It sounds like we're going to be researching for a while. Should we postpone the softball game this afternoon?

Joe: I don't think so, Frank. I saw this coming and I've already taken a look.

Frank: Oh, why didn't you say so? What kind of sort are we going to use?

Joe: Bubble sort.

Judy, Frank (chuckling): Very funny, Joe. We know we're sorting bubbles. Do you have a sort that is appropriate or not?

Joe: I'm actually being completely serious. We're going to use a bubble sort. It's not the most efficient sorting algorithm ever invented, but it is one of the easiest to understand.

Frank: I don't get it; was it invented by one of our competitors?

Joe: Oh, you mean the name. It's called bubble sort because as you run the algorithm, the larger (or smaller) items in the list tend to "bubble up" to one end. You'll see how that looks when we start implementing it.

Judy: Joe, you seem to have done your homework, so we'll take your lead on this.

Joe: Okay, let's do it.

Judy: That reminds me, I told Greg to get on this too. I didn't realize you'd already done all this research. I need to remember to tell him not to bother. Don't let me forget!

Understanding bubble sort

We're going to look at some pseudocode for bubble sort shortly, but before we do, let's get an intuitive feel for how this algorithm works. To do that, let's sort a list of numbers:

[6, 2, 5, 3, 9]

Here's our unsorted list.

We typically think of sorting lists into ascending order, so we're expecting our list to look like this after the bubble sort algorithm has finished:

[2, 3, 5, 6, 9]

The same list sorted in ascending order.

One thing to know up front: bubble sort works by making a number of *passes* over a list. As you'll see, in each pass, if we end up swapping any values in the list, we'll need to make another pass. When no values are swapped in a pass, we're done. Keep that in mind, as it's key to how the algorithm works.



Starting with pass 1

We begin by comparing the first and second items (the items at index 0 and 1). If the first item is larger than the second, we swap them:

Next we compare the values of index 1 and index 2. If the first value, 6, is larger than the second value, 5 (and it is), we swap them.

Moving along, we compare the next values at index 2 and index 3, and once again, the first is larger. So we swap.

Next we compare the value at index 3 to the value at index 4, and it is not larger. So, we do nothing and pass 1 is complete.

Notice the value 6 used to be the first in the list, and it is slowly making its way (bubbling) toward the end of the list.

At this point we're done with pass 1, but we swapped some values, so we need to do another pass. On to pass 2!

[6, 2, 5, 3, 9]

Compare these. The first is larger, so we need to swap them.

[2, 6, 5, 3, 9]

Swap.

[2, 5, 6, 3, 9]

Swap.

[2, 5, 3, 6, 9]

No change.

[2, 5, 3, 6, 9]

Pass 2


On pass 2 we start over, comparing the values of index 0 and index 1; index 1 has a larger value, so we don't need to swap values.

Moving on, we compare the values of index 1 and index 2; in this case, the index 2 value is larger than index 3, so we swap values.

You're starting to understand the method now: we now compare the values of index 2 and index 3, and the value 5 is not larger than 6, so we do not swap values.

Moving on, we compare the 3rd and 4th index values, and the 4th value is larger, so we do not need to swap.

Now pass 2 is over, but we swapped index 2 and 3 during this pass, so we need to do another pass. On to pass 3.



Pass 3


On pass 3 we start over once again, comparing index 0's value to index 1's; index 1 has a larger value, so we don't need to swap values.

Now we compare the values of index 1 and 2; index 2's value is larger, so we don't need to swap.

Moving on we compare the values of index 2 and 3; index 3's value is larger, so we don't need to swap.

Likewise, we compare the values of index 3 and 4; index 4's value is larger, so we don't need to swap.

Now pass 3 is over, and we didn't swap any values. So our algorithm is complete and we have a sorted list!





Sharpen your pencil

We're not asking you to write any code, we're just asking you to use the bubble sort algorithm to sort this list.

```
['coconut', 'strawberry', 'banana', 'pineapple']
```

Pass 1

← Start pass 1 here.

Hopefully you now have a good feel for how to apply bubble sort's algorithm. Let's practice. Take the list below and bubble sort it, showing your work just like we did on the previous two pages. This will help to lock in your understanding. If you get stuck, take a peek at our solution at the end of the chapter.

Here's the list. Don't let the strings throw you; just compare them alphabetically (what a computer scientist would call lexicographically, otherwise known as dictionary order).

Some bubble sort pseudocode

Now that you have an intuitive feel for the bubble sort, let's actually look at some pseudocode for the algorithm. You've already got all the knowledge you need to understand this code; it uses basic Boolean logic and some loops. However, it does use loops in a more complex way than you've seen before by using two loops together—what we call a *nested loop*.

Nested loops can make you stop and think the first time you see one, but here's the trick: you just mentally did a nested loop when you worked through the last Sharpen exercise (as well as when we walked through sorting the list of numbers together). The outer loop represents each pass in the algorithm. The inner loop goes through each item in the list and performs the comparisons (and any needed swapping). So with that in mind, let's have a look:

```

  We're going to use a while loop that loops as long as swapped is True.
  Think of the while loop as performing each pass. Each time through the loop is another pass.

  Pseudocode can take many forms. This form is closer to code, but still not quite code, at least not Python.

  DEFINE a function bubble_sort(list):
    DECLARE a variable swapped and set to True.

    WHILE swapped:
      SET swapped to False.
      FOR variable i in range(0, len(list)-1)
        IF list[i] > list[i+1]:
          DECLARE a variable temp and set to list[i].
          SET list[i] to list[i+1]
          SET list[i+1] to temp
          SET swapped to True.

  If we ever swap any values, we set swapped to True, meaning we're going to have to do another pass when the for loop finishes.


  Let's put all that Chapter 5 function knowledge to work!
  We're going to have a function, bubble_sort, which takes a list as a parameter.
  And we're going to have a variable to track if we've swapped any values in the current pass. We set this to True initially to kick off the first pass.
  The first thing we do in the loop is set swapped to False.
  In the for loop, you iterate through each item in the list (except the last item) and compare it to the next. If it's greater, then you swap the values.

```



This pseudocode sorts a list in ascending order. What change would you need to make to sort in descending order?

Cubicle conversation continued...



Judy: I think so, if I understand the two loops.

Joe: Right, so there is a `while` loop and a `for` loop that runs within it.

Judy: Okay, so stepping through this—the outer `while` statement loops until the swapped variable has the value `False`.

Joe: Yes, we go one time through the `while` loop for each pass we need to make over the list.

Judy: But in all our examples wasn't that always three times?

Joe: Oh, that was a total coincidence; the algorithm can have any number of passes. Actually, that isn't quite accurate—in the worst case, it has the same number of passes as there are items in the list.

Judy: So if I have 100 items, the `while` loop could loop 100 times?

Joe: Yup.

Judy: Why so many?

Joe: That's the worst case; if the list is in totally backward order, it takes that many passes.

Judy: Got it. Okay, now the inner loop, the `for` loop. What's happening there?

Joe: The `for` loop walks through every item and compares it to the next item. If the first item is of greater value, then we swap the two.

Judy: So the `for` loop is also iterating through all items in the list as well, only not in the worst case, but always.

Joe: Technically the number of items minus one, but yes.

Judy: For a big list that is a lot of iterating.

Joe: It sure is. If you use your example of 100 items, the worst case is roughly 100 passes comparing 100 items in each pass. So we're talking $100 * 100 = 10,000$ comparisons.

Judy: Whoa!

Joe: Yes, bubble sort is known more for its simplicity than its efficiency. Why do you think so many people spend their time trying to create fast sorting algorithms? But our lists are very small, so it's really not a problem in our case, and a perfectly acceptable way for us to sort.

Judy: Okay, and the only other thing happening in the `for` loop is that if we swapped some values, we have to set the swapped variable back to `True`, which means we'll do another pass.

Joe: Bingo.



BE the Interpreter

For these bits of code, your job is to play like you're the Python interpreter. Step through each bit of code and evaluate it (in your brain). After you've done the exercises, look at the end of the chapter to see if you got it right.

```
for i in range(0, 4):
    for j in range(0, 4):
        print(i * j)
```

```
for word in ['ox', 'cat', 'lion', 'tiger', 'bobcat']:
    for i in range(2, 7):
        letters = len(word)
        if (letters % i) == 0:
            print(i, word)
```

Remember modulus is like finding the remainder of a division. So, $4 \% 2$ would be 0 , while $4 \% 3$ would be 1 .

```
full = False

donations = []
full_load = 45

toys = ['robot', 'doll', 'ball', 'slinky']

while not full:
    for toy in toys:
        donations.append(toy)
        size = len(donations)
        if (size >= full_load):
            full = True

print('Full with', len(donations), 'toys')
print(donations)
```

Implementing bubble sort in Python

Our pseudocode is fairly close to code, and translating it into Python is straightforward. Let's take a look:

```
def bubble_sort(scores):
    swapped = True
    while swapped:
        swapped = False
        for i in range(0, len(scores)-1):
            if scores[i] > scores[i+1]:
                temp = scores[i]
                scores[i] = scores[i+1]
                scores[i+1] = temp
                swapped = True
    Note there is nothing to return because
    we've swapped the actual values of the list.
    In other words, we've changed the original
    list to be in sorted order.
```

Here's our function,
which takes a
Python list.

Our nested loop: a
for loop within a
while loop

We set the swapped variable to True
to kick off the first pass.

We make our passes with the while
loop as long as swapped is True...
...and then step through the entire list
comparing and swapping values where needed.

Just like the variable swap code
we looked at in Chapter 2!



A Test Drive

Let's start a new file called `sort.py`. Copy the code above into it, and add the test code below:

```
scores = [60, 50, 60, 58, 54, 54,
          58, 50, 52, 54, 48, 69,
          34, 55, 51, 52, 44, 51,
          69, 64, 66, 55, 52, 61,
          46, 31, 57, 52, 44, 18,
          41, 53, 55, 61, 51, 44]

bubble_sort(scores)
print(scores)

smoothies = ['coconut', 'strawberry', 'banana', 'pineapple']
bubble_sort(smoothies)
print(smoothies)
```

Python's > comparison works with
strings too, so we can also have the
sort function sort our smoothies.

```
Python 3.6.0 Shell
[18, 31, 34, 41, 44, 44, 44, 46, 48, 50,
 50, 51, 51, 51, 52, 52, 52, 52, 53, 54,
 54, 54, 55, 55, 55, 57, 58, 58, 60, 60,
 61, 61, 64, 66, 69, 69]
['banana', 'coconut', 'pineapple',
 'strawberry']
>>>
```

Nice, those look
sorted!



A Test Drive

We'd like to have the solutions with the highest bubble scores first (in other words we want descending order, not ascending). We can do that by simply changing the comparison in the `sort` function from `a > b` to `a < b`. Make the change and do another test drive.

```
def bubble_sort(scores):
    swapped = True
    while swapped:
        swapped = False
        for i in range(0, len(scores)-1):
            if scores[i] < scores[i+1]:
                temp = scores[i]
                scores[i] = scores[i+1]
                scores[i+1] = temp
                swapped = True
```

There we go; sort in
descending bubble score
order. ↴

Python 3.6.0 Shell

```
[69, 69, 66, 64, 61, 61, 60, 60, 58, 58,
57, 55, 55, 55, 54, 54, 54, 53, 52, 52,
52, 52, 51, 51, 51, 50, 50, 48, 46, 44,
44, 44, 41, 34, 31, 18]
['strawberry', 'pineapple', 'coconut',
'banana']
```

>>>

I think we're almost there; we just
need to generate the report with
the top 5 solutions, scores along with
their number.

Frank: Yay, Joe wrote all the sort code! But something is missing. We're sorting the list of scores, but we have no idea what the original index of the score was, so how do we know the score number? We need that for the report.

Judy: That's a good point. How can we do that?

Frank: Well, Joe may be the rock star here, but I had an idea. What if we make another list, a parallel list called `solutions_numbers`, where each value in the list is the same as its index, like `[0, 1, 2, 3, ..., 35]`? Then, when we sort the scores, we sort this list exactly the same way. So, at the end, each score number will be in the same relative position as its corresponding score.

Judy: How do we create a list like that where the values match the indices?

Frank: Remember, you can use `range` and `list` together to do that. Like this:

```
number_of_scores = len(scores)
solution_numbers = list(range(number_of_scores))
```

Get the length of the list.

Create a range from 0 to the
length of the list (minus 1) and then
use the `list` function to convert the
range into a list `[0, 1, 2, ...]`.

Judy: Interesting. Okay, I think I sort of understand your direction.

Frank: Some things are actually easier to explain over code. Here, check this out...



Computing bubble solution numbers

Frank was right. We have a way to sort the bubble scores, but when we do sort them we lose the identifying number of that score (because we've always used the index of the solution as the bubble number). So what we're going to do is create a second list that contains each solution's corresponding bubble number, and then, when we sort the solution's scores, we're going to, in sync, sort the bubble numbers list the same exact way. Let's check out his code:

First, we're going to accept two lists in our bubble_sort function, the scores and the corresponding bubble numbers.

```
def bubble_sort(scores, numbers):
    swapped = True

    while swapped:
        swapped = False
        for i in range(0, len(scores)-1):
            if scores[i] < scores[i+1]:
                temp = scores[i]
                scores[i] = scores[i+1]
                scores[i+1] = temp
                temp = numbers[i]
                numbers[i] = numbers[i+1]
                numbers[i+1] = temp
                swapped = True

    scores = [60, 50, 60, 58, 54, 54,
              58, 50, 52, 54, 48, 69,
              34, 55, 51, 52, 44, 51,
              69, 64, 66, 55, 52, 61,
              46, 31, 57, 52, 44, 18,
              41, 53, 55, 61, 51, 44]

    number_of_scores = len(scores)
    solution_numbers = list(range(number_of_scores))

    bubble_sort(scores, solution_numbers)
```



Serious Coding

How do you go about evaluating an expression like the one below? Evaluate from the inside out:

```
list(range(number_of_scores))
```

Evaluates to the integer length of scores: 36

Evaluates to the range 0 through 35

Evaluates to the list containing the numbers 0 through 35

Everything else works exactly the same as before...

...except, when we swap two values of the score list, we swap the same two values in the numbers list.

If you think this looks like duplicated code, it is. We'll find out in the next chapter how to remove duplicate code.

Here we're just creating the solution_numbers list, which holds the number of each solution (and corresponds to its original index in the scores list).

Now when we call sort, we pass both lists.



Sharpen your pencil

Now our code produces two lists, one with the scores sorted and another with the corresponding solution numbers. Write the code to generate the report given these two lists.



Top Bubble Solutions

- 1) Bubble solution #10 score: 68
- 2) Bubble solution #12 score: 60
- 3) Bubble solution #2 score: 57
- 4) Bubble solution #31 score: 50
- 5) Bubble solution #3 score: 34

↑ Remember the report looks like this; also remember this is not the actual data your report will generate, just a mockup from the CEO.



A Test Drive

Take the code from the last Sharpen exercise (repeated below) and add to your `sort.py` file, replacing the previous test code. Give it a test drive.

```
print('Top Bubble Solutions')
for i in range(0,5):
    print(str(i+1) + ',',
          'Bubble solution #' + str(solution_numbers[i]),
          'score:', scores[i])
```

Exactly like the CEO requested. Boy,
is he going to be happy!

Python 3.6.0 Shell

Top Bubble Solutions

- 1) Bubble solution #11 score: 69
 - 2) Bubble solution #18 score: 69
 - 3) Bubble solution #20 score: 66
 - 4) Bubble solution #19 score: 64
 - 5) Bubble solution #23 score: 61
- >>>



Not only am I giving my top five bubble solution engineers awards, I'm giving YOU an award. We could not have made Bubbles-R-Us successful without all the business intelligence your code provided!

Nice job.

It's been a short but challenging chapter. You've had to wrap your head around lots of new concepts. Give your brain some time to let it all sink in. Of course make some more of that bubble solution #11; that's a great way to relax and do something completely different. Get some rest too, and after that, maybe even quickly review this chapter before you move on.

Of course you aren't quite done yet. You've got a brain twister ahead, and the bullet points and the crossword...



BULLET POINTS

- There are many sorting algorithms with various tradeoffs in complexity and space/time considerations.
- Bubble sort is a simple algorithm that makes passes through a list, comparing and swapping values as it goes.
- Bubble sort is complete when a pass through the list finds no items that are out of order.
- Most languages and libraries provide sort functionality.
- When we have a loop within a loop, we call it a nested loop.
- Nested loops often increase the runtime and complexity of an algorithm.
- It's worth studying sorting algorithms and the sort algorithms provided by your language's libraries, which, speaking of...



You'll find sort provided by most languages.

Yes, you'll find many modern languages and many libraries provide sort functionality. Given that, there's usually no reason to write your own sort—not only would you be reinventing the wheel, but off-the-shelf sort algorithms tend to be more sophisticated (and more efficient) than bubble sort and take significant time and effort to implement. So, unless your passion turns out to be sorting algorithms, wouldn't you rather be working on your problem at hand?


Our time on the last 10 pages is not wasted, though, because the techniques you just learned in implementing bubble sort, like using nested loops, are core to implementing many algorithms. And, should you need to study sorting or a related algorithm, bubble sort is where most folks start.

Back to Python, you can sort a list by simply calling `sort()`:

```
scores.sort()
```

And there are lots of ways to customize Python's sort to your needs, but you'll want to learn a few more programming concepts to make full use of that.

Finally, if you're interested in sorting, you'll want to study up on the many sorting algorithms and their advantages and disadvantages. With every algorithm you'll encounter, there are tradeoffs in time (how long it takes) and space (the amount of memory or resources it uses). Some rather well-known sorts are insertion sort, merge sort, and quicksort, just to name a few. Oh, and Python internally uses Timsort, a hybrid of merge and insertion sort. Here's a good place to start your studies: https://en.wikipedia.org/wiki/Sorting_algorithm.



Try a deep thinking exercise before you finish off Chapter 4, part 2...

The Thing-A-Ma-Jig²

The Thing-A-Ma-Jig is a crazy contraption—it clanks and clunks and even thunks. Whether you give it lists or strings, it still does things. But how exactly does it work? Can you uncrack the code and find its quirks?

```
characters = 'taco'           ← All we changed was the
output = ''                   list—now it's a string. But
length = len(characters)    the code still works. How?
i = 0
while (i < length):
    output = output + characters[i]
    i = i + 1

length = length * -1
i = -2

while (i >= length):
    output = output + characters[i]
    i = i - 1


print(output)
```

Try these as a replacement for characters' value above:

characters = 'amanaplanac'

or

characters = 'wasitar'



How does this code work on lists AND strings?
We'll leave you with that deep question, and we'll
uncover some answers in Chapter 6 (and beyond).



Sharpen your pencil

Solution

Hopefully you now have a good feel for how to apply bubble sort's algorithm. Let's practice. Take the list below and bubble sort it, showing your work just like we did on the previous two pages. This will help to lock in your understanding.

```
['coconut', 'strawberry', 'banana', 'pineapple']
```

Pass 1

```
['coconut', 'strawberry', 'banana', 'pineapple']  
↑↑ No change.
```

```
['coconut', 'strawberry', 'banana', 'pineapple']  
↑ Swap.
```

```
['coconut', 'banana', 'strawberry', 'pineapple']  
↑ Swap.
```

```
['coconut', 'banana', 'pineapple', 'strawberry']
```

Here's the list. Don't let the strings throw you; just compare them alphabetically (what a computer scientist would call lexicographically, otherwise known as dictionary order).

Compare each index to the next, iterating through the list. Swap if the first value is > the second.

Pass 2

```
['coconut', 'banana', 'pineapple', 'strawberry']  
↑ Swap.
```

```
['banana', 'coconut', 'pineapple', 'strawberry']  
↑↑ No change.
```

```
['banana', 'coconut', 'pineapple', 'strawberry']  
↑↑ No change.
```

```
['banana', 'coconut', 'pineapple', 'strawberry']
```

We had swaps in pass 1, so we need to do a pass 2.

We had swaps in pass 2, so we need to do a pass 3.

Pass 3

```
['banana', 'coconut', 'pineapple', 'strawberry']  
↑↑ No change.
```

```
['banana', 'coconut', 'pineapple', 'strawberry']  
↑↑ No change.
```

```
['banana', 'coconut', 'pineapple', 'strawberry']  
↑↑ No change.
```

```
['banana', 'coconut', 'pineapple', 'strawberry']
```

We had no swaps in pass 3, so we're done and the list is sorted.



BE the Interpreter SOLUTION

For these bits of code, your job is to play like you're the Python interpreter. Step through each bit of code and evaluate it (in your brain). After you've done the exercises, look at the end of the chapter to see if you got it right.

```
for i in range(0,4):
    for j in range(0,4):
        print(i * j)
```

Python 3.6.0 Shell

```
0
0
0
0
0
1
2
3
0
2
4
6
0
3
6
9
>>>
```

```
for word in ['ox', 'cat', 'lion', 'tiger', 'bobcat']:
    for i in range(2, 7):
        letters = len(word)
        if (letters % i) == 0:
            print(i, word)
```

Python 3.6.0 Shell

```
2 ox
3 cat
2 lion
4 lion
5 tiger
2 bobcat
3 bobcat
6 bobcat
>>>
```

```
full = False

donations = []
full_load = 45

toys = ['robot', 'doll', 'ball', 'slinky']

while not full:
    for toy in toys:
        donations.append(toy)
        size = len(donations)
        if (size >= full_load):
            full = True

print('Full with', len(donations), 'toys')
print(donations)
```

Python 3.6.0 Shell

```
Full with 48 toys
['robot', 'doll', 'ball', 'slinky', 'robot', 'doll',
'ball', 'slinky', 'robot', 'doll', 'ball', 'slinky',
'robot', 'doll', 'ball', 'slinky', 'robot', 'slinky',
'ball', 'slinky', 'robot', 'doll', 'ball', 'slinky',
'robot', 'doll', 'ball', 'slinky', 'robot', 'doll',
'ball', 'slinky', 'robot', 'doll', 'ball', 'slinky',
'robot', 'doll', 'ball', 'slinky', 'robot', 'doll', 'ball',
'slinky', 'robot', 'doll', 'ball', 'slinky']
```



Sharpen your pencil Solution

Now our code produces two lists, one with the scores sorted and another with the corresponding solution numbers. Write the code to generate the report given these two lists.



```
Top Bubble Solutions
1) Bubble solution #10 score: 68
2) Bubble solution #12 score: 60
3) Bubble solution #2 score: 57
4) Bubble solution #31 score: 50
5) Bubble solution #3 score: 34
```

```
print('Top Bubble Solutions')
for i in range(0,5):
    print(str(i+1) + ',',
          'Bubble solution #' + str(solution_numbers[i]),
          'score:', scores[i])
```

Print the heading.

Iterate through five times for the top five scores.

For each line of output, print the final standing of the solution with the value i plus 1, the solution number from the solution_numbers list, and the score from the scores list.



6 text, strings, and heuristics


Putting It All Together



Not so fast.
Sure, you know variables
and data types and
iteration and functions,
but can you put it all
together?

You've already got a lot of superpowers. Now it's time to use them. In this chapter we're going to integrate what we've learned so far, bringing it all together to build some **increasingly cool code**. We're also going to keep adding to your knowledge and coding skills. More specifically, in this chapter we'll explore how to write code that **grabs some text**, slices it, dices it, and then does a little **data analysis** on it. We're going to find out what a **heuristic** is too, and implement one. Get ready—this is an all-out, heads-down, pedal-to-the-metal, serious coding chapter!

And by the end of the chapter
you'll realize how much you've
learned about coding!



Welcome to the data sciences

Heard of data science? It's all about extracting insight and knowledge from data, and we're about to get into the business. Our data? Any text: news articles, blog posts, books, anything written by an author. And what we're going to do with all that text is tell the world how *readable* it is. That is, could a 5th grader read it, or does it take a Ph.D.? With our app, we'll soon know.

Now to perform such an analysis, we're going to have to dig deep; we're going to examine, as you'll soon discover:

every sentence...

and every word...

and every syllable...

not to mention every single character of the text in question!

With all that analysis, we're going to come up with a score that maps to a reading level, from 5th grade all the way up to a college graduate. Let's dig in and see more precisely how this is going to work...

How do you compute something like readability?

Luckily someone else has already answered this question—namely, the US Navy and Army, who have been testing a key formula for years in the military to assess the readability of things like (we’re assuming) tank training manuals. Here’s how it works: take the text you want to analyze and run it through the following formula to get back a *reading ease score*. We’ll talk in a second about what that score means. Here’s the formula:

The formula makes use of three different numbers we’re going to need to compute.

We start with the total number of words in the text, which is used in two places in the formula.

We’re not kidding; you can read up on it here: https://en.wikipedia.org/wiki/Flesch-Kincaid_readability_tests.

To give due credit, the formula was originally developed by Rudolph Flesch in 1948. Dr. Flesch was an author who earned a Ph.D. in English at Columbia University.

$$206.835 - 1.015 \left(\frac{\text{total words}}{\text{total sentences}} \right) - 84.6 \left(\frac{\text{total syllables}}{\text{total words}} \right)$$

Once we’ve computed those values, the formula just consists of standard multiplication, division, and subtraction, with a few floating-point values like 84.6.

We also need to compute the total number of syllables in the text.

We also need to compute the total number of sentences.

If you’re wondering where numbers like 206.835 come from, all we can say is years of research (see the Wikipedia article above).

Say you were writing some text for advertising; how would you want it to score?

After we’ve used this formula to compute a score, we map the score to the reading ease of the text using this chart:

Score	School Level	Notes
100.00–90.00	5th grade	Very easy to read. Easily understood by an average 11-year-old student.
90.0–80.0	6th grade	Easy to read. Conversational English for consumers.
80.0–70.0	7th grade	Fairly easy to read.
70.0–60.0	8th & 9th grade	Plain English. Easily understood by 13- to 15-year-olds.
60.0–50.0	10th–12th grade	Fairly difficult to read.
50.0–30.0	College	Difficult to read.
30.0–0.0	College Graduate	Very difficult to read. Best understood by university graduates.

The higher the score, the easier your text is to read.

↑ You’ll find the original chart at the Wikipedia URL above.

The game plan

At first glance computing readability just comes down to computing a formula. But, if we look closer, it's the key values that we need for that formula where the computing comes in. That's because, to complete the formula, we need:

- ① To compute the total number of **words** in our text: that means we'll have to take our text and break it down into words and count them.
- ② To compute the total number of **sentences** in our text: that means we'll have to take our text and break it down into its individual sentences and count them.
- ③ To compute the total number of **syllables** in our text: that means we'll have to take each word, figure out how many syllables it has, and then add up all the syllables in the entire text.



Can you come up with an algorithm to compute the number of syllables in an arbitrary word? Assume you don't have a large dictionary at your disposal. Write your algorithm here in pseudocode.

One of the first rules for a guide in polite conversation, is to avoid political or religious discussions in general society. Such discussions lead almost invariably to irritating differences of opinion, often to open quarrels, and a coolness of feeling which might have been avoided by dropping the distasteful subject as soon as marked differences of opinion arose. It is but one out of many that can discuss either political or religious differences, with candor and judgment, and yet so far control his language and temper as to avoid either giving or taking offence.

One of the first rules for a guide in polite conversation, is to avoid political or religious discussions in general society. Such discussions lead almost invariably to irritating differences of opinion, often to open quarrels, and a coolness of feeling which might have been avoided by dropping the distasteful subject as soon as marked differences of opinion arose. It is but one out of many that can discuss either political or religious differences, with candor and judgment, and yet so far control his language and temper as to avoid either giving or taking offence.

to irritating differences of open quarrels, and a coolness by dropping the distasteful opinion arose. It is but one differences, with candor and

This is a difficult task, but do your best and think through the problem. Come up with the best answer you can in five minutes or so.

Writing some pseudocode

We're going to write some pseudocode to drive our implementation. For now, we're going to keep the pseudocode high level, and we'll fill in a lot of the details as we progress. There isn't a lot of tricky logic in this code (like a game); rather, our task will be computing the numbers we need for the readability formula (which will nonetheless give us plenty to do). Follow along with our thinking as we write the pseudocode. As we've said, there are many forms of pseudocode; you'll find this one a little more formal and closer to code.

Let's start out right and put this code in a function.

SETUP: here we're declaring all the local variables we'll be using throughout the function.

ANALYSIS: we compute all the values we need, and we'll be diving into each one of these separately.

FORMULA: we have all the values, so we can now use the formula to compute the score.

RESULTS: we've got a score and we're mapping that to a reading level by using the table two pages back.

Computing readability seems like a generally useful piece of code, so let's put it in a function—we may be able to reuse it later!

This function expects to be passed the text of the book or article...we'll have to figure out how to do that.

DEFINE a function `compute_readability(text):`

- DECLARE a variable `total_words` and set to 0.
- DECLARE a variable `total_sentences` and set to 0.
- DECLARE a variable `total_syllables` and set to 0.
- DECLARE a variable `score` and set to 0.
- ASSIGN variable `total_words` to result of calling the function `count_words(text)`
- ASSIGN variable `total_sentences` to result of calling the function `count_sentences(text)`
- ASSIGN variable `total_syllables` to result of calling the function `count_syllables(text)`
- ASSIGN variable `score` to $206.835 - 1.015 * (\text{total_words} / \text{total_sentences}) - 84.6 * (\text{total_syllables} / \text{total_words})$
- IF `score >= 90.0:`
 - PRINT 'Reading level of 5th Grade'
- ELIF `scores >= 80.0:`
 - PRINT 'Reading level of 6th Grade'
- ELIF `scores >= 70.0:`
 - PRINT 'Reading level of 7th Grade'
- ELIF `scores >= 60.0:`
 - PRINT 'Reading level of 8-9th Grade'
- ELIF `scores >= 50.0:`
 - PRINT 'Reading level of 10-12th Grade'
- ELIF `scores >= 30.0:`
 - PRINT 'Reading level of College Student'
- ELSE:
 - PRINT 'Reading level of College Graduate'

We already know of quite a few important values we're going to need to compute for our formula. Let's go ahead and create local variables for those. We'll also create a variable, `score`, to hold the final score.

We need to compute those values next, so let's rely on a function to compute each one.

With all the values computed, we can evaluate the reading ease score...

...and then figure out the reading level.

This is a big if/elif/else statement that prints the appropriate reading level based on the computed score.

We'll probably put this code in its own function.

We need some text to analyze

Before we get coding, we're going to need some interesting text to put through our analysis. Now the truth is, you can analyze any text you want: blog posts, your own writing, news articles, books, whatever—and half the fun of creating this code is analyzing your favorite news outlets and writers. That said, as we build and test this code, it'll help if you use the same text we use, so we're seeing the same results. So let's find some text we can all test together.

And why not put ourselves to the test? We're going to use the first couple pages of this book, which you'll find in the file *ch6/text.txt*.



Remember, instructions for the book downloads are also in the introduction section of this book, but this is Chapter 6, so of course you've already downloaded the files.



For testing purposes we'll put ourselves to the test by using the text from Chapter 1 of this book.

How to get multiline text into Python

If you look at the file *ch6/text.txt*, you'll see we have a big text file, but how do we get that into Python? Well, you already know how to add text to your code with strings:

```
text = 'The first thing that stands between you'
```

And we're going to do the same with the text in *ch6/text.txt*. To do that, we're going to use a Python convention for entering strings that span multiple lines by using triple quotes, like this:

Don't enter anything into IDLE yet. We'll enter it on the next page.

Start your string with three quote characters,
either single ('') or double ("") will do.



Then enter your entire string,
including new lines.

```
text = """The first thing that stands between you and writing your first, real,  
piece of code, is learning the skill of breaking problems down into  
achievable little actions that a computer can do for you."""
```



Obviously make sure your text
within the string doesn't have
any triple quotes, as unlikely
as that is.



And then end your string
with triple quotes as well.

After you've done this, use the string as you would any other; it's just a normal string with a bit more text in it. Now let's get the text from the first couple of pages of Chapter 1 into a string.



Take the text in the `ch6/text.txt` file and get it into a Python file. To do that, in IDLE, create a new file and add the code below. For the Chapter 1 text, you'll want to open the `text.txt` file in IDLE as well, and then copy and paste the text into your new file. When you're done, save your file as `ch1text.py`.

Finally, run your code, and you should see the entire article printed to the shell.

Remember, a Python file is also known as a module.

Start with the string's variable name and follow it with an equals sign, and then with triple quotes. Next, paste in the text from the `text.txt` file.

```
text = """The first thing that stands between you and writing your first, real,
piece of code, is learning the skill of breaking problems down into
achievable little actions that a computer can do for you. Of course,
you and the computer will also need to be speaking a common language,
but we'll get to that topic in just a bit.
```

Now breaking problems down into a number of steps may sound a new skill, but its actually something you do every day. Let's look at an example, a simple one: say you wanted to break the activity of fishing down into a simple set of instructions that you could hand to a robot, who would do your fishing for you. Here's our first attempt to do that, check it out:

- ← We're saving a few trees and omitting some of the text here in the book.
-

You're going to find these simple statements or instructions are the first key to coding, in fact every App or software program you've ever used has been nothing more than a (sometimes large) set of simple instructions to the computer that tell it what to do."""

```
print(text)
```

← Don't forget the final triple quotes.

Let's print the text just to make sure everything is working.

Setting up the function

To get started let's go ahead and set up the `compute_readability` function. Let's then translate the setup portion of the pseudocode into Python:

```
def compute_readability(text):  
    total_words = 0  
    total_sentences = 0  
    total_syllables = 0  
    score = 0
```

Just like in our pseudocode, we have a function that takes text as a parameter.

We also set up four local variables that are going to hold important values in this function.

Go ahead and enter this code in a file called `analyze.py`.

Now let's call `compute_readability` and pass it that text in `ch1text.py`. But how? After all, it's in *another file*. Well, remember any file with a `.py` extension is a Python module, and also remember that in the past we've imported Python modules into our code using the `import` statement. So let's import the `ch1text.py` file into our `analyze.py` file. Once we've done that, we can access the variables and functions within the module by prepending their names with the module name. Take a look:

We use `import` to include the `ch1text.py` file.

```
import ch1text
```

```
def compute_readability(text):  
    total_words = 0  
    total_sentences = 0  
    total_syllables = 0  
    score = 0
```

We'll go into a lot more detail on how modules work in the next chapter.

Remember, a Python module is just a file with a `.py` extension and Python code inside.

We call `compute_readability` and pass it the text string from the `ch1text` file.

```
compute_readability(ch1text.text)
```

And just as a bit of review, note we've defined a function called `compute_readability` that has a parameter, `text`, and sets up some local variables

To access the variable named `text` in the `ch1text` file, we prepend it with the module name, `ch1text`.

And we're calling that function and passing it the `text` variable from the `ch1text` module (in other words, the `ch1text.py` file).



A Test Drive

Let's give this a quick test to make sure everything is working. To do that, move the `print` statement from your `ch1text.py` file to your `analyze` file. You'll want to place it in the `compute_readability` function. The output should be exactly the same as the test run of the `ch1text.py` file.

```
Python 3.6.0 Shell
into pond", or "pull in the fish." But also notice that other
instructions are a bit different because they depend on a condition,
like "is the bobber above or below water?". Instructions might also
direct the flow of the recipe, like "if you haven't finished fishing,
then cycle back to the beginning and put another worm on the hook."
Or, how about a condition for stopping, as in "if you're done" then go
home.

You're going to find these simple statements or instructions are the
first key to coding, in fact every App or software program you've ever
used has been nothing more than a (sometimes large) set of simple
instructions to the computer that tell it what to do.
>>>
```

```
import ch1text

def compute_readability(text):
    total_words = 0
    total_sentences = 0
    total_syllables = 0
    score = 0

    print(text)

    compute_readability(ch1text.text)
```

Add this to your `compute_readability` function.

You should again see the
Chapter 1 text printed in
the shell.

DON'T FORGET to remove the `print`
statement from your `ch1text.py` file.

First up: we need the total number of words in our text

Referring to our pseudocode, the first number we need to compute for our readability formula is the total number of words in our text, and to compute that you need to extend your coding knowledge a little bit. You already know how to *combine* strings with concatenation, but what you don't know how to do is *break them apart*. Strings provide a handy function called `split` that will split a string into words (which we usually call *substrings*) and then place those substrings into a list.

Here's how to use `split`:

① Take any string with some text and whitespace.

```
lyrics = 'I heard you on the wireless back in fifty two'
words = lyrics.split()
print(words)
```

④ Let's print the list to see what `split` did.

It looks like `split` does a good job of separating our text into its individual words.

Python 3.6.0 Shell


```
['I', 'heard', 'you', 'on',
'the', 'wireless', 'back',
'in', 'fifty', 'two']
>>>
```



The list holds all the words (or substrings), each from the original string.

③ Using whitespace (spaces, tabs, newlines) as a separator, `split` breaks the string up into a number of substrings, and places each one in the list.

Cubicle conversation



Frank: I'm already lost. We want to count the number of words, but we're going to split up our text into a list first?

Joe: It's a two-step process, Frank. We're going to essentially extract all the words into a list. After that we'll count how many words are in the list.

Frank: I understand the counting part, but how is the `split` function giving us back words?

Judy: Frank, that's what `split` does—it breaks a string up into words, using whitespace as a separator.

Frank: Oh, so anytime it sees a space or tab or return, it uses that to figure out how to break out the words.

Judy: Exactly.

Joe: And once we've split our string up into words and put them in a list, we can easily count them.

Frank: Oh right, we can just use the `len` function for that, correct?

Joe: That's what I'm thinking.

Judy: Okay, guys, I think we have a plan: we'll use the `split` function to break the Chapter 1 text into words, which we'll get back in a list, and then we'll call the built-in `len` function to count how many words there are.

Frank: I like it!

there are no Dumb Questions

Q: So split takes a string and breaks it up into words?

A: Close. Split takes a string and breaks it up into a number of substrings. The way it knows how to break the string up is by treating whitespace as a separator, or as a computer scientist would say, a *delimiter*. In other words, if it sees a delimiter, like a space, a tab, or a newline in your string, it knows that is a place it can split the string. Note the resulting substrings don't have to technically be words; they could be dates, tabular formatted data, numbers, and so on.

Q: What if my string has, say, commas rather than whitespace separating the items?

A: split allows you to specify a set of characters you want to use to delimit your substrings. So you could set the comma character as your delimiter. That said, split is not flexible enough to combine, say, whitespace and commas. You'll find all the details in the documentation for the split function. A bit later we'll be looking at how to make use of Python's documentation. You can also find a more sophisticated way to match words in text using what are known as regular expressions, which are discussed in the Appendix.

Q: Help me with the syntax again: how does lyrics.split() work exactly?

A: For now just know that you can attach functions to data types, and the string data type has a function called split. When you see lyrics.split(), that's saying use the function split that is associated with strings. We're going to be taking a close look at exactly how this works later in the book.

Sharpen your pencil

Now that you know how to use the `split` function, let's return to the `compute_readability` function and take it a little further. In our pseudocode we were going to write a function `count_words`, but as it turns out, with `split` we can handle the job of computing the total number of words with only two lines of code, so let's forgo the function. Go ahead and complete that code below, and then check with our version in the solution at the end of the chapter. After that, give it a test run.

```
import ch1text

def compute_readability(text):
    total_words = 0
    total_sentences = 0
    total_syllables = 0
    score = 0

    words = text.split()
    total_words = _____
    print(words)
    print(total_words, 'words')
    print(text)


    compute_readability(ch1text.text)
```

Let's take our text and split it into words.

Computing the total number of words is one line of code. Finish this one up.

Let's print all the words, and then the total count. And let's also remove the old print statement.

Hint: Frank, Joe, and Judy already figured out how to do this.



Right. The `split` function, by default, splits up text only using whitespace as a separator. And, while you can also pass `split` a custom separator as a second parameter, unfortunately `split` isn't implemented in a way where you can easily tell it to use "whitepace and commas and periods and semicolons and exclamation points and question marks." The result: we have punctuation at the end of some of our words in the `words` list.

That's okay, though, as it doesn't really affect our count of words. That said, it may cause some issues later in our coding, but nothing we can't handle. You'll see in a bit...

Python 3.6.0 Shell

```
['The', 'first', 'thing', 'that', 'stands', 'between', 'you', 'and', 'writing', 'your',
(first, 'real', 'piece', 'of', 'code', 'is', 'learning', 'the', 'skill', 'of', 'breaking',
problems, 'down', 'into', 'achievable', 'little', 'actions', 'that', 'a', 'computer',
'can', 'do', 'for', 'you', 'of', 'course', 'you', 'and', 'the', 'computer', 'will', 'also',
'need', 'to', 'be', 'speaking', 'a', 'common', 'language', 'but', "we'll", 'get', 'to',
'that', 'topic', 'in', 'just', 'a', 'bit.', 'Now', 'breaking', 'problems', 'down', 'into',
'a', 'number', 'of', 'steps', 'may', 'sound', 'a', 'new', 'skill', 'but', 'its', 'actually',
'something', 'you', 'do', 'every', 'day.'). 'Let's', 'look', 'at', 'an', 'example,', 'a',
'simple', 'one', 'say', 'you', 'wanted', 'to', 'break', 'the', 'activity', 'of', 'fishing',
'down', 'into', 'a', 'simple', 'set', 'of', 'instructions', 'that', 'you', 'could', 'hand',
'to', 'a', 'robot', 'who', 'would', 'do', 'your', 'fishing', 'for', 'you.' 'Here's', 'our',
'first', 'attempt', 'to', 'do', 'that,', 'check', 'it', 'out!', 'You', 'can', 'think',
'of', 'these', 'statements', 'as', 'a', 'nice', 'recipe', 'for', 'fishing.', 'Like', 'any',
'recipe', 'this', 'one', 'provides', 'a', 'set', 'of', 'steps', 'that', 'when', 'followed',
'in', 'order', 'will', 'produce', 'some', 'result', 'or', 'outcome', 'in', 'our', 'case',
'hopefully', 'catching', 'some', 'fish.', 'Notice', 'that', 'most', 'steps', 'consists',
'of', 'simple', 'instruction', 'like', 'cast', 'line', 'into', '(pond)', 'or', 'pull',
'in', 'the', 'fish.', 'But', 'also', 'notice', 'that', 'other', 'instructions', 'are',
'a', 'bit', 'different', 'because', 'they', 'depend', 'on', 'a', 'condition', 'like',
'is', 'the', 'bobber', 'above', 'or', 'below', 'water?'. 'Instructions', 'might', 'also',
'direct', 'the', 'flow', 'of', 'the', 'recipe', 'like', 'if', 'you', 'haven't', 'finished',
'fishing.', 'then', 'cycle', 'back', 'to', 'the', 'beginning', 'and', 'put', 'another',
'worm', 'on', 'the', 'hook.' 'Or', 'how', 'about', 'a', 'condition', 'for', 'stopping',
'as', 'in', 'if', 'you're', 'done?', 'then', 'go', 'home.', 'You're', 'going', 'to', 'find',
'these', 'simple', 'statements', 'or', 'instructions', 'are', 'the', 'first', 'key', 'to',
'coding', 'in', 'fact', 'every', 'App', 'or', 'software', 'program', 'you've', 'ever',
'used', 'has', 'been', 'nothing', 'more', 'than', 'a', '(sometimes', 'large)', 'set', 'of',
'simple', 'instructions', 'to', 'the', 'computer', 'that', 'tell', 'it', 'what', 'to', 'do.']

300 words
>>>
```

Do you see what he's talking about? The way this was split up, some words have periods, commas, and double quotes at the end of them. We could potentially have exclamation points, colons, question marks, and semicolons as well.





If you wanted to go through all the words to remove any extraneous characters like periods and commas, how might you write the code to do that?

Even if you don't have any idea how to write the code, think about what the process might be like.

Computing the total number of sentences

The next step in our pseudocode is computing the number of sentences in the text. It would be great if there was a built-in function for counting sentences, but there isn't, so it's going to be up to us to figure out how to do this.

Here's a suggestion: if we count the number of periods, semicolons, question marks, and exclamation points in the text, that should provide a good approximation of the number of sentences. Now it might not be perfect if, say, an author uses punctuation in a non-standard way, but it should provide a close approximation of the number of sentences. And often when working with messy data like text, we can't be perfect, at least not without considerable effort—more on this topic in a bit.

So how do we figure out the number of *terminal characters* (that is “.”, “;”, “?”, or “!”) in the text? Well, why don't we just iterate through every character in the text and keep a running count of the terminal characters we encounter? Sounds like a plan. But we don't know how to iterate through the characters of a string, *or do we?*

Remember we said that you can use the `for` statement on sequences? Well, as it turns out, a string is just a sequence of characters. So, you can use the `for` statement to iterate through all the characters in a string. Here's an example:

Take any Python string... ↴

```
lyrics = 'I heard you on the wireless back in fifty two'
```

for char in lyrics:
 print(char)

...and iterate over each
character in the string.

Each time through the loop, the next
character in the string will be assigned
to the variable `char`.

Let's print the character so
we can see how this works.

Python 3.6.0 Shell

```
I
h
e
a
r
d
y
o
u
o
n
t
h
e
w
i
r
e
l
e
s
s
b
a
c
k
i
n
f
i
f
t
y
t
w
o>>>
```

Writing the count_sentences function

Now that we know how to iterate through a string, let's get a skeleton of the count_sentences function down before we write the code to count the terminal characters:

```
def count_sentences(text):
    count = 0
    for char in text:
        if char == ".": count += 1
        if char == ";": count += 1
        if char == "?": count += 1
        if char == "!": count += 1
    return count
```

Just like in the pseudocode, we're expecting text to be passed to us.

Here's our count local variable.

Here we're iterating over each character in the text.

And we need to figure out the code for this part. Is the character a terminal character? If so, we increase the count.

Finally, we return the count as the result of the function.



Serious Coding

Skeleton code is a style of coding where you lay down the major parts of your code without yet filling in all the details. It's sort of a step between pseudocode and completed code. Writing skeleton code can help you rough in a code idea before you've figured out all the actual low-level code.

Sharpen your pencil



Can you write the code to test each character to see if it is a period, semicolon, question mark, or exclamation point, and then, if it is, increase the value of the count variable by one?

```
def count_sentences(text):
    count = 0
    for char in text:
        if char == ".": count += 1
        if char == ";": count += 1
        if char == "?": count += 1
        if char == "!": count += 1
    return count
```

Your code goes here.



A Test Drive

We're overdue for a test drive. Let's get all this code together, get it in our `analyze.py` file, and give it a run.

```
import ch1text
```

Just a reminder that we need to define functions before we call them. Given that, think through where you could define `count_sentences` (and where you couldn't).

```
def count_sentences(text):
    count = 0

    for char in text:
        if char == '.' or char == ';' or char == '?' or char == '!':
            count = count + 1

    return count
```

```
def compute_readability(text):
    total_words = 0
    total_sentences = 0
    total_syllables = 0
    score = 0

    words = text.split()
    total_words = len(words)
    total_sentences = count_sentences(text)

    print(words)
    print(total_words, 'words')
    print(total_sentences, 'sentences')

compute_readability(ch1text.text)
```

Here's our new function for counting sentences.

Make sure you've changed this since the last Test Drive.

Let's make sure we call our new function, passing it the text.

We'll add some output to show us the number of sentences.

Make sure you've changed this since the last Test Drive.

Here's the output we got on the Chapter 1 text.

Python 3.6.0 Shell

```
300 words
12 sentences
>>>
```



It's true.

While the way we wrote our test for terminal characters is perfectly acceptable, there's a more concise way to compare each character to the set of terminal characters, and it relies on a Boolean operator we haven't seen yet: the `in` operator. Using the `in` operator, you can test to see if a value is contained in a sequence. For instance, if you remember the smoothies from Chapter 4, we could test to see if a specific smoothie is in our list. Like this:

Here's our sequence, a list.

```
smoothies = ['coconut', 'strawberry', 'banana', 'pineapple', 'acai berry']
if 'coconut' in smoothies:
    print('Yes, they have coconut!')
else:
    print('Oh well, no coconut today.)
```

And here we're testing if 'coconut' is in the list of smoothies.

And here's what we get.

Python 3.6.0 Shell

Yes, they have coconut!

>>>

But as we just saw, a string is a sequence as well, and given Python tries to keep things consistent, we can use the `in` operator with a string. Like this:

Here's our
sequence, a string.

```
lyrics = 'I heard you on the wireless back in fifty two'
```

```
if 'wireless' in lyrics:  
    print('Yes, they have wireless!')  
else:  
    print('Oh well, no wireless today.')
```

And here we're testing
if 'wireless' is in the
lyrics string.

Python 3.6.0 Shell

```
Yes, they have wireless!  
>>>
```

Sharpen your pencil

Let's see if we can make the `count_sentences` function more concise (and readable) by using the `in` operator. Below we've removed the existing code that checks for terminal characters. We've also added a new local variable, `terminals`, that holds a string containing all the terminal characters. Complete the `if` statement, using the `in` operator, so that it determines if the current character is a terminal.

```
def count_sentences(text):  
    count = 0  
  
    terminals = '.;?!'  
  
    for char in text:  
  
        if _____  
            count = count + 1  
  
    return count
```

Add the code using the `in`
operator here.



A Test Drive

Update your code before we implement the next part of the pseudocode. The only change you need to make is to the `count_sentences` function, shown below. Get the change in and give it a test drive; your output should be the same as the last test drive.

```
def count_sentences(text):
    count = 0
    terminals = '.;?!'
    for char in text:
        if char in terminals:
            if char == '.' or char == ';' or char == '?' or char == '!':
                count = count + 1
    return count
```

Add these two lines of code.

And get rid of the old comparison.

You should still see this as output.

Python 3.6.0 Shell


```
300 words
12 sentences
>>>
```

Given that you say a string is a sequence of characters, does that mean characters are another data type?




In many languages, yes.

But not in Python. It's a good question because many languages do treat characters as their own data type. Python, however, treats everything as a string. So, the character 'A' in Python is just a string of length one that happens to hold an A.

**You sure can.**

Only remember `my_string[1]` would get you the second character of a string because indices start at 0. You can also use `my_string[-1]` to get the last character in the string. As you'll soon see, you can even use a similar syntax to access *substrings* of a string, but more on that in a bit.

**Not so fast.**

You can't actually alter a string. One difference between lists and strings as sequences is that lists are *mutable*, and strings are *immutable*. That is, you can change the items in a list, but you can't change the characters in a string—as it turns out, this is the case with almost every modern programming language. You're probably wondering why. Well, as you'll see as you gain more experience, being able to alter strings can lead to unreliable code; it can also make implementing efficient interpreters quite difficult. That said, you can effectively “change” a string any time just by creating a new, altered string, and that is the common practice across almost every modern programming language.

Computing the number of syllables, or, learning to love heuristics

Are you ready to implement your algorithm for finding syllables? Remember, the one you tried to write back at the beginning of the chapter in the **BRAIN POWER** exercise? We should probably apologize, as that exercise is a bit tricky—you see, it isn't easy to write an algorithm for finding syllables; in fact, we can't claim *there is* a definitive algorithm, short of using a large database of words.



Finding syllables is a messy business because the English language is messy. For instance, why does “walked” have one syllable while “loaded” is two? English is full of such inconsistencies.

For problems like this we don't write algorithms, we write *heuristics*. A heuristic is a lot like an algorithm, only it's not a 100% solution. It might, for instance, solve a problem with a good answer, but not necessarily a perfect answer.

So what good is a heuristic? Why not just write an algorithm with a perfect answer? For many reasons—in our case it is because there may be no method of finding syllables that is perfect given the inconsistencies of the English language (again, outside of using a very large database of words). In other cases, it may be that providing a 100% solution requires so much computing time (or memory) that it makes an algorithm impractical, while providing only a good answer requires much less time (or memory). Or, it may be because not all aspects of the problem are known to the implementors, and so the best they can do is to provide a partial solution.

Back to our problem, though...because computing syllables is messy, our goal will be to do enough work to get a decent estimate of syllables in our text. It won't be perfect, but it will be close, and if you're interested, there are plenty of ways you can improve our heuristic further on your own (and we'll give you some ideas for that).


BRAIN POWER

Here's your second chance: can you come up with some ideas for how to count the syllables of an arbitrary word? Study the words in our text as a test case.

See if you can develop some general rules for determining how many syllables a word has. Make your notes here. We'll get you started...

If a word has three characters or fewer it typically has only one syllable.

We came up with this:
can you come up with
some more possible rules?



You have a point, but... loading an entire English dictionary so that words can be quickly retrieved is actually a pretty big undertaking. It requires not only a lot of data and storage, but also additional technologies like a database or a search engine in order to have quick enough response time to make the program usable. It probably would require you to license the dictionary data as well at some non-trivial cost.

Compare that to implementing a few simple rules, which may get us up to 80–90% or greater accuracy, and the heuristic starts to look pretty attractive as a technology direction.

↗ At least for the purposes of this book!

Cubicle conversation continued...

Joe: That's what I thought too. I did notice that if a word has fewer than three characters, you might as well go ahead and call it one syllable.

Judy: I'm sure there's an exception to that rule, but sounds good. I also noticed that if you just look at the number of vowels in a word, it's a pretty good indicator of the number of syllables it has.

Joe: So, take "chocolate"...

Judy: I don't mind if I do!

Joe: ...take the WORD "chocolate"—it has three vowels and three syllables.

Judy: Well, I think you skipped the silent *e*? I see a few other caveats too.

Joe: Like what?

Judy: Well, take the word "looker." It has consecutive vowels, like *oo*, and we just need to count the first vowel we see in those cases.

Joe: Oh, so we count the first *o* and then the *e*, giving us two syllables.

Joe: ...and, like you said, a lot of words have a silent *e* at the end as well. Like "home."

Judy: Right, so we count the *o* in "home" but not the final *e*. So one syllable.

Judy: And related to that, a *y* at the end of a word often adds a syllable, like "proxy," so we need to consider that perhaps as a vowel as well?

Joe: Or at least that it adds a syllable to our count.

Judy: Sure. The other cases I came up with are really just special cases, like "walked" is only one syllable, but "loaded" is two.

Joe: Right, we could build a word list of special cases and then scan all our words for them.

Judy: We could, but we only have so much time, so let's go with the general rules we have and then come back to the special cases if we need to.

Joe: Sounds like a plan.



Setting up the heuristic

It looks like we've got some good ideas for developing our syllable counting heuristic. Of course, we're sure you came up with even more. Let's summarize the ideas before we start implementing them:

- If a word has fewer than three characters, then count it as one syllable.
- Otherwise, count the number of vowels and let that represent the number of syllables.
- To make the previous step more accurate, remove any consecutive vowels in a word.
- Remove the final e from words, in order to account for silent e's.
- Treat the character y as a vowel if it's the last character.

Let's also set up the `count_syllables` function so that we are all ready to code these. Here's how we're going to do that:

```
def count_syllables(words):
    count = 0
    for word in words:
        word_count = count_syllables_in_word(word)
        count = count + word_count
    return count
```

Here's our new function, which takes a list of words.

We'll use a `count` local variable to hold the total number of syllables.

We're going to iterate over every word in our `words` list.

We're then going to call another function called `count_syllables_in_word` that we'll write next. It returns the number of syllables in a single word.

The local variable `word_count` holds the number of syllables for the current word. Perhaps not the clearest variable name, but `syllable_count` as a choice would be too similar to the function name. This is a place where you'd want to document your choice to avoid confusion.

Finally, we'll return the total number of syllables across all words.

While we're at it, let's set up the `count_syllables_in_word` function too:

```
def count_syllables_in_word(word):
    count = 0
    return count
```

The `count_syllables_in_word` function takes a single string, a word, as a parameter.

Once again, we'll use a local `count` variable to keep track of the number of syllables.

All our heuristic code will be going here.

And we'll return it when we're done.



A Test Drive

Go ahead and add the new code in your `analyze.py` file. At this point, just make sure you don't have any syntax errors. You'll get the same output as the previous run.

```
def count_syllables(words):
    count = 0

    for word in words:
        word_count = count_syllables_in_word(word)
        count = count + word_count

    return count

def count_syllables_in_word(word):
    count = 0

    return count
```

You can add this code at the top of your file, right below the import statement.

Writing the heuristic

We're here. →

The first thing on our heuristic punch list is that we need to treat any word with fewer than three characters as having one syllable. But how do we get the length of a string? It turns out, you already know the way: with the `len` function. Previously we've used `len` on a list to get its length, but it can be applied to any sequence in Python, and a string is a sequence of characters.

Let's try it:

```
def count_syllables_in_word(word):
    count = 0

    if len(word) <= 3:
        return 1
    return count
```

A common theme in this chapter

We use the `len` function to get the length of the word, which is a string. If it is less than or equal to three, then we execute the code block of the `if` statement.

If the word has a length of three or less, then we've finished the computation and we can go ahead and return 1 from the function.

- If a word has fewer than three characters, then count it as one syllable.
- Otherwise, count the number of vowels and let that represent the number of syllables.
- To make the previous step more accurate, remove any consecutive vowels in a word.
- Remove the final e from words, in order to account for silent e's.
- Treat the character y as a vowel if it's the last character.

How to count vowels

Next, we need to count the vowels in each word. To do that, we're going to do something quite similar to when we looked for terminal characters in a string: define a string containing all the vowels, and then use the `in` operator to see if a character from our word is in that string of vowels. We'll compare to both lower- and uppercase vowels in case someone typed in words in all uppercase:

```
def count_syllables_in_word(word):
    count = 0

    if len(word) <= 3:
        return 1

    vowels = "aeiouAEIOU"
    for char in word:
        if char in vowels:
            count = count + 1

    return count
```

First we're going to create a local variable, `vowels`, that holds all the vowels, lower- and uppercase.

Then let's step through every character in the word.

We then use the `in` operator to see if the character currently in the `char` variable matches any of the characters in the `vowels` string.

And if that character is in the vowel string, then we have a vowel. Let's update our `count` by one.

Ignoring consecutive vowels

But we're not done, because we need to take into account two or more consecutive vowels. For instance, if you have the word “book,” then you want to count the first *o* and ignore the second, for a total of one syllable. Or if you have the word “roomful,” then you want to count the first *o*, ignore the second, and then count the *u* for a total of two syllables.

So our goal will be to scan each character of each word for vowels, just like our code does now, but after we encounter a vowel, we need to make sure we ignore any vowels that follow it, until we see another consonant. After that we can repeat the process, until we reach the end of the word.

- If a word has fewer than three characters, then count it as one syllable.
- Otherwise, count the number of vowels and let that represent the number of syllables.
- To make the previous step more accurate, remove any consecutive vowels in a word.
- Remove the final e from words, in order to account for silent e's.
- Treat the character y as a vowel if it's the last character.

Writing the code to ignore consecutive vowels

Alright, let's implement our consecutive vowel code. Here's how we're going to approach this: we'll use a Boolean variable to track if the previous character was a vowel, and if so, we know not to count the current character if it's a vowel. Let's take a look:

```
def count_syllables_in_word(word):
    count = 0

    if len(word) <= 3:
        return 1

    vowels = "aeiouAEIOU"
    prev_char_was_vowel = False

    for char in word:
        if char in vowels:
            if not prev_char_was_vowel:
                count = count + 1
                prev_char_was_vowel = True
            else:
                prev_char_was_vowel = False
    return count
```

First, we're going to add a new local variable called `prev_char_was_vowel`, and set it to `False`.

There's a lot going on here. Give this code some quality time and make sure you understand exactly how it operates.

Our code is going to iterate over each character in a word, just as before.

And we're going to test if the current character is in the `vowels` string.

If the current character is a vowel, and the previous character wasn't, then increment the syllable count.

In either case, we then set the `prev_char_was_vowel` to `True` before we process the next character.

If the current character isn't a vowel, then we just set `prev_char_was_vowel` to `False` before we process the next character.



BE the Interpreter

Using the `count_syllables_in_word` function above, your job is to play like you're the interpreter. The function is being called with the argument "roomful". Step through each iteration of the loop and fill in the local variable values as they change. After you've done the exercise, look at the end of the chapter to see if you got it right.

char	prev_char_was_vowel	count
r	False	0
o		
m		
f		
u		
l		

Record changes to the local variables at the end of each step through the iteration.



A Test Drive

We need to update two functions at this point, the `count_syllables_in_word` function to add our new code, and the `compute_readability` function to call the `count_syllables` function. We're only showing the new code here, which is highlighted below. Go ahead and make the changes and give it a test drive.

```
def count_syllables_in_word(word):
    count = 0

    if len(word) <= 3:
        return 1

    vowels = "aeiouAEIOU"
    prev_char_was_vowel = False

    for char in word:
        if char in vowels:
            if not prev_char_was_vowel:
                count = count + 1
            prev_char_was_vowel = True
        else:
            prev_char_was_vowel = False

    return count
```

```
def compute_readability(text):
    total_words = 0
    total_sentences = 0
    total_syllables = 0
    score = 0

    words = text.split()
    total_words = len(words)
    total_sentences = count_sentences(text)
    total_syllables = count_syllables(words)

    print(total_words, 'words')
    print(total_sentences, 'sentences')
    print(total_syllables, 'syllables')
```

Double-check to make sure you're getting the same number of words, sentences, and syllables. If not, double-check your code, and you can also compare it to the book's source code to find any mistakes.

Python 3.6.0 Shell

```
300 words
12 sentences
450 syllables
>>>
```

Removing final e's, y's, and punctuation

Now we just have two more tasks left: removing final e's and counting final y's. Actually, we're forgetting another issue as well—that we still have some words with punctuation at their ends, which may complicate testing for final e's and y's. Let's deal with removing the punctuation first.

Looking at our words in the words list, you can see words like "first.", "you.", and "out:". What we need to do is replace them with "first", "you", and "out", and to do that we need to get the substring of each word, excluding the punctuation. With Python we can do that by *slicing*. Let's see how that works.

He who controls the slice, controls the...

We've talked about substrings, but let's talk for a moment about exactly what one is. A substring is just a string that occurs in another string. So if I have a string:

```
lyrics = 'I heard you on the wireless back in fifty two'
```

then 'I' is a substring, as is 'I heard', as is 'on the wire', as is 'o', and so on. Given a string, Python gives us a way to extract substrings from a string using its slice syntax, which works like this:

```
my_substring = lyrics[2:7]
print(my_substring)
```

- If a word has fewer than three characters, then count it as one syllable.
- Otherwise, count the number of vowels and let that represent the number of syllables.
- To make the previous step more accurate, remove any consecutive vowels in a word.
- Remove the final e from words, in order to account for silent e's.
- Treat the character y as a vowel if it's the last character.

Python 3.6.0 Shell

```
heard
>>>
```

Let's look for a few other ways you can use slice as well. If you omit the beginning index, then slice assumes you mean to start at the beginning of the list:

```
my_substring = lyrics[:6]
print(my_substring)
```

Python 3.6.0 Shell

```
I hear
>>>
```

Or, likewise, if you omit the ending index, then slice assumes you mean to stop the end of the list:

```
my_substring = lyrics[28:]
print(my_substring)
```

Omitting the last index means you want to end at the end of the string.

Python 3.6.0 Shell

```
back in fifty two
>>>
```

You can even use the negative indices like you did with lists, like this:

```
my_substring = lyrics[28:-1]
print(my_substring)
```

This says end just before the last character in the string.

Python 3.6.0 Shell

```
back in fifty tw
>>>
```

Or, you can even use a negative index in the first index:

```
my_substring = lyrics[-17:]
print(my_substring)
```

Start 17 characters from the end of the string, and then go all the way to the end of the string.

Python 3.6.0 Shell

```
back in fifty two
>>>
```

Surprise, slice isn't just for strings!

We said Python tries to be consistent, and consistent it is—you can use slice on your lists too!

```
smoothies = ['coconut', 'strawberry', 'banana', 'pineapple', 'acai berry']
```

Here's a familiar list.

And here's a few examples of slicing your lists. The indexing works as it does on strings.

`smoothies[2:4]` evaluates to `['banana', 'pineapple']`

`smoothies[:2]` evaluates to `['coconut', 'strawberry']`

`smoothies[3:-1]` evaluates to `['pineapple']`



WHO DOES WHAT?

We had our slice operation and substrings all figured out, and then they got all mixed up. Can you help us figure out who does what? Be careful, we're not sure if each slice has zero, one, or more matches. We've already figured one out, which is marked below:

<code>str = 'a man a plan panama'</code>	
<code>str[:]</code>	'man a plan panama'
<code>str[::2]</code>	'a man a plan panam'
<code>str[2::]</code>	'a '
<code>str[1:7]</code>	'a man a plan panama'
<code>str[3:-1]</code>	'an a plan panam'
<code>str[-2:-1]</code>	'a ma'
<code>str[0:-1]</code>	' man a'
<code>str[0:4]</code>	'm'

Putting slicing (substrings) to work

So with slicing we can take a word like "out:" and easily produce the substring "out". In fact, based on all our slicing training over the last few pages, we know exactly what that code would look like:

`process_word = word[0:-1]`



Note we could have written this as `word[:-1]` too!

Get the substring that starts at index 0 (the beginning of the string) and go until, but not including, the last character.

This variable will hold a new string containing only the string without the ending character.

But we still need the logic of knowing when to remove the final character of a word. We want to remove the final character if it is a period, comma, semicolon, exclamation point, or question mark, and based on our work in this chapter, we have all the pieces we need to do this:

```
def count_syllables_in_word(word):
    count = 0
    endings = '. , ; ! ? :'
    last_char = word[-1]
    ← Let's set up a string that contains
          all the word endings.

    if last_char in endings:
        processed_word = word[0:-1]
        ← And get the last character of the
              current word.

        Then check to see if the last
        character is one of the endings.

        If so, we'll set the processed_word to be
        the word, without the last character.

    else:
        processed_word = word
        ← If not, we're going to set the
              processed_word to the entire word.

    if len(processed_word) <= 3:
        return 1
        ← And then we're going to use
              processed_word rather than word in
              the rest of the code.

    vowels = "aeiouAEIOU"
    prev_char_was_vowel = False
    ← for char in processed_word:
        if char in vowels:
            if not prev_char_was_vowel:
                count = count + 1
                prev_char_was_vowel = True
            else:
                prev_char_was_vowel = False
                ← Don't worry about entering this code
                      yet; we'll do it on the next page.

    return count
```



Sharpen your pencil

Assuming the variable `process_word` already has any punctuation removed from the last character, can you write a couple lines of code (or so) to remove a final e character, if it has one? Just write the code fragment here.



A Test Drive

Let's get all these additions based on slicing into the code. You'll find all the new code from the last few pages highlighted here. Go ahead and get it entered and try a test run to see your syllable count change.

```
def count_syllables_in_word(word):
    count = 0

    endings = '.',;!?:'
    last_char = word[-1]

    if last_char in endings:
        processed_word = word[0:-1]
    else:
        processed_word = word

    if len(processed_word) <= 3:
        return 1

    if processed_word[-1] in 'eE':
        processed_word = processed_word[0:-1]

    vowels = "aeiouAEIOU"
    prev_char_was_vowel = False

    for char in processed_word:
        if char in vowels:
            if not prev_char_was_vowel:
                count = count + 1
            prev_char_was_vowel = True
        else:
            prev_char_was_vowel = False

    return count
```

Make sure you've made these additions we covered on the previous page.

We've put the code to remove silent e characters here, after the test for words that are length three or less.

Notice the number of syllables calculation has changed with those code changes!

Python 3.6.0 Shell

```
300 words
12 sentences
410 syllables
>>>
```

Finishing off the heuristic code

We're on the last step of implementing the heuristic—all we need to do now is count the *y*'s at the end of words as syllables. At this point we know how to examine the end of a word, and we know that if we see a *y* at the end, we just need to increment our *count* local variable by one. Let's put it all together and test the final version of `count_syllables_in_word`, not to mention `count_syllables`.

- If a word has fewer than three characters, then count it as one syllable.
- Otherwise, count the number of vowels and let that represent the number of syllables.
- To make the previous step more accurate, remove any consecutive vowels in a word.
- Remove the final *e* from words, in order to account for silent *e*'s.
- Treat the character *y* as a vowel if it's the last character.



A Test Drive

It's time to finish off the `count_syllables_in_word` function. Below you'll find the code to increase the syllable count if there is a `y` at the end of the word. Give it a test run and check out the final syllable number.

```
def count_syllables_in_word(word):
    count = 0

    endings = '.',;!?:'
    last_char = word[-1]

    if last_char in endings:
        processed_word = word[0:-1]
    else:
        processed_word = word

    if len(processed_word) <= 3:
        return 1

    if processed_word[-1] in 'eE':
        processed_word = processed_word[0:-1]


    vowels = "aeiouAEIOU"
    prev_char_was_vowel = False

    for char in processed_word:
        if char in vowels:
            if not prev_char_was_vowel:
                count = count + 1
            prev_char_was_vowel = True
        else:
            prev_char_was_vowel = False

        if processed_word[-1] in 'yY':
            count = count + 1

    return count
```

Check the word to see if it ends in `y` or `Y`, and if so, increase the syllable count.



You'll notice we've written quite a long function here, which is perfectly acceptable. A bit like a paragraph, you'll find a function is probably too long when it becomes hard to understand and keep in your head as you study it.

Looks like we found some words ending in `y`, so our syllable count increased.



Python 3.6.0 Shell
300 words
12 sentences
416 syllables
>>>

Implementing the reading ease formula

We're getting near the end; all we have left is to implement the formula to get a reading ease score, and then to provide some output to report the results. In terms of the formula, we have all the pieces we need: a count of words, a count of sentences, and a count of syllables. Let's look at the original formula:

$$206.835 - 1.015 \left(\frac{\text{total words}}{\text{total sentences}} \right) - 84.6 \left(\frac{\text{total syllables}}{\text{total words}} \right)$$

and let's translate it into Python:

```
score = (206.835 - 1.015 * (total_words / total_sentences)
         - 84.6 * (total_syllables / total_words))
```

Remember we can wrap the formula in parentheses so we can write it across multiple lines.



A Test Drive

And now let's get the formula in our `compute_readability` function. Go ahead and add the formula as well as the new `print` statement and give it a try.

```
def compute_readability(text):
    total_words = 0
    total_sentences = 0
    total_syllables = 0
    score = 0

    words = text.split()
    total_words = len(words)
    total_sentences = count_sentences(text)
    total_syllables = count_syllables(words)

    score = (206.835 - 1.015 * (total_words / total_sentences)
             - 84.6 * (total_syllables / total_words))

    print(total_words, 'words')
    print(total_sentences, 'sentences')
    print(total_syllables, 'syllables')
    print(score, 'reading ease score')
```

Add the formula below to our word, sentence, and syllable count code.

Nice, we have a reading ease score!

Python 3.6.0 Shell

```
300 words
12 sentences
416 syllables
64.1480000000001 reading ease score
>>>
```

 Sharpen your pencil

You have the reading ease score, so all you need to do is output the results. Define a function, `output_results`, that takes a score as a parameter and outputs the reading level as specified in the pseudocode. We've reproduced pseudocode below to make things easier.

```
IF score >= 90.0:  
    PRINT 'Reading level of 5th Grade'  
ELIF score >= 80.0:  
    PRINT 'Reading level of 6th Grade'  
ELIF score >= 70.0:  
    PRINT 'Reading level of 7th Grade'  
ELIF score >= 60.0:  
    PRINT 'Reading level of 8-9th Grade'  
ELIF score >= 50.0:  
    PRINT 'Reading level of 10-12th Grade'  
ELIF score >= 30.0:  
    PRINT 'Reading level of College Student'  
ELSE:  
    PRINT 'Reading level of College Graduate'
```

Here's the pseudocode.



Write your Python code here.





A Test Drive

This is it—we just need to add in the `output_results` function and we should have everything we need to complete the code! Go ahead and make the additions and changes below. You'll find the complete code over the next two pages.

```
import ch1text

def count_syllables(words):
    count = 0

    for word in words:
        word_count = count_syllables_in_word(word)
        count = count + word_count

    return count

def count_syllables_in_word(word):
    count = 0

    endings = '. , ; ! ? :'
    last_char = word[-1]

    if last_char in endings:
        processed_word = word[0:-1]
    else:
        processed_word = word

    if len(processed_word) <= 3:
        return 1

    if processed_word[-1] in 'eE':
        processed_word = processed_word[0:-1]

    vowels = "aeiouAEIOU"
    prev_char_was_vowel = False

    for char in processed_word:
        if char in vowels:
            if not prev_char_was_vowel:
                count = count + 1
            prev_char_was_vowel = True
        else:
            prev_char_was_vowel = False

    if processed_word[-1] in 'yY':
        count = count + 1

    return count
```

Here's all the code we've already written. This should be in your `analyze.py` file already.



There's more code on the next page.



```

def count_sentences(text):
    count = 0

    terminals = '.;?!'
    for char in text:
        if char in terminals:
            count = count + 1

    return count

def output_results(score):
    if score >= 90:
        print('Reading level of 5th Grade')
    elif score >= 80:
        print('Reading level of 6th Grade')
    elif score >= 70:
        print('Reading level of 7th Grade')
    elif score >= 60:
        print('Reading level of 8-9th Grade')
    elif score >= 50:
        print('Reading level of 10-12th Grade')
    elif score >= 30:
        print('Reading level of College Student')
    else:
        print('Reading level of College Graduate')

def compute_readability(text):
    total_words = 0
    total_sentences = 0
    total_syllables = 0
    score = 0

    words = text.split()
    total_words = len(words)
    total_sentences = count_sentences(text)
    total_syllables = count_syllables(words)

    score = (206.835 - 1.015 * (total_words / total_sentences)
             - 84.6 * (total_syllables / total_words))


    print(total_words, 'words')
    print(total_sentences, 'sentences')
    print(total_syllables, 'syllables')
    print(score, 'readability score')
    output_results(score)

```


compute_readability(ch1text.text)

Add the new
output_results
code.

So our writing is at the
8th- to 9th-grade level.
Scores in that range are
considered acceptable for
most books and articles, so
we're not doing too bad!



And make sure we're
calling our new function,
passing it the score.



The goal is not to get a really high or really low score.

A low score on Flesch's readability test indicates that the text is quite challenging to read. For example, a score in the 30–50 range would indicate that the text is written like an advanced college textbook or research paper in a scientific field. Not exactly the score you'd want for the opening text of a *Head First* book; in fact, it's just the opposite of what you'd want.

Hopefully this book is accessible to those entering high school, so this score doesn't seem too off the mark. In fact, think of another example: say you wrote a novel for the young adult market. You'd probably want a score that indicates an even lower reading level (say, 7th grade) and higher score (say, 70–80) so that it is accessible to those, say, in junior high school.

Score	School Level	Notes
100.00–90.00	5th grade	Very easy to read. Easily understood by an average 11-year-old student.
90.0–80.0	6th grade	Easy to read. Conversational English for consumers.
80.0–70.0	7th grade	Fairly easy to read.
70.0–60.0	8th & 9th grade	Plain English. Easily understood by 13- to 15-year-olds.
60.0–50.0	10th–12th grade	Fairly difficult to read.
50.0–30.0	College	Difficult to read.
30.0–0.0	College Graduate	Very difficult to read. Best understood by university graduates.

Taking it even further

Are you all ready to test the writing of your favorite author, news sources, or even your own writing? Here's instructions for how to do that:

- Create a new file of your own, with a name ending in `.py`.
- Using the three-quote syntax, add your own multiline text and assign it to a variable—we recommend naming it `text` for consistency.
- In your `analyze.py` file, import your new file (otherwise known as a module).
- Call the `compute_readability` function and pass it your module name followed by the variable name `text`.

We'll see
an even
better way
in the next
chapter.

And don't forget our heuristic code could still be improved. Just take a look at words in the word list; there's still some issues, like the use of double quotes that show up in words, that could be cleaned up. Also, we could still build that special-case word list, right?

As you can see, a coder's job is never truly done. But in terms of this chapter you are done—oh, except for the bullet points and the crossword. Anyway, congrats, this was a tough chapter that really demonstrates the coding chops you're developing!




BULLET POINTS

- You can include multiline text in your code using Python's three-quote syntax.
- You can determine the length of a string using the `len` function, just like you can with lists.
- The string `split` function uses a separator to split a string into words that are placed into a list.
- A delimiter is another word for a separator.
- Strings are immutable. Lists are mutable.
- Mutable means you can change it; immutable means you can't.
- Almost all modern languages have immutable strings.
- We can iterate through the characters of a string using the `for` statement.
- We can also use the index notation to access characters in a string.
- The Boolean operator `in` allows you to check for inclusion of values in lists or strings.
- A heuristic provides a best estimate or good answer but not necessarily a perfect one.
- Heuristics are often used when an algorithm isn't computationally practical, or known.
- Strings support a slice notation that returns a substring. You can use this notation on lists as well.
- In Python there is no separate character type as there is in some programming languages. In Python all text is a string.



Coding cross

This was a character-building chapter. Relax with a little crossword.



Across

2. We removed these.
3. What test text was from.
5. The in operator works on these.
6. At the end of some words.
7. Another name for separator.
10. We ignored these vowels.
12. Subset of a string.
13. Heard you on this in 52.
15. Came up with the formula.
16. We needed a heuristic for this.

Down

1. Our new business.
4. A solution that's not 100%.
8. Means you can't change it.
9. May have made computing syllables easier.
11. Python's way to get substrings.
14. Breaking a string apart.



Exercise Solution

We're going to take the text in the `ch6/text.txt` file and get it into a Python file. To do that, in IDLE, create a new file and add the code below. For the Chapter 1 text, you'll want to open the `text.txt` file in IDLE as well, and then copy and paste the text into your new file. When you're done, save your file as `ch1text.py`.

Finally, run your code, and you should see the entire article printed to the shell.

The code printed the entire article; here's the tail end.



```
Python 3.6.0 Shell
into pond", or "pull in the fish." But also notice that other
instructions are a bit different because they depend on a condition,
like "is the bobber above or below water?". Instructions might also
direct the flow of the recipe, like "if you haven't finished fishing,
then cycle back to the beginning and put another worm on the hook."
Or, how about a condition for stopping, as in "if you're done" then go
home.

You're going to find these simple statements or instructions are the
first key to coding, in fact every App or software program you've ever
used has been nothing more than a (sometimes large) set of simple
instructions to the computer that tell it what to do.

>>>
```



Now that you know how to use the `split` function, let's return to the `compute_readability` function and take it a little further. In our pseudocode we were going to write a function `count_words`, but as it turns out, with `split` we can handle the job of computing the total number of words with only two lines of code, so let's forgo the function. Go ahead and complete that code below.

```
import ch1text

def compute_readability(text):
    total_words = 0
    total_sentences = 0
    total_syllables = 0
    score = 0

    words = text.split()
    total_words = len(words)

    print(words)
    print('total words', total_words)
    print(text)

compute_readability(ch1text.text)
```

To get the total number of words we use the `len` function on the list of words.

```
Python 3.6.0 Shell
['The', 'first', 'thing', 'that', 'stands', 'between', 'you', 'and', 'writing', 'your',
'first', 'real', 'piece', 'of', 'code', 'is', 'learning', 'the', 'skills', 'of', 'breaking',
'problems', 'down', 'into', 'achievable', 'little', 'actions', 'that', 'a', 'computer',
'can', 'do', 'for', 'you.', 'Of', 'course', 'you', 'and', 'the', 'computer', 'will', 'also',
'need', 'to', 'be', 'speaking', 'a', 'common', 'language', 'but', 'well', 'get', 'to',
'that', 'topic', 'in', 'just', 'a', 'bit.', 'Now', 'breaking', 'problems', 'down', 'into',
'a', 'number', 'of', 'steps', 'may', 'sound', 'a', 'new', 'skill', 'but', 'it's', 'actually',
'something', 'you', 'do', 'every', 'day.', 'Let's', 'look', 'at', 'an', 'example', 'a',
'simple', 'one', 'say', 'you', 'wanted', 'to', 'break', 'the', 'activity', 'of', 'fishing',
'down', 'into', 'a', 'simple', 'set', 'of', 'instructions', 'that', 'you', 'could', 'hand',
'to', 'a', 'robot', 'who', 'would', 'do', 'your', 'fishing', 'for', 'you.', 'Here's',
'our', 'first', 'attempt', 'to', 'do', 'that,', 'check', 'it', 'out!', 'You', 'can', 'think',
'of', 'these', 'statements', 'as', 'a', 'nice', 'recipe', 'for', 'fishing.', 'Like', 'any',
'recipe', 'this', 'one', 'provides', 'a', 'set', 'of', 'steps', 'that', 'when', 'followed',
'in', 'order', 'will', 'produce', 'some', 'result', 'or', 'outcome', 'in', 'our', 'case',
'hopefully', 'catching', 'some', 'fish.', 'Notice', 'that', 'most', 'steps', 'consists',
'of', 'simple', 'instruction', 'like', 'cast', 'line', 'into', 'pond', 'or', 'pull',
'in', 'the', 'fish.', 'But', 'also', 'notice', 'that', 'other', 'instructions', 'are',
'a', 'bit', 'different', 'because', 'they', 'depend', 'on', 'a', 'condition', 'like',
'is', 'the', 'bobber', 'above', 'or', 'below', 'water?'. Instructions might 'also',
'direct', 'the', 'flow', 'of', 'the', 'recipe', 'like', 'if', 'you', 'haven't', 'finished',
'fishing', 'then', 'cycle', 'back', 'to', 'the', 'beginning', 'and', 'put', 'another',
'worm', 'on', 'the', 'hook!'. Or, 'how', 'about', 'a', 'condition', 'for', 'stopping',
'as', 'in', 'if', 'you', 're', 'done', 'then', 'go', 'home', 'You', 're', 'going', 'to', 'find',
'these', 'simple', 'statements', 'or', 'instructions', 'are', 'the', 'first', 'key', 'to',
'coding', 'in', 'fact', 'every', 'App', 'or', 'software', 'program', 'you', 've', 'ever',
'used', 'has', 'been', 'nothing', 'more', 'than', 'a', '(sometimes', 'large)', 'set', 'of',
'simple', 'instructions', 'to', 'the', 'computer', 'that', 'tell', 'it', 'what', 'to', 'do.']

>>>
```



Sharpen your pencil

Solution

Can you write the code to test each character to see if it is a period, semicolon, question mark, or exclamation point, and then, if so, increase the value of the `count` variable by one?

```
def count_sentences(text):
    count = 0

    for char in text:
        if char == '.' or char == ';' or char == '?' or char == '!':
            count = count + 1

    return count
```



Check if `char` is
any of the terminal
characters, and if so,
increment `count` by one.



Sharpen your pencil

Let's see if we can make the `count_sentences` function more concise (and readable) by using the `in` operator. Below we've removed the existing code that checks for terminal characters. We've also added a new local variable called `terminals`, which holds a string containing all the terminal characters. Complete the `if` statement, using the `in` operator, so that it determines if the current character is a terminal.

```
def count_sentences(text):
    count = 0

    terminals = '.;?!'

    for char in text:
        if char in terminals:
            count = count + 1

    return count
```

Wow, that is a lot more
concise and readable!






BE the Interpreter SOLUTION

Using the `count_syllables_in_word` function above, your job is to play like you're the interpreter. The function is being called with the argument "roomful".

char	prev_char_was_vowel	count
r	False	0
o	True	1
o	True	
m	False	
f	False	
u	True	2
l	False	

*WHO DOES? WHAT? SOLUTION

We had our slice operation and substrings all figured out, and then they got all mixed up. Can you help us figure out who does what? Be careful, we're not sure if each slice matches zero, one, or more substrings. We've already figured one out, which is marked below:





Sharpen your pencil

Assuming the variable `process_word` already has any punctuation removed from the last character, can you write the code to remove a final e character, if it has one?

If the last character of `process_word` is either 'e' or 'E' then...

```
if processed_word[-1] in 'eE':  
    processed_word = processed_word[0:-1]
```

...set `processed_word` to itself, without the last character.




Sharpen your pencil Solution

You have the reading ease score, so all you need to do is output the results. Define a function, `output_results`, that takes a score as a parameter and outputs the reading level as specified in the pseudocode.

```
def output_results(score):  
    if score >= 90:  
        print('Reading level of 5th Grade')  
    elif score >= 80:  
        print('Reading level of 6th Grade')  
    elif score >= 70:  
        print('Reading level of 7th Grade')  
    elif score >= 60:  
        print('Reading level of 8-9th Grade')  
    elif score >= 50:  
        print('Reading level of 10-12th Grade')  
    elif score >= 30:  
        print('Reading level of College Student')  
    else:  
        print('Reading level of College Graduate')
```



Coding Cross Solution





Getting Modular



Your code is growing in size and complexity. As that happens you need better ways to abstract, to modularize, to organize your code. You've seen that functions can be used to group lines of code together into bundles you can reuse over and over. And you've also seen that collections of functions and variables can be placed into modules so that they can be more easily shared and reused. In this chapter we'll revisit modules and learn how to use them even more effectively (so you're all ready to share your code with others) and then we're going to look at the ultimate in code reuse: *objects*. You're going to see that Python objects are all around you, just waiting to be used.

Hey guys, I'd love to use your readability analyzer on my book.
How can I reuse your code from the previous chapter?

Cory Doctorow

Text from his book
"Little Brother"

"it," I said. "You're the best coder I know. I genius, Jolu. I would be honored if you'd

ingers some more. "It's just -- You know. 'an's the smart one. Darryl was... He was your I, the guy who had it all organized, who

Being the programmer, that was *my* thing. It

ing you didn't need me."

ch an idiot. Jolu, you're the best-qualified

This is a quote from Cory Doctorow's book "Little Brother".

If you've never programmed a computer, you should. There's nothing like it in the whole world. When you program a computer, it does *exactly* what you tell it to do. It's like designing a machine -- any machine, like a car, like a faucet, like a gas-hinge for a door -- using math and instructions. It's awesome in the truest sense: it can fill you with awe.

A computer is the most complicated machine you'll ever use. It's made of billions of micro-miniaturized transistors that can be configured to run any program you can imagine. But when you sit down at the keyboard and write a line of code, those transistors do what you tell them to.

Most of us will never build a car. Pretty much none of us will ever create an aviation system. Design a building. Lay out a city.

Cubicle conversation



Greg: That's easy; just ship him *analyze.py*. He can just import it and call the `compute_readability` function. Done!

Frank: Totally. Modules are just Python files; just ship it.

Joe: I don't think that is quite right. I know we've said a file is just a module and all that, and we've certainly used `import`, but I think there is more to it than that.

Greg: Like what?

Joe: Well, for instance, right now, if you'll remember, our *analyze.py* file has the code to compute the readability of the Chapter 1 text.

Frank: That was great for testing out the analyzer, but Cory will need to rewrite that to use his text.

Joe: Right, but anyone should be able to use our code without having to open the code and edit it; and I'd love to leave in our test in case we want to improve our heuristic in the future. There's gotta be a better way.

Greg: What do you have in mind?

Joe: I've been doing some research. There's a convention for organizing modules so that we can still have our test code, and Cory can use it for his own analysis.

Greg: I'd love to hear more.

Frank: Wait, is this going to be a lot of work?

Joe: Frank, this isn't difficult, and I think you're going to like the end result. These changes are going to make our code more reusable by other people *and* us.

A quick module review

Now, as you also already know, to import a module, we use the `import` statement, like this:

```
import random
```

Import the random module.

And then you can refer to any of that module's functions or variables by prepending their name with the module name, like this:

We would like to invoke the `randint` function,
which is found in the `random` module.

```
num = random.randint(0, 9)
```

We start with the module name...
...and then the function or variable name in the module.
...followed by the dot operator...

Notice that we've already used the dot operator quite few times in this book without really talking about it—think of the dot operator as just a way of saying “look for `randint` in the module `random`.”

We're going to see that the dot operator has a few more tricks up its sleeve when it comes to objects; more on that later.

there are no Dumb Questions

Q: How does Python know where to look for a module when I import it?

A: Good question, because when you import a module you specify only the module's name and not, say, a directory path. So how does Python find modules? Python starts by looking at its internal list of built-in modules (`random` is a built-in module) and if it doesn't find the module in that list, it looks in the local file directory where you ran your code from. There are more advanced ways

to tell Python to look in other directories too, should you need that functionality.


Q: I've seen the term “Python library”; is that related to a module?

A: A library is a generic term sometimes used with Python modules (or collections of Python modules). Typically the term *library* just means that the modules have been published for others to use. You'll hear the term *package* too, which often means a set of Python modules that work together.

Q: What happens if I import, say, the `random` module into my code, but I also import another module that already imports `random`? Is there going to be a problem or conflict?

A: No, Python keeps track of the modules that have been imported so that it doesn't have to reimport modules over and over. It's also perfectly fine for your code and another module to both import the same module.

Cubicle conversation continued...



Frank: We are; we just have to make sure we have it in a form that other people can use.

Joe: Right now we still have our test of the Chapter 1 text in the code.

Judy: Can't you just pull it out?

Joe: We could, but we really want to keep it around for testing as we improve our own heuristic.

Judy: Oh, well, how are you going to do that?

Frank: Joe's been studying Python modules. You can structure a module file so that it knows if it is running as the main program, or if it has been imported by another Python file.

Judy: What does that get us?

Joe: Think about it like this, Judy: if someone is running *analyze.py* directly, then it's probably us and we'll want to execute our test code. If not, then someone is importing *analyze.py*, so they'd want to skip the test code.

Judy: Oh, that makes a lot of sense. We can do that?

Joe: Yes, we use a convention that allows us to check if *analyze.py* is being executed directly as the main program, and, if so, we'll invoke the test code; otherwise, we'll ignore it. Let me show you...

The `__name__` global variable

Whenever a Python file is executed, behind the scenes the Python interpreter creates a global variable `__name__`, which consists of two underscores, the word “name,” and two more underscores. After it creates the variable, Python then sets this variable to one of two things: if the Python file is being executed directly as the main program, the variable is set to the string “`__main__`”. Otherwise, `__name__` is set to the name of your module, like “`analyze`”. Given how `__name__` works, there is a long-standing Python convention of using the following code to test if your code is running as the main program:

```
if __name__ == '__main__':
    print("Look, I'm the main program y'all.")
```

Test to see if this is the main program, and if so, supply whatever code you want here.

The important thing to note is this print statement will be ignored if this file is being imported.



Serious Coding

Python coders pronounce the `__name__` variable as *dunder name*, which is short for “double underscore name, double underscore.”



A Test Drive

Let's put `__name__` to the test. Below you'll find two Python files; type them both into IDLE, store them in the same folder, and run them both. Check your output.

```
if __name__ == '__main__':
    print("Look, I'm the main program y'all.")
else:
    print("Oh, I'm just a module.")
```

just_a_module.py

```
import just_a_module

print('Greetings from main.py')
```

main.py

Python 3.6.0 Shell

```
Look, I'm the main program y'all.
>>>
```

Here `just_a_module` knows it's the main program.

Here's what we got executing these two files.

Python 3.6.0 Shell

```
Oh, I'm just a module.
Greetings from main.py
>>>
```

Here `main.py` does an import, and `just_a_module` knows it's being executed from an import.



Cubicle conversation continued...

Greg: Yeah, we just need to test to see if the `__name__` variable is set to "`__main__`", and if so, we'll run our test code; otherwise, we'll do nothing. After we've done that, we can give it to Cory.

Frank: Let's do it... Wait, how is Cory going to know *which* functions to use?

Greg: One problem at a time, Frank; we'll come back to that one. Let's get the code in there first.

Frank: Fair enough!

Updating `analyze.py`

At this point copy the `analyze.py` file from your Chapter 6 folder to your Chapter 7 folder and open it. You'll want to make these changes:

```
import chitext
def count_syllables(words):
    count = 0
    for word in words:
        word_count = count_syllables_in_word(word)
        count = count + word_count
    return count
def count_syllables_in_word(word):
    count = 0
    endings = '.,;!?'
    last_char = word[-1]
```

← At the top of the file, delete the import of the `chitext` file. We're going to move this to the bottom of the file.

← Here's the top of your `analyze.py` file.

Go ahead and make a copy of `chitext.py` from the Chapter 6 folder as well and place it in your Chapter 7 folder.



```
def compute_readability(text):  
    total_words = 0  
    total_sentences = 0  
    total_syllables = 0  
    score = 0  
  
    words = text.split()  
    total_words = len(words)  
    total_sentences = count_sentences(text)  
    total_syllables = count_syllables(words)  
  
    score = (206.835 - 1.015 * (total_words / total_sentences)  
            - 84.6 * (total_syllables / total_words))  
  
    output_results(score)  
  
if __name__ == "__main__":  
    import ch1text  
    print('Chapter1 Text: ')  
    compute_readability(ch1text.text)
```

Here's the bottom of your `analyze.py` file.

Here's the conditional test for the `__main__` value in the `__name__` variable.

If true we're going to import the `ch1text` file, and compute its readability.

We added a `print` statement too.

↑ Don't forget to indent the `compute_readability` line four spaces under the `if` statement.

Yes, you can use the `import` statement anywhere in your code!



A Test Drive

Get the changes made to `analyze.py` and then give it a test drive. Because we're running it as the main program, you should get the same output you did in Chapter 6. Don't forget to make sure you have a copy of `ch1text.py` in the same folder.

Works as advertised. We're running `analyze.py` as the main program, so it goes ahead and does a test of the text in `ch1text.py`.

Python 3.6.0 Shell

```
Chapter 1 Text:  
Reading level of 8-9th Grade  
>>>
```

Using analyze.py as a module

So how are others going to reuse our code? Well, they're first going to import the `analyze` module into their own code, and then they'll call `compute_readability` in the `analyze` module with a text string. Let's create a new file called `cory_analyze.py` and write the code to do that:

```
import analyze
analyze.compute_readability("")
```

Import the module.

And call `analyze.compute_readability` with the text.

If you've never programmed a computer, you should. There's nothing like it in the whole world. When you program a computer, it does exactly what you tell it to do. It's like designing a machine: any machine, like a car, like a faucet, like a gas hinge for a door using math and instructions. It's awesome in the truest sense it can fill you with awe.

A computer is the most complicated machine you'll ever use. It's made of billions of micro miniaturized transistors that can be configured to run any program you can imagine. But when you sit down at the keyboard and write a line of code, those transistors do what you tell them to.

Most of us will never build a car. Pretty much none of us will ever create an aviation system. Design a building. Lay out a city."")

Remember, you can use three double quotes to create a multiline string.



A Test Drive

You don't actually have to type in Cory's text; you can find it in the Chapter 7 source files under `cory.txt`.


Get `cory_analyze.py` typed in and then give it a test drive as well. Because we're running `analyze.py` as a module now, our test code is not going to be run. Give it a try and see what you get.

Cory's text gets a 7th-grade rating. That seems perfect for a book with teen subject matter!

Python 3.6.0 Shell

Reading level of 7th Grade

>>>



That's where Python help comes in.

With Python you can add help documentation right into your source code. Of course, you've already seen how to add comments to your code—those are for the purpose of documenting your low-level code—but Python also allows you to add *docstrings* to provide higher-level documentation for programmers who are using your modules (but aren't interested in digging through your code).

The docstring format is simple: you just add a string at the top of your module as a general description, and a string after each function definition (as well as object definitions, which you haven't learned about yet).

So how do you use these docstrings? Do they require others to open your module file and read them? No, there's a better way: Python provides a `help` function, which anyone can use in the interpreter to see the documentation.

Let's add some docstrings to *analyze.py* and see how this works.

You'll find most modern programming languages provide some form of docstrings.

Adding docstrings to analyze.py

Let's add in some docstrings so other coders can make use of Python's help system to learn how to use our module.

```
"""The analyze module uses the Flesch-Kincaid readability test to analyze text and
produce a readability score. This score is then converted into a
grade-based readability category.
```

```
"""
```

```
def count_syllables(words):
    """This function takes a list of words and returns a total
       count of syllables across all words in the list.
    """
    count = 0
```

```
    for word in words:
        word_count = count_syllables_in_word(word)
        count = count + word_count
```

```
    return count
```

```
def count_syllables_in_word(word):
    """This function takes a word in the form of a string
       and returns the number of syllables. Note this function is
       a heuristic and may not be 100% accurate.
    """
    count = 0
```

```
    endings = '.,;!?:' # these are the word terminals we care about
    last_char = word[-1]
```

```
    if last_char in endings:
        processed_word = word[0:-1]
    else:
        processed_word = word
    if len(processed_word) <= 3:
        return 1
```

```
    if processed_word[-1] in 'eE':
        processed_word = processed_word[0:-1]
```

```
vowels = "aeiouAEIOU"
prev_char_was_vowel = False
```


```
for char in processed_word:
    if char in vowels:
        if not prev_char_was_vowel:
            count = count + 1
        prev_char_was_vowel = True
    else:
        prev_char_was_vowel = False
```

```
if processed_word[-1] in 'yY':
    count = count + 1
```

```
return count
```

 You can add a multiline string at the top of your module...

...and below any definition.

 Only docstrings are included in Python help. Comments added to the code, like this one, are not included.

Continued on next page...

adding docstrings

```
def count_sentences(text):
    """This function counts the number of sentences in a string of text
    using period, semicolon, question mark and exclamation mark as
    terminals.
    """
    count = 0

    terminals = '.;?!'
    for char in text:
        if char in terminals:
            count = count + 1

    return count

def output_results(score):
    """This function takes a Flesch-Kincaid score and prints the
    corresponding reading level.
    """
    if score >= 90:
        print('Reading level of 5th Grade')
    elif score >= 80:
        print('Reading level of 6th Grade')
    elif score >= 70:
        print('Reading level of 7th Grade')
    elif score >= 60:
        print('Reading level of 8-9th Grade')
    elif score >= 50:
        print('Reading level of 10-12th Grade')
    elif score >= 30:
        print('Reading level of College Student')
    else:
        print('Reading level of College Graduate')

def compute_readability(text):
    """This function takes a text string of any length and prints out a
    grade-based readability score.
    """
    total_words = 0
    total_sentences = 0
    total_syllables = 0
    score = 0

    words = text.split()
    total_words = len(words)
    total_sentences = count_sentences(text)
    total_syllables = count_syllables(words)

    score = (206.835 - 1.015 * (total_words / total_sentences)
             - 84.6 * (total_syllables / total_words))

    output_results(score)

if __name__ == "__main__":
    import ch1text
    print('Chapter 1 Text:')
    compute_readability(ch1text.text)
```

Even more docstrings!



Note that you can make your documentation as elaborate as you like or as is needed. Python allows you to do this in a free-form manner. Some other programming languages have quite sophisticated systems for specifying docstrings that are more standardized and less free-form.



A Test Drive

Depending on your operating system and version of Python

Go ahead and document the `analyze.py` file; get creative if you like and expand your documentation. After you've done that, you need to follow some very specific instructions. Remember we said that Python, for efficiency reasons, won't import the same module over and over? Instead, it keeps a cached version around in memory. So you've changed your `analyze` module, but Python is still going to rely on the cached version (the one without docstrings). **To get around that, you need to exit IDLE.** *Quit all the way out.* Then, run IDLE again, open your `cory_analyze.py` file and run it to ensure you didn't introduce any errors when you documented the code. After that, locate IDLE's shell window and follow the instructions below to test your new help documentation:

```
Python 3.6.0 Shell
>>> help(analyze)
Help on module analyze:
NAME
    analyze
DESCRIPTION
    The analyze module uses the Flesch-Kincaid readability test to analyze text and
    produce a readability score. This score is then converted into a
    grade-based readability category.
FUNCTIONS
    compute_readability(text)
        This function takes a text string of any length and prints out a
        grade-based readability score.
    count_sentences(text)
        This function counts the number of sentences in a string of text
        using period, semicolon, question mark and exclamation mark as
        delimiters.
    count_syllables(words)
        This function takes a list of words and returns a total
        count of syllables across all words in the list.
    count_syllables_in_word(word)
        This function takes a word in the form of a string
        and returns the number of syllables. Note this function is
        a heuristic and may not be 100% accurate.
    output_results(score)
        This function takes a Flesch-Kincaid score and prints the
        corresponding reading level.
```

↑ Here we're asking for help on the entire `analyze` module.

↑ Don't skip running `cory_analyze.py`, as it imports your new `analyze.py` file and ensures IDLE is using the right directory paths.

Python 3.6.0 Shell

```
>>> help(analyze.compute_readability)
Help on function compute_readability in module analyze:
compute_readability(text)
    This function takes a text string of any length and prints out a
    grade-based readability score.
```

↑ You can also ask for help on a specific function in a module.

Nice job! I was quickly able to use the analyze module, especially with the help of the great documentation!




BRAIN POWER


If you think about how another programmer might want to use the analyze module, are there ways you might restructure it? For instance, might another programmer want to get direct access to the score value? Think through how you might refactor the code.

Exploring other Python modules


Now that you have a better understanding of modules and how to use Python's help system, there are plenty of interesting modules out there for you to explore. We'll be tackling some of the more interesting ones throughout the rest of the book, and you'll find a few discussed in the appendix as well. Here's a few that are popular just to get your creative juices flowing...




We use Python's **datetime** module in everything we do; we're a shipping company, and the **datetime** module gives us all the tools we need to create, manipulate, and compare dates and times.



We use the **requests** module to connect to and retrieve web pages that we monitor.



In my computational physics group, we rely on the **math** module heavily!



I love Python's **turtle** module. I teach children and beginners, and it gives them a great way to create and play with graphics on the screen. It's inspired by Seymour Papert's work at MIT.



In our health care app, the entire interface is written using the **Tkinter** module, which gives you everything you need to build desktop user interfaces.



I like programming turtles with Python.




Wait, did someone say "turtles"?!

Ah, one of our favorite topics, because, as you'll see, they're a great way to play with computation, and they are built right into Python. All you need to do is import the `turtle` module and then you're all ready to create your own turtles. But, before you start creating turtles, let's take a look at what a turtle living in Python-land looks like:



In Python, turtles live on a grid. The center of the grid is at coordinate 0,0.

On the grid every turtle has a location, or x, y coordinate,



Every turtle has a heading or direction it is pointing.

Think of these as the turtle's attributes.


Turtles in Python also have a pen they can draw with.

Their pen can be up or down, and have a color and size (thickness).

Turtles can also take on different shapes, like this turtle shape, or a circle, or an arrow and so on.


A turtle can move forward, back, or to a specific grid location.

If the turtle's pen is down, then it leaves a mark when it moves.



Think of these as the turtle's behaviors.

A turtle can also turn right or left, which changes a turtle's heading.



Turtles,
really? You started
the book with recipes and
now we're learning about
turtles?

Sorry, were you expecting an MIT-level treatment? Well, guess what? That's exactly what you're getting! Turtle graphics were invented at MIT (the Massachusetts Institute of Technology) by pioneering computer scientist Seymour Papert in the 1960s. Since that time, turtle graphics have had a big influence on many programming languages that followed and they've also helped to educate computer scientists and mathematicians alike (not to mention lots of kids). We'll ask you to withhold judgment until you've finished this chapter (and a few other chapters in this book), when we think you'll be quite pleased with what you've accomplished using turtles.

Creating your very own turtle

What are we waiting for? Let's create a turtle (or two). First we're going to need to import the `turtle` module.

```
import turtle
```

Don't start entering code yet; we'll do that in just a bit.

And then we can create a turtle like this:

```
turtle module  
↓  
slowpoke = turtle.Turtle()
```


The dot operator

What looks like a function call, only we usually don't name functions with uppercase letters

And let's assign the new turtle to the variable `slowpoke`.

This creates a new turtle.

When you create a turtle, this window will pop up.



Now let's make `slowpoke` do something:



```
A variable referencing our new turtle  
↓  
slowpoke.forward(100)  
The dot operator  
↓  
One of the turtle's behaviors  
↓  
An argument, like when making a function call  
This is one of slowpoke's behaviors.  
↓  
This tells our slowpoke turtle to move forward 100 units.
```

So `slowpoke` moved straight 100 units and drew a line with its pen as it did. But did you notice `slowpoke` doesn't look much like a turtle? Let's fix that by setting one of its attributes and rerunning the code.

```
slowpoke.shape('turtle')
```

This sets the `slowpoke` turtle's shape attribute to be 'turtle'.

That's better!



Turtle lab



Okay, now it's time for you to join in: let's write a little code to see if we can do something interesting with Python turtles. Go ahead and put this code in a file called *turtle_test.py*:

```
import turtle
slowpoke = turtle.Turtle()
slowpoke.shape('turtle')
slowpoke.forward(100)
slowpoke.right(90)
slowpoke.forward(100)
slowpoke.right(90)
slowpoke.forward(100)
slowpoke.right(90)
slowpoke.forward(100)
slowpoke.right(90)
turtle.mainloop()
```

Again, first we import the turtle module.

Next let's create slowpoke as we did before. We're going to talk more about how turtles get created in a bit, but for now just know that this line of code gives you your very own turtle to play with.

Next we make sure the turtle's shape is that of a turtle, and not the default triangle shape we saw earlier.


Then let's tell the turtle to go forward 100 steps using its forward function, and then use the right function to have it turn right 90 degrees.

Then let's make it go forward and turn three more times.

We're going to talk more about this line later in the book, but it basically allows the turtle module to monitor everything going on in the window, including shutting everything down when you click the close button. You just need to put it at the end of your code.

With that, go ahead and give this a test run and you'll see your turtle move forward and turn right four times, each time leaving a trail behind it to form the shape of a square.

Here's what we got!



If you're not seeing this window and you have no errors in the shell, look behind your Python windows. On some systems the turtle window does not automatically appear on top of the others.



Watch it!

Don't name your file *turtle.py*

Careful, if you name your test file the same name as a module

you're importing, then you're going to run into trouble: when Python goes looking for the turtle module it's going to find your file first. So, just make sure you don't name your Python files the same names as common modules, especially ones you're importing.

there are no
Dumb Questions

Q: So when we tell a turtle to turn, we do it with degrees?

A: Correct. For instance, turning right 360 degrees would mean it would turn all the way around clockwise. Turning 90 degrees would turn a quarter of a turn, and so on.

Q: When the turtle is going forward, what does the argument 100 mean?

A: 100 units. What's a unit? A pixel on your screen. So `turtle.forward(50)` would move a turtle 50 pixels in the direction it is heading.

Q: Why did we have to set the shape to be a turtle? I thought it was a turtle!

A: For historical reasons, by default the turtle displays a shape similar to a triangle. You can also set it to shapes like a square, a circle, an arrow, or even your own images. But what could be more fun than the shape of a real turtle?



Hey, it's Chapter 7 already, so we're confident you're in good shape to take the turtle square code (on the previous page) and get it wrapped up in a nice function; call it `make_square`, which will take one parameter, a turtle. Write your code here and see how much you can clean things up by removing any duplicated code. Of course you'll find our version at the end of the chapter if you need any hints.

↑ Make sure you take a look at our version, because that's what we'll work from on the next few pages.

Adding a second turtle

How about we give slowpoke a friend? Let's add another turtle to our code:

```
import turtle

slowpoke = turtle.Turtle()
slowpoke.shape('turtle')
pokey = turtle.Turtle()
pokey.shape('turtle')
pokey.color('red')
```

Here's the nice new code we generalized in the last Sharpen exercise.

```
def make_square(the_turtle):
    for i in range(0,4):
        the_turtle.forward(100)
        the_turtle.right(90)
```

Create a second turtle and assign it to the variable pokey. We're going to set pokey's shape attribute to a turtle as well, and also set its color attribute to red.


```
make_square(slowpoke)
pokey.right(45)
make_square(pokey)
```

Then let's turn pokey slightly, 45 degrees to the right.

```
turtle.mainloop()
```

And then pass pokey to make_square.

In this code, slowpoke draws a square as before, but pokey turns slightly and then draws its own red square.



If the make_square function looks new to you, make sure you go through the answer to the last Sharpen your pencil on the previous page.

Let's use your newfound superpower of creating and using functions to take this further. Let's write a function that uses make_square and see what kind of interesting graphic we can generate:

```
import turtle

slowpoke = turtle.Turtle()
slowpoke.shape('turtle')
slowpoke.color('blue')
pokey = turtle.Turtle()
pokey.shape('turtle')
pokey.color('red')
```

To make it interesting, let's change slowpokes' pen color to blue.

Rest of the code continued on the next page...



```
def make_square(the_turtle):
    for i in range(0, 4):
        the_turtle.forward(100)
        the_turtle.right(90)
```

Let's add a new function called `make_spiral`.

```
def make_spiral(the_turtle):
    for i in range(0, 36):
        make_square(the_turtle)
        the_turtle.right(10)
```

`make_spiral` is going to call `make_square` 36 times, and then, each time, have the turtle turn an additional 10 degrees.

```
make_square(slowpoke)
pokey.right(45)
```

Get rid of these calls to `make_square`.

```
make_square(pokey)
```

Now we're going to call `make_spiral` instead of `make_square`.

```
make_spiral(slowpoke)
pokey.right(5)
make_spiral(pokey)
```

Notice that each turtle has its own position, heading, color, and so on.


```
turtle.mainloop()
```

`pokey` is going to turn right 5 degrees before making a spiral.



A Test Drive

Update `turtle_test.py` and give it a test drive. Is this the output you expected?



Here's what we got! Are you having Spirograph flashbacks?

Feel free to play with all the attributes and parameters and see what you can come up with. We've also got some more turtle experiments for you on the next page.

MORE TURTLE EXPERIMENTS


We've got even more turtle experiments for you below. Take a look at each one, guess what it does, and then run it to see if you were right. Change a few values; how does the output change?

Experiment #1

```
for i in range(5):
    slowpoke.forward(100)
    slowpoke.right(144)
```

What happens if you
change this number?
Or this one?

Just take your
turtle_test.py
file and delete
everything but
the first three
lines (and the
final mainloop
line), then add
in this code in
the middle.




Experiment #2

```
slowpoke.pencolor('blue')
slowpoke.penup()
slowpoke.setposition(-120, 0)
slowpoke.pendown()
slowpoke.circle(50)

slowpoke.pencolor('red')
slowpoke.penup()
slowpoke.setposition(120, 0)
slowpoke.pendown()
slowpoke.circle(50)
```

Draw your output here.

We're using some new
turtle functions
here: we're setting
the color of the
pen, lifting it up,
moving to a position,
and putting it down
before drawing a
circle.



Experiment #3

```
def make_shape(t, sides):
    angle = 360/sides
    for i in range(0, sides):
        t.forward(100)
        t.right(angle)

make_shape(slowpoke, 3)
make_shape(slowpoke, 5)
make_shape(slowpoke, 8)
make_shape(slowpoke, 10)
```

What happens if
you remove the
calls to penup?

Try some more
values, like 1, 2?
50?



As usual, you'll find our
answers in the back of
the chapter.



What are turtles, anyway?

Let's return to the code where we first created our turtle. At first glance it looks like we called a function named `Turtle` that is located in the `turtle` module:

```
slowpoke = turtle.Turtle()
```

So does the `turtle` module have a function that creates turtles? And what is a turtle, anyway? We know about integers and strings and lists and booleans, but what's a turtle? Is it a new type? To dig a little deeper, we could always ask Python for help:

```
>>> import turtle
>>> help(turtle.Turtle)
Help on class Turtle in module turtle:
  Ask for help on the
  turtle.Turtle function.
  This doesn't look a
  function.

  class Turtle()
    When a Turtle object is created or a function derived from some
    Turtle method is called a TurtleScreen object is automatically created.

    Class?
    Methods?
    Object?
    Methods defined here:
    __init__(self, shape='classic', undobuffersize=1000, visible=True)
      Initialize self. See help(type(self)) for accurate signature.

  Relax, because this isn't the
  clearest description in the
  world for us, either.

  We trimmed this down to
  save some trees (or electrons
  if you're reading the digital
  copy).
```

So reading this not-so-clear docstring, you'd think that `Turtle` is either a class or an object, or both (whatever those are), and it has something called *methods*. And you'd be right. But is it a class or an object? Well, although we haven't made much of a point of it yet, we should tell you that Python is a very *object-oriented language*—as are most modern languages—and given how far you've come in your coding, it's about time you learn what objects, classes, and methods are.

What are objects?

Of course you intuitively know about objects; they're all around you. Cars, iPhones, radios, toasters, kitchen appliances, you name it. And one thing that all these objects have in common is they have some *internal state* and they have some *behavior*. Take a car, for example—it has state:

- Make
- Model
- Fuel level
- Speed
- Mileage
- Engine state (on/off)

Just a few off the top
of our heads; we're sure
you can think of even
better ones.

And it has behavior. A car can:

- Start
- Turn Off
- Drive
- Brake

With programming, objects are no different. The whole point of software objects is that we can *bundle state and behavior together*. Think about a Boolean value: it has state but no behavior.

Think about a Python function: it has behavior but no state.

With Python objects, we can have both working together. For example, when you start the car, the engine state is changed from off to on. Likewise, if the brake behavior is applied, then the speed state will naturally decrease.

So what's the big deal? We could do all that with functions and variables, right? But when you start thinking in terms of objects, you can approach solving computational problems at an even higher level—you can think about programming as composing a set of objects and managing their interactions, instead of herding a large number of variables and functions.

Our turtles are a good example—we could write code to manage locations and colors and coordinates to draw graphics (always a difficult task). Or we can use our turtle objects, which inherently keep track of much of this state internally, freeing us to just think about the larger issues, like how to get two turtles to draw a spiral together. It's a simplistic example, but you have to start somewhere when thinking about objects.




← State and behavior bundled together in an object ↓

'57 Chevy




Objects aren't unique to Python; practically all modern languages provide objects.

Mini




Fiero



DeLorean

Okay, what's a class then?

If we're going to have lots of objects, say lots of turtles, we want all our turtles to share common behaviors (after all, who wants to reinvent the wheel every time we need a turtle to move forward), but we also want each turtle to have its own state (because if every turtle was in the same location, had the same heading, and had the same color, we couldn't get much interesting work out of them). A class gives us a template or blueprint for creating objects of the same type.



A class is not an object, it's used to construct them.

A class is a blueprint for making objects. A class tells Python how to make an object of that particular type. Each object made from that class can have its own values for its state; for example, you might use the `Turtle` class to make dozens of different turtles, and each turtle has its own color, size, shape, location and pen settings (up or down), and so on.

That said, all turtles created from the same class share the same behaviors, like turning, going forward and backwards, and controlling the pen.

there are no
Dumb Questions

Q: Okay, but what is the point of creating all these objects from classes?

A: Without classes and objects you'll always be stuck solving any problem in terms of the Python basic types, like strings or numbers or lists, and so on. With classes and objects, you can use types that are higher level and closer to the problem you're trying to solve. For example, if you were creating a fishing game, having fish objects and a pond object would be a lot easier than managing a whole collection of variables and functions.

Q: Is a class like a type?

A: Exactly. Think of each class as a Python type, just like the string and list and number types that you already know.

Q: So a class is a blueprint for making many objects. Can I make my own class?

A: You sure can, and that is the beauty of object-oriented programming: you can extend Python (or any language) with your very own classes, or even extend the functionality of anyone else's classes.

In this chapter we'll be looking at how to use pre-existing classes, and in Chapter 12 we'll start making our own.

Q: Objects have a lot in them (data and functions). How does a variable like `slowpoke` actually hold an object?

A: Remember when we talked about how a variable is assigned to a list? We said that a variable holds a reference to where the list is stored, like a pointer to the list. Objects are assigned to variables in the same way; the variable holds a reference to the object in Python's memory, not the object itself.

A class tells us what an object knows and what an object can do

On the previous page we saw a diagram for sketching out a class. Let's take a little closer look at what it provides. A class diagram tells you two things (for starters): what a object knows and what a object can do.

Here's our Turtle
class diagram again.

Turtle
color
xcor
ycor
heading
forward()
backward()
turn()
penup()
pendown()
shape()

← The things the
Turtle object knows
(the state).

← The things the
Turtle object does
(the behavior).

The things the object knows about itself are called its:

- **attributes**

The things the object can do are called:

- **methods**

Attributes represent an object's state (its data), and each object has its own attribute values. Attributes are similar to local variables, only they live in an object. Also like variables, attributes can be assigned to any of the Python types you're already familiar with. You'll also hear the term *instance variable* around coding circles. An instance variable is the same as a Python object attribute. In fact, anytime you hear the word *instance*, just substitute the word *object*. So, an instance variable is the same as an object variable, which is the same as a Python attribute.

Things an object can do are called methods. Think of methods as functions that belong to an object. The difference between a method and a function is that methods are typically getting, setting, altering, and making decisions based on an object's attributes.




Fill in what a radio
object might need to
know and do.




Radio
attributes
methods

How to use objects and classes

In this chapter we're learning how to *use* objects and classes. As it turns out, there are lots of classes out there, written by other developers, all ready for you to use. To use them all you really have to know is what an object can do (in other words, its methods) along with any attributes you might want to make use of. Of course you also need to know how to create an object (otherwise known as an *instance*) before you can use one. We've created a couple `Turtle` objects, but let's take another look at how to do this:



So there's a lot going on here in this little line of code. Let's talk through it. The first thing to know is that we're accessing the `Turtle` class from the `turtle` module. That's the reason for the dot notation here: the dot has nothing to do with attributes or methods in this statement.



Next, we're invoking the class like it was a function. What's going on here?

`turtle.Turtle()` ← Invoking the class like a function?

Here's what's going on: every class has a special method known as its *constructor*. The constructor gets the object all set up with whatever default attribute values it needs (among other things it might do). The constructor always has another important role: it always returns the newly created object (again, we call it the instance) to you.

So when the object is created, initialized, and returned, it is assigned to the variable `slowpoke`.

`slowpoke = turtle.Turtle()` ← Returns a new object that is instantiated from the `Turtle` blueprint

In Chapter 12 you're going to learn how to make your own classes and objects.

In the object-oriented world, we don't just create new objects, we instantiate them. And we call each object an instance.

In the object-oriented world, we call these initialization methods constructors. Any time you hear "constructor," just think "the method that initializes the object."

Constructors can take arguments too, although we'll see these a bit later

What about those methods and attributes?

As you've already seen, once you have an object in hand, you are free to call its methods:

```
slowpoke.turn(90)
```

```
slowpoke.forward(100)
```

To call a method, start with the name of an object, followed by a dot, and then the method name—in other words, you call them just like you call functions, only you precede the function with an object name (and a dot).

← You always need an object to call a method on. Calling a method without an object doesn't compute (which object's state is the method supposed to act on?).

So what about attributes? We haven't seen any code where we're getting or setting an attribute's value. To access an attribute in an object, you use dot notation. Say the `Turtle` class had an attribute named `shape` (it doesn't, but hold that thought). Then you'd access or set the value of the `shape` attribute like this:

```
slowpoke.shape = 'turtle'
```

```
print(slowpoke.shape)
```

← You can set or get the value of an object's attribute using dot notation (it's the same syntax as accessing a variable in a module).

↑ If this were valid code,
this would print 'turtle'.

Okay, but as you've already seen we've been using the `shape` method to set a turtle's shape. So why doesn't the `Turtle` object have a `shape` attribute? Well, it could, but there is a common strategy used in object-oriented programming where we rely on a method to get or set an attribute's value. The reason stems from an idea called *encapsulation* that we'll talk more about in Chapter 12. Encapsulation often gives the object developer more control over an object (than just letting any code change an attribute's value). Again, we'll return to this point in Chapter 12.

For now just know that many of the attributes you'll want to get your hands on are accessed through methods, rather than directly. Here's an example: to get or set the state of the `shape` attribute, we use a method, `shape`, instead:

```
slowpoke.shape('circle')
```

← We can call the `shape` method to change slowpoke's internal `shape` attribute to a circle.

```
print(slowpoke.shape())
```

← And we can call the `shape` method without arguments to get its current value.

Seeing classes and objects everywhere

With that background behind us, let's take a new look at the Python world—we did say Python was a very object-oriented language, and in fact objects are all around you. Check this out:

A list is actually a Python class.

Here we're calling the list constructor to instantiate a new, empty list.

```
my_list = list()  
my_list.append('first')  
my_list.append('second')  
my_list.reverse()  
print(my_list)
```

Here we're calling the append method...

...and the reverse method, which you haven't seen before.

All these methods change the list object's internal state.

Python 3.6.0 Shell

```
['second', 'first']  
=>
```

Remember we said class names start with an uppercase letter? Unfortunately, this isn't the case for some Python built-in classes (for historical reasons). So just know that some built-in classes start with a lowercase letter, and any other classes you run into should begin with an uppercase letter.

Here's another class that may look familiar. Check this one out:

It turns out strings are really classes. Here's how you'd instantiate one with the constructor.

```
greeting = str('hello reader')  
shout = greeting.upper()  
print(shout)
```

Calling one of the string methods.

Notice this constructor takes an argument; we'll see more as the book progresses.

Python 3.6.0 Shell

```
HELLO READER  
=>
```

What about this one?

That's right, another class...


```
pi = float(3.1415)  
is_int = pi.is_integer()  
print(pi, is_int)
```

Because lists and strings and floats are built into Python, you don't need to explicitly call the classes' constructor like we're doing here. Python handles it for you behind the scenes.

...and another method.

Python 3.6.0 Shell

```
3.1415 False  
=>
```



Pretty much... if you forget about modules for a moment, anytime you see a variable followed by dot notation, you can bet that what follows the dot is either an object attribute or a method. Not only that, but almost everything in Python, including the built-in types, is actually a class. The reason it didn't initially appear so was because Python goes to a lot of trouble to make things easy—for instance, when you type:

```
my_list = []
```

to create an empty list. Behind the scenes, Python is effectively rewriting that as:

```
my_list = list()
```

So until you start using methods on your lists, like:

```
my_list.append(42)
```

you really have no reason to think you're dealing with an object.


But now that you know the truth, objects are all around you in Python. So, it's probably time we get back to using them.

Get ready for some turtle races

We've seen that the selling point of an object is that each object maintains its own state, but objects also benefit from sharing their behavior (their methods) with all other objects of the same class.

You already know that each turtle is its very own object—its very own independent instance, complete with its own set of attributes. That means each turtle has its own color, position, heading, and shape (to name a few attributes). Let's leverage that by creating a little game. Would you believe racing turtles?

We're going to create a bunch of turtles, each with its own color and position, and then let them duke it out, racing across the screen. Place your bets!




The starting line for the turtles is going to be on the left side the screen.

And they'll race toward the right side of the screen. The first turtle across the finish line wins.

Planning the game

You're going to see that treating our turtles as objects will make this game a lot easier to implement. Without them we'd presumably have to create and update a lot of variables to track the turtles and their positions, which would be messy business. But with turtle objects, we're just going to use the turtle's methods to move them on the screen, relying on each turtle to track its own state.

So, let's hash out a little pseudocode for how this racing game is going to work:



Let's start coding


Let's first set up the game board and all the turtles, and then we'll move on to implementing the game logic. And, just to get the coding kicked off, we already know two modules we're going to need, namely the `turtle` module and the `random` module, so let's import those into our code. We're also going to use one global variable to hold the turtle racers, so let's add that too. Go ahead and create a new file called `race.py` and enter this code:

```
import turtle ← We'll need these modules.  
import random  
turtles = list() ← And we'll use a list to hold all our turtles.  
Just to rub in the constructor syntax,  
we're creating an empty list by calling the  
list constructor. We could have used the  
shorthand [] like we have in the past.
```

Note, `xcor` and `ycor` are the `x` and `y` coordinates of the turtle in the window.

Setting up the game

Referring to our pseudocode, most of the setup consists of creating the set of turtles, each with its own attributes. To do that we need some idea of the turtles we want to create. How about these turtle objects:



Turtle
color shape xcor ycor heading
forward() backward() turn() penup() pendown()

These are objects instantiated from the `Turtle` class.

Each turtle has a name, a `color`, and a `ycor`, which is its vertical position on the start line. You'll see how this is used in a bit. Of course the turtle has all its other attributes too, but these are the ones we want to set up.

Writing the setup code

Now let's write the code to instantiate and set up those turtles. If you look at the turtle attributes on the previous page, we need a place to store those so we can initialize our turtles with those values. To do that, let's create a list that contains the values of each turtle's attributes—actually we'll need two lists, one for the y positions and one for color. Then we'll instantiate each turtle, and set its attributes to the appropriate values. Of course, let's put all this in a setup function like this:

```
import turtle
import random

turtles = list()

def setup():
    global turtles
    startline = -480

    turtle_ycor = [-40, -20, 0, 20, 40]
    turtle_color = ['blue', 'red', 'purple', 'brown', 'green']

    for i in range(0, len(turtle_ycor)):
        new_turtle = turtle.Turtle()
        new_turtle.shape('turtle')
        new_turtle.setpos(startline, turtle_ycor[i])
        new_turtle.color(turtle_color[i])
        turtles.append(new_turtle)

setup()
turtle.mainloop()
```

Let's define a function called `setup` to create and position our turtles.

The `startline` variable just holds the x coordinate of the starting line; you'll see how this is used below.

In the next chapter we're going to discover a data structure that would work better than two lists for storing these values.

Here are the initial values we need for each turtles attribute, stored in two separate parallel lists.

Let's iterate over the number of turtles.

And for each we'll instantiate a new turtle, make its shape a turtle, and set its position on the grid from our list.

We'll also set its color.

Then let's add this new turtle to the global list of turtles.

Remember the `append` method from Chapter 4? It adds an item to an existing list, in this case the list `turtles`. We of course weren't calling them methods yet in Chapter 4.

A reminder that the `setpos` method sets the x and y position for a turtle. Here we're moving the turtle to the starting line.

Don't forget to call the `setup` function, and remember we need our `turtle.mainloop`.

1

Set up game.

Create a few turtles, each with its own color and position on the starting line.



Not so fast!

It would be easy to blow through that code on the last page. And, on the other hand, we could step you through every single line, but this is Chapter 7, and you're definitely up to the task of studying a little code. So, given there's a lot happening on the previous page, go back and make sure you understand every line until you know exactly what the code does. Then proceed...




A Test Drive

Update your code and let's give this a test drive to see how it is progressing before going further.

A step in the right direction, but this looks a little weird. What happened?

Our turtles are the right color and → seem to be in the right position. But remember, they start life at coordinate $0,0$, in the center of the window; so it looks like they drew lines on their way from the center to the start position, which isn't what we wanted. Let's add some code to pull their pen up on their way to the new position.

You may find the default window size on your machine is smaller than shown here. If you see the turtles fly off the left side of your window, adjust the width of your window until you can see them.



→ And while we're talking about the look and feel of the game, let's make the window a little bigger and add a nice background too.



A Test Drive

```

import turtle
import random

turtles = list()

def setup():
    global turtles
    startline = -620
    screen = turtle.Screen()
    screen.setup(1290, 720)
    screen.bgpic('pavement.gif')

    turtle_ycor = [-40, -20, 0, 20, 40]
    turtle_color = ['blue', 'red', 'purple', 'brown', 'green']

    for i in range(0, len(turtle_ycor)):
        new_turtle = turtle.Turtle()
        new_turtle.shape('turtle')
        new_turtle.penup()
        new_turtle.setpos(startline, turtle_ycor[i])
        new_turtle.color(turtle_color[i])
        new_turtle.pendown()
        turtles.append(new_turtle)

setup()
turtle.mainloop()

```

Here's what we got! Now we're talkin'. We've got each turtle lined up on the starting line ready to go. Looks like we're in great shape to start on the actual game now.

Think about what's going on here: you've got five Turtle objects, all with their own internal state, including color and position.

Check out the updated fixes: we're lifting up the turtle pen so it doesn't draw on the way to the starting position; we're also enlarging the window and adding a background image. Make these changes and try again. You'll want to grab the file *pavement.gif* from the chapter source files and place it in the same folder as *race.py*.

Don't miss this tiny change; we're going to move the turtles more to the left. Remember the center is at 0,0, so an x coordinate of -620 is far left on the screen.

These three lines use another object we haven't seen yet, the Screen object. With the Screen object we can make the window bigger and add a background image.

Let's pull up the pen before we move.

And put it back down when we're done moving the turtle to the starting line.

For now you can probably tell what this code is doing, but we're going to explore the Screen object more in Chapter 11.

Note the finish line is just part of the background image graphic.



Starting the race

Now it's time to get these turtles racing. We've got some nice pseudocode to guide us, so let's just work through it:

2

First we need to get the winner variable set up. To do that let's create a new function called `race`. The `winner` variable is easily implemented as a Boolean initially set to `False`. We'll also be using the global `turtles` variable in this function too, so let's remember that in this code.

```
def race():
    global turtles
    winner = False
```

We're also going to add a local variable that holds the x position of the finish line:

```
def race():
    global turtles
    winner = False
    finishline = 590
```

2 Start the race.

Set a variable `winner` to `False`.

While `winner` is `false`:

A For each turtle:

i Pick a random amount to move forward, say between 0 and 2 pixels.

Move forward.

ii Check to see if turtle's position is across finish line. If so:

a Set `winner` to True.

The x value of 590 is located about here on the grid.



Now we are going to keep the game going until there is a winner.

To do that we're going to start with a `while` statement, which will loop until the variable `winner` is set to `True`.

```
def race():
    global turtles
    winner = False
    finishline = 590

    while not winner:
```

We're going to endlessly loop until the `winner` variable is set to `True`.

A

Next we need to give the turtles a chance to move forward.

To do that we simply use a `for/in` statement over our global `turtles` lists.

```
def race():
    global turtles
    winner = False
    finishline = 590

    while not winner:
        for current_turtle in turtles:
```

And each time through the `while` loop we're going to iterate through every turtle, giving it a chance to move forward across the screen.

i**Now we use random numbers to move the turtles forward.**

forward. So let's compute a number between 0 and 2 and move the turtle forward that many units.

```
def race():
    global turtles
    winner = False
    finishline = 590

    while not winner:
        for current_turtle in turtles:
            move = random.randint(0,2)
            current_turtle.forward(move)
```

Compute a random number between 0 and 2 and move the turtle forward that many units.


ii

Finally we just need to check for a winner. Note that we have a winner if a turtle's `xcor` attribute is greater than or equal to `finishline`, which is set to 590. So, let's get the turtle's `xcor` attribute and do the comparison. If the turtle is over the finish line, we set `winner` to `True` and announce the winner.

```
def race():
    global turtles
    winner = False
    finishline = 590

    while not winner:
        for current_turtle in turtles:
            move = random.randint(0,2)
            current_turtle.forward(move)

            xcor = current_turtle.xcor()
            if (xcor >= finishline):
                winner = True
                winner_color = current_turtle.color()
                print('The winner is', winner_color[0])
```

Set the winner to True.



Let's get the turtle's `x` coordinate to see if it's crossed the finish line. To do that, we use the `xcor` method, which returns a turtle's `x` coordinate.



Compare it to the finish line.



And if greater we have a winner.



Note the `color` method returns two values, a pen color and a fill color. We're interested in the first one, the pen color, so we use the index 0 to get it.



Use the `color` method to get the winning turtle's color.


3

Game finishes
Announce the winner's name!



A Test Drive

We should be ready to race now. Get all the code additions made to your `race.py` file. You'll find the complete code below. So, place your bets and give it a true test drive.

```
import turtle
import random

turtles = list()

def setup():
    global turtles
    startline = -620
    screen = turtle.Screen()
    screen.setup(1290, 720)
    screen.bgpic('pavement.gif')

    turtle_ycor = [-40, -20, 0, 20, 40]
    turtle_color = ['blue', 'red', 'purple', 'brown', 'green']

    for i in range(0, len(turtle_ycor)):
        new_turtle = turtle.Turtle()
        new_turtle.shape('turtle')
        new_turtle.penup()
        new_turtle.setpos(startline, turtle_ycor[i])
        new_turtle.color(turtle_color[i])
        new_turtle.pendown()
        turtles.append(new_turtle)

def race():
    global turtles
    winner = False
    finishline = 590

    while not winner:
        for current_turtle in turtles:
            move = random.randint(0, 2)
            current_turtle.forward(move)

            xcor = current_turtle.xcor()
            if (xcor >= finishline):
                winner = True
                winner_color = current_turtle.color()
                print('The winner is', winner_color[0])

setup()
race()
turtle.mainloop()
```

Remember the amount each turtle moves is random, so your mileage may vary.

Brown wins!





Look at the code on the previous page. Say there is a photo finish and two or more turtles cross the finish line during the same iteration of the `while` loop. What happens? Who wins? Do you think this is the correct behavior?

WHO DOES? WHAT?

With object-oriented programming there's a lot of new jargon flying around. In this game of who does what, match each piece of jargon to its description.

class

Things an object knows about.

object

Blueprint for an object.

methods

Act of creating an object from a class.

instantiate

The behavior an object can do.

attributes

Created from the blueprint.

instance

Another name for an object.



I feel like we've just only started and the chapter's already over.

Don't worry, this isn't the end of objects.

Remember you can use Python's help on a class, like `help(Turtle)`. Or even on a module, like `help(turtle)`. Don't forget to import the `turtle` module first! We'll be getting experience with more classes and objects ahead in the book as well.


You're right, we've barely scratched the surface. Object-oriented programming is a huge topic, one that would fill this entire book, and this chapter is just the beginning. Next time you encounter a **class** in a module you're going to know that you can **instantiate** it using its **constructor**. You're going to know it has **methods** and **attributes** that are accessible to you. And you're going to understand that each **instance** of any object you create has its own attributes.

You've also gained a general awareness now that all Python types are, in fact, classes, which is great because in the remaining chapters we're going to meet a lot of new classes and objects. And in Chapter 12 we'll break the surface and explore object-oriented programming, including topics like how to create your own classes. We'll see you when you get there.

Oh, and this chapter's not really over, anyway. You've got a mystery to solve, some bullet points to read, a crossword to do. But then you really should move on—we don't want things to get awkward.



Whoa! Green is
really fast!



Study the code carefully; what has changed? What does this new code do? You won't be able to fully solve this mystery until Chapter 12, but do your best and think through what this code might be doing.

Odd goings-on at the turtle races.

Since you've released your turtle racing code, something strange has started to happen: the green turtle is always winning, and by a large margin. The police are thinking someone has hacked the code. Can you take a look and see what is going on?

```

import turtle
import random

turtles = list()

class SuperTurtle(turtle.Turtle):
    def forward(self, distance):
        cheat_distance = distance + 5
        turtle.Turtle.forward(self, cheat_distance)

def setup():
    global turtles
    startline = -620
    screen = turtle.Screen()
    screen.setup(1290, 720)
    screen.bgpic('pavement.gif')

    turtle_ycor = [-40, -20, 0, 20, 40]
    turtle_color = ['blue', 'red', 'purple', 'brown', 'green']

    for i in range(0, len(turtle_ycor)):
        if i == 4:
            new_turtle = SuperTurtle()
        else:
            new_turtle = turtle.Turtle()
        new_turtle.shape('turtle')
        new_turtle.penup()
        new_turtle.setpos(startline, turtle_ycor[i])
        new_turtle.color(turtle_color[i])
        new_turtle.pendown()
        turtles.append(new_turtle)

def race():
    global turtles
    winner = False
    finishline = 590

    while not winner:
        for current_turtle in turtles:
            move = random.randint(0, 2)
            current_turtle.forward(move)

            xcor = current_turtle.xcor()
            if (xcor >= finishline):
                winner = True
                winner_color = current_turtle.color()
                print('The winner is', winner_color[0])

setup()
race()

turtle.mainloop()

```



CRIME SCENE DO NOT ENTER

CRIME SCENE DO NOT ENTER

CRIME SCENE DO NOT ENTER




BULLET POINTS

- Modules are collections of Python variables, functions, and classes.
- Using the `__name__` variable you can determine if your code is being imported or being run as the main program (by looking for a value of "`__main__`").
- In the Python Shell you can use the `help` function to see documentation on functions, modules, and classes.
- In your own code, add docstrings to supply help for programmers using your code.
- You'll find plenty of Python modules to explore in the areas of math, user interfaces, interacting with web services, dates and time, and pedagogy, to name a few.
- The turtle module provides an implementation of a turtle graphics system, originally developed at MIT for teaching.
- With turtle graphics, turtle objects live on a grid and can move and draw.
- Turtles are Python objects and include data and behavior.
- We call the data in Python objects attributes.
- Some languages use the name instance variables or properties for object attributes.
- An attribute can be assigned any valid Python value.
- The behavior in Python objects is known as methods.
- A method is a Python function that belongs to an object.
- You can access attributes and methods by using the dot notation on an object.
- Objects are created from classes. Classes supply a blueprint to create objects from.
- When we create a new object, we say that we instantiate it.
- An object instantiated from a class is known as an instance.
- An object is instantiated using a constructor method, defined in the class.
- Constructors do all the setup and initialization needed for an object.
- All types in Python are classes, including numbers, strings, lists, and so on.



Mod coding cross

Get more modular as you do the crossword.



Across

1. Behavior of object.
3. Who won the first race?
6. Another name for instance variable.
8. Unit of turning a turtle.
11. Method that sets up object.
12. Data of object.
14. Command to move ahead.
16. Function to get documentation.
17. Another word for object.

Down

2. Graphics system from MIT.
4. Another word for instance.
5. Every type in Python is one.
7. Creating an object.
8. Famous science fiction author.
9. Type of string used in help.
10. Blueprint.
13. Which turtle did the hacker hack?
15. Value of `__name__` when main program is run (excluding underscores).



Sharpen your pencil Solution

```
import turtle

slowpoke = turtle.Turtle()
slowpoke.shape('turtle')

def make_square(the_turtle):
    the_turtle.forward(100)
    the_turtle.right(90)
    the_turtle.forward(100)
    the_turtle.right(90)
    the_turtle.forward(100)
    the_turtle.right(90)
    the_turtle.forward(100)
    the_turtle.right(90)

make_square(slowpoke) ← And make sure you call
                      the function.

turtle.mainloop()
```

Define a `make_square` function.

Hey, it's Chapter 7 already, so we're confident you're in good shape to take the turtle square code (on the previous page) and get it wrapped up in a nice function; call it `make_square`, which will take one parameter, a turtle. Write your code here and see how much you can clean things up by removing any duplicated code.

Notice we can pass any turtle into `make_square`, not just `slow_poke`.

```
import turtle

slowpoke = turtle.Turtle()
slowpoke.shape('turtle')

def make_square(the_turtle):
    for i in range(0, 4):
        the_turtle.forward(100)
        the_turtle.right(90)

make_square(slowpoke)
turtle.mainloop()
```

We don't need all that duplicate code, we can just iterate over it four times.

Step 2: look at all that duplicated code in our function let's just iterate over the forward/right calls four times.


Step 1: get the code in a function and use it.

MORE TURTLE EXPERIMENTS SOLUTIONS

We've got even more turtle experiments for you below. Take a look at each one, guess what it does, and then run it to see if you were right. Change a few values; how does the output change?

Experiment #1

```
for i in range(5):
    slowpoke.forward(100)
    slowpoke.right(144)
```




Here's what we got. Did you get anything cool by tweaking the various variable values?



Experiment #2

```
slowpoke.pencolor('blue')
slowpoke.penup()
slowpoke.setposition(-120, 0)
slowpoke.pendown()
slowpoke.circle(50)


slowpoke.pencolor('red')
slowpoke.penup()
slowpoke.setposition(120, 0)
slowpoke.pendown()
slowpoke.circle(50)
```



Experiment #3

```
def make_shape(t, sides):
    angle = 360/sides
    for i in range(0, sides):
        t.forward(100)
        t.right(angle)

make_shape(slowpoke, 3)
make_shape(slowpoke, 5)
make_shape(slowpoke, 8)
make_shape(slowpoke, 10)
```





Sharpen your pencil Solution

Fill in what a radio object might need to know and do.

There are many reasonable answers for this. Here's what we came up with.



attributes

Radio
frequency
volume
power

methods
turn_on()
turn_off()
tune()
set_volume()



* WHO DOES WHAT? SOLUTION *

With object-oriented programming, there's a lot of new jargon flying around. In this game of who does what, match each piece of jargon to its description.

class — Things an object knows about.

object — Blueprint for an object.

methods — Act of creating an object from a class.


instantiate — The behavior an object can do.

attributes — Created from the blueprint.

instance — Another name for an object.



Mod cross Solution





Beyond Iteration and Indices



It's time for a
few new tools in
that toolbelt.

It's time to take your computational thinking up a notch.

And this is the chapter to do it: we've been happily coding along with an iterative style of programming—we've created data structures like lists and strings and ranges of numbers, and we've written code to compute by iterating over them. In this chapter we're going to look at the world differently, first in terms of computation, and then in terms of data structures. Computationally we'll look at a style of computing that involves writing code that *recurs*, or calls itself. We'll expand the kinds of data structures we can work with by looking at a dictionary-like data type that is more like an *associative map* than a list. We'll then put them together and cause all kinds of trouble. Be forewarned: these topics take a while to settle into your brain, but the effort is going to pay off in spades.

A different way to compute

It's time for some mind-bending activity—you've been thinking about the same, iterative style of programming for too long. So let's expose your brain to a totally different way of thinking about solving problems.

Before we get there, though, let's take a simple problem and think it through the way we have throughout this book. For instance, take a handy list of numbers you want to sum up; it could be any numbers, say the number of marbles you and each of your friends has in his or her pockets. Now, Python does have a `sum` function that can be used to sum a list of numbers:

We've got a list with each friend's count of marbles.

```
marbles = [10, 13, 39, 14, 41, 9, 3]
print('The total is', sum(marbles))
```

Here we use Python's built-in `sum` function to tally up the marbles.

```
Python 3.6.0 Shell
The total is 129
>>>
```

But we're still learning about computation, so let's compute the sum the old-fashioned way (again, using what we've learned so far in this book) by writing code that uses iteration to tally the list. Like this:

Let's define a function to compute a sum of numbers.

```
def compute_sum(list):
    sum = 0
    for number in list:
        sum = sum + number
    return sum
```

To compute the sum of a list of numbers, we start with a local variable, `sum`, set to zero, which will hold the running total.

Then we iterate through the list, and add each number to `sum`.

Finally, we return the `sum`.

```
print('The total is', compute_sum(marbles))
```

Let's test this by calling `compute_sum` on our `marbles` list.

Good, we got the same result.

```
Python 3.6.0 Shell
The total is 129
>>>
```





No! You can't use
the built-in sum
function either.

Pretend the folks who developed the Python language decided to remove any form of iteration (like the `for` and `while` loops). But you still needed to sum a list of numbers, so could you do it without iteration?

And now the different way...

There's another approach that computer scientists (and some in-the-know coders) use to break down problems. At first, this approach may seem a little like magic (or sleight of hand), but let's get a feel for it by revisiting our problem of summing our marbles. Here's how the approach works: we come up with two cases for summing our list of numbers: a *base case*, and a *recursive case*.

base case

The base case is the simplest case you can think of. So what is the simplest list of numbers you can take the sum of? How about an empty list? What is its sum? Zero, of course!

An empty list
 \downarrow
compute_sum([]) ←
 Here's the simplest case: if we have an empty list, then we know the sum is going to be 0.

recursive case

Now for the recursive case. With the recursive case we're going to solve a smaller version of the same problem. Here's how: we take the first item in the list, and add it to the sum of the rest of the list...

[10, 13, 39, 14, 41, 9, 3]
 \downarrow
 $10 + \text{compute_sum}([13, 39, 14, 41, 9, 3])$
 How can we reduce the problem a little? How about we just worry about the sum of a list that is one item smaller?
 We've made our problem a little smaller: to compute the sum of the list, we're going to add 10 to the sum of a slightly smaller list.

Now let's write some code for our two cases

Now that we have our base case and our recursive case, we're ready to code this new way of computing a sum. As we said up front, doing so is a little mind-bending for most, at least at first. So let's very slowly step through coding our new recursive sum function.

**base
case**

For the base case our job is easy: we just need to see if the list is empty, and if so, return 0 as the sum of the list:

```
def recursive_compute_sum(list):
    if len(list) == 0:
        return 0
```

Here we check to see if the list is empty (in other words, if its size is 0), and if so, we return 0.

**recursive
case**

The recursive case is less obvious. Let's take it a step at a time. We know that we're going to take the first item of the list and add it to the sum of the rest of the list. For clarity, let's first set up some variables to hold the first item and the remainder of the list (without the first item):

```
def recursive_compute_sum(list):
    if len(list) == 0: ← Here's our base case again.
        return 0
    else:
        first = list[0] ← Let's set a variable to the first
        rest = list[1:] ← item in the list, and another one to
                           the rest of the list.
```

Remember your list notation? This returns a list starting at index 1 through the last element in the list.

What is the value of rest if the list only has one item?
It's the empty list.

Now we need to add the first item to the sum of the remainder of the list:

```
def recursive_compute_sum(list):
    if len(list) == 0:
        return 0
    else:
        first = list[0]
        rest = list[1:]
        sum = first + Sum of rest of list
```

We need to sum the rest of the list, but isn't that exactly what we're coding?
A way to sum lists? It feels like a conundrum.

The sum is the first item plus the sum of the rest of the list.

But how do we code this?

If only we knew how to compute the sum of the rest of the list, we'd be set. But how? Well, do you know of any good functions sitting around ready to compute the sum of a list? How about `recursive_compute_sum`?

```
def recursive_compute_sum(list):
    if len(list) == 0:
        return 0
    else:
        first = list[0]
        rest = list[1:]
        sum = first + recursive_compute_sum(rest)
        return sum
```

Let's not forget to return the sum after we've computed it!

Our assumption up front was that the `recursive_compute_sum` computes the sum of lists, so let's call it to finish the job on the slightly smaller list.



A Test Drive

Whether you believe this code will work or not, go ahead and get the `recursive_compute_sum` code (repeated below, including some test code) into a file called `sum.py`. Save your code and choose the **Run > Run Module** menu item. After that, head to the console to see the sum magically computed.


```
marbles = [10, 13, 39, 14, 41, 9, 3]

def recursive_compute_sum(list):
    if len(list) == 0:
        return 0
    else:
        first = list[0]
        rest = list[1:]
        sum = first + recursive_compute_sum(rest)
        return sum

sum = recursive_compute_sum(marbles)
print('The total is', sum)
```

We got the same result we did from iteration!





No. Remember a function body is not evaluated until the function is called. So, in this code, the function `recursive_compute_sum` is first defined. Then, when the `recursive_compute_sum` function is called with:

```
sum = recursive_compute_sum(marbles)
```

the function's body is then evaluated and calls itself to recur. When that happens, the `recursive_compute_sum` function is already defined, so we are not violating that rule.

If you're finding this takes a bit to wrap your head around, that's normal. The trick is deliberate practice: write as many recursive functions as you can. Trace through the execution and understand how and why recursive functions work.

On that topic, let's get some more practice...

← We'll be tracing through
some recursive code in
just a bit.

Let's get some more practice

Have no fear: getting your brain to think recursively takes a little extra effort, but it's well worth the blood, sweat, and tears (you think we're kidding). Now, we could stop at this point and analyze the `recursive_compute_sum` to death, but the best way to get your brain thinking more recursively is deliberate practice: take problems and solve them recursively, and, of course, write the code.

Let's practice on another problem. Remember those palindromes from Chapter 4? You'll recall that palindromes are words that read the same forward as they do backward, like "tacocat":

Reads the same forward...
 →
tacocat
 ←
 ...as it does backward.



Want some more examples? How about "madam" or "radar" or "kayak," or there are even whole phrases (assuming you remove the punctuation and whitespace), like "a nut for a jar of tuna" or "a man, a plan, a canal: panama" or even more impressive, "a man, a plan, a cat, a ham, a yak, a yam, a hat, a canal: panama." Don't believe the last few? Try them; they're palindromes, alright.

Sharpen your pencil

Forget recursion for a bit, and think through how you might write a function to check if a word is a palindrome. Do that using the skills you learned in Chapters 1 through 7. Write some simple pseudocode to summarize your thoughts. Or, if you just had that cup of java and feel like writing some code, don't let us get in your way.

Using recursion to detect palindromes

So can we write a recursive function to detect palindromes? And if so, will we have gained anything? Let's give it a try and find out. Do you remember what to do? To write a recursive function we need a base case, and then we need a case that recurs by reducing the problem and then calling the same function recursively. Let's figure out the base and recursive cases:

base
case

The base case is the simplest case we can think of. We can actually think of two simple cases. First, how about an empty string? Is the empty string a palindrome? It reads the same front and backward, so yes.

The empty string
↓
is_palindrome('') ←
Here's the simplest case: if we have an empty string, then we know it's a palindrome.

But there's another really simple case to consider: the case of a single letter. Is a single letter a palindrome? It's the same forward and backward, so yes.

is_palindrome('a') ←
A single letter is a palindrome too; after all, it is the same read forward and backward.

recursive
case

Now for the recursive case. This is where things always get interesting. Remember, we want to reduce the problem size a little before asking our `is_palindrome` function to finish the job for us. How about we compare the outer two characters and if they are the same, we can then check to see if the middle of the word (which is a little smaller) is a palindrome?

Check the outermost characters to see if they are the same.

'tacocat'
'acoca'

And let our `is_palindrome` function worry about whether the middle is a palindrome.

Writing a recursive palindrome detector

We've got our base case and our recursive case, so once again we're ready to write our recursive code. As is typical, our base case is going to be fairly trivial to implement. Then we just need to wrap our minds around the recursive case. As with computing sums, the trick is always to reduce the problem a little and to rely on a recursive call to solve the problem.

base case

For the base case our job is easy: we just need to see if the word is the empty string or has one character:

```
def is_palindrome(word):
    if len(word) <= 1:
        return True
```

Let's check our base case to see if the word is the empty string (`len` is 0) or has one character (`len` is 1), and if so, return `True`.

recursive case

Now for the recursive case. First we're going to reduce the problem by checking the outer two characters. If they match, we have a palindrome if all the rest of the letters (inside the two characters) make a word that is a palindrome. If not, we're going to return `False`:

```
def is_palindrome(word):
    if len(word) <= 1:
        return True
    else:
        if word[0] == word[-1]:
            }
        else:
            return False
```

Here's our base case again.

Compare the first character to the last character to make sure they are equal. If not, we'll return `False`.

We'll think through the recursive call in the next step.

Now we need to finish the recursive case. At this point the code has determined the two outer characters are equal, so we have a palindrome *if the middle of the word is a palindrome*, and that's exactly what we need to code.

```
def is_palindrome(word):
    if len(word) <= 1:
        return True
    else:
        if word[0] == word[-1]:
            return is_palindrome(word[1:-1])
        else:
            return False
```

If the two ends match, then we need to see if the middle of the word is a palindrome. Good thing we have a function to do that—let's call it.

Note that we need to return the result of calling `is_palindrome`, which will ultimately return `True` or `False`.



A Test Drive

Go ahead and get the `is_palindrome` code (repeated below, including some test code) into a file called `palindrome.py`; save your code and choose the **Run > Run Module** menu item. After that head to the console to see if it is correctly detecting palindromes. Feel free to add your own palindrome candidates to the test as well.

```
def is_palindrome(word):
    if len(word) <= 1:
        return True
    else:
        if word[0] == word[-1]:
            return is_palindrome(word[1:-1])
        else:
            return False

words = ['tacocat', 'radar', 'yak', 'rader', 'kayjak']
for word in words:
    print(word, is_palindrome(word))
```

Take a look through the code again.
Is this clearer than the iterative
version? What do you think?

Looks like it works!

Python 3.6.0 Shell

```
tacocat True
radar True
yak False
rader False
kayjak False
>>>
```

there are no Dumb Questions

Q: How do you know a recursive function will ever end?

A: In other words, if a function keeps calling itself, over and over, how does it ever stop? That's where the base condition comes in. The base condition acts as a piece of the problem we know we can solve directly, without the help of recursively calling the function again. So, when we hit the base condition, we know we've reached the point where the recursive calls stop.

Q: Okay, but how do we know if we'll ever get to the base case?

A: Remember each time we call the recursive case, we make the problem a little smaller before calling the function again. So, if you designed your code correctly, you can see that at some point, by making the problem repeatedly smaller, you will eventually reach the base case.

Q: I kinda get how we could call a function from itself—after all, it is just like any other function call—but how do all the parameters not get messed up? That is, each time I recursively call the function, the parameters are reassigned to a new set of arguments, right?

A: This is a very good question. You are right; each time you call a function, the parameters are bound to a set of arguments. To make matters worse, if it is a recursive call, we're calling the *same function*, and so those parameters are going to get rebound to other arguments—you'd think the whole thing would go haywire when those parameter values get overridden, right? Ah, but that isn't what happens. You see, Python and all modern languages keep track of every call to a function along with its corresponding set of parameters (and local variables). Hang tight; we're going to look at this in a sec.



Behind the Scenes

How is Python handling recursion and keeping track of all those calls to the same function? Let's take a look behind the scenes and see how `is_palindrome` is being computed by the Python interpreter.

Let's evaluate this statement:

`is_palindrome('radar')`

- ① The first thing Python (or practically any language) does when it sees a function call is to create a data structure to hold its parameters and local variables. This is typically called a *frame*. Python first puts the value for the parameter `word` in the frame.



frame 1
`word = 'radar'`

- ② Next we see if the word has a length of 1 or less, which it doesn't.



frame 1
`word = 'radar'`
`first = 'r'`
`last = 'r'`
`middle = 'ada'`

- ③ Next we have three local variables that are created and set to the first, last, and middle portions of the word passed in. These values are added to the frame as well.

- ④ Next we check to make sure the first and last characters are equal, which they are, so we then recursively call `is_palindrome`:

`return is_palindrome(middle)`

Referring to frame 1,
middle is 'ada'.



- ① We're back to another function call, so we need a new frame to hold the parameters and local variables. Python stores the multiple frames like a stack of plates, putting one on top of the other. We refer to the set of frames as a stack or *call stack*. That name kinda makes sense, doesn't it?



frame 2
`word = 'ada'`

frame 1
`word = 'radar'`
`first = 'r'`
`last = 'r'`
`middle = 'ada'`

- ② Okay, next we can see this word is not ≤ 1 characters, so we move on to the `else` statement.

understanding the call stack

- ③ Once again, we compute our local variables and add them to the frame.

- ④ And we can see that the first and last characters are equal.

So, all that remains is to call `is_palindrome` again.

```
return is_palindrome(middle)
```

Referring to frame 2,
middle is 'd'.

```
frame 2
word = 'ada'
first = 'a'
last = 'a'
middle = 'd'

frame 1
word = 'radar'
first = 'r'
last = 'r'
middle = 'ada'
```

- ① We're back to another function call, so we need a new frame to hold the parameters and local variables. At this point the `word` parameter is just the string '`d`'.

- ② Finally, the length of the `word` parameter is finally less than or equal to 1, meaning we return `True`. When the call returns, we remove, or *pop*, the top frame off the stack.

```
frame 3
word = 'd'

frame 2
word = 'ada'
first = 'a'
last = 'a'
middle = 'd'

frame 1
word = 'radar'
first = 'r'
last = 'r'
middle = 'ada'
```

When we return from the function its frame is popped off the stack.

- ⑤ Now we need to return the result of calling `is_palindrome`, which is `True`. So we pop another frame off the stack as we return `True`.

```
frame 2
word = 'ada'
first = 'a'
last = 'a'
middle = 'd'

frame 1
word = 'radar'
first = 'r'
last = 'r'
middle = 'ada'
```

When we return from the function its frame is popped off the stack.

- ⑥ Again, now we need to return the result of calling `is_palindrome`, which is `True`. Note this is the only remaining frame that resulted from calls to `is_palindrome`, so we're done (again, with a result of `True`).

```
frame 1
word = 'radar'
first = 'r'
last = 'r'
middle = 'ada'
```

Again, we pop a frame off the stack.

When we return from the initial call to `is_palindrome`, we return the value `True`.

`is_palindrome('radar')`

Evaluates to True!

The stack is now clear of all calls to `is_palindrome`.



Sharpen your pencil

Try evaluating some recursive code yourself. How about using our recursive_compute_sum function?

```
def recursive_compute_sum(list):
    if len(list) == 0:
        return 0
    else:
        first = list[0]
        rest = list[1:]
        sum = first + recursive_compute_sum(rest)
        return sum
```

← Here's the code again.

recursive_compute_sum([1, 2, 3])

← And here we're calling the function.

recursive_compute_sum([1, 2, 3])

frame 1
list = [1, 2, 3]
first = 1
rest = [2, 3]

← We did the first one for you. The parameter list is bound to the list [1,2,3] and then the local variables first and rest get computed and added to the frame.

recursive_compute_sum([2, 3])

frame 2
list =
first =
rest =
frame 1
list = [1, 2, 3]
first = 1
rest = [2, 3]

← Trace through the rest of the computation and fill in the stack details.

recursive_compute_sum([3])

frame 3
list =
first =
rest =
frame 2
list =
first =
rest =
frame 1
list = [1, 2, 3]
first = 1
rest = [2, 3]

practice with call stacks

```
recursive_compute_sum([])
```

frame 4
list =
frame 3
list =
first =
rest =
frame 2
list =
first =
rest =
frame 1
list = [1, 2, 3]
first = 1
rest = [2, 3]

```
recursive_compute_sum([3])
```

frame 3
list =
first =
rest =
sum =
frame 2
list =
first =
rest =
frame 1
list = [1, 2, 3]
first = 1
rest = [2, 3]

```
recursive_compute_sum([2, 3])
```

frame 2
list =
first =
rest =
sum =
frame 1
list = [1, 2, 3]
first = 1
rest = [2, 3]

```
recursive_compute_sum([1, 2, 3])
```

frame 1
list = [1, 2, 3]
first = 1
rest = [2, 3]
sum =

Fireside Chats



Tonight's talk: **Iteration and Recursion answer the question "Who's better?"**

Iteration

To know I'm better, all you have to do is look at how many times coders use iteration over recursion.

What do you mean? Any modern language supports recursion, and yet coders opt to use me.

Last time I looked, this book was in Python.

Hah! Efficient? Ever heard of a call stack?

Every time a function calls itself, the Python interpreter has to create a little data structure to hold all the parameters and local variables of the current function. As the function gets called recursively, it has to maintain a whole stack of those data structures, which goes on and on as you keep calling the function over and over. Call it enough times and that adds up to a lot of memory, and then BOOM, your program goes bye bye.

Recursion

I think that depends on the language you're talking about.

Take a language like LISP or Scheme or Clojure, for instance—way more recursion is used than iteration.

That's not the point. The point is, some programmers know and understand recursion very well, and see the beauty and efficiency of using it.

Well, yes, and so have the readers, but please, do educate us.

Iteration

Right, but as I said, when you do it recursively, it's like abusing the system, and sooner or later there's going to be trouble.

Hasn't stopped millions of coders from writing palindromes iteratively.

Sure, for those brainiacs who get recursion.

You have to admit, for a lot of problems, iterative solutions are better.

I say why bother for a little clarity?

Oh, you mean for those Earth-Shattering-Grand-Challenge-type problems like finding palindromes?

You think talking about talking about the book in the book is...oh dear.

Recursion

That's actually the way any modern (or ancient, for that matter) language, including Python, works. Anytime you call a function, that is happening.

Not true. For many recursive algorithms, that isn't an issue and there are techniques for dealing with that, anyway. The point is, look at the clarity of using a recursive solution. Palindromes were a good example; look how ugly and unclear the iterative code was.

My point is, for some algorithms the recursive one is easier to think about and code.

Oh please, as we've seen it just takes a little practice.

I wouldn't say better, I'd say more natural, but I'd also say for some problems recursion is more natural.

It's not just that the code is more readable, it's that there are algorithms that are downright hard to code iteratively, but that work out easily and naturally with recursion.

Of course not; however, maybe we'll see one before the end of this book.

By the way, you don't find the fact we're talking about the book *in the book* slightly recursive? Recursion is everywhere.

RECURSION LAB

Today we're testing the code for a recursive algorithm that computes the *Fibonacci sequence*. The sequence produces a set of numbers that appear often in nature and can describe shapes, like the pattern of seeds in a sunflower or the shape of galaxies.

It works like this:

$\text{fibonacci}(0) = 0$ ↗ If you evaluate the function with 0 you get 0, and if you evaluate $\text{fibonacci}(1) = 1$ it with 1 you get 1.

$\text{fibonacci}(n) = \text{fibonacci}(n-1) + \text{fibonacci}(n-2)$

↗ And for any other number, n, we produce the Fibonacci number by adding $\text{fibonacci}(n-1)$ to $\text{fibonacci}(n-2)$.

Here are a few values from the sequence:

$\text{fibonacci}(0)$ is 0

$\text{fibonacci}(1)$ is 1

$\text{fibonacci}(2)$ is 1

$\text{fibonacci}(3)$ is 2

$\text{fibonacci}(4)$ is 3


$\text{fibonacci}(5)$ is 5

$\text{fibonacci}(6)$ is 8

Every number in the sequence is computed by adding the two Fibonacci numbers before it.

and continuing from there... 13, 21, 34, 55, 89, 144, 233, 377, 610, 987, 1597, 2584, 4181...and so on.

In the lab we've developed an algorithm to compute Fibonacci numbers. Let's take a look:



↗ The Fibonacci sequence is related to the Golden Ratio, which appears often in nature and is considered by many artists to be related to good design.

```
def fibonacci(n):
    base case: if n == 0:
        return 0
    elif n == 1:
        return 1
    recursive case: else:
        return fibonacci(n-1) + fibonacci(n-2)
```

If n is 0 or 1, we just return that number.

Otherwise, we return the sum of the two previous Fibonacci numbers in the sequence, by recursively calling fibonacci.

↙ Working from the definition above...

Did you notice the recursive case calls fibonacci not once but twice!



Now it's time to test the code. Here in the Recursion Lab we need it to be correct and fast. To do that we've developed a little test code using a new module, `time`, which is going to help us time our code's execution.

`import time`

We're going to use Python's `time` module to time our code execution; see below.

```
def fibonacci(n):
    if n == 0:
        return 0
    elif n == 1:
        return 1
    else:
        return fibonacci(n-1) + fibonacci(n-2)
```

Test code. ↗

```
for i in range(20, 55, 5):
    start = time.time() ← Start timer.
    result = fibonacci(i) ← Compute the Fibonacci.
    end = time.time() ← End timer.
    duration = end - start ← Compute duration.
    print(i, result, duration) ← Print results.
```

As a test we're going to compute the Fibonacci numbers 20 through 50, counting by fives. If that goes well, we'll compute all 100.

We're also going to time each computation of Fibonacci. To do that we're going to use a module called `time`. See Appendix A for more on date and time modules.

Your job is to get this code entered and to perform the test run. When you get the data, record it below, including the value of `n`, the Fibonacci number, and how long it took to compute, in seconds. For this code to be used in production, it has to compute the first 100 Fibonacci numbers in less than 5 seconds.
Based on this test run, would we pass?

If this program is taking too long to execute, you can always stop it by closing the shell window it's running in.

Here's what we got for the first test, $n=20$. Your timings may differ depending on the speed of your computer.



So far it looks nice and fast!

Fibonacci Test Data

Number	Answer	Time to compute
20	6765	.002 seconds

Our results are on the next page;
compare them with yours!

RECURSION LAB FAIL

To meet Recursion Lab standards, this code has to compute the first 100 Fibonacci numbers in less than 5 seconds. How did you do? What? You had lunch and they are still computing? No worries—we went ahead and computed the results. Our numbers are below, but they don't look encouraging at all.

Number	Answer	Time to compute
20	6765	0.002 seconds
25	75025	0.04 seconds
30	832040	0.4 seconds
35	9227465	4.8 seconds
40	102334155	56.7 seconds
45	1134903170	10.5 minutes
50	12586269025	1.85 hours

But while the execution time started very fast, it is getting slower and slower the larger n is. At 50 we're taking almost 1/11 minutes to compute just that one Fibonacci number!

The code is working great in that we're getting the right answers.

Your own results may vary depending on the speed of your machine.



Uh oh. It doesn't look good. We're hoping we could really nail this Fibonacci code so that we could compute the first 100 numbers in the sequence in less than 5 seconds, but our sample test run shows the 50th number on its own takes over an hour!

Are we doomed? What on earth is taking so long? Give it some thought, and we'll come back to this after learning about an interesting data structure (maybe it will help us?).



The Anti-Social Network

You've really started to develop some coding chops. In fact, we think you've got the skills to create a prototype to launch your first startup. And we even have an idea for the startup: *a new social network*. Wait, what? Oh, you've had quite enough of Facebook and its competitors? No worries—actually the *Anti-Social Network* is just what you've been looking for. With the Anti-Social Network it's easy to communicate sentiments like “turn that smile upside down” or “if you're happy and you know it, then get away from me” to your network of, umm, friends. The Anti-Social Network also has this killer feature where you can see the top anti-social user at any time. Sounds like a billion-dollar idea to us; all you need to do is get started.



Let's start simple: the first thing we need is to maintain a list of users. For each user we'll store a name and an email address.



To store a name and an email address for a set of users, let's use what we know: let's have one list that holds the names, and another list that holds an email address for each name. These are parallel lists (remember parallel lists from Chapter 4). In other words, if we store a name at index 42 in the name list, you'll find the matching email address at index 42 in the email list.

```
names = ['Kim', 'John', 'Josh']
emails = ['kim@oreilly.com', 'john@abc.com', 'josh@wickedlysmart.com']
```

Can you think of any disadvantages of this approach?

This is very similar to our approach for storing the racing turtles' color and locations in the last chapter.

- Inserting new names and addresses requires keeping things consistent between two lists.
- We have to search the entire list to find someone.
- What if we need to add another attribute, say, their gender or phone number? It gets more complex.
- No issues; this totally works.
- As written, it is hard to see how data relates to each other because the name and address are on two different lists.
- Deleting users requires we keep our lists in sync.

Can you think
of more issues?

-
-
-



If only I could find a data structure that actually allowed me to give each item a nice memorable name without having to deal with indices in a list. And a data structure I could just add to without having to worry about where in a list I'm putting it. And a data structure in which I could look up values quickly, without having to search the whole list. That would be dreamy. But I know it's just a fantasy...

Introducing the dictionary

Meet Python's *dictionary* data type. A dictionary, often called a *map* or an *associative array* (by those computer science types), is a powerful and versatile data structure. Given its versatility, we're going to cover a few different ways you can use one, including using one to solve our Anti-Social Network problems (that is, finding a better way to store and retrieve our users). Before that, though, let's first get acquainted with the dictionary and how it works.

The first thing to know is that, unlike Python lists, dictionaries are an *unordered* data type. With a list each value is stored in order according to its index. If we want the third value in the list, we can ask for it by its index. Dictionary items don't have an inherent order; rather, each *value* stored in a dictionary is accessed by a *key*. To access a value in a dictionary, we present its key.

Let's see how to create a dictionary

```
my_dictionary = {}
```

Use two curly braces to create an empty dictionary
that is all ready to hold keys and values.

Remember, use curly braces
for dictionaries and square
brackets for lists.

And then add items

A dictionary stores items as key/value pairs. Say we have a phone number 867-5309 that we need to store for our friend Jenny:

```
my_dictionary['jenny'] = '867-5309'
```

Here we're storing this value, a phone number in the form of a string, under the key 'jenny', also a string.

And you can store any number of key/value pairs. Let's store a few more:

```
my_dictionary['paul'] = '555-1201'  
my_dictionary['david'] = '321-6617'  
my_dictionary['jamie'] = '771-0091'
```

We can store as many key/value pairs as we like.

```
my_dictionary['paul'] = '443-0000'
```

Storing a value at a key that already exists, overwrites its previous value.

And then retrieve values by their keys

To retrieve a value from a dictionary, we just use the key:

```
phone_number = my_dictionary['jenny']  
print("Jenny's number is", phone_number)
```

Python 3.6.0 Shell

```
Jenny's number is 867-5309  
>>>
```

Keys and values do not have to be strings

For keys you can use numbers, strings, or Booleans. For dictionary values you can use any valid Python value. Here are some examples:

```
my_dictionary['age'] = 27
my_dictionary[42] = 'answer'
my_dictionary['scores'] = [92, 87, 99]
```

We can have a string key and an integer value, an integer key and a string value, a string key and a list value, and so on, using any of Python's data types as a value.

There are a few other types that can act as keys as well, but we haven't covered them yet.

Of course you can remove keys as well

```
del my_dictionary['david']
```

This removes the key 'david' along with its value from the dictionary.

Remember, we can use the `del` statement on other things too, like Python lists.

You can also use the `pop` method on a dictionary, which removes the key and returns the value to you.

But you might want to test to see if it exists first

Python is quite consistent in how you test to see if an item is part of a set of things (which coders often call a *collection*), like a list or string, and the same holds for dictionaries. You can test to see if a key is in a dictionary like this:

```
if 'jenny' in my_dictionary:
    print('Found her', my_dictionary['jenny'])
else:
    print('I need to get her number')
```

Use the `in` operator to check to see if the key exists in the dictionary.

So we should have written the code to delete an item above as:

```
if 'david' in my_dictionary:
    del(my_dictionary['david'])
```

there are no Dumb Questions

Q: What happens if I try to delete a key that doesn't exist??

A: Python will raise a runtime exception known as a `KeyError`. We'll be talking about how to handle exceptions later in the book, but you can avoid them by testing to see if the key exists first.

Q: So there's only one of every key in a dictionary?

A: Right. In other words, each key is unique within a dictionary. For instance, there is only one key 'Kim' in `my_dictionary`; if you were to assign a value to that key a second time, it would overwrite the previous value.

Q: I can see the convenience of using a dictionary, but I'm guessing that not having indices is going to make things less efficient. Am I going to have to worry about performance when I use dictionaries for a lot of data?

A: Remember how we promised this chapter would be a little mind-bending? Well, as it turns out, for many applications, dictionaries are way more efficient than using a list to store the same data. Hold on to that thought; we're going to get to it soon.

Q: Given we can use the built-in operator `del` on a dictionary, can we use `len` too?

A: You sure can. The `len` operator will tell you the total number of keys in the dictionary.

What about iterating through a dictionary?

The one thing to remember about dictionaries is they are unordered.
You can iterate through the keys, just don't expect them to be in any particular order.

As with lists and strings, use the `for/in` statement to iterate through the keys of a dictionary.

```
for key in my_dictionary:
    print(key, ':', my_dictionary[key])
    ↑
    Let's print the key...
    ↗
    ...followed by its value
    in the dictionary.
```

Python 3.6.0 Shell

```
jenny : 867-5309
paul : 443-0000
jamie : 771-0091
age : 27
42 : answer
scores : [92, 87, 99]
>>>
```

Okay, but can we get literal for a sec?

As with lists, there's also a literal notation for creating dictionaries, which looks like this:

```
harry = {'firstname': 'Harry',
          'lastname': 'Potter',
          'house': 'Gryffindor',
          'friends': ['Ron', 'Hermione'],
          'born': 1980}
```

Each key/value is separated by a colon, and followed by a comma (except for the final pair).

↗ This creates a full-fledged dictionary.



Never count on dictionary order

Watch it!

Even if you find the keys in your dictionary are always in the same order, you won't be able to count on that fact across different operating systems and implementations of Python. Just remember, if you're counting on the order of a dictionary, you're going to run into trouble sooner or later.

You can also print a dictionary to see its literal form:

```
print(my_dictionary)
```

Python 3.6.0 Shell

```
{'jenny': '867-5309', 'paul': '443-0000', 'jamie': '771-0091', 'age': 27, 42: 'answer', 'scores': [92, 87, 99]}
>>>
```



Now that you've got some book knowledge of dictionaries, it's time to put that knowledge to work. Work through the code below to see what it computes.

```
movies = []      ← List
movie = {}       ← Dictionary
```

```
movie['name'] = 'Forbidden Planet'
movie['year'] = 1957
movie['rating'] = '*****'
movie['year'] = 1956

movies.append(movie)

movie2 = {'name': 'I Was a Teenage Werewolf',
          'year': 1957, 'rating': '****'}
movie2['rating'] = '***'

movies.append(movie2)

movies.append({'name': 'Viking Women and the Sea Serpent',
              'year': 1957,
              'rating': '**'})

movies.append({'name': 'Vertigo',
              'year': 1958,
              'rating': '*****'})

print('Head First Movie Recommendations')
print('-----')
for movie in movies:
    if len(movie['rating']) >= 4:
        print(movie['name'], '(' + movie['rating'] + ')', movie['year'])
```



Leveraging dictionaries at the Anti-Social Network

Having read the last few pages, you know 95% of everything there is to know about using Python dictionaries, except, well, *how to* actually use them. Sure, you can store and retrieve values, but there has to be more to it than that, right? Yes, simplicity can be deceptive. Let's look at how you might use dictionaries at the Anti-Social Network.



Recall that when we last left off, we needed to store a set of names with email addresses. We started by using two lists, which turned out to be rather clumsy because adding new names required adding to both lists, as did deleting names; looking up a name meant we had to search over the entire list; and adding more properties, like say the user's gender, was going to require an entirely new list to manage. Yuck. Well, let's see if we can do better with dictionaries.

```
names = ['Kim', 'John', 'Josh']
emails = ['kim@oreilly.com', 'john@abc.com', 'josh@wickedlysmart.com']
```

Here are some users and their emails stored in two lists.

Let's see if a dictionary can help us.

```
users = {'Kim' : 'kim@oreilly.com',
         'John': 'john@abc.com',
         'Josh': 'josh@wickedlysmart.com'}
```

Well, that is certainly more readable!

What about adding new users, or removing them?

```
users['Avary'] = 'avary@gmail.com'
del users['John']
```

Adding
Removing

Okay, that was easy—no worrying about having two lists to keep in sync.


What about quickly getting a user's email address? Let's say we're after Josh's email address:

```
if 'Josh' in users:
    print("Josh's email address is:", users['Josh'])
```

Let's first check to make sure the key 'Josh' exists, and if it does, we grab the email address.

Python 3.6.0 Shell

```
Josh's email address is: josh@wickedlysmart.com
>>>
```



The dictionary is more efficient, by a long shot.

To understand why, you have to understand how dictionaries actually work behind the scenes. Let's start with a list as an example: if you looked up "Josh" in a list of users, you'd have to go through every single user in the list until you found Josh. In the worst case, that means you'd have to go through the entire list.

Dictionaries use a data structure behind the scenes that's known as a *hash map*. With a hash map the dictionary stores all the values in a list or array-like data structure, but it uses a special function, known as a *hash function*, to compute where the value is in that list, based on the key. So, rather than brute-force searching the entire list, a dictionary, by way of the hash function, can go right to the index where the value is located. Lucky for you, the dictionary does all this for you.

Now hash functions aren't perfect, and sometimes multiple values may be mapped to one location (the dictionary knows how to deal with this case), but this isn't likely to happen often, so the average time to look up a value based on a key is *constant time* (you can think of constant time as the time it takes to perform a single operation). So, when searching for keys, dictionaries are blindingly fast.

A computer science term

But how do we add more attributes?

Managing the Anti-Social Network usernames and email addresses with a dictionary seems like a real win, but remember we also wanted to potentially add some attributes, like a user's gender. Now, we know if we're using parallel lists then we'd need another list to hold the genders, but with dictionaries, don't we need to use another dictionary too? Something like:

```
email = {'Kim' : 'kim@oreilly.com',
         'John': 'john@abc.com',
         'Josh': 'josh@wickedlysmart.com'}
```

genders = {'Kim' : 'f',
 'John': 'm',
 'Josh': 'm'}

We could do it this way, but now we're back to managing two data structures anytime we add, delete, or look up a user. Yuck again.

Sure, that would work, but then we're back to managing two data structures—that's obviously not what we want. To solve this problem, we need to think a little deeper about how to use dictionaries. What if we use a dictionary to hold all the attributes for each user, like this:

```
attributes = {
    'email' : 'kim@oreilly.com',
    'gender': 'f',
    'age': 27,
    'friends': ['John', 'Josh']
}
```

Here's a dictionary holding the attributes for Kim. We can create a dictionary like this for every user.

Notice we've added a new list to each user as well, a list of friends. This will play into our killer feature.

With this new scheme, let's start over, create a brand new users dictionary, and store Kim's attributes:

```
users = {}
users['Kim'] = attributes
```

We're setting the users variable to an empty dictionary, and then adding the attributes dictionary under the key 'Kim'.

Don't move too quickly and overlook what is going on in this code. We're making the value of the 'Kim' key another dictionary, the attributes dictionary.

Let's add John and Josh too:

```
users['John'] = {'email' : 'john@abc.com', 'gender': 'm', 'age': 24, 'friends': ['Kim', 'Josh']}
users['Josh'] = {'email' : 'josh@wickedlysmart.com', 'gender': 'm', 'age': 32, 'friends': ['Kim']}
```

Same here: don't move too quickly and overlook what is going on in this code. We're assigning dictionaries to 'John' and 'Josh' as well.

We're assigning dictionaries to the keys 'John' and 'Josh'. We're specifying those dictionaries with the literal syntax.



Dictionaries in dictionaries—it's a common arrangement. See how it plays out at the cinema by using your brain to execute the code below.

```

movies = {}
movie = {}

movie['name'] = 'Forbidden Planet'
movie['year'] = 1957
movie['rating'] = '*****'
movie['year'] = 1956

movies['Forbidden Planet'] = movie

movie2 = {'name': 'I Was a Teenage Werewolf',
          'year': 1957, 'rating': '*****'}
movie2['rating'] = '****'
movies[movie2['name']] = movie2

movies['Viking Women and the Sea Serpent'] = {'name': 'Viking Women and the Sea Serpent',
                                              'year': 1957,
                                              'rating': '***'}

movies['Vertigo'] = {'name': 'Vertigo',
                     'year': 1958,
                     'rating': '*****'}

print('Head First Movie Recommendations')
print('-----')
for name in movies:
    movie = movies[name]
    if len(movie['rating']) >= 4:
        print(movie['name'], '(' + movie['rating'] + ')', movie['year'])

print('Head First Movie Staff Pick')
print('-----')
movie = movies['I Was a Teenage Werewolf']
print(movie['name'], '(' + movie['rating'] + ')', movie['year'])

```





Brain Building

Now that we know how we're going to store our users on the Anti-Social Network, it's time to write a little code. Let's create a function we might need for the startup, called `average_age`, that takes a name and returns the average age of that user's friends. We're letting you tackle this on your own—after all, it is Chapter 8—although don't forget to write some pseudocode or do similar planning, as it goes a long ways toward writing correct code the first time.

```
users = {}
users['Kim'] = {'email': 'kim@oreilly.com', 'gender': 'f', 'age': 27, 'friends': ['John', 'Josh']}
users['John'] = {'email': 'john@abc.com', 'gender': 'm', 'age': 24, 'friends': ['Kim', 'Josh']}
users['Josh'] = {'email': 'josh@wickedlysmart.com', 'gender': 'm', 'age': 32, 'friends': ['Kim']}
```

Write your
average_age
function here.

```
average_age('Kim')
average_age('John')
average_age('Josh')
```

Here's the
output you
should get with
this test code.

Python 3.6.0 Shell

```
Kim's friends have an average age of 28.0
John's friends have an average age of 29.5
Josh's friends have an average age of 27.0
>>>
```

Remember the Anti-Social Network's killer feature?

You didn't forget, did you? It's going to be the crucial feature to demo when raising your seed round of investor cash. The killer feature for the Anti-Social Network is finding the least social person at any time—that is, the user with the fewest friends. All we need to do is write the code.

So let's take stock: we've got a dictionary of users, and each entry in that dictionary consists of a key, which is the user's name, and a value, which is another dictionary full of the user's attributes. One of those attributes is a list of friends. So, we're going to have to iterate through all the users and keep track of who has the least friends. Let's give it a shot.

Who will it be?





Finding the most anti-social user

The code for finding the most anti-social user isn't going to be the most complex we've written, but let's just hash it out in a little pseudocode so we have a clear picture of what we're doing:

1 Set `max` to large number

We're going to create a variable to hold the current most anti-social count. We'll call it `max` and initialize it to something large for starters.

2 For each name in `users`

Iterate through every key in the `users` dictionary.

A Get the user attribute dictionary.

For each user, grab the dictionary of attributes associated with the name.

B Get the list of friends from the attribute dictionary.

Use the 'friends' key to grab the list of friends.

C If number of friends is less than `max`

If the number of friends is less than any we've seen so far (`max`), then that's our current least candidate.

i set variable `most_anti_social` to `name`.

Set a variable `most_anti_social` to the name...

ii set variable `max` to number of friends

...and `max` to the new number of friends.

3 Print user with key `most_anti_social`

When we've been through all the keys in `names`, we then have the `most_anti_social` user. Let's print it, and so on.



Sharpen your pencil

Now that we have some pseudocode, use your new knowledge of dictionaries to complete this code. After that we'll get it running.

```
max = 1000
for name in _____:
    user = _____[_____]
    friends = user[_____]
    if len(_____) < max:
        most_anti_social = _____
        max = len(_____)
print('The most_anti_social user is', _____)
```



A Test Drive

Let's get this code in and test it (it's been a few pages since we ran real code). Put the code below in a file called *antisocial.py*. Give it a run, and double-check your output.

```
users = {}

users['Kim'] = {'email' : 'kim@oreilly.com', 'gender': 'f', 'age': 27, 'friends': ['John', 'Josh']}
users['John'] = {'email' : 'john@abc.com', 'gender': 'm', 'age': 24, 'friends': ['Kim', 'Josh']}
users['Josh'] = {'email' : 'josh@wickedlysmart.com', 'gender': 'm', 'age': 32, 'friends': ['Kim']}

max = 1000

for name in users:
    user = users[name]
    friends = user['friends']
    if len(friends) < max:
        most_anti_social = name
        max = len(friends)

print('The most_anti_social user is', most_anti_social)
```

Python 3.6.0 Shell

```
The most_anti_social user is Josh
>>>
```

That Josh!

Now, it's all you!

That's about as far as we're going to take the Anti-Social Network because we think you're in a good position to take it forward on your own. The idea and the code are yours, so run with it and send us a postcard when you're rich and famous (although maybe postcard is a little too social for the founders of the Anti-Social Network).

We're not quite done with dictionaries, though, as we've got another hoop we're going to make them jump through...






Meanwhile, back at the...

RECURSION LAB

We last left the Recursion Lab in a bit of a demoralized state. While we needed to compute the first 100 Fibonacci numbers in less than 5 seconds, it took us much longer. So long, in fact, that the 50th alone took over an hour. Given that, is there any hope? Of course.

But we can't make progress if we don't figure out why our computation is so slow. Let's start by looking at the recursive calls that are made when we compute, say, `fibonacci(50)`:




So while our code is logically correct and clear, it is very inefficient. For any number, the algorithm has to compute all the Fibonacci numbers less than that number. That leads to a lot of unnecessary computation because we're repeatedly computing the same Fibonacci numbers over and over again. Every time we need `fibonacci(5)`, we have to recompute `fibonacci(4)`, `fibonacci(3)`, and `fibonacci(2)` as well.

Sharpen your pencil



Try drawing a graph of all the function calls it takes to compute `fibonacci(7)`. When you're done, total up how many duplicated calls you find for each value 0 through 7.



Put your totals here. We've already filled in the answer to `fibonacci(7)`, which is called one time, as is `fibonacci(6)`.



`fibonacci(7):` 1 time

`fibonacci(6):` 1 time

`fibonacci(5):` _____

`fibonacci(4):` _____

`fibonacci(3):` _____

`fibonacci(2):` _____

`fibonacci(1):` _____

`fibonacci(0):` _____

↙ Warning: you may find the answer shocking.

Any guess how many times `fibonacci(50)` has to compute `fibonacci(3)`? _____



We're computing the same Fibonacci numbers over and over again. Without drastically changing the code, think about how we might make this code way more efficient. Put your ideas here.



If only there was a way
to store previous function call results
so that if the function gets called with
the same value again, we just remember
its previous result rather than having to
recompute it every time. I know it's just
a fantasy...

Can we just remember function call results?

It's not a bad idea. So, for instance, if `fibonacci` is called with the argument 49, the result is computed and stored, so the next time `fibonacci` is called with 49, the function can look up the result, rather than recomputing it.

With the Fibonacci code recomputing so many function calls, if we could just store the results rather than recomputing them, we'd probably shave a lot of time off the execution. But can we really save hours of computation time? We shall see.

So what would we need to store the results of the calls to the `fibonacci` function?

We need a way to store the value of the `n` argument, and also the result that gets computed for `fibonacci(n)`. Oh, and we'd need to be able to access the computed result quickly, for a given value of `n`.

Any ideas? Is this sounding familiar?

Using a dictionary to remember our Fibonacci results

Does this sound like a job made for a dictionary? Let's take a look at how it might work.

- 1 Create a dictionary, and name it `cache`.
A cache is a common name for a place to store data you need quick access to.
- 2 Every time `fibonacci` is called with a number `n`:
 - A Check if there is a key, `n`, in the cache.
 - i If so, return the value of key `n`.
 - B Otherwise, compute the Fibonacci number of `n`.
 - C Store the result in the cache under the key `n`.
 - D Return the value of the Fibonacci number.

So each time the Fibonacci code function is called with a value `n`, we first check our dictionary, `cache`, to see if a key `n` is already in the cache. If it is, great, that's the Fibonacci number for `n`, so just return it as the result of calling the function.

If not, we compute the Fibonacci number as we always do, but before we return the result, we first stash it in the cache for the key `n`.



We might as well use the \$5 words: memoization

If you thought we just made up this brilliant idea of storing function call results, well, we wish we did, but we didn't. In fact, it's a simple but powerful technique called *memoization*. Memoization can be thought of as a way to optimize a program by storing the results of expensive function calls. What's expensive? Well, how much you got? Just kidding. In computer science terms, expensive typically means a computation takes a lot of time or consumes a lot of space (typically memory). Whether you're trying to optimize time or space really depends on what your code does, but in our case it's mostly time we're trying to optimize.



So how does memoization work? You already know, because the pseudocode we wrote on the previous page is an implementation of memoization.

To understand it better, let's rework our existing code using the pseudocode as a guide. Doing so is pretty straightforward:

```
import time
cache = {} ← Here's the dictionary we're
              going to use as a cache.

def fibonacci(n):
    global cache
    if n in cache: ← Now the first thing we do is check to see if n is a
                     key in the cache dictionary. If it is, then we return
                     the value stored for that key.

        if n == 0:
            result = 0 ← Now rather than returning immediately if n equals 0 or 1, we
                           assign n to a local variable named result.

        elif n == 1:
            result = 1 ← If we end up recursively computing
                           the result, we then assign that to the
                           result local variable as well.

        else:
            result = fibonacci(n-1) + fibonacci(n-2)
            cache[n] = result ← Before we return the result, we
                               store it in the cache under the key n.
                               Remember in Python a dictionary key
                               can be any value, including integers.

    start = time.time()
    for i in range(0, 101):
        result = fibonacci(i)
        print(i, result)
    finish = time.time() ← We must be confident because we've changed the
                          timing code to capture the duration of computing
                          the entire first 100 Fibonacci numbers.

    duration = finish - start
    print('Computed all 100 in', duration, 'seconds')
```

RECURSION LAB SUCCESS

What are you waiting for? Are you skeptical a couple lines of code using a dictionary could cut hours of computation down to less than 5 seconds? Well, get these code updates made and give it a run!

Python 3.6.0 Shell

```
46 1836311903
47 2971215073
48 4807526976
49 7778742049
50 12586269025
51 20365011074
52 32951280099
53 53316291173
54 86267571272
55 139583862445
56 225851433717
57 365435296162
58 591286729879
59 956722026041
60 1548008755920
61 2504730781961
62 4052739537881
63 6557470319842
64 10610209857723
65 17167680177565
66 27777890035288
67 44945570212853
68 72723460248141
69 117669030460994
70 190392490709135
71 308061521170129
72 498454011879264
73 806515533049393
74 1304969544928657
75 2111485077978050
76 3416454622906707
77 5527939700884757
78 8944394323791464
79 14472334024676221
80 23416728348467685
81 37889062373143906
82 61305790721611591
83 99194853094755497
84 160500643816367088
85 259695496911122585
86 420196140727489673
87 679891637638612258
88 1100087778366101931
89 1779979416004714189
90 2880067194370816120
91 4660046610375530309
92 7540113804746346429
93 12200160415121876738
94 19740274219868223167
95 31940434634990099905
96 51680708854858323072
97 83621143489848422977
98 13530185234706746049
99 218922995834555169026
100 354224848179261915075
>>> Computed all 100 in 0.0005749298095703125 seconds
```

Impressive! You got
it computed in way
under 1 second!



Optimizing your
code can affect its
runtime behavior in a
HUGE way.



Some more brain building

Hopefully this has been the mind-bending chapter we promised, but before you go we wanted to show you that recursive code isn't just for computing Fibonacci numbers and palindromes. In fact, we're going to apply recursion to generating some computer graphics, more specifically *fractals*. Now everyone's familiar with the term, but what does it actually mean? Think of a fractal as a geometry shape that is similar at any scale. So if you zoom out and look at a fractal, you see the same general shape as when you zoom way in. The best way to get the feel for fractals is to make some. To do that let's look at some code.

```

import turtle
 $\nearrow$  Our turtles are back.

def setup(pencil):
    pencil.color('blue')  $\leftarrow$  All this setup function does is set the turtle
    pencil.penup()       (we're calling it a pencil in this code) color and
    pencil.goto(-200,100) move it to a location that will make the drawing
    pencil.pendown()    more centered.

def koch(pencil, size, order):
    if order == 0:
        pencil.forward(size)
    else:
        for angle in [60, -120, 60, 0]:
            koch(pencil, size/3, order-1)
            pencil.left(angle)

def main():
    pencil = turtle.Turtle()
 $\leftarrow$  The main function creates a turtle (the
    setup(pencil)           pencil); defines two variables, order and
 $\leftarrow$  Notice the order starts at 0, and size
    order = 0               starts at 400. You'll see how these are
    size = 400              used in a bit.
    koch(pencil, size, order)

if __name__ == '__main__':
    main()
    turtle.tracer(100)
    turtle.mainloop()
 $\leftarrow$  About what we'd expect in this bit of
 $\leftarrow$  code. We call main and then make sure
 $\leftarrow$  the turtle mainloop is running. We also
 $\leftarrow$  use a function we haven't seen before,
 $\leftarrow$  tracer, which accelerates the speed on
 $\leftarrow$  the turtle.

```

A closer look at the koch function

Our code (on the previous page) is pretty basic: it creates a turtle, repositions it, and sets its color. Other than that, it just calls the `koch` function. But what does this `koch` function do? Let's look at it again, here:

```

def koch(pencil, size, order):
    if order == 0:
        pencil.forward(size)
    else:
        for angle in [60, -120, 60, 0]:
            koch(pencil, size/3, order-1)
            pencil.left(angle)

```

base case

recursive case

↗ Niels Fabian Helge von Koch was a Swedish mathematician who gave his name to the fractal known as the Koch snowflake. See more at: https://en.wikipedia.org/wiki/Helge_von_Koch.

↗ The best way to understand this is to see some examples.

↗ After each call to `koch`, we adjust the angle of the turtle.

↗ Our base case: if `order` equals 0 we draw a straight line of length `size`.

↗ Otherwise, call `koch` four times, passing it the `size` parameter divided by three and reducing `order` by one.

↗ We've pulled out the `koch` function to take a look, so for the entire context refer to the previous page.


We have some abstract idea of what this function does, but we have no idea what it really does. We do know that the `order` parameter seems to play a big role. Let's start with `order` equal to 0 and see what this draws. Given 0 is the base case, it should just draw a line.

Type in the code and give it a test drive. Here's what we got:



The base case, a line of 400 pixels (because we're passing it a size of 400)

If we increase `order` to 1, then we should see the recursive case used. Just change the `order` local variable to 1 and test it again.



When `order` is 1, we use the recursive case in the code. In the recursive case we draw four segments at different angles. The drawing is actually done calling the `koch` function recursively, where for each segment `koch` hits the base case and draws a line of size 400/3






Sharpen your pencil

If you can see what koch does from order 0 to order 1, can you imagine what it might do when we increase the order to 2? Or 3? Remember, at every scale a fractal is the same. See if you can try to work out how the graphic at order 1 will change for order 2, and order 3. We didn't say it was easy to think about, but it's great brain building.

Order 0:



Order 1:



Draw your best
guesses here.

Order 2:



Hint: look at what happened between order 0 and 1. What if you did that to each small segment of order 1 to get order 2?

Order 3:

Hint: can you take that one step further on order 3?

Truly exploring the koch fractal

Did that exercise help you think a little more recursively, or fractally? Let's take this all the way and run the code at orders 4 and 5. Go ahead and change your order and do a test drive for each.



Learn more about the Koch snowflake at https://en.wikipedia.org/wiki/Koch_snowflake.

They don't call it the Koch snowflake for nothin'

Here's one last tweak for you. Edit your `main` function to call the `koch` function three times, rotating 120 degrees between each call.




```
def main():
    pencil = turtle.Turtle()
    setup(pencil)
    turtle.tracer(100)

    order = 5
    size = 400
    koch(pencil, size, order)

    for i in range(3):
        koch(pencil, size, order)
        pencil.right(120)
```

Not bad for a six-line recursive function. That's a superpower!

Call koch three times, and rotate 120 degrees in between.





With that we'll leave you to ponder the power of recursion and fractals, not to mention dictionaries. Great job—you've done some mind bending and growing in this chapter. Now it's time to go let your brain do something else for a while, but only after the bullets and crossword.




BULLET POINTS

- Iteration and recursion can both be used to solve problems.
- Recursion defines a solution in terms of itself.
- Recursion typically consists of a base case and a recursive case.
- With the recursive case we make the problem a little smaller and then make a recursive function call.
- Programming languages handle recursive calls by putting parameters and local variables on a call stack.
- Recursion can sometimes lead to problems with the size of the call stack growing too large.
- Some solutions are more natural using a recursive style, and some solutions are more natural with iteration.
- For some problems recursion can produce very clear and straightforward solutions.
- Python dictionaries are a type of associative array or map.
- Dictionaries store key/value pairs.
- In Python, dictionary keys can be strings, numbers, or Booleans; dictionary values can be any type of Python value.
- Keys within a dictionary are unique.
- Assigning a value to an existing key overwrites the previous value.
- You can programmatically create dictionaries or specify them with a literal syntax.
- Keys and their associated values may be deleted from a dictionary.
- Key lookup in a dictionary happens in constant time.
- Dictionaries can be used with memoization as an optimization technique.
- Memoization is a technique used to remember previous function calls.
- By not recomputing expensive function calls, we can sometimes significantly speed up computations.
- Fractals are shapes that have similar structure at every scale.



Coding cross

Don't worry: it's not a recursive crossword,
just a normal one.



Across

1. And another name for a dictionary.
4. Snowflake.
5. Functions calling themselves.
6. Another name for dictionary.
8. Just typing a dictionary in.
9. Shape same at every level of scale.
10. Our idea is this kind of social.
11. Keys are this.
12. Makes a dictionary lookup fast.
14. Tacocat is one.
15. Easiest case.
16. Call stack is made up of _____.
17. Computes a sequence seen in nature.

Down

2. Dictionaries store key/value _____.
3. Remembering function calls.
4. Used to look up a value.
7. Alternative to recursion.
11. Dictionaries are _____.
13. Parameters are stored on it.



Sharpen your pencil Solution

Forget recursion for a bit, and think through how you might write a function to check if a word is a palindrome. Do that using the skills you learned in Chapters 1 through 7. Write some simple pseudocode to summarize your thoughts. Or, if you just had that cup of java and feel like writing some code, don't let us get in your way.

In general we'd want to compare the outside characters and move inward until we find a character that doesn't match, or if we get to the middle and they all match, then we have a palindrome.

We could have an index called *i* that starts at position 0...

...and another called *j* that starts at the end.



is_palindrome(word):

set *i* to 0

set *j* to length of word (minus 1)
while *i* < *j*:

if characters at *i* and *j* are not equal then return False

increment *i*

decrement *j*

if the loop completes, return True

We start at each end of the word and compare pairs of letters from the outside in.

When *i* >= *j*, then we've reached the middle of the string and we've compared everything.

If at any point our outer characters aren't equal, then the word is not a palindrome.

```
def is_palindrome(word):
    i = 0
    j = len(word) - 1
    while i < j:
        if word[i] != word[j]:
            return False
        i = i + 1
        j = j - 1
    return True
```

Okay, we just had to write the code. Did you?

This probably works great, but it requires a lot of thinking about indices. It's also not the clearest code in the world. We can probably do better.

Study this until you've convinced yourself it works.



Sharpen your pencil Solution

Try evaluating some recursive code yourself. How about using our recursive_compute_sum function?

```
def recursive_compute_sum(list):
    if len(list) == 0:
        return 0
    else:
        first = list[0]
        rest = list[1:]
        sum = first + recursive_compute_sum(rest)
        return sum

recursive_compute_sum([1, 2, 3])
```

← Here's the code again.

And here we're calling the function.

recursive_compute_sum([1, 2, 3])

frame 1
list = [1, 2, 3]
first = 1
rest = [2, 3]

← We did the first one for you. The parameter list is bound to the list [1,2,3] and then the local variables first and rest get computed and added to the frame.

recursive_compute_sum([2, 3])

frame 2
list = [2, 3]
first = 2
rest = [3]
frame 1
list = [1, 2, 3]
first = 1
rest = [2, 3]

← Now we're recursing by calling recursive_compute_sum again, so we add a new frame and add list as a parameter. This time it has the value [2, 3].

Like before, we have to compute first and rest.

recursive_compute_sum([3])

frame 3
list = [3]
first = 3
rest = []
frame 2
list = [2, 3]
first = 2
rest = [3]
frame 1
list = [1, 2, 3]
first = 1
rest = [2, 3]

← Again, we're recursing by calling recursive_compute_sum, so we add a third frame and add list as a parameter. This time it has the value [3].

Like before, we have to compute first and rest.

```
recursive_compute_sum([])
```

frame 4	list = []
frame 3	list = [3] first = 3 rest = []
frame 2	list = [2, 3] first = 2 rest = [3]
frame 1	list = [1, 2, 3] first = 1 rest = [2, 3]

This will be our last time calling recursive_compute_sum. We'll hit our base case because list is the empty list.

The function just returns, so we never compute first or rest.

```
recursive_compute_sum([3])
```

frame 3	list = [3] first = 3 rest = [] sum = 3
frame 2	list = [2, 3] first = 2 rest = [3]
frame 1	list = [1, 2, 3] first = 1 rest = [2, 3]

In the last step we hit the base case and returned 0. So we pop that frame off the stack.

Our code takes this and adds it to first and then stores the result in sum.

Our code then returns the value of sum.

```
recursive_compute_sum([2, 3])
```

frame 2	list = [2, 3] first = 2 rest = [3] sum = 5
frame 1	list = [1, 2, 3] first = 1 rest = [2, 3]

In the last step the value 3 was returned, so that is added to first, which is 2 and stored in sum.

We then return the sum of 5 and the stack is popped again.

```
recursive_compute_sum([1, 2, 3])
```

frame 1	list = [1, 2, 3] first = 1 rest = [2, 3] sum = 6
---------	---

Finally we get back the value 5 and add it to first, which is 1, resulting in 6, so the stack is popped and 6 is returned as the result of calling recursive_compute_sum([1, 2, 3]).

Sharpen your pencil Solution

Now that you've got some book knowledge of dictionaries, it's time to put that knowledge to work. Work through the code below to see what it computes.

Is this what you got?



```
Python 3.6.0 Shell
-----
Head First Movie Recommendations
-----
Forbidden Planet (*****) 1956
Vertigo (*****) 1958
>>>
```



Sharpen your pencil Solution

Dictionaries in dictionaries—it's a common arrangement. See how it plays out at the cinema by using your brain to execute the code below.

A little trickier with
two dictionaries?



```
Python 3.6.0 Shell
-----
Head First Movie Recommendations
-----
Forbidden Planet (*****) 1956
Vertigo (*****) 1958
Head First Movie Staff Pick
-----
I Was a Teenage Werewolf (***)
>>>
```





Brain Building Solution

Now that we know how we're going to store our users on the Anti-Social Network, it's time to write a little code. Let's create a function we might need for the startup, called `average_age`, that takes a name and returns the average age of that user's friends.

```
users = {}

users['Kim'] = {'email': 'kim@oreilly.com', 'gender': 'f', 'age': 27, 'friends': ['John', 'Josh']}
users['John'] = {'email': 'john@abc.com', 'gender': 'm', 'age': 24, 'friends': ['Kim', 'Josh']}
users['Josh'] = {'email': 'josh@wickedlysmart.com', 'gender': 'm', 'age': 32, 'friends': ['Kim']}

def average_age(username):
    global users
    user = users[username]
    friends = user['friends']
    sum = 0
    for name in friends:
        friend = users[name]
        sum = sum + friend['age']
    average = sum/len(friends)
    print(username + "'s friends have an average age of", average)

average_age('Kim')
average_age('John')
average_age('Josh')
```

Here's our function, which takes a username in the form of a string.

Let's grab the user's attributes dictionary from the users dictionary.

And then let's grab the friends list from the user's attributes dictionary.

Here's a local variable to keep track of the sum of the friend's ages.

Now let's iterate through all the friends.

Now we need to take the friend's name and grab their attributes dictionary out of the users dictionary.

And then we can get their age from the attributes dictionary. Here we add it to the sum.

With the ages totaled up, let's compute the average...

...and print the result.

Here's the output you should get with this test code.

```
Python 3.6.0 Shell
Kim's friends have an average age of 28.0
John's friends have an average age of 29.5
Josh's friends have an average age of 27.0
>>>
```

And here's our test code again.


Sharpen your pencil Solution

Now that we have some pseudocode, use your new knowledge of dictionaries to complete this code. After that we'll get it running.

```
max = 1000
for name in users:
    user = users [name]
    friends = user['friends']
    if len(friends) < max:
        most_anti_social = name
        max = len(friends)
print('The most_anti_social user is', most_anti_social)
```

Sharpen your pencil Solution

Try drawing a graph of all the function calls it takes to compute `fibonacci(7)`. When you're done, total up how many duplicated calls you find for each value 0 through 7.



Put your totals here. We've already filled in the answer to `fibonacci(7)`, which is called one time, as is `fibonacci(6)`.

<code>fibonacci(7):</code>	<u>1 time</u>	<code>fibonacci(6):</code>	<u>1 time</u>	<code>fibonacci(5):</code>	<u>2 times</u>
<code>fibonacci(4):</code>	<u>3 times</u>	<code>fibonacci(3):</code>	<u>5 times</u>	<code>fibonacci(2):</code>	<u>8 times</u>
<code>fibonacci(1):</code>	<u>13 times</u>	<code>fibonacci(0):</code>	<u>8 times</u>		

↙ Okay, that is shocking!

Any guess how many times `fibonacci(50)` has to compute `fibonacci(3)`? 4,807,526,976 times




Sharpen your pencil Solution

If you can see what koch does from order 0 to order 1, can you imagine what it might do when we increase the order to 2? Or 3? Remember, at every scale a fractal is the same. See if you can try to work out how the graphic at order 1 will change for order 2, and order 3. We didn't say it was easy to think about, but it's great brain building.

Order 0:



Order 1:




In this step we drew a shape like this...



...to each side (there was only one side).


Order 2:



Same thing; for each straight side in the previous round, we added another.



Order 3:




And as the sides get smaller, we keep adding...



...reducing the scale each time.



Coding Cross Solution





Persistence



He was right
behind me and then
poof!—he was gone.
If we'd only saved him
out to storage before
everything ended.

You know you can save values in variables, but once your program ends poof!—they're gone forever. That's where *persistent* storage comes in—storage that allows your values and data to stick around a while. Most of the devices you're going to run Python on also have persistent storage, like hard drives and flash cards, or they may have access to storage in the cloud as well. In this chapter you'll see how to write code to store and retrieve data from files. What good is that? Oh, anytime you want to save a user's configuration, store the results of your big analysis for the boss, read an image into your code to process it, write some code to search a decade's worth of email messages, reformat some data to be used in your spreadsheet app—we could go on and on, but we should probably start the chapter now.

Ready for some Crazy Libs?

No, that's not a political statement! We're being serious here. We're talking about creating our own version of a game that is in the spirit of the popular Mad Libs™ games—we'll call our version *Crazy Libs*.

If you didn't play a Mad Libs-style game as a kid, here's how it works:

You can create a Crazy Lib from any text story you want. We used some text we just had lying around.

To create a Crazy Lib, just remove arbitrary words and replace them with blanks that indicate their parts of speech (noun, verb, etc.).

How to Play

- ① Ask a friend to give you a word for each blank noun, verb, and adjective, but don't show your friend the story.
- ② Read the story back to your friend, adding in your friend's words.
- ③ Hilarity ensues.

The first thing that stands between you and _____ your
VERB ENDING IN 'ING'

first, real, piece of _____, is _____ the skill of
NOUN **VERB ENDING IN 'ING'**


breaking problems down into achievable _____ actions that a
ADJECTIVE

_____ can do for you. Of course, you and the computer will
NOUN

also need to be _____ a common _____, but
VERB ENDING IN 'ING' **NOUN**

we'll get to that topic in just a bit.

The text from the
first paragraph of
Chapter 1



How Crazy Libs is going to work

To turn Crazy Libs into a computer game, we're going to have the computer retrieve a story stored in a text file, prompt the user for all the missing words, and then create a new text file that contains the completed Crazy Libs. Let's go through that in a little more detail:

By text file, we just mean a file containing text that is stored on your device.

1 Let's start with a template


We need a template that has all the text of the story, with placeholders for the words that need to be provided by the user; we also need some indication of each placeholder's part of speech. To signify a placeholder, we'll just use uppercase words like NOUN, VERB, and ADJECTIVE right in the text.

Here's an example template.

1 The first thing that stands between you and **VERB_ING** your first, real, piece of **NOUN**, is **VERB_ING** the skill of breaking problems down into achievable **ADJECTIVE** actions that a **NOUN** can do for you. Of course, you and the computer will also need to be **VERB_ING** a common **NOUN**, but we'll get to that topic in just a bit.

lib.txt

You'll find lib.txt in the ch9 folder in the book's source code.



A template is just a text file on your computer that contains a story along with placeholders for nouns, verbs, verbs with 'ing' endings, adjectives, and so on.

Feel free to take your favorite story and create your own!

2 Reading the template

Next, when you run the game, the code is going to read in the template from the disk and then locate all the placeholders—remember the placeholders are just the uppercase words, like NOUN, VERB, and so on, embedded in the text.

```


placeholders = ["NOUN", "ADJECTIVE", "VERB_ING"]
processed_line = ""
words = line.split(" ")
for word in words:
    processed_word = processed_line.replace(word, "")
    if processed_word == word:
        processed_line += processed_word + " "
    else:
        processed_line += processed_word + " " + word + " "
        processed_line += processed_line[-1] + "\n"
    processed_line += "\n"
print(processed_line)

```

2

3 Prompting the user

For each placeholder your code is going to prompt the user to provide a word that matches the needed part of speech. Your code will then take their word, and substitute it into the text in place of the placeholder.



3

The first thing that stands between you and **VERB_ING** your first, real, piece of **NOUN**, is **VERB_ING** the skill of breaking problems down into achievable **ADJECTIVE** actions that a **NOUN** can do for you. Of course, you and the computer will also need to be **VERB_ING** a common **NOUN**, but we'll get to that topic in just a bit.

lib.txt

4 Finally, we'll write out a new file that contains the completed Crazy Lib.

After all the placeholders have been collected from the user, we're going to create a new file and then write the completed Crazy Lib to it.

Here's the completed Crazy Lib, which has each placeholder replaced by the user's input.

After getting all the user input, our code creates a new file and writes out the updated crazy version of the story.

4

The first thing that stands between you and **buying** your first, real, piece of **pudding**, is **forgetting** the skill of breaking problems down into achievable **crazy** actions that a **monkey** can do for you. Of course, you and the computer will also need to be **eating** a common **pizza**, but we'll get to that topic in just a bit.

crazy_lib.txt

For the output filename, we'll just prepend "crazy_" to the original filename.





Write your pseudocode here. Remember the story is in a file, so you'll need to read it, figure out where the placeholders are, prompt the user for the placeholder replacements, and then write it all out to a new file.

P.S. We know you don't know how to read or write data from files yet, so just focus on the logic of the code, and don't worry about the specifics (which is the point of pseudocode!).

Hey, it's Chapter 9 already, so we have no doubt you can tackle the task of creating a little pseudocode based on the previous two pages. Writing up a little pseudocode now is going to give you a clearer idea of how to approach writing the Crazy Libs game. Don't skip this! But of course you'll find our version at the end of the chapter.

Step 1: Read the text of the story from a file

The first thing you need to do is get your hands on the text file that contains the example story. You'll find this file, `lib.txt`, in the book source files under the `ch9` folder. Take a quick look at it. We also encourage you to create your own story files, but for testing let's use `lib.txt` so we're testing the same thing.

```
The first thing that stands between you
and VERB_ING your first, real, piece of NOUN,
is VERB_ING the skill of breaking
problems down into achievable ADJECTIVE
actions that a NOUN can do for you. Of
course, you and the computer will also
need to be VERB_ING a common NOUN, but
we'll get to that topic in just a bit.
```

lib.txt

Our test story
file, complete with
placeholders

- 1 Read the text for the story from file.
- 2 Process text.
 - A If word is a placeholder (NOUN or VERB or VERB_WITH_ING or ADJECTIVE):
 - 1 Prompt user for placeholder part of speech.
 - 2 Substitute user's word for the placeholder.
 - B Otherwise, the word is fine; keep it in the story.
- 3 Store results.
 - Take the processed text with the placeholders filled, and write it out to a file with the filename prepended by "crazy_".

To read a file in Python, you first have to open it

If we're going to grab the data out of a file, we first need to *open it*. What does opening a file actually do? From your perspective, not much, but behind the scenes, Python has to locate your file, make sure it exists, and ask the operating system for access to the file—after all, you might not have permission to access it.

To open a file you use Python's built-in `open` function, which takes a filename and a *mode* as arguments.

```
We use the Python's open
function to open a file.
↓
my_file = open('lib.txt', 'r')
The open function returns a file
object, which we're assigning to
the variable my_file.
↓
It takes a filename
to be opened...
↓
The filename can be a simple filename
in the same directory as your code, or a
more explicit path to a file. Right now
we're using a simple filename. More on
paths on the next page.
↓
...and a mode.
↓
The mode can either be
'r' for reading or 'w' for
writing to the file.
```

You'll find this is the case with practically every programming language—to read or write to a file, you have to open it first.

We use the terms "folder" and "directory" interchangeably in this chapter, although when we're talking about files and file paths, we tend to use the word "directory."

How to use file paths

When we used the `open` function on the previous page, we specified a filename of `'lib.txt'`, and, because we didn't indicate where the file was located, we were assuming the file was located in the current directory. But what if the file you want to open is located somewhere else? How do you then open it? To do that we add a *path* to our filename, which tells `open` where to look for the file. There are actually two kinds of paths: a *relative path* or an *absolute one*. A relative path is a description of the file's location that is relative to the folder (we usually say directory instead when we talk about paths) you ran your Python code from.

Relative paths

Let's look at relative paths first, which are always specified in relation to your current directory (the directory you ran your program from). Let's say you put the file `lib.txt` in a subfolder (again, we typically say subdirectory) called `libs`; well, you can prepend your filename with the path to the file, like this: `'libs/lib.txt'`. So the `open` function will first go to the `libs` subdirectory before looking for the file `lib.txt`.

You can list as many subdirectories as you need, separating each one with a path separator, otherwise known as the forward slash character, `/`.

Windows users, check out the Watch it! below.



Watch it!


Mac and Windows use different separators.

Mac (and Linux) machines use a forward slash / as a separator, while Windows uses a backslash, \. That said, Python allows you to enter path separators uniformly using a forward slash. So if you have a Windows path of:


`C:\Users\eric\code\hfcode\ch9\lib.txt`

then, instead, use:

`C:/Users/eric/code/hfcode/ch9/lib.txt`



`my_file = open('libs/lib.txt', 'r')`



So, what if you want to open a file in a directory that's in an adjacent folder (like *ch9* and *libs* are adjacent folders), or a directory higher in your filesystem (like *hfcode* is higher than *libs* in the filesystem)? No problem. You can use the .. (two periods) notation to specify a directory one level higher. If you're running your code from the *ch9* directory and you want to get to the *lib.txt* file in the adjacent *libs* directory, then you can use a path of `'../libs/lib.txt'`. So we go up one directory and then down in to the *libs* directory before finding *lib.txt*.

Or, if you're after the *lib.txt* in the directory *oldlibs*, you can use the path `'../../oldlibs/lib.txt'`.

Here we go up two directories, before going down into the *oldlibs* directory and finally, finding the *lib.txt* we're after.

Absolute paths

An absolute path is a path that always starts from the root of your filesystem. Absolute paths tell you exactly where a file is in a filesystem. Now, while that may sound like a more definitive way to identify your files, and it is, often absolute paths are less flexible because if you move all your code and files to another machine, you have to update the absolute paths in your code. That said, you'll find times when using an absolute path is more convenient than a relative path.

Let's say we want to specify an absolute path to the *lib.txt* file. That looks like this on our machine:


```
my_file = open('/usr/eric/code/hfcode/ch9/lib.txt', 'r')
```

On the Mac and Linux systems, start at the root with a forward slash, and then add the rest of the file path separated by forward slashes.


And on a Windows machine, assuming you have your code on the C: drive, your path would look like this:

```
my_file = open('C:/Users/eric/code/hfcode/ch9/lib.txt', 'r')
```

On Windows systems, start with the drive and then a colon and then a forward slash. Then add the rest of the file path separated by forward slashes.




The root of a filesystem is, perhaps counterintuitively, the very top level of your filesystem.





Trace out each path to find the file it identifies. For any relative paths, start in the code directory. We've done one for you already.



Oh, and don't forget to clean up when you're done!

Before we go on, one point of etiquette: if you're going to open a file, when you're done with it, you need to *close* it. Why? Open files take up resources in your machine's operating system, and, especially for long-running programs, leaving files open that you aren't using can lead to code that eventually crashes and burns. So, if you're going to open a file, just make sure you close it too. Here's how:

Here's our `my_file` variable,
which is set to a file object.

`my_file.close()`

Just call the file object's `close`
method to close the file.


Keep this method in mind, as we'll use it in a bit...



Reading a file into your Python code

First of all, what does it mean to read a file into Python? Well, with Python, the contents of the file are taken and placed into a Python string, which you can examine or process as you wish using standard Python string operations.

We couldn't fit the whole thing on the page: but you get the point, this string contains all the text in lib.txt.



Using the file object to read a file

There are actually two ways to read the contents of your file into a string: you can read the entire file all at once, or you can read the file a line at a time. Let's start by reading the entire file all at once; to do that we're going to use the file object's `read` method:

Let's use the `read` method to get the entire contents of the lib file... ...which we'll assign to the string `my_text`.

```
my_file = open('lib.txt', 'r')
my_text = my_file.read()
print(my_text)
my_file.close() ↪ Don't forget to close the file!
```

Then we print the string out, which displays everything in the file to the Python Shell.

Python 3.6.0 Shell

```
The first thing that stands between you and VERB_ING your first, real, piece of NOUN, is VERB_ING the skill of breaking problems down into achievable ADJECTIVE actions that a NOUN can do for you. Of course, you and the computer will also need to be VERB_ING a common NOUN, but we'll get to that topic in just a bit.
>>>
```



Code Magnets

Can you help find the needle in the haystack? We've been given a directory of 1,000 files with the filenames `0.txt` through `999.txt`, and only one has the word `needle` in it. We had the code to find the needle all written on the refrigerator, but then someone came along and messed it all up. Can you help us put it back together? Notice, there may be some extra code magnets, so you may not use all of them. Check your answer at the end of the chapter.

`for i in range(0, 1000):`

`file.close()`

`if 'needle' in text:`

`print('Found needle in file ' + str(i) + '.txt')`

`filename = str(i) + '.txt'`


`for i in range(0, 999):`

`text = file.read()`

`file = open(filename, 'r')`

↑ Rearrange the
magnets here.





I was looking at the code in the previous exercise and something is bothering me. Even when we find a file with the needle string in it, the code continues on, reading every remaining file. I guess that would be good if we wanted to check every file, but we said it was only in one file.

Good catch. You're right; say the file with the needle is `512.txt`. With this code we'd unnecessarily check files `513` through `999` before the code completed. Opening files can be a relatively time-consuming activity, so this isn't an optimal way to do things.

The problem is, if you look at the code again, we're iterating with a `for` loop, so we can't just stop checking files in the middle. Or can we?

This does bring up something we haven't discussed yet, which is a way to break out of an iteration, in the middle, if we decide we don't need to complete it. If we had something like that, we could easily fix this code so that it stopped the search after finding the needle. Of course we do have something: Python and most programming languages have a `break` statement for just this purpose. Let's take a look at how it works...

Oh, give it a break already...

When we use a `for` statement, say a `for` statement that is iterating over a range of numbers, we know that the `for` statement will iterate over every number in the range before it completes. But there are times when in a computation you'll decide partway through that continuing is pointless, and there is no reason to complete the iteration—our needle in a haystack code is a good example, because once we find the needle, there is no reason to continue the `for` loop to open the remaining files.

The `break` statement gives you a way out. With the `break` statement we can push the eject button and stop the `for` loop at any time. Let's have a look:

```
for i in range(0, 1000):
    filename = str(i) + '.txt'
    file = open(filename, 'r')
    text = file.read()
    if 'needle' in text:
        print('Found needle in file ' + str(i) + '.txt')
        break
    file.close()
print('Scan complete')
```

When we hit the break statement we immediately jump out of the for loop.

Here's our code to find the needle again.

So now, when we find the needle, we're going to use the `break` statement and bypass the rest of the code block as well as breaking out of the loop altogether.



Uh oh. By adding the `break` statement to the code above we actually introduced a small bug. Can you find it? Can you determine what it is? How would you fix it?

Hint: is every file still being closed?

Hey, we've got a Crazy Lib game to finish!

Short excursions are great for learning new things about coding, but we've got a game to finish here. When we last left off, we were reading the entire contents of a file at once, which is certainly easy, but it has a drawback: for large files it can consume significant resources. Think about processing a file with, say, hundreds of thousands of lines—you probably don't want to read all that into memory at once, or the result could be out-of-memory errors for your program or even your operating system.

A more common approach is to read the contents *one line at a time*. But what is a line? Exactly what you'd think: it is all the text on each line, up until you encounter a new line. In fact, if we could open our *lib.txt* file in a special editor that showed us all the characters in the file, we'd see something like this:

```
The first thing that stands between you\n
and VERB your first, real, piece of NOUN, \n
is VERB_WITH_ING the skill of breaking\n
problems down into achievable ADJECTIVE\n
actions that a NOUN can do for you. Of\n
course, you and the computer will also\n
need to be VERB_WITH_ING a common NOUN, but\n
we'll get to that topic in just a bit.
```

lib.txt

Each line ends with
an actual new line
character, otherwise
known as a newline,
which is represented by
the escape character
sequence '\n'.

You never see newlines
in editors because
rather than show them,
editors just treat
them as a directive to
display the next bit of
text on the next line.

Using the readline method of the file object

To read one line from a file, we use the `readline` method of the file object. Let's try reading the *lib.txt* file again using `readline`:

```
my_file = open('lib.txt', 'r')
line1 = my_file.readline()
print(line1)
line2 = my_file.readline()
print(line2)
```



The file object tracks its position as it reads the file. So each time you call the `readline` method, it picks up where it last left off.

This time we're using the `readline` method and reading the first two lines into the variables `line1` and `line2`, respectively.

Python 3.6.0 Shell

```
The first thing that stands between you
and VERB_ING your first, real, piece of NOUN,
```



Why do you think the output from the code on the previous page has an extra newline between the two lines "The first thing that stands between you" and "and VERB your first, real, piece of NOUN,"?

Do you see the extra newline?

Python 3.6.0 Shell

```
The first thing that stands between you
and VERB_ING your first, real, piece of NOUN,
```



Back up the bus.
A page back you used the term
"escape sequence." Excuse me?
You didn't really define it.

Fancy name, simple concept.

When you want to create a string with a newline in it, there's no way to directly type in that newline character. Think about it: when you're typing in a string, you type a quote and then some text and if you typed a newline by hitting the Return key, the editor would just go to the next line. So, instead we use a sequence of characters that represents a newline character, and those characters happen to be \n. So when you see the characters \n don't think of them as two characters, a backslash and the letter n, but rather as a way to represent a newline character. So, for example, if you want to print some text followed by five new lines, you'd do this:

```
print('Get ready for new lines:\n\n\n\n\n')
```

Newlines, of course, aren't the only escape sequence. There's \t for tabs, \b for backspace, and \v for a vertical tab.

You might also hear some coders refer to '\n' as a line feed.

Python 3.6.0 Shell

```
Get ready for new lines:
```

```
>>>
```

Here we have the text "Get ready for new lines:" followed by how many new lines? Five? Nope! Six! We get five from the string, but, as it turns out, the print function adds a newline to its output by default.

This explains the answer to the Brain Power above.

How do we know when we've read the last line?

Think of `readline` as keeping a pointer to the position it last read. Each time you read another line, `readline` picks up where it last left off, and then reads the next line. When there are no more lines to read, `readline` then returns the empty string. Here's how you can use that to read all the lines in a file a line at a time:

```
my_file = open('lib.txt', 'r')
while True:
    line = my_file.readline()
    if line != '':
        print(line)
    else:
        break
my_file.close()
```

When we use a while True, that means we're iterating FOREVER.

Note a blank line would have a newline character in it, while the end of file sets line to an empty string.

Each time we loop we read the next line, and if it isn't the end of the file (signified by an empty string), then we print it.

If it is the end of the file, well, then we use our handy `break` statement to break out of the `while` loop. Thank goodness—forever is a long time.

Ah, but there's an easier way using the power of Python sequences

We're glad you've adapted so quickly to using the `break` statement, but in this case there's a nicer and cleaner way to iterate over the lines in a file. Remember how we've used the `for` statement to iterate over sequences? We've used it to iterate over the items in a list, and we've used it to iterate over the items in a string. Well, isn't a file just a sequence of lines? Ah, so can we use `for` to iterate over the lines of a file as well? You bet. Let's rewrite the code above using `for`:

```
my_file = open('lib.txt', 'r')
for line in my_file:
    print(line)
my_file.close()
```

Wow, not only shorter, but much more readable!



Serious Coding

Anytime you're using `for` with the `in` keyword, whether it's on a list or a string or a file or a dictionary, we're using a concept called an *iterator*.

With an iterator we assume the data type we're iterating over gives us a standard way to iterate through its sequence of values. We don't worry about how—the `for` loop does that—we just know we can step through each value until we're out of values.

You'll find iterators in many modern languages—they're based on a high-level software design practice called *Design Patterns*.

Reading in a Crazy Lib template

You now know just about everything there is to know about opening and reading a text file, line by line. Let's put that knowledge to use to write the first part of our Crazy Lib code. Let's start by defining a function, `make_crazy_lib`, that is going to take a filename and return the text of the Crazy Lib in a string, complete with the user's word choices already substituted.

We're also going to create a helper function, `process_line`, which is going to process each line for any placeholders. The `process_line` function will also be responsible for getting each replacement word from the user, and substituting it into the text.

A helper function is just a common name for a function that takes on a subtask for another function. In this case our `make_crazy_lib` function is going to rely on `process_line` to look at a single line and process it for placeholders.

Here's our function; it takes a filename and then opens it for reading.

```
def make_crazy_lib(filename):
    file = open(filename, 'r')
```

```
    text = ''
```

```
    for line in file:
        text = text + process_line(line)
```

```
    file.close() ← After we've gone through each line
    return text      of the file, we just need to close
                    the file and return the text.
```

```
def process_line(line):
    return line
```

```
def main():
    lib = make_crazy_lib('lib.txt')
    print(lib)
```

```
if __name__ == '__main__':
    main()
```

We're going to use a variable, `text`, to build up the text as we process it.

For each line in the file we're going to process it with the `process_line` function, and then add it to the text we're building up.

For testing, let's have `process_line` return the text we pass it. That way we can test that all the file reading and string concatenation is working correctly in `make_crazy_lib`.

And of course we need to call the `make_crazy_lib` function. Let's add the `main` function to do that.

Make sure the file "lib.txt" is in the same directory as your code.



A Test Drive

Get the code above into a file called `crazy.py`, save your code and choose the **Run > Run Module** menu item. Double-check your output.

Once again you should just see the entire file, complete with placeholders. Remember, all we did was process the entire file, line by line, putting everything back together into the variable, `text`, but without any real processing.

Python 3.6.0 Shell

```
The first thing that stands between you
and VERB_ING your first, real, piece of NOUN,
is VERB_ING the skill of breaking
problems down into achievable ADJECTIVE
actions that a NOUN can do for you. Of
course, you and the computer will also
need to be VERB_ING a common NOUN, but
we'll get to that topic in just a bit.
>>>
```

Processing the template text

So, moving on in our pseudocode, we now need to process the text, which means we need to get the `process_line` function actually doing something. For starters, in step 2A, we need to iterate through each word in each line. Luckily we learned how to do that back in Chapter 6, when implementing the readability app. Let's give the same technique a try; here's a first cut at the structure of the `process_line` function:

```
def process_line(line):
    processed_line = ''
    words = line.split()
    for word in words:
        return processed_line
```

Okay, the processed line takes a line of the text.

And we'll probably need another string to hold the processed version of the line.

Let's split the line into a list of words...
...and then iterate over the list.

All our processing code is going to go here.

And when we're all done, we'll return the processed line.

Now let's process the text

Okay, that's some good skeleton code, but now what? Following on with our pseudocode, now we need to check for our placeholders, and if we have one prompt the user for a replacement word.

```
placeholders = ['NOUN', 'ADJECTIVE', 'VERB_ING', 'VERB']

def process_line(line):
    global placeholders
    processed_line = ''

    words = line.split()

    for word in words:
        if word in placeholders:
            answer = input('Enter a ' + word + ":")
            processed_line = processed_line + answer + ' '
        else:
            processed_line = processed_line + word + ' '

    return processed_line + '\n'
```

Then we can check each word to see if it is a placeholder.

We also need to put a newline back on the line because `split` removes them.

- 1 Read the text for the story from file.
- 2 Process text.
 - A If word is a placeholder (NOUN or VERB or VERB_WITH_ING or ADJECTIVE):
 - 1 Prompt user for placeholder part of speech.
 - 2 Substitute user's word for the placeholder.
 - B Otherwise, the word is fine; keep it in the story.
- 3 Store results.
 - Take the processed text with the placeholders filled, and write it out to a file with the filename prepended by "crazy_".



A Test Drive

It's time to test Crazy Libs. Other than writing the text back to a file, we should almost have everything working. Get the changes to the code in *crazy.py* and choose the **Run > Run Module** menu item. We've reproduced all the code below. Double-check your output.

```
def make_crazy_lib(filename):
    file = open(filename, 'r')

    text = ''

    for line in file:
        text = text + process_line(line) + '\n'

    file.close()

    return text

placeholders = ['NOUN', 'ADJECTIVE', 'VERB_ING', 'VERB']

def process_line(line):
    global placeholders
    processed_line = ''

    words = line.split()

    for word in words:
        if word in placeholders:
            answer = input('Enter a ' + word + ":")
            processed_line = processed_line + answer + ' '
        else:
            processed_line = processed_line + word + ' '

    return processed_line + '\n'

def main():
    lib = make_crazy_lib('lib.txt')
    print(lib)

if __name__ == '__main__':
    main()
```

Here's what we got.
Hmm, the code seems to
be skipping some of our
placeholders.

We have a problem!

It's worth one more look at the structure of this code. The for loop is stepping through every word in a single line. And for each word we see if the word is a placeholder, and if so, ask the user for a word to substitute in the processed line.



Python 3.6.0 Shell

```
Enter a VERB_ING:buying
Enter a VERB_ING:pudding
Enter a ADJECTIVE:forgetting
Enter a NOUN:monkey
Enter a VERB_ING:eating
```

The first thing that stands between you and buying your first, real, piece of NOUN, is pudding the skill of breaking problems down into achievable forgetting actions that a monkey can do for you. Of course, you and the computer will also need to be eating a common NOUN, but we'll get to that topic in just a bit.

>>>



Why is the code mysteriously skipping some of the nouns? Is it something to do with the nouns or something more systemic? Take a look at the input and output (and of course the code) and see if you can figure out the problem. Write your observations here.

We have three noun placeholders, but we're only being asked for one.

Is there anything different about the noun placeholders?

Or is something wrong in the code?

Python 3.6.0 Shell

```
Enter a VERB_ING:buying
Enter a VERB_ING:pudding
Enter a ADJECTIVE:forgetting
Enter a NOUN:monkey
Enter a VERB_ING:eating
The first thing that stands between you
and buying your first, real, piece of NOUN,
is pudding the skill of breaking
problems down into achievable forgetting
actions that a monkey can do for you. Of
course, you and the computer will also
need to be eating a common NOUN, but
we'll get to that topic in just a bit.
>>>
```

Using a new string method to fix the bug

We're going to solve this problem a bit differently than we did in Chapter 6 by making use of a string method: `strip`. The `strip` method returns a new string that has characters stripped off the beginning and ending of the string. Let's see how the `strip` method works:

```
hello = '!?are you there?!!'
goodbye = '?fine be that !way!?!'
hello = hello.strip('!?')
goodbye = goodbye.strip('!?')
```

```
print(hello)
print(goodbye)
```

All occurrences of ! and ? are stripped from the beginning and ending of the strings hello and goodbye.

Let's create a couple strings.

The `strip` method takes a string of characters, and removes any occurrence of each character from the beginning and ending of the string.

```
Python 3.6.0 Shell
are you there
fine be that !way
```

Note that `goodbye` still has a ! character in it because it wasn't at the end of the string, so it wasn't stripped.



```
def process_line(line):
    global placeholders
    processed_line = ''
    words = line.split()
    for word in words:
        if word in placeholders:
            answer = input('Enter a ' + word + ":")
            processed_line = processed_line + answer + ' '
        else:
            processed_line = processed_line + word + ' '
    return processed_line + '\n'
```

Using the `strip` method, spend some time reworking the `process_line` function to correctly handle placeholders that end in punctuation (commas, periods, semicolons, question marks, and so on). You not only need to recognize placeholders correctly, but you also need to preserve the punctuation in the output. Give your brain a real chance to work on this, and then we'll solve it together. No peeking ahead!

Here's the code we need to improve.

Actually fixing the bug

Fixing this bug requires a few tweaks to our code. This is a great example of how a small change to the functionality of your code, whether that is fixing a bug or adding a new feature, can introduce a lot of changes to your code. We would have been more effective if we'd caught this issue when we were writing our pseudocode.

In terms of tweaks, we're going to strip each word of all punctuation, and then compare the stripped version of the word against the placeholder. We also have to be careful to add any punctuation back on to the user's chosen word when we're done. Here's how you do that:

You'll find anytime you are making lots of changes to existing code, you're introducing the possibility of even more bugs.

```
def process_line(line):
    global placeholders
    processed_line = ''
    words = line.split()
    for word in words:
        stripped = word.strip('.;?!')
        if stripped in placeholders:
            answer = input('Enter a ' + stripped + ":")
            processed_line = processed_line + answer
            if word[-1] in '.;?!':
                processed_line = processed_line + word[-1] + ' '
            else:
                processed_line = processed_line + ' '
        else:
            processed_line = processed_line + word + ' '
    return processed_line + '\n'
```

First let's strip the word of all periods, commas, semicolons, and so on.

We'll test the stripped version against the placeholders.

We want to display the stripped placeholder text, not the one with punctuation.

If there was punctuation, add it back, and then add the space. Otherwise, just add the space.



To test your own story, just call `make_crazy_lib` and pass it the name of your story's file.

Finally, this is what we're looking for! We hope you tried your own set of verbs, nouns, and adjectives.

Try your own story now and see how it works as well.

Python 3.6.0 Shell

```
Enter a VERB_ING:buying
Enter a NOUN:pudding
Enter a VERB_ING:forgetting
Enter a ADJECTIVE:crazy
Enter a NOUN:monkey
Enter a VERB_ING:eating
Enter a NOUN:pizza
The first thing that stands between you
and buying your first, real, piece of pudding,
is forgetting the skill of breaking
problems down into achievable crazy
actions that a monkey can do for you. Of
course, you and the computer will also
need to be eating a common pizza, but
we'll get to that topic in just a bit.
>>>
```

Some code has real problems

Give this a try: open your `crazy.py` file and change the filename from '`lib.txt`' to '`lib2.txt`', and then execute your code.

If you try to open a file for reading and it doesn't exist, you'll get a `FileNotFoundException` exception.

Python 3.6.0 Shell

```
Traceback (most recent call last):
  File "crazy.py", line 45, in <module>
    main()
  File "crazy.py", line 41, in main
    crazy_lib = make_crazy_lib(filename)
  File "crazy.py", line 2, in make_crazy_lib
    file = open(filename, 'r')
FileNotFoundError: [Errno 2] No such file or directory: 'lib2.txt'
>>>
```



Did our last bug fixes *really* take care of all issues we might encounter with punctuation? Or can you think of other ways the code still is a bit buggy?

Hint: One issue—would VERBii be handled correctly in the output, or would only one ! be added? How would you fix that?



Let's take a moment for a little exercise that is going to show you some of the problems the Python interpreter has to deal with on a daily basis. Then we'll see what we can do about them with code. Your job is to act like you're the Python interpreter. You need to parse each piece of code and execute it. Write any output or errors in the Python Shell window.

Be the Python Interpreter

↑ Actually executing the code might help too. A lot.

```
list = [1, 2, 3, 4]
item = list[5]
```

Python 3.6.0 Shell

Write your results here.

```
filename = 'document' + 1 + '.txt'
```

Python 3.6.0 Shell

```
msg = 'hello'

def hi():
    print(msg)
    msg = 'hi'

    hi()
```

Python 3.6.0 Shell

```
firstname = 'Beethoven'
print('First name: ' + name)
```

Python 3.6.0 Shell

Handling exceptions

We've discussed errors before: they can be syntax errors (essentially, typos in your code), semantic errors (logic problems with your code), or runtime errors (things that go wrong during the execution of your code). For runtime errors, so far we've just let them fall on the floor with the Python interpreter spitting out an error and your program coming to a grinding halt. But it doesn't have to end this way, especially when a runtime error occurs naturally in the course of running your code—say that file you're trying to open for reading just isn't there anymore. We'll see how we can handle that in a sec.

Let's talk a little more about what a runtime error, or *exception*, actually is. An exception is an event that occurs during the execution of your code when the Python interpreter encounters something it can't handle. When that happens, the interpreter stops the execution of your code and creates an exception object that has information about the error that occurred. By default this information is then displayed in the form of a traceback error message, which you're already familiar with from the Python Shell.

As we said, there is a way to deal with these errors when they arise without having the interpreter just give up; in fact, in your code you can tell the interpreter you'd like to take over when certain exceptions occur, and handle them your own way. To do this wrap any code at risk in a `try/except` block, like this:

```

    ↗ Start with a try keyword...
    ↗ ...then the block of code
      where the error could
      occur...
try:
    filename = 'notthere.txt'
    file = open(filename, 'r')
except:
    print('Sorry, an error occurred opening', filename)
else:
    print('Glad we got that file open')
    file.close()

    ↗ You can also add an optional finally
      block that runs whether an exception
      occurs or not. More on that in a sec.

    ↗ ...then the except keyword.
    ↗ Next, add a block
      of code to execute
      if an exception
      occurs.

    ↗ And then add an
      optional else block,
      with code that will
      execute only if no
      exceptions occurred.

```



Explicitly handling exceptions

When we use the `except` keyword followed by a code block, you get a exception catch-all—that is, the `except` code block will catch any exception that occurs in the `try` block. You can be more precise by giving a specific exception name, like this:

```
try:                                ← Here's our try
    filename = 'notthere.txt'          block again.
    file = open(filename, 'r')         ← This time we've added a specific
except FileNotFoundError:             exception to the except statement.
    print('Sorry,', filename, 'could not be found.')
except IsADirectoryError:           ← So this block will
    print("That's a directory not a file!") execute only if a
else:                                ← We can add more exceptions too;
    print("It's a good thing we could open that file.") this one executes only if you try to
file.close()                         ← As before, if all is good, this
finally:                            block will execute.
    print("I'm running no matter what happens")           ← Here's where you can add a
                                            finally block; this block will
                                            execute whether there is
                                            an exception or not!
                                            ↑ there are no
                                            Dumb Questions
```

Q: Is there a limit on the number of open files I can have?

A: Python does not place a limit on the number of open files, but your operating system does—that's another reason you should close files as you finish with them. It is often possible to increase this limit, although you'll need to reconfigure your operating system's process limits to do so (and you should ask yourself if you *really* need to).

Q: Is there a list of all the exceptions I can get?

A: Of course. As always, check out python.org. Or, more specifically, <https://docs.python.org/3/library/exceptions.html>.

Q: Is it possible to create your own exception types?

A: Yes. Exceptions are just objects, so you can extend Python by creating your own, new exception objects. That's a little beyond the scope of this chapter, but you'll find plenty on this online and at python.org. You'll want to read Chapter 11 too.

Q: Can I catch multiple exceptions using a single block? How do I do that?

A: After your `except` keyword, you can have one or more exceptions separated by commas within parentheses, like:

```
except (FileNotFoundException, IOError):
```

As you already know, you can also omit the exception name and your `except` clause will catch any exception that occurs.



Trace through the code below three times. The first time enter any number except 0. The next time, enter 0. The last time, enter the string "zero". Write in the output you expect.

```
try:  
    num = input('Got a number? ')  
    result = 42 / int(num)  
except ZeroDivisionError:  
    print("You can't divide by zero!")  
except ValueError:  
    print("Excuse me, we asked for a number.")  
else:  
    print('Your answer is', result)  
finally:  
    print('Thanks for stopping by.')
```

Input a number other than 0

Python 3.6.0 Shell

Input the string "zero"

Python 3.6.0 Shell

Input 0

Python 3.6.0 Shell

Updating Crazy Libs to handle exceptions

With your new knowledge of exceptions, let's update the code that opens a file to handle some file exceptions:

```
def make_crazy_lib(filename):
    try:
        file = open(filename, 'r')
        text = ''

        for line in file:
            text = text + process_line(line)
        file.close()

    return text

except FileNotFoundError:
    print("Sorry, couldn't find", filename + '.')
except IsADirectoryError:
    print("Sorry", filename, 'is a directory.')
except:
    print("Sorry, could not read", filename)
```

← Most of this code is making use of a file, so let's put it all in a try block.

Let's see if we have a file not found error or if the user tried to open a directory (assuming they changed the filename in the code).

And then let's catch any other exceptions that happen when processing the file.

Notice we don't have an else or finally clause.

That takes care of the make_crazy_lib function, but there's something important to notice in this code: what gets returned from the function if we get an exception? Because we are not explicitly returning anything, the value None will get returned. Keep this in mind, because *you're going to need to remember this* when we write the code to save the Crazy Libs.

← We told you we'd be bumping into the None value now and then.



A Test Drive

Your errors here may differ depending on your operating system.

Get the code above into the file *crazy.py* and save your code. Give it a run and double-check your output. Change the template filename to a file that doesn't exist or a directory name and see how it works.

You should see the same output as before. →
Feel free to change the filename in *crazy.py* to test out the exceptions.

```
Python 3.6.0 Shell
Enter a VERB_ING:buying
Enter a NOUN:pudding
Enter a VERB_ING:forgetting
Enter a ADJECTIVE:crazy
Enter a NOUN:monkey
Enter a VERB_ING:eating
Enter a NOUN:pizza
The first thing that stands between you
and buying your first, real, piece of pudding,
is forgetting the skill of breaking
problems down into achievable crazy
actions that a monkey can do for you. Of
course, you and the computer will also
need to be eating a common pizza, but
we'll get to that topic in just a bit.
>>>
```

Our last step: storing the Crazy Lib

Saving your Crazy Lib or any text to a file is straightforward with the file object's `write` method. To use it we need to first open a file in *write mode*. Let's write a function `save_crazy_lib`, which takes a filename and a string as parameters. When called, `save_crazy_lib` will create the file, save the string to it, and then close the file. Check out this code:

Our save function expects a filename and some text in the form of a string.

```
def save_crazy_lib(filename, text):
    file = open(filename, "w")
    file.write(text)
    file.close()
```

Finally, we close the file.

With a lot of programming languages, if you don't close a file you've written to, then you can't guarantee that the data will be fully written to the file.

First we open the file in 'w' mode so we can write to it. Python will create this file if it doesn't already exist.

Then we use the file object `write` method, and pass it the text string to save to the file.



Be careful opening files in 'w' mode.

Watch it!

When you open an existing file using 'w' mode, its contents will be erased and replaced by whatever you write to the file. So be careful!

Updating the rest of the code

Now that we have `save_crazy_lib` written, we need to call it from the main function, and to do that we need to check to make sure `make_crazy_lib` returned a Crazy Lib—remember, if it encounters a file exception it will return `None`.

```
def main():
    filename = 'lib.txt'
    lib = make_crazy_lib(filename)
    print(lib)
    if (lib != None):
        save_crazy_lib('crazy_' + filename, lib)
```

The filename we're going to save the lib under is going to be "crazy_" prepended to the original filename.

If an exception occurs when opening or reading the file, then `lib` will have the value `None`. So, we need to test `lib` to see if it has a value before passing it to `save_crazy_lib`.



A Test Drive

It's time to get a little crazy with Crazy Libs, because we're all done; we just need to get these last changes into the *crazy.py* file. We've reproduced the entire game on this page, and we've even added in some exception code for you as well. Go ahead and update your code and give Crazy Libs a try.

We went ahead and added the exception code to the *save_crazy_lib* for you. Check it out.



```

def make_crazy_lib(filename):
    try:
        file = open(filename, 'r')
        text = ''
        for line in file:
            text = text + process_line(line)
        file.close()
    return text

    except FileNotFoundError:
        print("Sorry, couldn't find", filename + '.')
    except IsADirectoryError:
        print("Sorry", filename, 'is a directory.')
    except:
        print("Sorry, could not read", filename)

placeholders = ['NOUN', 'ADJECTIVE', 'VERB_ING', 'VERB']

def process_line(line):
    global placeholders
    processed_line = ''

    words = line.split()


    for word in words:
        stripped = word.strip('.;?!')
        if stripped in placeholders:
            answer = input('Enter a ' + stripped + ":")
            processed_line = processed_line + answer
            if word[-1] in '.;?!':
                processed_line = processed_line + word[-1] +
            else:
                processed_line = processed_line + ' '
        else:
            processed_line = processed_line + word + ' '
    return processed_line + '\n'

def save_crazy_lib(filename, text):
    try:
        file = open(filename, 'w')
        file.write(text)
        file.close()
    except:
        print("Sorry, couldn't write file.", filename)

def main():
    filename = 'lib.txt'
    lib = make_crazy_lib(filename)
    print(lib)
    if (lib != None):
        save_crazy_lib('crazy_' + filename, lib)

if __name__ == '__main__':
    main()

```



Ah, yes, that would polish this off nicely.

We haven't used Python on the command line, but if you open your command line and change your directory to the location of your *crazy.py* file, then you can run your code like this on the Mac:

```
python3 crazy.py
```

and like this on your Windows machine:

```
python crazy.py
```

Let's add a command-line argument to specify the Crazy Libs template, like this:

```
python3 crazy.py lib.txt
```

Run the program *crazy.py* and use the *lib.txt* template.

To get the *lib.txt* argument from the command line, we'll use Python's `sys` module that includes an attribute called `argv`. The `argv` attribute is a list that holds the terms you typed into the command line (excluding the Python command). For instance, if you type:

```
python3 crazy.py lib.txt
```

then item 0 of `argv` will hold *crazy.py* and item 1 will hold *lib.txt*. Let's see if we can use this, and polish off our Crazy Lib game.



Let's add that final piece of polish and allow your user to specify a filename on the command line. You'll do that with two simple additions; go ahead and work through the two additions and then give your code another, final, test drive.

- 1 First import the `sys` module by adding an `import sys` to the top of your `crazy.py` file.

```
import sys
```

Add this to the top
of your file.

- 2 Then let's make a few changes to the main function in `crazy.py`.

```
def main():
    if len(sys.argv) != 2:
        print("crazy.py <filename>")
    else:
        filename = sys.argv[1]
        lib = make_crazy_lib(filename)
        if (lib != None):
            save_crazy_lib('crazy_' + filename, lib)
```

We want there to be two arguments or the user hasn't provided a filename. So let them know if there aren't two arguments.

Otherwise, the filename is the command-line argument at item index 1.

This time we'll need to run our Python from the command line. If you're using a Mac, it's called the Terminal, which you can find in the Applications > Utilities folder.

If you're on a PC, it's called the command prompt, which you can find by clicking the Start button, typing "cmd", and then choosing Command Prompt.

Terminal

```
$ cd /Users/eric/code/ch9
$ python3 crazy.py lib.txt
Enter a VERB_ING:running
Enter a NOUN:hotdog
Enter a VERB_ING:eating
Enter a ADJECTIVE:spicy
Enter a NOUN:taco
Enter a VERB_ING:breaking
Enter a NOUN:glass
$ cat lib.txt
The first thing that stands between you
and running your first, real, piece of hotdog,
is eating the skill of breaking
problems down into achievable spicy
actions that a taco can do for you. Of
course, you and the computer will also
need to be breaking a common glass, but
we'll get to that topic in just a bit.
$
```

You'll need to navigate to the correct directory that contains your `crazy.py` file using your operating system's `cd` (short for change directory) command.

Here's our command line on a Mac.

Remember to use the "python" command on a Windows machine.

Here's what's in the file `crazy_lib.txt`.

On Windows you'll need to run `python`, not `python3`.




BULLET POINTS

- You have to open a file to access it from Python.
- To open a file use Python's **open** function.
- When you open a file you supply a mode: '**r**' for reading or '**w**' for writing.
- The **open** function can take either a relative path or an absolute one.
- Call the file object's **close** method when you are done reading it or writing to it.
- The **open** function supports several forms of reading standard text files.
- Use the **read** method to read the entire contents of the file at once.
- Reading an entire file may be resource intensive for large files.
- Use the **readline** method to read a single line at a time.
- The empty string signifies when **readline** has read the last line.
- Or you can treat the file as a sequence and use it in a **for** statement, as in **for line in file:**
- An iterator lets us iterate over a sequence with the **for/in** statement.
- The **break** statement prematurely stops the execution of a **for** or **while** loop.
- Most text files have a newline character between lines of text.
- The escape sequence **\n** represents a newline character.
- The **strip** method removes zero or more occurrences of the specified characters from the beginning and end of a string. If no character is specified, **strip** defaults to removing whitespace.
- Use **try/except** to capture exceptions. Place the code that may generate an error in the **try** block and then one or more **except** statements to catch the exceptions.
- An **except** without an explicit exception acts as a catch-all.
- The **finally** statement is always executed, whether or not an exception occurs.
- The **sys** module has an attribute **argv** that contains your program's command-line arguments.
- The **argv** attribute holds a list that contains each word used on the command line.



Coding cross

Let files sink into your brain as you do the crossword.



Across

3. Gets you the entire file.
4. Use try/except to catch these.
9. Windows and Mac disagree.
10. If your path isn't relative it must be.
11. A huge file might lead to these errors.
12. End of file when you hit this.
13. Holds your command line arguments.
14. Another name for \n.
15. How to access a file.
17. Our new game.
18. You can 'r' or 'w'.
19. Cleans up the ends of strings.

Down

1. Type of argv
2. An except without an explicit exception.
5. What's \n?
6. Always do this when you're done.
7. A design pattern.
8. Just need one line?
9. Module with argv.
13. When a finally statement is executed.
16. When you're done.



Sharpen your pencil Solution


Hey, it's Chapter 9 already, so we have no doubt you can tackle the task of creating a little pseudocode based on the previous two pages. Writing up a little pseudocode now is going to give you a clearer idea of how to approach writing the Crazy Libs game.

Here's what we came up with; depending on the level of detail you went into, your pseudocode may differ, but just make sure we're aligned on the general logic before moving on.

- 1 Read the text for the story from file.
 - Somehow we're going to read the contents of the story into Python.
- 2 Process text.
 - Then we're going to start processing the text by examining each word.
 - If we find a word that is a placeholder, we need to ask the user for a word to replace it with.
 - And then we need to substitute that word for the placeholder in the story text.
 - And if the word isn't a placeholder, then we just keep the original word.
- 3 Store results.
 - Finally, when we're done processing every word, we write all the text of the story into a new file.

Sharpen your pencil Solution

Draw a line from each file path to the file it identifies. For any relative paths, all code is run from the code directory.





Code Magnets Solution

Can you help find the needle in the haystack? You've been given a directory of 1,000 files with the filenames `0.txt` through `999.txt`, and only one has the word *needle* in it. Can you find the needle? We had the code all written and on the refrigerator, but then someone came along and messed it all up. Can you help us put it back together? Notice, there may be some extra code magnets, so you may not use all of them.

Rearrange the
magnets here. ↴

```
for i in range(0, 1000):
```

Iterate over all 1,000 files, constructing a filename for each one of `0.txt`, `1.txt`, `2.txt`...

```
filename = str(i) + '.txt'
```

```
file = open(filename, 'r')
```

Open the file for reading.

```
text = file.read()
```

Read in the entire file, which returns a string, assigned to `text`.

```
if 'needle' in text:
```

Check to see if the needle in the string, and...

```
print('Found needle in file ' + str(i) + '.txt')
```

```
file.close()
```

And don't forget to close each file.

...if found, print out the filename.



Give it a try; look at the `needle` directory in the `ch9` source code directory for the files `0.txt` through `999.txt`. Which file has the needle?



Sharpen your pencil Solution

It looks like we're skipping the first noun, and the last.

The first thing that stands between you and **VERB_ING** your first, real, piece of **NOUN**, is **VERB_ING** the skill of breaking problems down into achievable **ADJECTIVE** actions that a **NOUN** can do for you. Of course, you and the computer will also need to be **VERB_ING** a common **NOUN**, but we'll get to that topic in just a bit.

If we look at the skipped noun placeholders in the input (or output) file, we can see what is different is that they have punctuation at the end of them.

Why is the code mysteriously skipping some of the nouns? Is it something to do with the nouns or something more systemic? Take a look at the input and output (and of course the code) and see if you can figure out the problem.

Python 3.6.0 Shell

```
Enter a VERB_ING:buying
Enter a VERB_ING:pudding
Enter a ADJECTIVE:forgetting
Enter a NOUN:monkey
Enter a VERB_ING:eating
The first thing that stands between you
and buying your first, real, piece of NOUN,
is pudding the skill of breaking
problems down into achievable forgetting
actions that a monkey can do for you. Of
course, you and the computer will also
need to be eating a common NOUN, but
we'll get to that topic in just a bit.
>>>
```

Argh! It's the same old bug we saw in Chapter 6 with the text analysis. We need to account for the comma (and we'll assume period as well) when comparing text against these placeholders.



Let's take a moment for a little exercise that is going to show you some of the problems the Python interpreter has to deal with on a daily basis. Then we'll see what we can do about them with code. Your job is to act like you're the Python interpreter. You need to parse each piece of code and execute it. Write any output or errors in the Python Shell window.

Be the Python Interpreter Solution

```
list = [1, 2, 3, 4]
item = list[5]
```

```
Python 3.6.0 Shell
Traceback (most recent call last):
  File "/Users/eric/code/ch8/errors/list.py", line 2, in <module>
    item = list[5]
IndexError: list index out of range
>>>
```

```
filename = 'document' + 1 + '.txt'
```

```
Python 3.6.0 Shell
Traceback (most recent call last):
  File "/Users/eric/code/ch8/errors/filename.py", line 1, in <module>
    filename = "document" + 1 + ".txt"
TypeError: must be str, not int
>>>
```

```
msg = 'hello'

def hi():
    print(msg)
    msg = 'hi'

    hi()
```

```
Python 3.6.0 Shell
Traceback (most recent call last):
  File "/Users/eric/code/ch8/errors/ints.py", line 3, in <module>
    int('E')
ValueError: invalid literal for int() with base 10: 'E'
>>>
```

```
Python 3.6.0 Shell
Traceback (most recent call last):
  File "/Users/eric/code/ch8/errors/function.py", line 7, in <module>
    hi()
  File "/Users/eric/Documents/code/ch8/errors/function.py", line 4, in hi
    print(msg)
UnboundLocalError: local variable 'msg' referenced before assignment
>>>
```

```
firstname = 'Beethoven'
print('First name: ' + name)
```

```
Python 3.6.0 Shell
Traceback (most recent call last):
  File "/Users/eric/code/ch8/errors/print.py", line 2, in <module>
    print('First name: ' + name)
NameError: name 'name' is not defined
>>>
```



Trace through the code below three times. The first time, enter any number except 0. The next time, enter 0. The last time, enter the string "zero". Write in the output you expect.

```
try:  
    num = input('Got a number? ')  
    result = 42 / int(num)  
except ZeroDivisionError:  
    print("You can't divide by zero!")  
except ValueError:  
    print("Excuse me, we asked for a number.")  
else:  
    print('Your answer is', result)  
finally:  
    print('Thanks for stopping by.')
```

Input a number other than 0

```
Python 3.6.0 Shell  
Got a number? 2  
Your answer is 21.0  
Thanks for stopping by.  
>>>
```

Input the string "zero"


```
Python 3.6.0 Shell  
Got a number? zero  
Excuse me, we asked for a number.  
Thanks for stopping by.  
>>>
```

Input 0

```
Python 3.6.0 Shell  
Got a number? 0  
You can't divide by zero!  
Thanks for stopping by.  
>>>
```



File i/o cross Solution



10 using web apis

You Really Should Get Out More



You've been writing some great code, but you really need to get out more. There's a whole world of **data** just waiting for you on the web: Need weather data? Or how about access to a huge database of recipes? Or are sports scores more your thing? Maybe a music database of artists, albums, and songs? They're all out there for the taking from **Web APIs**. To use them all you need is to learn a bit more about how the web works, how to speak the local web lingo, and how to use a couple of new Python modules: `requests` and `json`. In this chapter we're going to explore Web APIs and take your Python skills to new heights; in fact, we're going to take them all the way to outer space and back.

You think we're kidding!

Extending your reach with Web APIs

You've seen a recurring pattern in this book: first you took your code and abstracted it away into functions. Once you did that, you could make use of the functionality in a function without having to worry about all the details of how the function does what it does. This allowed you to elevate your thinking above the level of simple statements.

Next you packaged things up into modules that contained a whole set of functions and values. Remember the code you handed to Cory? He was able to quickly look at your documentation, see what functions were available, and make use of them. *That's an API*. Think of an API, otherwise known as an *application programming interface*, as a set of documented functions that anyone can use in their code.

You've also seen there are modules created by other developers, which you can think of as APIs, available to you in Python. These modules—modules for math and random numbers and graphics and turtles and a lot more—really allow you to expand the capabilities of your own code.

And now we're going to take abstraction one step further by considering code on the internet that you can use to extend the capabilities of your code. Only this code isn't necessarily written in Python, it's code that runs on the web and it's accessible through a Web API.

You might be asking, though, what kind of API would we find on the web? How about an API that computes and returns weather current conditions, or information about songs and music artists? Or how about an API that gives you the actual location of objects in outer space?

Though are all actual Web APIs and they're just a few examples from a vast catalog of information available *to your code* over the internet.

We've seen another example of abstraction with object-oriented programming. We'll be seeing even more of that coming up in Chapter 12 when we learn how to create our own objects.



Pretend your boss just walked in and asked you to quickly write an application that shows the current local weather conditions—and he needs it for a demo tomorrow. How much would it help to use a Web API that gives you the actual current weather conditions? How would you write the app without such a service? How long do you think it would take to write your app in each case?



How Web APIs work


With Web APIs we don't call a function in a module or library; instead, we issue a request over the web. So, rather than looking at a set of *functions* that a module provides, we look at the different *web requests* we can issue to a web server to understand its Web API.

Issuing a web request is something you already know how to do if you know how to use a web browser. And who doesn't? You do it every time you request a web page. The main difference with a Web API is that *your code* makes the request to a web server, and that server sends back *data*, rather than a page, to your code.

In this chapter we're going to take a close look at how all this works, and where Python fits into it—but for now, let's take a look at how an actual Web API request works:


To use a Web API, send it a request

Think of a Web API as just a web server, only it serves up *data* rather than pages. To make use of a Web API, your code sends a **request** to a web server. The web server in turn generates a **response**, and sends it back to your code.




All Web APIs have a web address


With Web APIs we use web addresses similar to the ones you type into your browser—they contain a server name along with a description of a resource. With a web browser, that resource is typically a web page. With a Web API, the resource is data, which can vary greatly. The way we specify the resource for a Web API can also vary quite a bit, depending on the Web API. Let's take a look at a few examples:



Let's look at another example, this time weather data for the city of London from the Open Weather Map organization:




And one more example: how about looking up some related artist information on Spotify?



Consult the API documentation.

We're serious. And it's not as bad as it sounds. All Web APIs follow the standard syntax for a web URL (and you can look that up if you're interested), but they expose very different APIs for very different types of data. So, the way you request that data often looks quite different. Look at our examples: the Open Notify URL is quite simple, while the Spotify URL is more complex.

You'll find that most Web APIs provide adequate documentation for knowing how to form a request URL to access whatever type of information you're looking for. Hang tight, because we're going to explore Open Notify API in just a bit.



Good point.

Making a Web API request through a browser is often a great way to explore an API firsthand. That said, many Web APIs require that you register (usually free) as a developer before using their services. Registering usually gets you an authorization token or an access key, which you pass along when you're making your requests. Without the access token, many of these APIs will send back an error, such as your “no token” error.

So, the best thing to do is to review the Web API's documentation for any access tokens it requires.


In our examples so far, the Spotify and Open Weather Web APIs require access tokens. The Open Notify API, however, doesn't currently require a token.



Enter the following URL in your browser. What do you get?

`http://api.open-notify.org/iss-now.json`

Try retrieving this URL multiple times. You can also try entering the longitude and latitude, like “`-0.2609, 118.8982`,” directly into Google Maps (latitude first).



Time for a quick upgrade

Before we start making requests to Web APIs, we're going to quickly add a *new package* to Python that will help us make those requests. What's a Python package? As we mentioned in Chapter 7, a package is just a formal name for a set of related Python modules—you could also informally call it a library.

To add a new package we're going to use the `pip` utility, which is an acronym for “Pip Installs Packages.” Using `pip`, you can add packages (or remove them later) to your local installation.

With `pip`, we're going to add a handy package called `requests`, which allows us to make requests to Web APIs. More specifically, we'll be using the `requests` module, which comes as part of the `requests` package (not to be too confusing). Now we should tell you that Python does have its own built-in module for making web requests, but a lot of coders find `requests` easier to use and more functional than the built-in module. Using the `requests` package also gives us an excuse to gain some experience using `pip`.

Let's get `requests` installed and then we'll see what this package is all about.

Fork me on GitHub

Requests: HTTP for Humans

Release v2.8.1.1 [Installation]

Star 26,312

Requests is the only Non-GMO HTTP library for Python, safe for human consumption.

Warning: Recreational use of the Python standard library for HTTP may result in dangerous side-effects, including security vulnerabilities, verbose code, reinventing the wheel, constantly reading documentation, depression, headaches, or even death.

Behold, the power of Requests:

```
>>> r = requests.get('https://api.github.com/user', auth=('user', 'pass'))
>>> r.status_code
200
>>> r.headers['content-type']
'application/json; charset=utf8'
>>> r.encoding
'utf-8'
>>> r.text
u'{"type": "User", ...'
>>> r.json()
{'private_gists': 419, 'total_private_repos': 77, ...}
```

See similar code, sans Requests.

Requests allows you to send organic, grass-fed HTTP/1.1 requests, without the need for manual labor. There's no need to manually add query strings to your URLs, or to form-encode your POST data. Keeping alive and HTTP connection pooling are 100% automatic, thanks to urllib3.

User Testimonials

Twitter, Spotify, Microsoft, Amazon, Lyft, BuzzFeed, Reddit, The NSA, Her Majesty's Government, Google, Twilio, Runscope, Mozilla, Heroku, PayPal, NPR, Obama for America, Transifex, Native Instruments, The Washington Post, SoundCloud, Kippt, Sony, and Federal U.S. Institutions that prefer to be unnamed claim to use Requests internally.

Doing the upgrade

The pip utility is built into Python, so get yourself into the appropriate command line for your operating system and let's get the requests package installed.

Use your operating system's command line like we did in Chapter 9. If you're using a Mac you'll want the terminal app, on a Windows machine use the command prompt, and on Linux—oh, who are we kidding? If you are using Linux, you live in the command line.

Terminal

```
$ python3 -m pip install requests
```

[Note from editor:
apparently, you love
this Linux joke.]

Windows users
should use "python"
and not "python3".

↑ Go ahead and enter the command above to start the installation. Note, you need to be connected to the internet for pip to retrieve and install packages. Also note this is installing in Python's library directory, not your current working directory. If you encounter any permission errors, make sure your user account has sufficient privileges to install new packages.

Terminal

```
$ python3 -m pip install requests
Collecting requests
  Downloading requests-2.18.1-py2.py3-none-any.whl (88kB)
    100% |████████████████████████████████| 92kB 1.4MB/s
Collecting idna<2.6,>=2.5 (from requests)
  Downloading idna-2.5-py2.py3-none-any.whl (55kB)
    100% |████████████████████████████████| 61kB 2.5MB/s
Collecting urllib3<1.22,>=1.21.1 (from requests)
  Downloading urllib3-1.21.1-py2.py3-none-any.whl (131kB)
    100% |████████████████████████████████| 133kB 2.5MB/s
Collecting certifi>=2017.4.17 (from requests)
  Downloading certifi-2017.4.17-py2.py3-none-any.whl (375kB)
    100% |████████████████████████████████| 378kB 2.2MB/s
Collecting chardet<3.1.0,>=3.0.2 (from requests)
  Downloading chardet-3.0.4-py2.py3-none-any.whl (133kB)
    100% |████████████████████████████████| 143kB 4.1MB/s
Installing collected packages: idna, urllib3, certifi, chardet, requests
$
```

↑ Here you can see pip retrieving the requests module, as well as related packages it depends on. Note this is the macOS X install, so your installation may look slightly different.

there are no
Dumb Questions

Q: Why do you prefer the requests module over something built into Python? Wouldn't Python's built-in module always be the way to go?

A: The creators of the requests package created a library for making web requests that is arguably more straightforward and provides better functionality than what Python gives you out of the box, so much so that it is in everyday use by many online products and services. That said, there is nothing wrong with Python's built-in requests module (which, by the way, is called urllib, or is it urllib2? See, it's already confusing!), if you want to use that.

That's one great thing about being able to extend Python or most programming languages: developers are free to create their own extensions and share them with others.

Q: That's cool I can add new packages to Python. How do I find out all the packages I can add?

A: You can search for new packages right from the command line, like this:

```
python3 -m pip search hue
```

which will search for packages that match the 'hue' keyword. Another great way to find Python packages is to search for them with Google using search terms like "python3 request module" or "python3 hue lighting," as an example. Also, check out <http://pypi.org>, a repository of software for Python.

Q: I'm running Python 3, but it doesn't seem to support pip.

A: pip was added to Python with release 3.4; double-check your version number and upgrade to the latest version. Check with <https://www.python.org> for the latest release.

All we need now is a good Web API...

Now that you have the `requests` package installed, you're finally ready to make your first web request from Python. Of course to do that, you need an interesting Web API to make a request of. If you'll remember in the beginning of this chapter we promised to take you to outer space and back, and we're going to do that using a Web API that provides the current location of the International Space Station (ISS). You'll find it at open-notify.org. Let's take a look at what Open Notify offers:

Visit open-notify.org to check out more documentation for the ISS API. You'll find the highlights here.

The screenshot shows a web browser window displaying the open-notify.org homepage. The page title is "Open Notify". Below the title, there is a navigation bar with links for "Home" (which is highlighted in red), "API Docs", "Source Code", and "About". The main content area features a large heading "Open APIs From Space". Below this, a paragraph describes Open Notify as an open source project providing a simple programming interface for NASA's awesome data. It lists three services: "Current Location of the International Space Station", "Overhead Pass Predictions for the International Space Station", and "Number of People in Space". Each service has an example listed under it. A handwritten note on the right side of the page states "Open Notify supplies three different services." with arrows pointing to each of the three listed services.

Like what I'm doing? Consider donating with [Gratipay](#)

This site is licensed under a Creative Commons Attribution 3.0 Unported License. [\(CC BY\)](#)

Back to top

A closer look at the API

As you can see on open-notify.org's front page, there are three “Open APIs from space”: an API for getting the ISS’s current location, an API for making overpass projections, and an API for getting the number of people in space. We’re going to start by looking at the current location API, which you can see more detail on by clicking on the “Current Location of...” link:

If you were paying attention earlier in the chapter, you've already seen that this API returns the current latitude and longitude of the International Space Station.

Here are the docs for the ISS Current Location API.

Open Notify

API DOCS Examples ISS Current Location ISS Past Times People In Space

International Space Station Current Location

This is a simple api to return the current location of the ISS. It returns the current latitude and longitude of the space station.

Overview

Here's the request URL.

<http://api.open-notify.org/iss-now.json>

```
{  
  "message": "success",  
  "timestamp": UNIX_TIME_STAMP,  
  "iss_position": {  
    "latitude": CURRENT_LATITUDE,  
    "longitude": CURRENT_LONGITUDE  
  }  
}
```

And here's an example of a response from the API.

This looks like a set of key/value pairs. Sound familiar? More on that in a bit.

We're interested in the `iss_position` key, which has a value that is another set of key/value pairs holding the latitude and longitude.

The `data` payload has a `timestamp` and an `iss_position` object with the latitude and longitude.

Examples

Here is an example reading the API in python:

```
import urllib  
import json  
  
req = urllib2.Request("http://api.open-notify.org/iss-now.json")  
response = urllib2.urlopen(req)  
  
obj = json.loads(response.read())  
  
print obj["timestamp"]  
print obj["iss_position"]["latitude"], obj["iss_position"]["longitude"]
```

Output prints:
2384755802
-47.369868833,78.585483

Data Source

The ISS is tracked by several agencies. Both NORAD and NASA periodically publish data about the station. I scrape this page for this API:

- <http://celestinelabs.nraa.org/webservices/ntriples/api/applications/RestJava250P/OrbitISS25/POST.html>

Another popular site for tracking data is celestrak when published NORAD TLEs:

- <http://www.celestrak.com/NORAD/elements/elements.txt>

In both cases, a “Two Line Element” is used, which contains enough information about an orbit to calculate an object's position at any time within a useful window of accuracy centered around the TLE's publish date. Try to update the TLE at least once a day.

The Open Space APIs were written and are maintained by Nathan Bergey, a rocketeer in Portland, Oregon. You'll find him on twitter at @natronics.

444 Chapter 10



The data returned from the Open Notify Web API should look a bit familiar. Is there a Python data type it reminds you of?


Web APIs provide data using JSON

Who's JSON, you say? JSON is actually an object notation that most Web APIs use to deliver their data. You're going to find this notation familiar, because it is syntactically quite similar to Python dictionaries.

Think of JSON as a set of key/value pairs specified as text. For example, say a weather Web API wants to send you the current conditions for London. It would create JSON that looks something like this and ship it your way:

Pronounced Jason, usually with an emphasis on the "on."

There are other formats for exchanging data over the web, but you'll find JSON is the most popular.



there are no Dumb Questions

Q: So are Python dictionaries and JSON the same thing?

A: It is easy to confuse the two given how much they look alike. Think of it like this: in Python when you specify code for a dictionary, at some point the interpreter reads that code and translates it to an internal data structure, which your code makes use of. But with JSON, we're specifying a set of key/value pairs that we can send over the network purely in a text format to another program or service. So JSON isn't Python; rather, it's meant to be a general-purpose format than can be read and interpreted by any language.

That said, it is rather nice the two are so much alike.

Q: So if I'm going to receive JSON as just text, how can my code use that?

A: Hang tight—you're asking the right question, and we'll get to that in just a bit.

Q: Why is it called JSON?

A: While JSON is meant to be a format independent of any programming language, it did grow out of one language in particular: JavaScript. So JSON stands for JavaScript Object Notation.

Q: I'm still confused. How do I know what Web APIs are out there and how I can use them?

A: You'll find clearinghouses for web-based APIs on sites such as www.programmableweb.com. Most companies with APIs also provide documentation, like dev.twitter.com, or developer.spotify.com, to name a couple.



Take the JSON on the previous page and convert it, by hand, into a Python dictionary in the space below. After you've done that, complete the code below. You'll need to look at the output to know what it does.

current =

←
Soon you'll ask
your code to do
this for you.

loc = _____
print('In',
 loc['city'] + ', ' + _____,
 'it is',
 _____, 'degrees')



Now let's look at that request module again

To make a web request we're going to use the `requests` module's `get` function. Here's how it works:

1 Use `get` to make the request.

First we call the `requests` module's `get` function to make the actual request to the remote web server.

```
url = 'http://api.open-notify.org/iss-now.json'
```


Here's the URL we got from the Open Notify documentation.

```
response = requests.get(url)
```

We pass the URL to the `get` function, upon which the function contacts the remote web server.

When a response is received from the remote server, the function first packages it up in a nice `response` object, and then returns it.


When you call the `get` function, a request is sent to the web server at the supplied URL.



2 Examine the response object.

As we said, after the `get` function receives a response from the server it packages it up in a `response` object. Let's take a look:

Here are some of the more important attributes in the response object. For our purposes the `text` and `status_code` attributes are the ones to pay attention to.



3 Check the `status_code` and grab the `text` data.

When we get a response from the web server, we need to first check its status code. A code of 200 means that the request was satisfied. Of course other codes are possible as well, such as error codes. Assuming we get a 200 status code, we then use the `text` attribute to obtain the data returned from the Web API. Here's another little code fragment to do that. Check it out and we'll put it all together on the next page.

```
We're using the response  
object we got in ①.  
  
if (response.status_code == 200):  
    print(response.text)  
else:  
    print("Houston, we have a problem:", response.status_code)
```

Let's check the status code and make sure we got a code of 200, for success.

If the status code was 200, we should have some data in the `text` attribute.

Otherwise, we've got an issue. For now we'll print the error. Remember, you can find a complete list of common status codes at https://en.wikipedia.org/wiki/List_of_HTTP_status_codes.

Putting it all together: making a request to Open Notify

Alright, we truly have all we need to make a request, so let's do that. You know how to call the `get` function with a URL to make an actual request to a Web API, and we know from the open-notify.org page what URL we need. You also know that the `response` object has a `status_code` you should check (and make sure we get a code of 200, meaning success) before you use the `response` object's `text` attribute.

So, let's now put it all together and reach out and touch the Open Notify Web API:

```
First, import the
requests module.
import requests

url = 'http://api.open-notify.org/iss-now.json'

response = requests.get(url)

if (response.status_code == 200):
    print(response.text)
else:
    print("Houston, we have a problem:", response.status_code)

Let's set a variable url to the URL
address of the ISS web service.

Here's the
response
object.

Then we use the get function, passing it
the URL we'd like to get data from.

Let's check the status code to make sure
everything was okay (that is, code 200).

If the response code wasn't 200,
we've got some kind of issue, so let's
print out what it is. You can find a
full list of status code on Wikipedia:
https://en.wikipedia.org/wiki/List_
of_HTTP_status_codes.

And then let's print the
response to see what we got.
Remember, we're printing
the text property of the
response, which holds the
data sent back to us from
the Web API.
```



Let's do a quick sanity check before proceeding...

At the time of writing, the ISS location service is a working, healthy service. Of course there are no guarantees in the future; so if for some reason the ISS location service is not operating as you're reading this book in 2036, we have a backup plan for you—check out the page <http://wickedlysmart.com/hflearntocode> to see if you need to alter anything in the rest of this chapter; most likely you won't, but it never hurts to check first!



A Test Drive Flight



Watch it!

Problems?

If you aren't seeing this output, first check to see if there is a status code other than 200 being reported (and look it up to see what it signifies). Not seeing a status code? Paste the URL into your browser to make sure you have connectivity and the service is up and running. Next, double-check your code, and double-check that the request package really got installed. Check any exceptions reported to the shell as well. If it appears as if something is wrong with the Open Notify service, then revisit the Watch it! on the previous page.

Get the code on the previous page into a file called `iss.py`, save your code, and choose the **Run > Run Module** menu item to make sure everything's good.

Here's what we got.

You need a live internet connection for this test drive!

Python 3.6.0 Shell

```
{"iss_position": {"longitude": "-146.2862", "latitude": "-51.0667"}, "message": "success", "timestamp": 1507904011}  
>>>
```

Any idea where this location is?

How to use JSON in Python

So we've got our response from the ISS location service, and we're seeing JSON in the response, but right now it's just a *text string*, which isn't of much use, other than the fact we can print it. That's where Python's `json` module comes in; the `json` module gives us a function, `loads`, which takes a string containing JSON and translates it into a Python dictionary. How convenient is that? Here's an example of how the `json` module's `load` function works:

```
import json  
  
json_string = '{"first": "Emmett", "last": "Brown", "prefix": "Dr."}'  
  
name = json.loads(json_string)  
  
print(name['prefix'], name['first'], name['last'])
```

First we need to import the `json` module.

And here's a string containing JSON. Note, to Python, this is just a string with some text in it.

So let's call `json.loads` on the string, and assign the resulting dictionary to the variable `name`.

And finally let's use the Python dictionary to access the `first` and `last` name attributes along with the `prefix` attribute.

Just a reminder: if you go testing this code, do not call it `json.py` (the same name as the module `json`). We discussed that issue in Chapter 7.

Python 3.6.0 Shell

```
Dr. Emmett Brown  
>>>
```

Using the JSON module on our ISS data

With the `json` module now on our toolbelt, let's get it into our code and get access to the space station's latitude and longitude. Doing that is pretty straightforward: we already have the JSON from the Open Notify servers in our `response` object, so we just need to use the `loads` function from the `json` module to convert that to a Python dictionary.



```
import requests, json
```

Add an import for the `json` module. We're separating module names by commas so we can put them on the same line.

```
url = 'http://api.open-notify.org/iss-now.json'
```

```
response = requests.get(url)
```

Now let's use `json.loads` to take the JSON response, in string form, and convert it to a Python dictionary.

```
if (response.status_code == 200):
```

Now let's grab the `iss_position` value, which is itself another dictionary.

```
    response_dictionary = json.loads(response.text)
```

```
    print(response.text)
```

And then print the lat and long values from the position dictionary.

```
    position = response_dictionary['iss_position']
```

```
    print('International Space Station at ' +
```

```
        position['latitude'] + ', ' + position['longitude'])
```

```
else:
```

```
    print("Houston, we have a problem:", response.status_code)
```



A Test Drive Flight

Make the updates above in your `iss.py` file, save your code, and give it another test run.

Here's what we got. Looking nice!

It's unlikely the ISS will be in exactly the same location when you run your code, so your results will be slightly different.

What about this location? Any idea where it is?

Python 3.6.0 Shell

```
International Space Station at -51.5770, -108.2028
```

```
>>>
```

Let's add some graphics

Displaying the ISS location in text is, well, just not acceptable. After all, this is Chapter 10, so we should be displaying the ISS's location on a nice map, or something. Well, we have the technology—we're going to dust off our Python turtles and have a nice ISS display in no time. *We kid you not.*



**“If I see one
more Python
Shell app,
you’re
fired!”**

Meet the screen object

Like we said, dust off those turtle skills. We're actually going to take those skills a little further by once again using the `screen` object we saw in Chapter 7. Recall that the `screen` object lets you change a few properties associated with the turtle window.

So let's add the `turtle` module to this code, and see how we're going to use the `screen` object. You can go ahead and make these additions to your `iss.py` file.

We still say "window" would have been a better name than `screen` for this object, but they didn't really ask for our opinion.

Add the `turtle` module.

```
import requests, json, turtle
```

This first line just gets a reference to the `turtle`'s `screen` object.

```
screen = turtle.Screen()  
screen.setup(1000, 500)
```

We're going to increase the size of the window to 1000 by 500 pixels, which matches the size of the image we're about to add.

```
screen.bgpic('earth.gif')
```

```
screen.setworldcoordinates(-180, -90, 180, 90)
```

This sets the entire window's background to an image.

```
url = 'http://api.open-notify.org/iss-now.json'
```

Get the "earth.gif" image from the book's source code ch10 folder.

```
response = requests.get(url)
```

This resets the coordinate system of the turtle window; we talk about this on the next page.

```
if (response.status_code == 200):
```

```
    response_dictionary = json.loads(response.text)
```

```
    position = response_dictionary['iss_position']
```

```
    print('International Space Station at ' +
```

```
        position['latitude'] + ', ' + position['longitude'])
```

```
else:
```

```
    print("Houston, we have a problem:", response.status_code)
```

```
turtle.mainloop()
```

Just some housekeeping to display the turtle window, like in Chapter 7

You'll find this image in the book's ch10 folder; grab it and place it in your own folder.





`earth.gif`



Turtle Coordinates & Earth Coordinates

Let's take a closer look at the call to the `setworldcoordinates` method, which you'll see plays a big role in determining how we locate the ISS's position on our graphical map.

As you already know, the turtles live on a grid that is centered on the x and y-coordinate 0,0. We've set the grid to be 1000×500 , so our grid ranges from -500,-250 in the bottom-left corner to 500,250 in the upper-right corner.




The Earth has its own grid system with latitude lines running west and east and longitude lines running north and south. Longitude runs from -180 to 180, with 0 being at the Prime Meridian. For latitude, the equator is at 0, running to 90 at the North Pole and -90 at the south-most point.

We can easily reset the grid system of the turtles, and have our turtle grid match the earth coordinates with the statement:

screen.setworldcoordinates(-180, -90, 180, 90)

which resets the turtle grid so the lower-left coordinate is -180, -90 and the upper-right coordinate is 180, 90. Our screen will retain its shape and size, but all turtle movement will be mapped using the new coordinate system.

This means we can now use common longitude and latitude coordinates to position the turtles on the screen.



Using the `setworldcoordinates` method we've set the coordinate system of the turtles to match that of the Earth.

Let's add a turtle to represent the ISS

Have you figured out how we're going to use a turtle to track the location of the ISS on the map? Well, let's add a turtle and find out. Make sure you add the code below to your *iss.py* file:

```
import requests, json, turtle

screen = turtle.Screen()
screen.setup(1000,500)
screen.bgpic('earth.gif')
screen.setworldcoordinates(-180, -90, 180, 90)

iss = turtle.Turtle()
iss.shape('circle')
iss.color('red')

url = 'http://api.open-notify.org/iss-now.json'

response = requests.get(url)

if (response.status_code == 200):
    response_dictionary = json.loads(response.text)
    position = response_dictionary['iss_position']
    print('International Space Station at ' +
          position['latitude'] + ', ' + position['longitude'])
else:
    print("Houston, we have a problem:", response.status_code)

turtle.mainloop()
```

Let's instantiate a turtle,
change its shape to a circle,
and make its color red.

On the map, this circle is
going to represent (for
now) the location of the
ISS over the earth.



A Test Drive Flight

If you see this, you're in business.
All we're doing so far is changing
the windows resolution, displaying
a background image, changing the
shape and color of the turtle, and
changing the coordinate system.

You should see a red circle, which is
really a turtle, positioned at its default
starting place at 0,0, only this time
that's a longitude and latitude.

Let's do a quick test before going further. Make the code additions from the past few pages, and then make sure you have the image *earth.gif* (again, you'll find it in the *ch10* folder in the book's source code) in the same directory as your code. Then give it a run.



Turtles can look like space stations too

Although it isn't essential to building an app that uses a Web API, making our turtle look like a space station on screen certainly adds to the realism and fun. Here's a quick piece of code to do just that:

```
import requests, json, turtle

screen = turtle.Screen()
screen.setup(1000,500)
screen.bgpic('earth.gif')
screen.setworldcoordinates(-180, -90, 180, 90)

iss = turtle.Turtle()
turtle.register_shape("iss.gif")
iss.shape("iss.gif")
iss.shape('circle')
iss.color('red')

url = 'http://api.open-notify.org/iss-now.json'

response = requests.get(url)

if (response.status_code == 200):
    response_dictionary = json.loads(response.text)
    position = response_dictionary['iss_position']
    print('International Space Station at ' +
        position['latitude'] + ', ' + position['longitude'])
else:
    print("Houston, we have a problem:", response.status_code)

turtle.mainloop()
```

You'll find "iss.gif" also in the ch10 source code folder.

Let the turtle module know we want to use an image as a shape.

Then set the shape of the turtle to be the "iss.gif" image.

Note this step of registering a shape is an oddity of the turtle module. In other words, that's just the way it works. Many image-based libraries don't require a registration step like this.



A Test Drive Flight

Nice! We have a space station image now! →

Okay, make the code changes above and make sure the image *iss.gif* is in the same folder as your code. You'll find this image as well in the book's source code under the folder *ch10*.



Forget the ISS—where are we?

We're close! We've got everything in place and we've got a location back from the Open Notify service, so all we need to do is put it all together. For starters we need to actually get the latitude and longitude assigned to variables so we can instruct our `iss` turtle where to move on the screen. One note, though: did you notice that in Open Notify's JSON those values are being represented by strings, not numeric values? We'll have to fix that. In fact, let's look at how to do that now:

Here's just a code fragment for now, the part of the code that checks the response and gets the latitude and longitude.

```
if (response.status_code == 200):
    response_dictionary = json.loads(response.text)
    position = response_dictionary['iss_position']
    print('International Space Station at ' +
        position['latitude'] + ', ' + position['longitude'])
    lat = float(position['latitude'])
    long = float(position['longitude'])
else:
    print("Houston, we have a problem:", response.status_code)
```

Let's get the latitude and longitude from the position dictionary. Given they are both strings, we'll convert them to floats first.

You don't need to enter this code yet; we'll make all the changes at once in a couple pages.

The next step is moving the ISS on the screen. You're an old pro at this point with turtles. All we need to do here is write a simple function—let's call it `move_iss`—that takes a numeric latitude and longitude and moves the turtle. Let's make sure and lift up the pen before we move.

```
def move_iss(lat, long):
    global iss
    iss.penup()
    iss.goto(long, lat)
    iss.pendown()
```

The `move_iss` function takes a latitude and longitude.

If we don't lift the pen, we're going to draw a line across the display.

Let's move to the right coordinate. Note that longitude is first, given the turtle takes its x-coordinate parameter first.

Now let's return the pen to its default down position and make the turtle visible.

Note we don't technically have to put the pen back down, but we're just being a good citizen given that is the default position of the pen. After all, another developer may be confused by this if they expect you to not change the pen in your function.

Finishing off the ISS code

Let's add the function `move_iss` to our code, as well as the code to get the latitude and longitude from the position dictionary, and then we'll call `move_iss` with those values:

```
import requests, json, turtle

def move_iss(lat, long):
    global iss

    iss.penup()
    iss.goto(long, lat)
    iss.pendown()

screen = turtle.Screen()
screen.setup(1000,500)
screen.bgpic('earth.gif')
screen.setworldcoordinates(-180, -90, 180, 90)

iss = turtle.Turtle()
turtle.register_shape("iss.gif")
iss.shape("iss.gif")

url = 'http://api.open-notify.org/iss-now.json'

response = requests.get(url)

if (response.status_code == 200):
    response_dictionary = json.loads(response.text)
    position = response_dictionary['iss_position']
    print('International Space Station at ' +
          position['latitude'] + ', ' + position['longitude'])
    lat = float(position['latitude'])
    long = float(position['longitude'])
    move_iss(lat, long)
else:
    print("Houston, we have a problem:", response.status_code)

turtle.mainloop()
```

We're just adding `move_iss` near the top of the file.

We no longer need a `print` statement for the location—we've got graphics now!

Let's take the latitude and longitude strings, convert them to floats, and pass them to `move_iss` along with our iss turtle.



A Test Drive Flight

Alright, make sure you've got your code all entered and cleaned up and then you should be ready to finally see the ISS location on your map. Give it a test run!

The ISS circles the earth every 92 minutes, so run your code a few times to see the position change.

The ISS is also traveling at 4.75 miles per second.



Congrats! Mission accomplished!





Brain Building

Well, that was fanstastic: with a bit of code we've located the ISS and created a cool graphical display. But you know what would make this code even cooler is if it tracked the ISS over *time*, rather than just tracking it *one time*. Let's do that, but before we do, this code could really use some cleanup. After all, we aren't using all those great abstraction muscles we've been building. Here's our attempt to refactor this code a bit. See if it isn't a lot more readable (which you're going to want on the next page):

```
import requests, json, turtle

iss = turtle.Turtle()

def setup(window):
    global iss
    window.setup(1000, 500)
    window.bgpic('earth.gif')
    window.setworldcoordinates(-180, -90, 180, 90)
    turtle.register_shape("iss.gif")
    iss.shape("iss.gif")

def move_iss(lat, long):
    global iss
    iss.penup()
    iss.goto(long, lat)
    iss.pendown()

def track_iss():
    url = 'http://api.open-notify.org/iss-now.json'
    response = requests.get(url)
    if (response.status_code == 200):
        response_dictionary = json.loads(response.text)
        position = response_dictionary['iss_position']
        lat = float(position['latitude'])
        long = float(position['longitude'])
        move_iss(lat, long)
    else:
        print("Houston, we have a problem:", response.status_code)

def main():
    global iss
    screen = turtle.Screen()
    setup(screen)
    track_iss()

if __name__ == "__main__":
    main()
    turtle.mainloop()
```

Let's put all the window and turtle setup in a setup function.

Notice we used "window" as the parameter name here (which is technically going to be passed as a screen object). This might or might not have been a good variable naming idea, but we couldn't help ourselves. We should probably add a real code comment to alert others.

We didn't make any changes to the move_iss function.

We took the code that talks to the Web API and put it in a function called track_iss.



And finally we're being good coders by providing a main function.

Alright, here's the code to track the ISS in real time. With this code you'll see the location of the ISS change every 5 seconds. This being a Brain Building exercise, your job is to figure out how it works. Read the code and see if you can guess, and then in the next chapter we'll find out exactly how it does what it does.

```

import requests, json, turtle

iss = turtle.Turtle()

def setup(window):
    global iss

    window.setup(1000,500)
    window.bgpic('earth.gif')
    window.setworldcoordinates(-180, -90, 180, 90)
    turtle.register_shape("iss.gif")
    iss.shape("iss.gif")

def move_iss(lat, long):
    global iss

    iss.hideturtle()
    iss.penup()
    iss.goto(long, lat)
    iss.pendown()
    iss.showturtle()

def track_iss():
    url = 'http://api.open-notify.org/iss-now.json'
    response = requests.get(url)
    if (response.status_code == 200):
        response_dictionary = json.loads(response.text)
        position = response_dictionary['iss_position']
        lat = float(position['latitude'])
        long = float(position['longitude'])
        move_iss(lat, long)
    else:
        print("Houston, we have a problem:", response.status_code)
    widget = turtle.getcanvas()
    widget.after(5000, track_iss)

def main():
    global iss
    screen = turtle.Screen()
    setup(screen)
    track_iss()

if __name__ == "__main__":
    main()
    turtle.mainloop()

```

We've added only two lines of code.



With this code you'll see the ISS location update every 5 seconds.



BULLET POINTS


- Using Python you can communicate with Web APIs and incorporate their data and services into your application.
- A Web API typically provides a documented Application Programming Interface (**API**) that describes the data it can provide and services it has available.
- Often you'll need to register and obtain a key or authorization token to use a Web API.
- To use a Web API from Python, you make a request to it using the web's **HTTP** protocol, just like your browser does.
- Web services respond to requests, sending data, often using the JSON notation.
- **JSON** stands for JavaScript Object Notation, and was created to provide a standard way of data exchange between any languages.
- JSON's syntax is very similar to Python dictionaries.
- The requests package is freely available and comes from an open source effort to make web requests in Python easier.
- A package is a collection of Python modules.
- You can install the requests package using the **pip** utility.
- **pip** stands for “**pip** installs packages”
- Using the requests library we issued a request using the **get** method.
- The **get** method returns a **response** object, which includes a status code, the text of the response (often in JSON), and the headers of the request.
- The status code is 200 when the request was satisfied.
- The built-in **json** module provides methods to take a JSON string and translate it to a Python dictionary or list.
- The **Screen** object of the **turtle** library allows us to set a background image as well as reset the coordinate system of the turtle grid.



Coding Crossword

Welcome back to earth. Let's give your right brain something different to do.

As always, it's your standard crossword, but all of the solution words are from this chapter.



Across

2. We had to register one of these with the turtle module.
3. What you are when you get a 200 status code.
7. To access a Web API you may need this.
8. Our code needed this.
10. Format for data exchange.
11. Run north and south.
12. 200 is a good value.
15. Data attribute of the response object.
16. Language JSON was originally from.
18. What's in a package?

Down

1. He wrote the ISS location service.
4. Which space station?
5. Open source package.
6. What does pip install?
9. Minutes per orbit.
13. Protocol used for web requests.
14. Turtles live on this.
17. Documented functions of a Web API



Exercise Solution

Enter the following URL in your browser. What do you get?

<http://api.open-notify.org/iss-now.json>

Here's what we got.

```
{
  "message": "success",
  "timestamp": 1500664795,
  "iss_position": {
    "longitude": "-110.6066",
    "latitude": "-50.4185"
  }
}
```

Very cool, we just got the current location of the space station. Note it contains a few keys and that the `iss_position` key holds another set of key/value pairs (the longitude and latitude).

The formatting will depend on your browser. Some browsers may even download this into a file, which you can then open as a text file.

Note that the longitude and latitude are being represented as strings. We'll have to convert them to floats when the time comes to use them.

Sharpen your pencil Solution

Take the JSON on the previous page and convert it, by hand, into a Python dictionary in the space below. After you've done that, complete the code below. If you need a hint, look at the output.

```
current = {'temperature': 67.2,
           'precip_prob': '40%',
           'location': {
               'city': 'London',
               'country': 'UK'
           }
       }


loc = current['location']
print('In',
      loc['city'] + ', ' + loc['country'],
      'it is',
      current['temperature'], 'degrees')
```

Python 3.6.0 Shell

```
In London, UK it is 67.2 degrees
```



Coding Cross Solution



Getting Interactive

This is a hardcore programming chapter. Work hard, get sleep, drink water, have patience, stick with it—you'll come out the other side having unlocked the next level!



You've certainly written some graphical applications, but you haven't created a real user interface yet.


Pronounce GUI like "gooey." →

That is, you haven't written anything that lets the user interact with a graphical user interface (otherwise known as a GUI). To do that you need to adopt a new way of thinking about how a program executes, one that is more **reactive**. Wait, did the user just click on that button? Your code better know how to react and what to do next. Coding for interfaces is quite different from the typical procedural method we've been using, and it requires a different way of thinking about the problem. In this chapter you're going to write your first real GUI, and no, we're not going to write a simple to-do list manager or height/weight calculator, we're going to do something far more interesting. We're going to write an artificial life simulator with emergent behavior. What does that mean? Well, turn the page to find out.

Enter the WONDERFUL WORLD of Amazing

ARTIFICIAL LIFE

Just ADD CODE—that's ALL! By using **our incredibly simple algorithm**, with only **four rules**, you'll be viewing real artificial life with **emergent behavior** in no time. Here's how it works:



Our artificial life consists of a set of cells that live on a grid.

At each square of the grid a cell can be alive or dead.

If a cell is alive, it is colored black.


We compute the next generation of cells according to four simple rules.

THE RULES

- ❶ **BIRTH:** a new cell is born if it is surrounded by exactly three live cells.
- ❷ **LIFE:** a cell lives on as long as it is surrounded by two or three live cells.
- ❸ **DEATH:** a cell dies of loneliness if it is surrounded by fewer than two live cells.
- ❹ A cell dies of overcrowding if it is surrounded by four or more live cells.

These simple rules are actually known as the *Game of Life*. To play the game, start by placing living cells on the grid and then start computing generations by following the rules. While the rules may seem quite simple, you're going to see that the only way to know how life is going to play out is to *play the game*. That's right; such interesting behavior emerges from these simple rules that we can't even tell you if the game will ever stop evolving without actually running the computation—more on that deep topic in a bit—but, for now, it sounds like if we're going to play, we're going to have to write our own Game of Life simulator. Let's do that!

→ The Game of Life was discovered by British mathematician John Conway. More at https://en.wikipedia.org/wiki/John_Horton_Conway.



A closer look at the Game of Life

Okay, you've seen the four simple rules, so let's step through the game in a little more detail so we understand how it works. You know that the Game of Life happens on a grid, and at each location on the grid we can have a cell that is either alive or dead. If it's alive, we color it so we can see it. If it's dead, it's just transparent.


Our Game of Life universe successively computes new generations of cells, and to do that it applies the four rules to every location in the grid, after which it updates all the cells at once, based on the outcome. It then does this over and over and over, computing new generations. Let's look at how the rules apply to a few cases.

Let focus on the center cell in each example.


For all cells we count the number of neighbors it has.

Note the center cell here is dead, unlike the other examples.


neighbor count = 0




neighbor count = 1




neighbor count = 2




neighbor count = 3




neighbor count = 4




neighbor count = 3




By the rules, zero neighbors means our cell dies of loneliness.




By the rules, one neighbor means our cell dies of loneliness.




By the rules, two neighbors means our cell lives on.




By the rules, three neighbors means our cell lives on.




By the rules, four neighbors means overcrowding and death. And so on for five, six, seven...




By the rules, a dead cell surrounded by three live cells means birth!





Oh, you'd be surprised...

The Game of Life is a **generative system**. A generative system has a predetermined, often simple, set of rules, but generates behavior that you could not have guessed, or would not have expected. Generative systems have been used for art, music, as the basis of philosophical arguments about the universe, and in fields like machine learning. And there is no better example of a generative system than Conway's Game of Life. From those four simple rules, here are a few behaviors you might see in the simulator you're about to build...






This is your starting point.



Don't forget to compute the
dead cells around the live ones:
you may have a birth!



Generation 1


Generation 2

Generation 3


Apply the rules of the Game of Life, and
mark the results in generation 2.




And then continue on applying the
rules to generation 2 and so on.



Generation 4



Generation 5




Generation 6

What we're going to build

Well, as you can see from the graph paper exercise, it's a little hard to get a feel for how the Game of Life is a "generative system with emergent properties" without the help of a computer. So, what we're going to do now is build a Game of Life *simulator*. Our simulator will display the grid of cells, let users interact by clicking in the grid to enter cells, and provide a few buttons we can use to control the actions of the simulator. For starters we want to be able to start and stop the simulator. We also might want to clear the grid and start over, or even load it up with a few pre-configured patterns. So, we're talking about building a full-fledged user interface.

Now, a great thing to do when creating a user interface is to, literally, sketch it out on a napkin. We're not kidding; it's a great technique. Let's make a sketch:



Do we have the right design?

Interface design and testing is an entire subfield in itself—there are people who spend their whole careers designing, testing, and perfecting interfaces. That said, there are simple and effective techniques you can use to improve your own interfaces, even if you don't have a six-figure usability budget. One of those is called *paper prototyping*. With paper prototyping, we mock up a user interface on paper (we've already done that), and then have candidate users go through a set of *use cases*, using the paper mockup as if it were a real interface. Doing so allows you to observe real users and the mistakes and misunderstandings about your design.




Exercise


It's time to do some paper prototype testing. Photocopy this page, and the next one (or print a copy from <http://wickedlysmart.com/hflearntocode>), and cut out the pieces where indicated. Next, find a few friends, put the prototype down in front of them, and then ask them a few questions (we'll give you a little script of questions in two pages).




Cut this out,
as it's going to
be your paper
interface. ↗




Usability testing entails testing products on actual users to see how well they work (or don't).
Think of use cases as a set of actions or scenarios the typical user would go through.
Usability gurus claim you can uncover about 85% of usability problems with this technique.



Random





Random Running



Glider Gun

Pause

Pause Button



Glider Gun Running

Cut out each item separately; so you should have six pieces of paper (seven including the item on the previous page) after you finish.



Here's a script to take each user (your tester) through; ask your tester to say out loud what they are thinking as they go through the exercise. Make notes about the mistakes they make along with any interface misconceptions. Of course, you want to make note of the things that are working well too.

1. Place the **Main Interface** in front of your tester.
2. Give your tester a brief explanation of the Game of Life and what the simulator does.
3. Tell the tester an easy way to start is to load a random pattern into the grid. Ask them if they can figure out how to do that.

When they say they are clicking on "Choose a Pattern," place the **Option Button** cutout on top of the "Choose a Pattern" button.

When they say they are clicking on the "Random" option, place the **Random** cutout over the grid, and remove the **Option Button** cutout.

Tell them they have now loaded the grid with a random selection of live cells.

4. Ask the tester if they can figure out how to start computing new generations.

Wait for the tester to click on Start. If they don't, give your tester some hints. When Start is clicked, place the **Random Running** cutout over the grid; also place the **Pause Button** cutout over the start button. Explain to them that they are watching an evolving scene of living and dying cells.

5. Ask the tester if they can now clear the grid. If they can't find the clear button, then give them hints until they do. When they click on the clear button, remove the **Random Running** and the **Pause Button** cutouts.
6. Ask the tester to directly enter some live cells. If necessary help the tester until they click in the grid. Use a pen to draw in points on the grid.
7. Ask the tester to generate some new generations of cells. Again, the tester should click the start button. When they do, place the **Random Running** cutout over the grid; also place the **Pause Button** cutout over the start button. Explain to them that they are watching an evolving scene of living and dying cells.
8. Ask the tester to pause the cell generation. They should find the pause button; when they do, remove the **Pause Button** cutout.
9. Ask them to now load the glider gun pattern. When they click "Choose a Pattern," place the **Option Button** cutout on top of the "Choose a Pattern" button. When they click on "glider gun," place the **Glider Gun** cutout on the grid and remove the **Option Button** cutout.
10. Ask them to start the simulator again. When they click the start button, place the **Glider Gun Running** cutout over the grid; also place the **Pause Button** cutout over the start button. Explain they are watching the simulator generate an endless stream of gliders crawling down the grid.
11. Tell the tester that concludes the test and thank them for participating.

NOTE: If you find major problems in your testing, well, we'd like to stop and address them, but this is a book in print, so we unfortunately don't have that luxury. But keep those issues in mind as we proceed through the chapter and think about how you'd do things differently.



It never hurts to have a few cookies on hand as a thank you.


How we're going to build the simulator

Now that we've got the interface designed on paper and we've also done a bit of paper prototype testing, we can feel pretty good about moving forward on the implementation. We do need some idea of how we're going to tackle implementing all this, though.

To do that we're going to use a tried-and-true design that is used across the industry for building user interfaces, and it involves thinking about our code in three conceptual pieces: the underlying data *model*, the *view*, and the *controller*, otherwise known as MVC.

Now, separating things into a discrete model, view, and controller typically requires that we use object-oriented techniques—something we're not even going to talk about until the next chapter, but we are going to follow this design conceptually. In other words, we're not going to go crazy following the MVC pattern, but we are going to take some inspiration from it, while keeping things as simple as we can.

Here's how we're going to think about the design:



The View

The Controller

The Model



The **view** code is concerned with what is displayed on the interface. It does not care about the specifics of what is being computed other than knowing it has to display data on a grid.

The **controller** takes any user requests coming through the interface (like to start the game) and maps them to requests that need to be made of the model or the view.

The **model** code only cares about the data for the grid and cells, and how to compute new generations. It doesn't care or know about the view.

You'll often hear this design referred to as the MVC design pattern, or as model-view-controller.

An entire subfield of study called "software design patterns" concerns how these designs emerged over time and how they work.

So we have three distinct pieces to code: a view that only worries about how to display things; a model that only cares about computing a grid of cells and doesn't want to know anything about how it is being displayed; and a controller, which manages user interaction and relays commands to the view and model as necessary.

So why all the trouble? Why do we need MVC? Well, history has taught developers that apps built with user interfaces can all too quickly become a pile of unmanageable spaghetti code (yes, that is a technical term; Google it). MVC allows us to avoid that by keeping each piece focused on one responsibility (among other reasons).

At this point you don't need to fully understand MVC, but at least now you've had some exposure to the idea, and as you'll see, it's going to give us a good way to approach building our simulator. So, with that, let's get started!

Building the data model

Even though we just did all that interface design work, we're actually going to set it aside for a bit and work on the data model for the simulator. As we've discussed, by the model we mean that we need a way to represent all the cells on the grid, and then a way to compute each generation of the game on that grid. Let's dive right in.

Representing the grid

To represent the simulator grid we're going to store a grid of integer cell values, with a value of 0 meaning a dead cell and a value of 1 meaning a live one.

Now you've written plenty of code that uses a one-dimensional list of items, but a grid is 2D—it has a width and a height. So how do we create a 2D list? By using a technique of lists within lists. Here's how it works: say you want a grid that is three items high and four items wide. You can do it like this:

```
my_grid = [[0, 1, 2, 3],  
          [4, 5, 6, 7],  
          [8, 9, 10, 11]]
```

We can model a two-dimensional grid of values with a list of lists.

This represents a two-dimensional grid three high and four wide.



Python makes this even easier by giving us a syntax for accessing two-dimensioned lists:

```
value = my_grid[2][3]  
print(value)
```

Remember the indices are still zero-based!

Get the value of the location at height = 2 and a width = 3.

Study this code and convince yourself that it actually creates a list of lists representing a grid that is height-by-width items.

So let's create a list to hold the cells of our grid:

```
height = 100  
width = 100
```

These two globals are going to hold the width and height of the grid.

```
grid_model = [0] * height
```

Remember list multiplication from Chapter 4? This creates a list that has height number of zeros.

```
for i in range(height):  
    grid_model[i] = [0] * width
```

And now let's iterate through each item in the grid_model list and replace it with a list that has width number of zeros.

You might have assumed we'd have used a Boolean for our grid values (because they represent live/dead well). While that would have been a reasonable choice, representing cells as integers will reduce our code complexity when we count a cell's live neighbors.

Computing a generation of the Game of Life

Now that we have a place to store our cells, we need some code to compute each generation of the Game of Life as it evolves. To do that we're going to have to examine every single cell and to figure out whether it lives, dies, or is born in the next round. Let's first just check out how to iterate through each cell in the list:

```
Let's create a function
called next_gen to do this.  

def next_gen():
    global grid_model
    for i in range(0, height):
        for j in range(0, width):
            ...and figure out if
            grid_model[i][j]
            lives, dies, or is born
            in the next round.  

    We'll iterate through every single
    cell in our two-dimensional list...
    We'll compute this
    for every single cell.
    Remember this is a nested for
    loop; for each value of i we
    iterate through every value of j.
```

Computing each cell's fate

Each cell's fate is controlled by the Game of Life rules. Let's take another look:

- If a dead cell has three living neighbors, it becomes alive in the next generation.
- If a live cell has two or three living neighbors, it lives on in the next generation.
- If a live cell has fewer than two living neighbors, it dies in the next generation.
- If a live cell has more than three neighbors, it dies in the next generation.

So for each cell we iterate over we're going to have to apply these rules, and follow our logic here. If the cell is dead, then we need to check if it has three neighbors; if it does, it is born. If the cell is already alive, then it has to have either two or three neighbors to continue living. In all other cases, the cell is dead in the next round. So even though we have four rules, it really comes down to those two conditions to determine if the cell is alive or dead. We'll apply that logic in a bit. First, though, there's one crucial piece of information we need before we can begin computing any of this: the number of live neighbors each cell has. As you might imagine, to do that we're going to have to look at all the adjacent cells around any given cell to know how many neighbors it has living.

Let's see how to do that.

Here's the `count_neighbors` function; it takes a grid and a row and column in the grid and returns the number of live neighbors for that location.

```
def count_neighbors(grid, row, col):
    count = 0
    if row-1 >= 0:
        count = count + grid[row-1][col]
    if (row-1 >= 0) and (col-1 >= 0):
        count = count + grid[row-1][col-1]
    if (row-1 >= 0) and (col+1 < width):
        count = count + grid[row-1][col+1]
    if col-1 >= 0:
        count = count + grid[row][col-1]
    if col + 1 < width:
        count = count + grid[row][col+1]
    if row + 1 < height:
        count = count + grid[row+1][col]
    if (row + 1 < height) and (col-1 >= 0):
        count = count + grid[row+1][col-1]
    if (row + 1 < height) and (col+1 < width):
        count = count + grid[row+1][col+1]
    return count
```

Conceptually, this code, for a given cell, adds the number of live cells to the neighbor count.

The code becomes more complex, though, because we have to check for edge conditions of the cells on the edge of the grid.




This is Ready Bake code. All you need to do is type it in (or grab it out of the book's source code folder). While we think you're fully up to the task of writing this code (at this point, we know you have your conditionals down), going through this code in detail is not the real focus of this chapter.

That said, it is great exercise for your brain to go through this code and understand it. The difficulty of this code isn't so much that it has to check every neighbor, but it also has to take into account the edge conditions of cells near the edge of the grid. So at a minimum, take the time to understand this code. And if you want to take it further, when you've finished the chapter, come back and write a new `count_neighbors` function from scratch.

So here's our Ready Bake code just for you. Enjoy.

Here's how you access each neighbor around a cell.





Code Magnets

Lucky you. While you were reading about Ready Bake code, we went ahead and wrote the `next_gen` function and put it on the refrigerator. But as is always the case in the *Head First* books, someone came along and messed it up. Can you help us get it back together? Careful, there are extra magnets you don't need.

```
def next_gen():
    global grid_model

    for i in range(0, height):
        for j in range(0, width):
            cell = 0
```

Here's the
rules again.

We put these
up for you
already.

THE RULES

BIRTH: a new cell is born if it is surrounded by three live cells.

LIFE: a cell lives on as long as it is surrounded by two or three live cells.

DEATH: a cell dies of loneliness if it is surrounded by fewer than two live cells.

A cell dies of overcrowding if it is surrounded by four or more live cells.

```
cell = 1
    and
    or
    if count == 2 or count == 3:
        else:
            if count == 3:
                cell = 1
                if grid_model[i][j] == 0:
                    cell = 0
                    count = count_neighbors(grid_model, i, j)
                elif grid_model[i][j] == 1:
                    if count < 2:
                        if count > 4:
```



A Test Drive

Before we get too far along, let's get this code organized and give it a test drive just to make sure we're on the same page. Copy the code below into a file called *model.py*. Make sure you include the Ready Bake code as well. Although this code won't do much (yet), go ahead and give it a test drive and fix any errors.

```
height = 100
width = 100

grid_model = [0] * height
for i in range(height):
    grid_model[i] = [0] * width
```

```
def next_gen():
    global grid_model
```

```
    for i in range(0, height):
        for j in range(0, width):
            cell = 0
            print('Checking cell', i, j)
            count = count_neighbors(grid_model, i, j)

            if grid_model[i][j] == 0:
                if count == 3:
                    cell = 1
            elif grid_model[i][j] == 1:
                if count == 2 or count == 3:
                    cell = 1
```

```
def count_neighbors(grid, row, col):
```

```
if __name__ == '__main__':
    next_gen()
```

If printing takes a while on your machine, you can always choose the Shell > Interrupt Execution menu item → to stop the program.

Let's pull together the code from the last few pages.

Here's what we got—
not much yet, but
it's a start.



Put the entire function body here from the Ready Bake code two pages back.

You should see all the cells being checked if things are running correctly.

Python 3.6.0 Shell

```
Checking cell 99 76
Checking cell 99 77
Checking cell 99 78
Checking cell 99 79
Checking cell 99 80
Checking cell 99 81
Checking cell 99 82
Checking cell 99 83
Checking cell 99 84
Checking cell 99 85
Checking cell 99 86
Checking cell 99 87
Checking cell 99 88
Checking cell 99 89
Checking cell 99 90
Checking cell 99 91
Checking cell 99 92
Checking cell 99 93
Checking cell 99 94
Checking cell 99 95
Checking cell 99 96
Checking cell 99 97
Checking cell 99 98
Checking cell 99 99
>>>
```

Completing the model code

We're not quite there yet. Oh, the logic of our code is just fine, but right now we're just *computing* the value of a cell in the next generation; we aren't actually *doing anything* with it. Here's the problem, though, if we were to store the next-generation cell values in the current grid (as we're computing them), we'd throw off all the `count_neighbor` calculations because we'd be computing with a mix of current and next-generation values at the same time. So, to solve this problem we're going to need *two grids*, one to hold the current values and one to hold the next generation. Then, when we've completely computed the next generation, we'll have to make it the current generation. Here's how we do that:

```
grid_model = [0] * height
next_grid_model = [0] * height

for i in range(height):
    grid_model[i] = [0] * width
    next_grid_model[i] = [0] * width

def next_gen():
    global grid_model, next_grid_model
```

Let's create a second grid, called `next_grid_model`.

Rather than show the entire file, we're only showing the code with changes; go ahead and make these additions to your code.

```
for i in range(0, height):
    for j in range(0, width):
        cell = 0
        print('Checking cell', i, j)
        count = count_neighbors(grid_model, i, j)

        if grid_model[i][j] == 0:
            if count == 3:
                cell = 1
        elif grid_model[i][j] == 1:
            if count == 2 or count == 3:
                cell = 1
        next_grid_model[i][j] = cell
```

Add a global declaration.

```
temp = grid_model
grid_model = next_grid_model
next_grid_model = temp
```

Once `next_grid_model` is completely computed, we need to make it the `grid_model`. To do that we swap the two so that `grid_model` now points to the data in `next_grid_model`'s grid, and vice versa.

After we've computed a cell, we'll store it in the correct position in `next_grid_model`.

there are no Dumb Questions

Q: Why do we have to swap `grid_model` and `next_grid_model`? Isn't it enough to assign `next_grid_model` to `grid_model`?

A: That will work fine until you start computing another generation, and then you'll have `grid_model` and `next_grid_model` assigned to the same list, which means you'll be counting cell neighbors and changing them in the same list. Not good. So, we go ahead and swap the two lists so that when we do compute the next generation, `grid_model` will be assigned to the current generation and `next_grid_model` will have the next-generation values written to it.

Sharpen your pencil



We're not really exercising the `next_gen` code if we're testing with a grid full of zeros. Write a function, `randomize`, which takes a grid, a width, and a height and places random ones and zeros at each cell location:

```
import random

def randomize(grid, width, height):
```



Your code here



A Test Drive

Let's do another test run. While we have no way to view our model yet—that's the whole point of building a user interface—this is another good time to test things out. Just to be clear, here's all the code.

```
import random
```

We'll be using the random module.

```
height = 100
width = 100
```

```
def randomize(grid, width, height):
    for i in range(0, height):
        for j in range(0, width):
            grid[i][j] = random.randint(0,1)
```

Add your randomize function at the top...

```
grid_model = [0] * height
next_grid_model = [0] * height
for i in range(height):
    grid_model[i] = [0] * width
    next_grid_model[i] = [0] * width
randomize(grid_model, width, height)
```

...and call it once the grid is created.

Continued on
next page...

```
def next_gen():
    global grid_model, next_grid_model

    for i in range(0, height):
        for j in range(0, width):
            cell = 0
            print('Checking cell', i, j)
            count = count_neighbors(grid_model, i, j)

            if grid_model[i][j] == 0:
                if count == 3:
                    cell = 1
            elif grid_model[i][j] == 1:
                if count == 2 or count == 3:
                    cell = 1
            next_grid_model[i][j] = cell
            print('New value is', next_grid_model[i][j])
    temp = grid_model
    grid_model = next_grid_model
    next_grid_model = temp

def count_neighbors(grid, row, col):
    if __name__ == '__main__':
        next_gen()
```

If printing takes a while on your machine, you can always choose the Shell > Interrupt Execution menu item to stop the program.

Here's what we got; your results will differ of course because the cell values are random.

Python 3.6.0 Shell

```
New value is 1
Checking cell 99 91
New value is 0
Checking cell 99 92
New value is 0
Checking cell 99 93
New value is 0
Checking cell 99 94
New value is 1
Checking cell 99 95
New value is 0
Checking cell 99 96
New value is 0
Checking cell 99 97
New value is 1
Checking cell 99 98
New value is 1
Checking cell 99 99
New value is 1
>>>
```

Add another print statement just for testing.



Where are we?

Well, that was a nice chunk of code. For the most part, we've now completed the code representing the model of the simulator. And, while we can't visualize the grid in any way yet, we've built a way to store and compute each generation of our generative game.

Now we're going to treat *model.py* like a module and move on to code the user interface, which is going to visualize and control the model.

Let's get started.



Exercise

Before we move on, make sure you remove the two `print` statements from the `next_gen` function, as you'll no longer be needing them.


Make sure you do this!

Building the view

Ready to actually see something on the screen? Us too. This is where we start building the view, the onscreen representation of our simulator. To build the view we're going to use the built-in Python Tkinter module, which allows us to create GUIs using many of the common components you typically see in user interfaces, like buttons, text entry boxes, menus, and a canvas you can draw on programmatically. In Tkinter we call those components *widgets*. Here are some of the widgets we're going to use:

While there doesn't seem to be a definitive pronunciation of Tkinter, most folks call it "Tea Kay inter" or "Tea Kin Ter."

The outer window is a widget that holds all the other widgets.



Start is a button widget.

The simulator grid is a canvas widget, which allows you to draw geometric shapes (we'll be drawing lots of little squares to represent live cells).

Clear is a button widget.

This is known as an option menu widget; it allows you to choose from a set of options.

That's just a small sampling of the widgets available in Tkinter; if interested, you'll find a lot more information at <https://en.wikipedia.org/wiki/Tkinter>.

Creating your first widget

You have some idea of what a widget is going to look like on your screen, but what does a widget look like in code, and how does it relate to Python? From a coding perspective, widgets are just objects. Typically we instantiate a window widget first (which will appear on your screen as soon as you instantiate it), and then we instantiate and add other widgets to the window. So let's start by creating a new window widget and then we'll add a start button to it. One note, in Tkinter, the class that represents a window is called `Tk`.

Let's start by importing the `tkinter` module, only we'll do it in a slightly different way.

```
from tkinter import *
```

It's customary to call the top-level window the "root." So we named our variable `root`.

Notice that when we create a widget, we pass it the root window it's going to be part of.

And finally, just like we did with our turtles, we need to turn over control to Tkinter and allow it to monitor the window for clicks and similar events.



A Test Drive

You should see a window on the screen similar to this one. However, depending on your operating system, operating system version, and so on, you may see something slightly different.

Click the button; what happens?



Serious Coding

There's another way to import a module you haven't seen yet. When we use the `from` keyword, like:

```
from tkinter import *
```

We no longer have to prepend every function, variable, and class name with the module name. So, for instance, we can use `Tk()` rather than `tkinter.Tk()`.

Don't forget to pay attention to case sensitivity; we have lowercase `tkinter`, `Tk` (uppercase T, lowercase k), and so on.

And then let's instantiate a new window; remember we do that with the `Tk` class.

And let's set the `title` attribute, which will appear at the top of the window.

```
start_button = Button(root, text='Start', width=12)
start_button.pack()
mainloop()
```

Next we instantiate a `Button` object, giving it a couple of arguments to control the text on the button and the width of the button (in characters) on the screen.

This line tells the Tkinter module to place the button in the window wherever it can. This is called a layout manager, and we'll talk more about it in a bit. Basically, if you have a bunch of widgets in a window, you need a layout manager to help you position them.

This is a function from the Tkinter module, and again, we don't have to prepend the module name because of the way we imported Tkinter.

Place the code above in a file named `view.py` and give it a test drive.



If you don't see the full title, you can manually resize the window a bit.

Adding the rest of the widgets

Let's add the rest of the widgets we need for the simulator. We've got a start button, but we still need a canvas, a clear button, and an option button (otherwise known as an OptionMenu). We're going to go ahead and add a few other things too and put it all in a setup function. Feel free to re-enter all this code from scratch in `view.py` if it's easier than editing the previous version.

```
from tkinter import * ← The view is going to need access to the model module (the
import model
```

```
cell_size = 5 ← You'll see what this is used for in a bit. Our
cells on the screen are going to be bigger
than one pixel, so we need to adjust the
screen size to accommodate this.
```

```
def setup():
    global root, grid_view, cell_size, start_button, clear_button, choice
```

```
root = Tk()
root.title('The Game of Life')
```

```
grid_view = Canvas(root, width=model.width*cell_size,
                   height=model.height*cell_size,
                   borderwidth=0,
                   highlightthickness=0,
                   bg='white')
```


```
start_button = Button(root, text='Start', width=12) ← Here's our start button from before.
clear_button = Button(root, text='Clear', width=12) ← We need a clear button too.
```

```
choice = StringVar(root)
choice.set('Choose a Pattern')
option = OptionMenu(root, choice, 'Choose a Pattern', 'glider', 'glider gun', 'random')
option.config(width=20)
```

```
grid_view.pack()
start_button.pack()
option.pack()
clear_button.pack()
```

Remember we need a layout manager to place the widgets in the window. So let's call pack on each widget to make that happen.

```
if __name__ == '__main__':
    setup() ← And let's not forget
    mainloop()
```



Here's our setup function. Let's get the global variables we need out of the way and get to the widgets.

And notice we're using keyword arguments. The tkinter module is full of them.

First up we need a canvas to draw all those cells on. You'll note we're supplying a fair number of arguments, like the width, height, border thickness, and background color.

And this is the option menu widget, which we had in our original design. You'll see we instantiate an Option Menu object just like the other widgets, but this widget has a few other things we need to discuss as well. We'll come back to this.

And let's not forget to call setup!




A Test Drive

Get all that new code on the previous page in `view.py` and give it a test drive.

Here's our output. Remember, yours may look different depending on your environment.



Do you see this? The layout manager isn't doing such a great job. We don't want these buttons to stack on top of each other.



We want our buttons like this. Note, we're not going to worry about the border around the canvas, as you'll see it looks fine without the border in the actual interface.

Correcting the layout


The Tkinter layout manager, which packs our widgets into the window as best it can, isn't giving us the layout we want. We could spend some time tweaking the pack layout manager, but, as it turns out, Tkinter has a few layout managers, and we're going to use another manager that is better suited for our layout: the *grid layout manager*. The name is coincidental, in that it has nothing to do with the simulator grid. Rather, the grid layout manager allows us to place our widgets into a grid structure within the main window. Doing that is pretty straightforward if we know where we want things placed.

Vertically stacked is not what we want.



Placing the widgets into a grid layout

Let's take our design and think about it as if it were being placed into a grid. Here's what it looks like:



Translating the grid layout to code

Now that we know where each widget goes, here's how we tell the grid manager to place the widgets into the grid:

```
grid_view.grid(row=0, columnspan=3, padx=20, pady=20)
```

```
start_button.grid(row=1, column=0, sticky=W, padx=20, pady=20)
```

```
option.grid(row=1, column=1, padx=20)
```

```
clear_button.grid(row=1, column=2, sticky=E, padx=20, pady=20)
```

Put the `grid_view` canvas in a grid at row 0, spanning three columns. We also added some visual padding to make it look nicer.

Put the buttons and the option menu widget in row 1, in their respective columns, also with a little padding.

Note the `sticky` parameter tells the layout manager to keep the buttons, essentially, stuck to the west (left) and east (right) sides, instead of being centered. This just helps the buttons stay in a good position for different window sizes.




A Test Drive

Open `view.py` and replace the existing layout manager code with our new grid-based code. After that give it a test drive and see if things look better. Also, if you haven't already, remove both `print` statements from your `model.py` file.

```
grid_view.pack()  
start_button.pack()  
clear_button.pack()  
option.pack()  
  
grid_view.grid(row=0, columnspan=3, padx=20, pady=20)  
start_button.grid(row=1, column=0, sticky=W, padx=20, pady=20)  
option.grid(row=1, column=1, padx=20)  
clear_button.grid(row=1, column=2, sticky=E, padx=20, pady=20)
```

Find this code in `view.py`, and
replace it with this code. ↴



there are no Dumb Questions

Q: Why is it customary to call the top-level window the "root"? Like the root of a tree?

A: It's a computer science term, and you're not too far off on the tree analogy. Think of a root system with the big thick root at the top branching off into smaller roots. In the same way, the big top window branches off into smaller components. For instance, an `OptionMenu` widget has a pop-up menu, and in that you'll find a number of options to choose, and each of

those has a string it displays, and so on, smaller and smaller, like roots. You'll find tree and root analogies all over computer science: the root of a file directory, the root of a complex data structure, and so on.

Q: How come our buttons don't do anything when we click them?

A: Because we haven't told them what to do yet. Hang on!

Moving on to the controller

We're getting there. We've got our model all ready to hold cells and compute new generations, and we've got a view that looks like our paper prototype. Now our job is to wire all this up and get this interface actually doing something—in other words, we need to start implementing the controller aspects of our simulator. To do that we're going to take your brain on another mind-bending trip into a slightly different way of thinking about computation—don't worry, this is nothing like the detour we took on recursive functions; it's much more straightforward, yet different than what you're used to.

First, though, let's quickly connect the view to the model. Doing that is our first real step toward having a functional simulator. After we've connected the two, we'll start writing our controller code and start incrementally implementing the functionality behind each component in our interface.

Adding an update function

To get the view and model connected, we're going to write a function, `update`, that we'll use over and over. The `update` function will be responsible for calling the model's `next_gen` function and then using the view to draw the model's cells on the screen, or more precisely, on the canvas we created in the interface.

Let's write a little pseudocode to understand the `update` function:

```

DEF update():
    CALL next_gen()
    FOR variable i in range(0, height):
        FOR variable j in range(0, width):
            cell = model.grid_model[i][j]
            IF cell == 1:
                DRAW black cell at location i, j on grid_view
    
```

First, compute a new generation.

Then iterate through every cell in the model.

If the cell is alive, then we'll color in a pixel at that location in the view.

The only difference between this pseudocode and the code we're going to write is that on the canvas we'll draw small rectangles rather than individual pixels. Why? Small pixels are very hard to see, so we'll draw a 5×5 pixel square on the canvas instead. You might remember the global variable `cell_size`, which controls this. You'll see how this works in just a bit. Oh, one more thing: we're only going to draw cells that are living. So, to get rid of any cells that have died since the last generation, we'll need to erase the entire canvas first before redrawing any cells. Let's look at the code...



there are no Dumb Questions

Q: If I use `tkinter import *` won't it clash with my own variable, function, and class names?

A: The `from/import` statement imports a module such that all its variable, function, and class names are defined at your top level, meaning you don't have to prepend their module name when you use them. The advantage is that this saves you having to always use a module name. The disadvantage is that your own variable, function, and class names may accidentally clash with those in the imported module. So why risk it? Well, if you think it is unlikely that you're going to define names in your own code that are going to clash with the module (in the case of Tkinter that would mean clashing with names like `Button`, or `Tk`, or other widget names), then it can often make your code more readable.

BRAIN POWER

Why do you think we're only drawing live cells instead of live and dead cells?

completing the update function

```
def update():
    global grid_view
    grid_view.delete(ALL)
    model.next_gen()

    for i in range(0, model.height):
        for j in range(0, model.width):
            if model.grid_model[i][j] == 1:
                draw_cell(i, j, 'black')
```

This is our function, not Tkinter's, so we will still need to write this function.

That implements all the logic of our update function, but we left one thing unimplemented: the function to draw a rectangle, `draw_cell`. Let's do that now:

The `draw_cell` function takes a row and column position and a color.

```
def draw_cell(row, col, color):
    global grid_view, cell_size

    if color == 'black':
        outline = 'grey'
    else:
        outline = 'white'
```

And it draws a small rectangle to represent the cell.

This code picks an outline color for rectangles. For black rectangles it chooses grey outlines, which gives the rectangles a nice look. You'll see.

grid_view.create_rectangle(row*cell_size,
 col*cell_size,
 row*cell_size+cell_size,
 col*cell_size+cell_size,
 fill=color, outline=outline)

Upper-left coordinate of rectangle
Bottom-right coordinate of rectangle
Then we have the fill color of the rectangle as well as the outline color.

Think of the `draw_cell` function as just a helper function that uses Tkinter's canvas method `create_rectangle` to draw a rectangle. This function "helps" by handling the arithmetic of figuring out the top-left and bottom-right coordinates of the rectangle we need given the value of `cell_size`.



A Test Drive

Things should start to get interesting. Open `view.py` and add the `update` and `draw_cell` functions. Also add a call to `update` to test things out. Give it a whirl.

```
def update():
    global grid_view

    grid_view.delete(ALL)

    model.next_gen()
    for i in range(0, model.height):
        for j in range(0, model.width):
            if model.grid_model[i][j] == 1:
                draw_cell(i, j, 'black')

def draw_cell(row, col, color):
    global grid_view, cell_size

    if color == 'black':
        outline = 'grey'
    else:
        outline = 'white'

    grid_view.create_rectangle(row*cell_size,
                               col*cell_size,
                               row*cell_size+cell_size,
                               col*cell_size+cell_size,
                               fill=color, outline=outline)

if __name__ == '__main__':
    setup()
    update()
    mainloop()
```



Place `update` below your `setup` function, just above the check for `__main__`.

Let's put in our call to `update`.


Here's what we got. Now we're getting somewhere!



Ready for another new style of computation?

If you think about all the code you've written, you're in the driver's seat in that the computation is always proceeding according to your direction. At every point in the computation, you've got code that says what to do next. For a lot of code, though, this isn't the case. A lot of code follows a more *reactive* style of computation.

To understand what that means, imagine your start button just sitting there doing nothing. Suddenly a user comes along and clicks on it, and then what? Well, some piece of code is going to have to wake up and start doing something. In other words, you need code that *reacts to events* that occur in your app. Often those events will be a user clicking on a button, choosing a menu item, typing into a text box, and so on. But they could be other things too, like, say, a timer going off, data arriving over a network, and so on. Often we call this *event-based* or *event-driven* programming.



The code that handles an event, like a button click, has different names in different languages: event handlers, observers, and callbacks, to name a few. We'll stick with *event handlers* because we're writing code that handles an event that occurs in our code. No matter what you call these bits of code, the way you construct them is similar: we tell the object that generates the event, like our button, the function we want it to call when the event occurs. One other thing to know: often event handlers are also passed a special event object when they are called. More on that in a bit. For now, let's see if we can get an event handler written and working.

Let's add a click handler

Our controller code isn't going to require writing all that much code, so we're just going to put the controller code in with the `view.py` file (instead of creating a new `controller.py` file). Go ahead and open `view.py` again. Add this line just below the line that instantiates the start button object:

```
start_button = Button(root, text='Start', width=12)
start_button.bind('<Button-1>', start_handler)
```

You can call bind on any widget to associate an event with a function to call when that event occurs.

The event we're interested in is a click from the left button of a mouse (which works on Mac or Windows machines, or just about any machine with a mouse, for that matter).

And we want to call the function `start_handler` whenever the button is clicked.

Now below your `setup` function and above the `update` function, add a new function, `start_handler`.

This is the function we told the start button to call when it gets clicked on.

Handlers get passed an event object that contains information about the event, like which button was clicked. Here we don't really need any of that information, but we'll be making use of it later in the chapter.

```
def start_handler(event):
    print("Yup, you clicked on the start button alright.")
    print("Thanks for stopping by.")
```



A Test Drive

Make those two updates to `view.py` and take the code for a test drive. Click on the start button and then check your Python Shell for any output.

We clicked the start button a few times.

Notice how each time you click the function `start_handler` is immediately called.


Python 3.6.0 Shell

Yup, you clicked on the start button alright.

Thanks for stopping by.

Yup, you clicked on the start button alright.

Thanks for stopping by.



That's right. Whether the user clicks on a button, chooses an option from a menu, clicks on the canvas to perhaps add a live cell (yes, we're going to do that), or some other event occurs, a common style of coding is to register functions that will be called (that's where the name *callback* came from) when the event occurs. As you get used to this style of coding, you'll find it is a natural way to program.

You might be wondering, though, if none of my code is executing and I'm just waiting for events, how come the program doesn't just end? And is there any code that is being executed as my code waits? That's where the `mainloop` function fits in. You'll notice in this code and in the turtle examples in the book we always call `mainloop` as the last thing our code does. When you do that, the code in `mainloop` takes over monitoring everything that is happening in the interface, and when it sees a user interaction it then calls out to your code. So, there is always code running, and in this case it is the code in `mainloop`.



Here's some code you've never seen before. What do you think it does?
Hint: this code also calls a handler function when an event occurs.

Yes, this is the same root assigned to the Tk object.

`root.after(100, update)`

You might be having a déjà vu moment after that ISS code we looked at in the previous chapter.


This is a method in the Tk object.

This is a time in milliseconds (1 sec = 1,000 milliseconds).

This is the update function we wrote already.

How the start/pause button is going to work

The start button is an important button because, when clicked, it needs to tell the simulator to start computing new generations. If you remember the paper prototype, it also needs to morph into a pause button. Let's work up a little *state diagram* showing how the start button works before we jump into code. In this diagram we're going to use new global variable, `is_running`, which is `True` if the start button has been clicked and the simulator is generating new generations. If the game hasn't started or is paused, then `is_running` is `False`.




Implementing the start/pause button

First we need a global `is_running` variable. Let's add that to the top of the `view.py` file:

```
from tkinter import *
import model

cell_size = 5
is_running = False
```

Let's add this global, initially set to False.



Now we just need to follow the state diagram. Find the `start_handler` function you just wrote, and we're going to make some changes:

```
def start_handler(event):
    print("Yup, you clicked on the start button alright.")
    print("Thanks for stopping by.")
    global is_running, start_button

    if is_running:
        is_running = False
        start_button.configure(text='Start')
    else:
        is_running = True
        start_button.configure(text='Pause')
    update()
```

Let's get rid of this old code.

If we're already running (meaning the button is in the paused state), then we set `is_running` to `False` and change the button name to "Start."

Otherwise, we set `is_running` to `True`, set the button text to "Pause," and call `update` to compute a generation.




A Test Drive

Make those two updates to `view.py` and take the code for a test drive. Try clicking on the start and pause buttons over and over. Do you see generations being computed?

Another example of a small bit of code making a huge difference, but there's an even bigger moment coming.

Make sure the start button toggles between Start and Pause.

When you click the start/pause button repeatedly, you should see generations being computed!



Another kind of event

If you click fast enough, you can actually see generations of cells being computed by your `next_gen` function. That's not too bad, but your fingers are going to get tired, and these being computers, you'd probably like to compute them a little faster than you are capable of clicking. To make that happen, we're going to use another kind of event, one not based on what the user does (like clicking a button), but one based on time.

The Python Tk object provides an interesting method named `after`. Let's take a look at how it works:

You can call the `after` method on the root Tk object.

The first argument is a time in milliseconds.

The second argument is a function to call after that time has elapsed.


You'll find similar functionality in most programming languages.


There are 1,000 milliseconds in a second.

`root.after(100, update)`



Okay, but what does it do exactly? Let's drop in on some code invoking the `after` method.





Sharpen your pencil

Trace through this code; can you tell what it outputs? How does it work? Check your answer at the end of the chapter.



Do you think this qualifies as a recursive function?

```
from tkinter import *
root = Tk()
count = 10

def countdown():
    global root, count

    if count > 0:
        print(count)
        count = count - 1
        root.after(1000, countdown)
    else:
        print('Blastoff')

countdown()
mainloop()
```



We have the technology: the after method

The `after` method is just what we need to get our simulator computing at regular intervals. In fact, we hope you spent a little time understanding that last Sharpen exercise because we're going to use a similar technique here in our `update` method:

```
def update():
    global grid_view, root, is_running

    grid_view.delete(ALL)
    model.next_gen()

    for i in range(0, model.height):
        for j in range(0, model.width):
            if model.grid_model[i][j] == 1:
                draw_cell(i, j, 'black')

    if (is_running):
        root.after(100, update)
```

← We'll need to add the `root` and `is_running` globals, as we'll be using them.

← Okay, now, when `update` is called, if `is_running` is True, then this call will schedule another call to `update` in 100 milliseconds (1/10 of a second).



A Test Drive

There are those times when *one line* of code makes all the difference. Guess what? This is one of those times. Get those last changes into `view.py` and get ready to see your app transformed into a Game of Life simulator.

- (1) Click the start button and watch the simulator run.
- (2) Click the pause button to temporarily suspend it.
- (3) Repeat as often as you like and restart the simulator to get a new round of random starting cells.

This is starting to look like more than just a random selection of cells.

Did you see any oscillating patterns? Gliders going across the screen? Areas of chaos that come and go?



Are we there yet?

Well, we've certainly come a long way. In fact, we have all the big stuff working. We just need to finish up a few interface details. Up first, we have the clear button to implement—it's going to clear the screen and set all the cells to dead. With a clear screen we'll want the ability to click and add our own live cells to the canvas. And finally, we have our option menu, which is going to let us preload some patterns into the grid. We're going to tackle these one at a time, starting with the clear button.



How about the clear button? It needs to set `is_running` to `False` and then set each cell's value to `0`. It also needs to set the start button's text to "Start" again. And, it should call `update` to update the display before ending (with every cell in the model set to `0`, the screen should clear).

Use the start button as an example and write the code for the clear button:

```
start_button.bind('<Button-1>', start_handler)

def start_handler(event):
    global is_running, start_button

    if is_running:
        is_running = False
        start_button.configure(text='Start')
    else:
        is_running = True
        start_button.configure(text='Pause')
    update()
```

You'll need to let the clear button know about your handler, just like we did with the start button.

And here's the `start_handler` again, which should serve as a good example.

Your code here!


If you're stumped on zeroing out the cells in the model, refresh your memory by looking at how the `update` function iterates over the cells.



When you've written the code, double-check it with ours at the end of the chapter and then get it in your `view.py` file. Give it a try.

How to enter and edit cells directly

Right now the game works by randomly choosing a bunch of live cells and then when we click the start button it begins computing new generations. What would be nice, though, is to be able to click and draw our own live cells on the grid before we click Start. To do that, we're going to use a technique similar to the one we used to handle button clicks. That is, when the user clicks on the canvas, we'll use an event handler (in other words, a function) that takes that click and translates it into a live cell onscreen and in the model.



We'll begin building this code by binding a left button click to the canvas just as we did with the start and clear buttons.

```
grid_view.bind('<Button-1>', grid_handler)
```

When the user clicks the left button on the grid_view canvas, call the grid_handler function.

Writing the grid_view handler

Let's think through how we want the `grid_handler` function to work. How about this: if the user clicks on a white (dead) cell in the grid, then we make it a live cell and turn it black. And, if the cell is black already, we'll change its state to dead and turn it back to white. Of course, the cell also needs to change visually in the view, and we need to update its value in the model.

Let's look at how to do this in code:

```
Remember the grid handler function
takes an event as a argument.

def grid_handler(event):
    global grid_view, cell_size

    x = int(event.x / cell_size)
    y = int(event.y / cell_size)

    if (model.grid_model[x][y] == 1):
        model.grid_model[x][y] = 0
        draw_cell(x, y, 'white')
    else:
        model.grid_model[x][y] = 1
        draw_cell(x, y, 'black')

We can get the x- and y-position of
the click from the event object. You'll
find there is an attribute for each.

Remember our grid is scaled by the cell size, so we need to
find out the true x and y (row and column, if you like) in
the grid model. To do this we divide by the cell size. We
use the int function to make sure the result is an int and
not a floating-point number.

If the current cell in the model is 1,
we set it to 0 and call our draw_cell
function to color in the cell white.

Otherwise, we set the model to 1 and
call our draw_cell function to color in
the cell black.
```



A Test Drive

Add the `grid_handler` function above to `view.py`, just below the `setup` function. And also remember to put the call to the `bind` method in your code (see below).

Finally, it's time to delete that call to `randomize` in `model.py`; that way you'll start with a clear grid.


Don't miss this step.

```
grid_view.grid(row=0, columnspan=3, padx=20, pady=20)
grid_view.bind('<Button-1>', grid_handler)
```

Place the call to `bind` just below where you set the grid for the `grid_view`.

Now, when you run the simulator you could see a nice blank screen. Click in the screen to add live cells before clicking the start button.

We recommend drawing a glider pattern and clicking Start. If you mess up, just click again to erase the cell.




If clicks aren't working, make sure you're clicking in the middle of the window.

Now it's time to add some patterns

We're going to put one more bit of polish on this app by providing an option menu to allow users to choose from a list of preexisting patterns. Our design supplies three patterns, but you should feel free to add your own.

Remember that you've already instantiated an option menu in your code, but we purposely put off discussing that code because the option menu widget works a little differently than the button and canvas widgets. Let's look at the code we have so far to create the option menu:



The Tkinter module provides an object that stores values. Here we're creating an object to hold a string and assigning it to the variable `choice`. You'll see how this is used in a sec.

```
choice = StringVar(root)
choice.set('Choose a Pattern')
option = OptionMenu(root, choice, "Choose a Pattern",
                     "glider",
                     "glider gun",
                     "random")
```

`option.config(width=20)`

To make things look better, we also widened the widget by giving it a width of 20.

We then set the value of the `choice` object to 'Choose a Pattern,' which is the initial choice we want selected in the widget.

We then instantiate the option menu and pass it the root window (as is always the case with widgets), our variable for holding a string value, and a set of options that appear in the menu.

As you can see in the interface this all looks great, but it doesn't do anything. As with the buttons and the canvas, we need to add an event binding to the option menu, but the way we do that is a little different than we're used to. Here's how we add a binding for the option menu:

```
choice = StringVar(root)
choice.set('Choose a Pattern')
option = OptionMenu(root, choice, "Choose a Pattern",
                     "glider",
                     "glider gun",
                     "random",
                     command=option_handler)
option.config(width=20)
```

We add one more argument to the `OptionMenu` constructor, which is the `command` (think "handler") to invoke when a user chooses an option.



Add this small bit of code to your `view.py` file before we forget to do it!

Writing a handler for the OptionMenu

Writing an option menu handler is a bit different as well, because we aren't just reacting to a simple button click. Instead the user has chosen an option in the menu, and we need to figure out what that option is and then act on it.

As you might have figured out, the first item in our menu, "Choose a Pattern," is an instruction to the user; it isn't meant to do anything. For the rest of the options, let's write some code to see how we're going to handle them:

```
This handler gets an event too, although
we won't need to make use of it.
↓

def option_handler(event):
    global is_running, start_button, choice
    is_running = False
    start_button.configure(text='Start')
    selection = choice.get()
    if selection == 'glider':
        model.load_pattern(model.glider_pattern, 10, 10)
    elif selection == 'glider gun':
        model.load_pattern(model.glider_gun_pattern, 10, 10)
    elif selection == 'random':
        model.randomize(model.grid_model, model.width, model.height)

    update()


We're going to be using the Tkinter
StringVar object we saw earlier.
←
Let's stop the simulator
from running and reset
the start button.
←
The choice variable holds a StringVar
object with the value the user selected in
the option menu. A StringVar provides a
get method to get the value it holds.
←
Once we have the user's
selection we can test
to see which option
it was, and either
load a pattern or call
randomize.
←
Note that we need to write
the load_pattern function
as well as define what the
patterns look like.
```

After we change the model, we need to update the display for the user.

If the user chooses random, we conveniently have already written a randomize function, so we just need to call it!



Go ahead and place this code into your `view.py` file above your `start_handler` function. We can't run it yet, because we haven't written the model's `load_pattern` method or defined the patterns. We'll do that next, and then come back and give it all a test drive.



It is a little confusing. After all, we're happily coding along, using everyday Python variables, and out of nowhere Tkinter throws in its own variables in the form of an object. Why? There are a couple reasons we need to use Tkinter variables here. The first is that the Tk graphics library (which Tkinter is built on) is actually a *cross-platform* library (meaning it works with lots of languages, not just Python). As you gain experience with Tkinter, you'll see a few things that don't feel Python-like because Tkinter was not designed specifically for Python.

The other reason is that the `StringVar` class allows you to do a bit more than just store and retrieve values; using a `StringVar` you can track the changes to a variable's value. For instance, say you're building a weather monitor and you want to update your display anytime the temperature changes. Well, with a `StringVar` you can use its `trace` method to be notified anytime its value changes, like this:

```
temperature = StringVar()  
temperature.trace("w", my_handler)
```



Anytime temperature is changed (written to in Tk terminology), our `my_handler` gets called.


We won't be making use of this additional functionality of `StringVar` in our code, but it's handy to know about for future reference, and is a great example of another form of event-based programming.

How to define your patterns

Let's define our patterns in the form of a two-dimensional list, like our grid model. So a pattern for a glider would look like this:


```
glider_pattern = [[0, 0, 0, 0, 0],  
                  [0, 0, 1, 0, 0],  
                  [0, 0, 0, 1, 0],  
                  [0, 1, 1, 1, 0],  
                  [0, 0, 0, 0, 0]]
```

Can you see the resemblance?



And the glider gun is a little more complicated:


Can you see the resemblance here too?



You don't need to type these in. Just look in your Chapter 11 source code and you'll find `glider.py` and `glider_gun.py`. Open them and copy these two assignment statements to the bottom of your `model.py` file (just below the `count_neighbors` function). No need to test yet, other than making sure you don't have any syntax errors.

Writing the pattern loader

Now we need to write the code to load a pattern into the grid mode. All the pattern loader needs to do is take a list and copy its ones and zeros into the grid model. Actually, before it does that, it should clear out the grid model and write zeros into all its cells.



We should also allow the pattern to be offset on the grid, so it can be placed, say, in the middle of the grid. We'll do that by taking an x-offset and a y-offset as arguments, and rather than copying the pattern starting at the top of the grid (location 0, 0), we'll place the pattern at the offset location. Here's the code:

Our function takes a pattern (like glider or glider_gun) in the form of a two-dimensional list.

```
def load_pattern(pattern, x_offset=0, y_offset=0):
    global grid_model
```

```
    for i in range(0, height):
        for j in range(0, width):
            grid_model[i][j] = 0
```

$j = y_offset$

```
for row in pattern:
    i = x_offset
    for value in row:
        grid_model[i][j] = value
        i = i + 1
    j = j + 1
```

It also takes two other arguments, an x- and y-position to locate the top-left cell of the pattern on the grid.

And zero out all the cells.

Let's set i and j to the offsets.

Now we just iterate through each value in the pattern and assign it to the corresponding point on the grid_model.

You'll remember of course parameter defaults from Chapter 5.

Alert: there's duplicated code here (look at the clear_handler); there's an opportunity for refactoring this code later (a homework assignment).



Add the `load_pattern` function from the previous page to your `model.py` file, just below your patterns, and you should be all ready for an exhaustive test of the Game of Life simulator! Given all the code and code changes in this chapter, you'll find the complete source code for the simulator over the next several pages.

model.py

```
import random

height = 100
width = 100

def randomize(grid, width, height):
    for i in range(0, height):
        for j in range(0, width):
            grid[i][j] = random.randint(0,1)

grid_model = [0] * height
next_grid_model = [0] * height
for i in range(height):
    grid_model[i] = [0] * width
    next_grid_model[i] = [1] * width

def next_gen():
    global grid_model, next_grid_model

    for i in range(0, height):
        for j in range(0, width):
            cell = 0
            count = count_neighbors(grid_model, i, j)

            if grid_model[i][j] == 0:
                if count == 3:
                    cell = 1
            elif grid_model[i][j] == 1:
                if count == 2 or count == 3:
                    cell = 1
            next_grid_model[i][j] = cell

    temp = grid_model
    grid_model = next_grid_model
    next_grid_model = temp
```



```

def load_pattern(pattern, x_offset=0, y_offset=0):
    global grid_model

    for i in range(0, height):
        for j in range(0, width):
            grid_model[i][j] = 0

    j = y_offset

    for row in pattern:
        i = x_offset
        for value in row:
            grid_model[i][j] = value
            i = i + 1
        j = j + 1

if __name__ == '__main__':
    next_gen()

```

view.py

```

from tkinter import *
import model

cell_size = 5
is_running = False

def setup():
    global root, grid_view, cell_size, start_button, clear_button, choice

    root = Tk()
    root.title('The Game of Life')

    grid_view = Canvas(root, width=model.width*cell_size,
                       height=model.height*cell_size,
                       borderwidth=0,
                       highlightthickness=0,
                       bg='white')

    start_button = Button(root, text='Start', width=12)
    clear_button = Button(root, text='Clear', width=12)

    choice = StringVar(root)
    choice.set('Choose a Pattern')
    option = OptionMenu(root, choice, 'Choose a Pattern', 'glider', 'glider gun', 'random',
                        command=option_handler)
    option.config(width=20)

```

```
grid_view.grid(row=0, columnspan=3, padx=20, pady=20)
grid_view.bind('<Button-1>', grid_handler)
start_button.grid(row=1, column=0, sticky=W, padx=20, pady=20)
start_button.bind('<Button-1>', start_handler)
option.grid(row=1, column=1, padx=20)
clear_button.grid(row=1, column=2, sticky=E, padx=20, pady=20)
clear_button.bind('<Button-1>', clear_handler)

def option_handler(event):
    global is_running, start_button, choice

    is_running = False
    start_button.configure(text='Start')

    selection = choice.get()

    if selection == 'glider':
        model.load_pattern(model.glider_pattern, 10, 10)

    elif selection == 'glider gun':
        model.load_pattern(model.glider_gun_pattern, 10, 10)

    elif selection == 'random':
        model.randomize(model.grid_model, model.width, model.height)

    update()

def start_handler(event):
    global is_running, start_button

    if is_running:
        is_running = False
        start_button.configure(text='Start')
    else:
        is_running = True
        start_button.configure(text='Pause')
        update()

def clear_handler(event):
    global is_running, start_button

    is_running = False
    for i in range(0, model.height):
        for j in range(0, model.width):
            model.grid_model[i][j] = 0

    start_button.configure(text='Start')
    update()

def grid_handler(event):
    global grid_view, cell_size

    x = int(event.x / cell_size)
    y = int(event.y / cell_size)

    if (model.grid_model[x][y] == 1):
        model.grid_model[x][y] = 0
        draw_cell(x, y, 'white')
    else:
        model.grid_model[x][y] = 1
        draw_cell(x, y, 'black')
```

```

def update():
    global grid_view, root, is_running

    grid_view.delete(ALL)

    model.next_gen()
    for i in range(0, model.height):
        for j in range(0, model.width):
            if model.grid_model[i][j] == 1:
                draw_cell(i, j, 'black')
    if (is_running):
        root.after(100,update)

def draw_cell(row, col, color):
    global grid_view, cell_size

    if color == 'black':
        outline = 'grey'
    else:
        outline = 'white'

    grid_view.create_rectangle(row*cell_size,
                               col*cell_size,
                               row*cell_size+cell_size,
                               col*cell_size+cell_size,
                               fill=color, outline=outline)


if __name__ == '__main__':
    setup()
    update()
    mainloop()

```

Nice! Here's what we got
playing with the ever-
fascinating glider gun.



To replicate this, choose the "glider gun"
option and click the start button.



Nice job! The Game of Life simulator is spectacular! Let me know when you want to discuss marketing this. I'm thinking comic book classified ads.



BULLET POINTS


- Generative code produces output you could not have guessed by looking at the code.
- The Game of Life was discovered by mathematician John Conway.
- GUIs are graphical user interfaces.
- Paper prototyping is a method of testing a GUI before coding it.
- We designed our app by separating code into model, view, and controller responsibilities.
- Tkinter is a Python module for building user interfaces.
- Tkinter provides widgets that are presented in code as objects and onscreen as common user interface components.
- The Tk object represents a main window.
- Tkinter provides several layout managers, which organize widgets within a window.
- We used the grid layout manager to place our widgets.
- A reactive or event-based style of computation is often used when creating user interfaces.
- In this model we supply handlers in the form of functions that are called when certain events occur.
- We use the bind method on Tkinter widgets to register a function to handle an event.
- Most handlers are passed an event object, which contains more information about an event.
- Most programming languages also provide a method of registering a handler to be called after a duration of time has elapsed.
- Tkinter provides the after method on the Tk object to schedule code to be executed at a later time.
- The OptionMenu keeps the user's selection in a StringVar object.
- The Tkinter mainloop monitors the interface for user interaction.

Taking your Game of Life Simulator EVEN FURTHER!

You've built a great little simulator! And it's just the beginning because there's so much more you can do with it. In lieu of a crossword, here are some ideas to consider.

LEARN MORE

- Start by learning more: <http://web.stanford.edu/~cdebs/GameOfLife/>
- Google "Game of Life" along with "Maze," "Night/Day," "Walled City," or "Reverse," to see some other examples of interesting alternative rules.
- Research Cellular Automata to find out more about the Game of Life and its mathematical basis: https://en.wikipedia.org/wiki/Cellular_automaton



CODE MORE

- Tweak the rules. Here's another set of rules:
 1. If a cell is alive, it stays alive in the next generation.
 2. If a dead cell has two live cells adjacent to it, the dead cell changes state to live.
- Write code to save and load your patterns from a file.
- Implement a torus: our implementation uses a rectangle that ends at the borders. Change your code so that the lefthand side wraps around to the right, and the top to the bottom so the entire grid is one continuous surface (it's not that hard with a little thought).
- Add color: how about basing the color on how long a cell lives?
- Add "ghosting": if a cell has been alive, give it a light grey color. Have it fade over time.
- Find ways to optimize the code and make it super fast.


Sharpen your pencil Solution

Before you get started coding, work through a few generations of the Game of Life. Use generation 1 as the starting point and then compute generations 2 through 6 by applying the Game of Life rules. Here are the rules again:


- If a dead cell has three living neighbors, it becomes alive in the next generation.
- If a live cell has two or three living neighbors, it lives on in the next generation.
- If a live cell has fewer than two living neighbors, it dies in the next generation.
- If a live cell has more than three neighbors, it dies in the next generation.




Generation 1




Generation 2




Generation 3



Generation 4



Generation 5



Generation 6

What do you notice about these two?

In four generations it repeated itself and moved one square down and across. If we keep computing this, it will move across the grid!



Code Magnets Solution

Lucky you. While you were reading about Ready Bake code, we went ahead and wrote the `next_gen` function and put it on the refrigerator. But as is always the case in the *Head First* books, someone came along and messed it up. Can you help us get it back together? Careful, there are extra magnets you don't need.

```
def next_gen():
    global grid_model

    for i in range(0, height):
        for j in range(0, width):

            cell = 0
            ← Most cases result in the cell
            ← being dead in the next gen,
            ← so we'll just set it to that.

            count = count_neighbors(grid_model, i, j)

            if grid_model[i][j] == 0:
                if count == 3:
                    cell = 1
                    ← This implements the
                    ← BIRTH rule.

            elif grid_model[i][j] == 1:
                if count == 2 or count == 3:
                    cell = 1
                    ← This implements the
                    ← LIFE rule.

                    if count < 2 or count > 3:
                        cell = 0
                        ← We didn't need all
                        ← these.
                        ↓
```

THE RULES

BIRTH: a new cell is born if it is surrounded by three live cells.

LIFE: a cell lives on as long as it is surrounded by two or three live cells.

DEATH: a cell dies of loneliness if it is surrounded by fewer than two live cells.

A cell dies of overcrowding if it is surrounded by four or more live cells.

Sharpen your pencil Solution

We're not really exercising this code if we're testing with a grid of all zeros. Write a function, `randomize`, which takes a grid, a width, and a height and places random ones and zeros at each cell location:

```
import random

def randomize(grid, width, height):
    for i in range(0, height):
        for j in range(0, width):
            grid[i][j] = random.randint(0,1)
```



Iterate over the grid, and assign a random int to each location.

Sharpen your pencil Solution

Trace through this code; can you tell what it outputs? How does it work?



Brain Building

Do you think this qualifies as a recursive function?



↑
Technically the function `countdown` never calls itself; instead, it is asking the root Tk object to call it at some point in the future (1 second in this case). But it certainly has a recursive feel!


```
from tkinter import *
root = Tk()
count = 10

def countdown():
    global root, count

    if count > 0:
        print(count)
        count = count - 1
        root.after(1000, countdown)
    else:
        print('Blastoff')

countdown()
mainloop()
```

We explicitly call `countdown` the first time, which schedules the first "after" call of `countdown`. Each time `countdown` is then called, it keeps scheduling more invocations of `countdown` 1 second later—that is, until `count == 0`, when the function ends without scheduling another call.



Because you're instantiating a Tk widget, you'll see a new window pop up when you run this code.





Exercise Solution

How about the clear button? It needs to set `is_running` to `False` and then set each cell's value to `0`. It also needs to set the start button's text to "Start" again. And it should call `update` to update the display before ending (with every cell in the model set to `0`, the screen should clear).

Use the start button as an example and write the code for the clear button:

```
start_button.bind('<Button-1>', start_handler)

def start_handler(event):
    global is_running, start_button

    if is_running:
        is_running = False
        start_button.configure(text='Start')
    else:
        is_running = True
        start_button.configure(text='Pause')
    update()
```

You'll need to let the clear button know about your handler, just like we did with the start button.

And here's the `start_handler` again, which should serve as a good example.

```
clear_button.bind('<Button-1>', clear_handler)
```

Here's the code to add the `clear_handler`.

```
def clear_handler(event):
    global is_running, start_button

    is_running = False
    for i in range(0, model.height):
        for j in range(0, model.width):
            model.grid_model[i][j] = 0
    start_button.configure(text='Start')
    update()
```

First we set `is_running` to `False`.

Then we zero out the cells in the model.

Now reset the button text to 'Start'.

Finally, update the display.



When you've written the code, double-check it with ours at the end of the chapter and then get it in your `view.py` file. Give it a try.

Clear's working great! But, boy, we really need a way to click and add our own cells.





A Trip to Objectville



In this book you've used functions to abstract your code.

And you've approached coding in a **procedural manner** using simple statements, conditionals, and `for/while` loops with functions—none of this is exactly **object-oriented**. In fact, it's not object-oriented *at all!* We have looked at objects and how to use them in our code, but you haven't created any objects of your own yet, and you haven't really approached designing your code in an object-oriented way. So, the time has come to leave this boring procedural town behind. In this chapter, you're going to find out why using objects is going to make your life so much better—well, better in a **programming sense** (we can't really help you with other areas of your life *and* your coding skills, all in one book). Just a warning: once you've discovered objects you'll never want to come back. Send us a postcard when you get there.



Breaking it down, a different way

Remember back in Chapter 1 when we said there were two skills that you needed to learn to code? The first was breaking a problem into a small set of actions, and the second was learning a programming language so that you can describe those actions to a computer. At this point, you've learned a good deal of both those skills.

And that's good, because those skills are the foundation of any coding you (or anyone) will ever do. However, there is another perspective on breaking problems down, one that almost every modern language encourages and one that most professional programmers favor: it's known as *object-oriented programming*, with which we had our first encounter in Chapter 7.

With object-oriented programming, rather than writing an algorithm using the techniques we've learned for abstraction, conditional logic, and so on, we instead model a set of objects and how they interact. In some ways object-oriented programming is an advanced technique that is full of its own jargon, techniques, and best practices. But in other ways it's often an intuitive way to break problems down, as you'll soon see.

Now object-oriented programming (otherwise known as OOP), is a topic that could (and has) filled many books. In this chapter we're going to try to get the gist of OOP down so you're in a good position to read and understand code written in object-oriented style. We're also going to get you to the point where you can use object-oriented techniques in your own code, which includes creating your own classes. And, after this chapter, you'll also be in a great position to continue your object-oriented studies.

Remember classes
from Chapter 7? →

What's the point of object-oriented programming, anyway?

OOP allows you to design your code at a higher level. It allows you to focus on the big picture.

You've heard that before—remember when you learned how to take a piece of code and abstract it into a function? That freed you to start thinking of your code as a set of functions that could be called to solve your problem rather than having to mentally track the spaghetti code of low-level `ifs`, `elifs`, `for/ins`, and assignments. OOP takes all that to the next level—with OOP you model real (or virtual) objects, including their state and behavior, and we let them interact to solve problems.

For example, take the difference between having to:

1. Create a heating coil out of wire,
2. Hook it to electricity,
3. Turn the electricity on,
4. Get a piece of bread,
5. Hold it 2 cm from the coil,
6. Keep holding bread until done,
7. Remove bread,
8. Turn off electricity.

← Procedural way to think about toasting bread

and just using some objects:

1. Place **toast** in **toaster**.
2. Push **toast_button** on **toaster**.
3. Remove **toast** when **toaster** finished.

← Object-oriented way to think about toasting bread

The first way is procedural, while the second way is object-oriented: you have a set of objects (bread, a toaster, and a toaster button), so you're thinking at the level of the problem (my bread's in the toaster, so now I just need to push the toast button), not down in the nitty-gritty of every step that needs to occur (while the heating coil is at 240 degrees and toast is 2 cm away and the toasting time hasn't elapsed).

Toast
kind
eat()

Toaster
temperature
elapsed_time
button

State →

Behavior →

load()
toast_it()



Button
is_pressed
push()

↑ Remember from Chapter 7 all objects are instantiated from classes and have attributes (state) and methods (behavior).



BRAIN POWER

Say you were implementing a classic ping-pong-style video arcade game. What would you choose as objects? What state and behavior do you think they'd have?



What do you like about object-oriented languages?

"It's easier to understand how to use an object than a random bunch of functions and data in a module."

—Joy, 27, software architect

"I like that the data and the functions that operate on that data are together in one object."

—Brad, 19, coder

"It helps me code in a more natural way. My coding feels closer to the real problem."

—Chris, 39, project manager

"I can't believe Chris just said that. He hasn't written a line of code in five years."

—Daryl, 44, works for Chris


"Other than turtles?"

—Avary, 7, junior coder

Designing your first class

In Chapter 7 you saw how to use classes to instantiate objects, and since that chapter you've seen quite a few objects: the built-in types (string, floats, and so on), turtles, widgets, and the HTTP requests object, to name a few. But you've never created a class of your own. We're going to do that now.

Like using pseudocode to plan out your procedural code, it helps to plan out your objects (or more specifically the classes that create them) before jumping into code. Let's start simple and plan out a Dog class:



Before we write the code for this class, let's think about how it is going to be used. Here's some code that uses our yet-to-be-implemented Dog class:

```
codie = Dog('Codie', 12, 38)
jackson = Dog('Jackson', 9, 12)
```

codie.bark()
jackson.bark()

Then we make use of the bark method to have each dog make a sound.*

Remember this is called calling the constructor.

Here's the output: ↴

```
Python 3.6.0 Shell
Codie says "WOOF WOOF"
Jackson says "woof woof"
>>>
```

* Did you notice each dog has a different bark? Hmm, how'd that happen?

There's no need to type in or run this code yet.

Now you're going to objectify me?



Remember Codie?

Based on this code example, we need to have a constructor in the Dog class that takes a name, age, and weight and then creates a new dog object for us. We also have a bark method that differs in its output based on some aspect of the dog—if we had to guess, we'd say big dogs say “WOOF WOOF” and smaller dogs say “woof woof.” Sound familiar? Let's write some code to do this.

Writing your first class

We're going to start with what we've been referring to as the constructor; in other words, we're going to write the code that initializes our dog objects. After that we'll implement the `bark` method.

So study this code, and then let's talk about it:

We're creating a class named Dog.

```
class Dog:  
    def __init__(self, name, age, weight):  
        self.name = name  
        self.age = age  
        self.weight = weight
```

In Python the constructor is a function named `__init__`. Actually we say it is a method, not a function, because it is defined within a class.

In the body of the constructor we're setting up each of the object's attributes; name, age, and weight.

Okay, but inquiring minds want to know why is there a "self" in the parameter list and why are the attributes prepended with "self"?

How the constructor works

The key to understanding how the constructor (and other methods) works is understanding the role of the `self` parameter. Let's walk through what happens when the constructor is called. Pay close attention; if you blink you'll miss it.

```
codie = Dog('Codie', 12, 38)
```

- When the constructor is called, which happens when we use the class name along with parentheses and some arguments, the first thing Python does is create a new, empty Dog object.



Here's our brand new Dog object, only right now it doesn't have any attributes.


- 2 Next, your arguments are passed along to the `__init__` function. Something else happens too: Python takes the newly created object and passes it as the first argument, which we named `self`.

Next, the class's constructor is invoked with the supplied arguments, and one addition...


```
__init__( , 'Codie', 12, 38)
```

```
def __init__(self, name, age, weight):
```

...and the newly created object is passed as the first argument.



After step 2 the newly created Dog object is assigned to the parameter `self`.




- 3 The body of the constructor is then executed. We assign each parameter (`name`, `age`, and `weight`) to an attribute of the same name in the instance of the `Dog` object using dot notation.

Again, our brand new `Dog` object is passed as the first argument.

```
def __init__(self, name, age, weight):
    self.name = name
    self.age = age
    self.weight = weight
```

Because `self` is the new `Dog` object, we're assigning the values `name`, `age`, and `weight` to attributes in the `Dog` object.

After step 3, all the arguments we passed to the constructor have been assigned to attributes in the `Dog` object.




- 4 When the constructor completes, Python takes the `Dog` object and returns it as a result of calling the constructor. In this case, when the `Dog` object is returned, it is assigned to the variable `codie`.

Assigned to

Returns

```
codie = Dog('Codie', 12, 38)
```

After step 4, the new `Dog` object, complete with the attributes `name`, `age` and `weight`, is assigned to the variable `codie`.



there are no Dumb Questions

Q: How does `__init__` get away without returning a value, yet one is returned from calling the constructor?

A: There are all kinds of things happening behind the scenes with constructors. When you call the constructor it first creates a new object for you, then it takes care of passing that object as the first argument to `__init__`, and finally it handles returning that object for you. In other words, it's all built into the way Python works.



A Test Drive

We haven't written the `bark` method yet, but let's test what we have. Copy the code below into `dog.py` and then give it a test drive.

```
class Dog:  
    def __init__(self, name, age, weight):  
        self.name = name  
        self.age = age  
        self.weight = weight  
  
    def print_dog(dog):  
        print(dog.name + "'s", 'age is', dog.age,  
              'and weight is', dog.weight)  
  
codie = Dog('Codie', 12, 38)  
jackson = Dog('Jackson', 9, 12)  
print_dog(codie)  
print_dog(jackson)
```

Here's our new class...
...and a function for printing dogs.
Let's create two instances of Dog objects and pass them to `print_dog`.

Notice as long as we pass our `print_dog` function a dog, things work as expected!

This isn't a very object-oriented way to print our dogs, but we'll see how to improve it in a few pages.

```
Python 3.6.0 Shell  
Codie's age is 12 and weight is 38  
Jackson's age is 9 and weight is 12  
>>>
```

Writing the bark method

Before we actually write the `bark` method, let's talk about the difference between a method and a function. Sure, methods are defined in a class, but there's more to it than that. Think about how a method is called: it is always invoked with respect to *an object*. Like this:

Or:

```
codie.bark()
↑
Objects
↓
jackson.bark()
```

And, as you'll see, methods typically operate on the attributes of that specific object. Given that, methods are always passed the object they are being invoked on as their first argument.

Let's write the `bark` method now and you'll see how this works:

Remember when we call a method, we often say we "invoke" it.

Similar to how `__init__` is passed the object as its first argument.

```
class Dog:
    def __init__(self, name, age, weight):
        self.name = name
        self.age = age
        self.weight = weight

    def bark(self):
        if self.weight > 29:
            print(self.name, 'says "WOOF WOOF"')
        else:
            print(self.name, 'says "woof woof"')
```

We defined a method with the same syntax as a function.

Notice how we always use `self` to access the object's attributes.

bark is passed the object it is being invoked on as its first argument (it doesn't have any other parameters).

Here we check the weight of the dog, and if it is over 29 we print WOOF WOOF; otherwise, we print woof woof.

We also print out the dog's name in each case.

Because we're always passed the instance the method was invoked on as the first argument, we can access its attributes through the `self` parameter.

How methods work

Let's walk through how the method invocation works to make sure we understand it.

← Let's see how the bark method works when it is invoked on the Codie object. →
codie.bark()

- 1 When we call a method on an object, in this case the `codie` object, Python takes that object and passes it to the method as the first argument, along with any other arguments you supply (bark obviously doesn't have any others).


```
def bark(self):
    if self.weight > 29:
        print(self.name, 'says "WOOF WOOF"')
    else:
        print(self.name, 'says "woof woof"')
```

- 2 Next we evaluate the body of the method. The first line compares `self.weight` to 29. In this case the object assigned to `self` is Codie's Dog object, and the value of `self.weight` is 38, so this condition is True and the first clause is executed.


```
print(self.name, 'says "WOOF WOOF"')
```

- 3 We execute the `print` statement, which first prints the value of `self.name`. Again, `self` is set to the object that the `bark` method was invoked on, so that's Codie's object, which has the name `Codie`, so we print `Codie says WOOF WOOF`.

-
- 4 With that, the method completes. As we coded it the `bark` method doesn't return a value, although, like a function, it could have.




When the bark method is invoked on the Codie object, Python passes that object as the first argument, which gets bound to the parameter `self`.



`self` is set to Codie's object, so `self.weight` is 38 and greater than 29. So we invoke the first clause.

← The `print` statement first prints the `name` attribute of the object assigned to `self`.





In Chapter 2 we wrote some code to compute a dog's age in human years. Add a method to our `Dog`'s class to compute its age in human years. You can call the method `human_years`; it takes no arguments and returns the result as an integer.

```
dog_name = input("What is your dog's name? ")
dog_age = input("What is your dog's age? ")
human_age = int(dog_age) * 7
print('Your dog',
      dog_name,
      'is',
      human_age,
      'years old in human years')
```

Here's our code from way back in Chapter 2. Oh, the memories...

```
class Dog:
    def __init__(self, name, age, weight):
        self.name = name
        self.age = age
        self.weight = weight

    def bark(self):
        if self.weight > 29:
            print(self.name, 'says "WOOF WOOF"')
        else:
            print(self.name, 'says "woof woof"')
```

Here's our code so far. Add a method, `human_years`, that returns the dog's age in human years.

```
def print_dog(dog):
    print(dog.name + "'s", 'age is', dog.age,
          'and weight is', dog.weight)

codie = Dog('Codie', 12, 38)
jackson = Dog('Jackson', 9, 12)
print(codie.name + "'s age in human years is ", codie.human_years())
print(jackson.name + "'s age in human years is ", jackson.human_years())
```

Add the new method here.

Adding some inheritance


Let's say we have the need for a new kind of dog in our code: a service dog, those trusty companions who have been well trained to help those needing assistance. They're dogs, but they're dogs with skills. So, do we need to start over and define a totally new class `ServiceDog` from scratch? That would be a shame because we've put a fair bit of time into our existing `Dog` class (work with us here), and it would be great if we could reuse that work. Well, we can.

You'll find almost every modern programming language provides the ability for classes to inherit attributes and behavior from another class. We call this capability *inheritance* and it is a cornerstone of object-oriented programming.

Returning to our service dog, we can define the `ServiceDog` class so that it inherits the attributes (a name, age, and weight) and the ability to bark from our original `Dog` class. But going further, our `ServiceDog` class can add new attributes, like a handler (the person the dog is assisting, not to be confused with a event handler in the last chapter) and, say, a `walk` method to help their handler with walking.

Let's see how to define the `ServiceDog` class...

This is how we draw a class diagram showing `ServiceDog` inheriting from the `Dog` class.



What other dogs can you imagine inheriting from the `Dog` class? What new attributes might they have? What new methods?

Implementing the ServiceDog class

Let's implement the ServiceDog class and walk through its syntax and semantics:

This syntax says we're declaring a new class ServiceDog that inherits from the Dog class.

```
↓           ↓
Our new   The class we're
class name   inheriting from
↓
class ServiceDog(Dog):
    def __init__(self, name, age, weight, handler):
        Dog.__init__(self, name, age, weight)
        self.handler = handler
    def walk(self):
        print(self.name, 'is helping its handler', self.handler, 'walk')
```

Here's the ServiceDog constructor.

Notice it has the same parameters as the Dog class, but also has a new, extra parameter.

The ServiceDog constructor also expects to receive an extra handler argument.

This line calls the constructor of the Dog class and passes it all the arguments it needs, including self.

We also have a new method, walk.

The walk method uses attributes from the Dog and the ServiceDog classes.

Alright, that's a mouthful, so let's see how this code works.

```
rody = ServiceDog('Rody', 8, 38, 'Joseph')
print("This dog's name is", rody.name)
print("This dog's handler is", rody.handler)
print_dog(rody)
rody.bark()
rody.walk()
```

Let's create a ServiceDog object with a handler named 'Joseph'.

We can access inherited attributes, like name...
...or attributes from ServiceDog, like handler.

We can also call inherited methods, like bark.

...or methods just ServiceDogs can do, like walk...

Uh oh, service dogs should not be barking loudly...

```
Python 3.6.0 Shell
This dog's name is Rody
This dog's handler is Joseph
Rody's age is 8 and weight is 38
Rody says "WOOF WOOF"
Rody is helping its handler Joseph walk
>>>
```

Rody, a service dog



A closer look at subclassing

When we create a class that inherits from another class, we say that class is a *subclass* of the other. We also commonly use subclass in the form of a verb and say that we're *subclasse* another class. In this case when we defined the `ServiceDog` class, we were subclassing the `Dog` class.

But let's take a closer look at the syntax and semantics we used creating the `ServiceDog` subclass, starting with the `class` statement:

When you define a new class you can either define it from scratch, or you can supply a class in the parentheses that you want to subclass.

```
class ServiceDog(Dog):
```

It's also common to call this class the superclass. So here `Dog` is the superclass of `ServiceDog`.

More terminology: often `Dog` is called the base class, because it is the base of all the classes that derive from it (right now we just have one, `ServiceDog`, but we'll make some more).

We told you OOP had a lot of terminology!

Now let's look at the constructor method, `__init__`:

```
def __init__(self, name, age, weight, handler):
    Dog.__init__(self, name, age, weight)
    self.handler = handler
```

The declaration of the parameters is nothing out of the ordinary, just notice that we've added additional parameters (well, one in this case, `handler`, but you could add as many as you want).

And the last line is assigning the `handler` parameter to the attribute of the same name.

Note that only `ServiceDogs` will have this attribute because only `ServiceDogs` will execute this `__init__` method.

Typically this should be the very first thing you do in a constructor when subclassing:

This next line may look a little different. Here we're calling the constructor of the `Dog` class. This sets up all attributes that are common to all dogs. If we didn't do this, then the `name`, `age`, and `weight` would not be set up in the object we're instantiating.


Finally we have the new method, `walk`:

```
def walk(self):
    print(self.name, 'is helping its handler', self.handler, 'walk')
```

In a subclass you can define a method just as you would in a base class. Notice that this method is available only in objects instantiated from the `ServiceDog`, not any old `Dog`.

A ServiceDog IS-A Dog

When we have an inheritance relationship between two classes we say we have an IS-A relationship—a ServiceDog IS-A Dog. The concept doesn't just apply to direct descendants: for example, below you'll see that SeeingEyeDog inherits from ServiceDog, which, again, inherits from Dog, so a SeeingEyeDog IS-A ServiceDog, but a SeeingEyeDog IS-A Dog as well. On the other hand, while ServiceDog IS-A Dog, it's not a SeeingEyeDog (because SeeingEyeDog inherits from ServiceDog and can do things that ServiceDog doesn't know how to do).



Testing IS-A in code

If we have an arbitrary object, can we tell if it IS-A certain class? For instance, let's say someone instantiates this object:

```
mystery_dog = ServiceDog('Mystery', 5, 13, 'Helen')
```

They then hand you the object. Is it a `Dog`? `ServiceDog`? Something else? How can we tell?

That's where the `isinstance` built-in function comes in. Here's how it works:

```
if isinstance(mystery_dog, ServiceDog):
    print("Yup, it's a ServiceDog")
else:
    print('That is no ServiceDog')
```

isinstance takes an object and a class as arguments.

isinstance is True if the object is the same class, or inherits from the class—in other words, if the object IS-A class.

Let's try another:

```
if isinstance(mystery_dog, Dog):
    print("Yup, it's a Dog")
else:
    print('That is no Dog')
```

Now `isinstance` is True if the object IS-A `Dog`.

And one more:

```
if isinstance(mystery_dog, SeeingEyeDog):
    print("Yup, it's a SeeingEyeDog")
else:
    print('That is no SeeingEyeDog')
```

Now `isinstance` is True if the object IS-A `SeeingEyeDog`.

In this example `isinstance` evaluates to True because `mystery_dog` is a `ServiceDog`.

```
Python 3.6.0 Shell
Yup, it's a ServiceDog
>>>
```

In this example `isinstance` is still True because `mystery_dog` inherits from `Dog`.

```
Python 3.6.0 Shell
Yup, it's a Dog
>>>
```

Not this time: `isinstance` evaluates to False because our `ServiceDog` is not a `SeeingEyeDog`.


```
Python 3.6.0 Shell
That is no SeeingEyeDog
>>>
```

Sharpen your pencil

Given the class diagram on the left, fill in the values that `isinstance` evaluates to on the right. Remember `isinstance` always evaluates to True or False. We did the first one for you.



Your answer,
True or False



`simple_cake = Cake()`
`chocolate_cake = FrostedCake()`
`bills_birthday_cake = BirthdayCake()`

False

 `isinstance(simple_cake, BirthdayCake)`
 `isinstance(simple_cake, FrostedCake)`
 `isinstance(simple_cake, Cake)`

 `isinstance(chocolate_cake, Cake)`
 `isinstance(chocolate_cake, FrostedCake)`
 `isinstance(chocolate_cake, BirthdayCake)`

 `isinstance(bills_birthday_cake, FrostedCake)`
 `isinstance(bills_birthday_cake, Cake)`
 `isinstance(bills_birthday_cake, BirthdayCake)`



Subclasses aren't just for your own classes; you can subclass Python's built-in classes too. How about we subclass the Python string class (otherwise known as the `str` class)? We're going to create a subclass called `PalindromeString`, which includes the method `is_palindrome`. Study the code below and then give it a try. Can you think of another method you'd like to add to `str`? There's no solution at the end of the chapter; everything is on this page:

```
class PalindromeString(str):
    def is_palindrome(self):
        i = 0
        j = len(self) - 1
        while i < j:
            if self[i] != self[j]:
                return False
            i = i + 1
            j = j - 1
        return True
```

Here's our new method. Remember the iterative version of `is_palindrome`?

We're going to create a new class `PalindromeString`, which is a subclass of Python's built-in `str` class (otherwise known as `string`). ↗

We're just going to add a new method to our subclass, so we don't need to implement a constructor. ↗

If you don't supply a constructor, then when this class is instantiated the superclass's constructor is used (which is `str`'s constructor). ↗

Notice the use of `self` throughout. In this case, `self` is the `str` object itself, so we can do anything with it we'd do with a string. ↗

Now let's put our subclass to the test. Remember a `PalindromeString` IS-A `str`, so we can do anything with it we do with a string, and it inherits a lot of functionality from `str`.

```
word = PalindromeString('radar')
word2 = PalindromeString('rader')

print(word, 'length is', len(word), 'and uppercase is', word.upper())
print(word, word.is_palindrome())

print(word2, 'length is', len(word2), 'and uppercase is', word2.upper())
print(word2, word2.is_palindrome())
```

Here's the output. Can you think of other ways you could use your new ability to subclass the `str` class? ↗

By the way, do you remember in Chapter 9 we were looking for a way to match Verb, VERB, VeRB, verb, and so on? You can use the `upper` (or `lower`) method to convert it to all uppercase (or lowercase) before the comparison.

Python 3.6.0 Shell

```
radar length is 5 and uppercase is RADAR
radar True

rader length is 5 and uppercase is RADER
rader False

>>>
```

How would you describe yourself?

How would you describe yourself? Using the `__str__` method, of course! It's time to replace that `print_dog` function with something more object-oriented. Here's a quick Python convention: if you add a method to your class named `__str__` and in that method return a description in the form of a string, then when you print out any object from that class, `print` will use your description.

```
class Dog:
    def __init__(self, name, age, weight):
        self.name = name
        self.age = age
        self.weight = weight

    def bark(self):
        if self.weight > 29:
            print(self.name, 'says "WOOF WOOF"')
        else:
            print(self.name, 'says "woof woof"')

    def human_years(self):
        human_age = self.age * 7
        return human_age

    def __str__(self):
        return "I'm a dog named " + self.name
```

← Add a `__str__` method to the `Dog` class to craft a custom string for `print` to use.

Let's test this out by calling `print` on a few objects.

```
codie = Dog('Codie', 12, 38)
jackson = Dog('Jackson', 9, 12)
rody = ServiceDog('Rody', 8, 38, 'Joseph')
print(codie)
print(jackson)
print(rody)
```

Note we're in no way changing how `print` works; we're just changing how any instance of the `Dog` class prints.

there are no
Dumb Questions

Q: So when I have a class like `ServiceDog` and I create a `ServiceDog` object, behind the scenes are there actually two objects, one with the `Dog` attributes and methods and one with the `ServiceDog` attributes and methods?

A: No, there's just one object with all the attributes. For methods, the objects refer to their definitions in the classes, so they don't really live in the objects. But conceptually, just think of an object you instantiate as a single `ServiceDog` object.

Q: I heard Python has something called multiple inheritance?

A: Yes, that's where you don't inherit from just one class, but more than one. Like a flying car might inherit from both an automobile and an airplane class. It's good you know multiple inheritance exists, but not all experts agree that it's a good idea. Some languages consider multiple inheritance such a horrible, error-prone practice they forbid it. Put it on your list of things to look into as you become more experienced in OOP, but remember, there are often better ways to approach your object-oriented designs.

Python 3.6.0 Shell

```
I'm a dog named Codie
I'm a dog named Jackson
I'm a dog named Rody
>>>
```

Wow, it even worked for Rody, who is a `ServiceDog`.

Overriding and extending behavior

A few pages back, did you notice that Rody barked a big “WOOF WOOF”? That behavior would probably be frowned upon while Rody is working as a service dog. If you look at the `Dog` class, that’s how the behavior is implemented for dogs over 29 lbs. So, are service dogs stuck with that behavior for good? Actually, no, we can always override and extend the behavior of classes we inherit from. Here’s how:

```
class Dog:
    def __init__(self, name, age, weight):
        self.name = name
        self.age = age
        self.weight = weight

    def bark(self):
        if self.weight > 29:
            print(self.name, 'says "WOOF WOOF"')
        else:
            print(self.name, 'says "woof woof"')

    def human_years(self):
        human_age = self.age * 7
        return human_age

    def __str__(self):
        return "I'm a dog named " + self.name

class ServiceDog(Dog):
    def __init__(self, name, age, weight, handler):
        Dog.__init__(self, name, age, weight)
        self.handler = handler
        self.is_working = False

    def walk(self):
        print(self.name, 'is helping its handler', self.handler, 'walk')

    def bark(self):
        if self.is_working:
            print(self.name, 'says, "I can\'t bark, I\'m working"')
        else:
            Dog.bark(self)
```

Note that you can add any attributes you want to a class in the `__init__` method. The `__init__` method is your chance to set up any attributes needed to model the internal state of your object. Attributes don’t have to mirror the parameters of the method.

Let's add a new attribute to the `ServiceDog`, a Boolean attribute named `is_working` that's initially set to `False`.

Notice in this string we need both double and single quotes. So we escape the single quotes.

Now we’re going to redefine the `bark` method in `ServiceDog`. Whenever we call `bark` on a dog of type `ServiceDog`, this method will be executed rather than the one in `Dog`. We say we’re overriding the `bark` method.

If `is_working` is `True`, then the dog says that it is working and it can’t bark. Otherwise, we call the `bark` method in the `Dog` class, passing it `self`. In this latter case, the `bark` method will end up doing what it normally does (barking).



A Test Drive

Let's give this code a try. Replace the contents of your file `dog.py` with the code on the previous page. Then add the code below at the bottom to test it out.

Create our dog Rody.

```
rody = ServiceDog('Rody', 8, 38, 'Joseph')
rody.bark()                                ← Have him bark
rody.is_working = True                      ← (remember is_working
rody.bark()                                ← is initialized to False).
                                              Now set is_working to
                                              True and try again.
```

We haven't seen a lot
of this, but remember
to change an object's
attribute value you just
assign it as you would a
variable to another value.

The `ServiceDog` has now
extended the behavior of
`Dog`, yet when `is_working`
is `False` it still has the
same behavior as `Dog`.


Python 3.6.0 Shell

```
Rody says "WOOF WOOF"
Rody says "I can't bark, I'm working"
>>>
```

Welcome to Jargon City


Remember we mentioned OOP has a lot of jargon?
Let's cover some of that jargon before we get too far down the road. Welcome to Jargon City.

Classes can have
attributes and
methods.



We say that Dog is the **superclass** of ServiceDog. We also often call Dog a **base** class.

We say that ServiceDog **inherits** from Dog.



Both Dog and Service Dog are **classes**.

We say that ServiceDog is the **subclass** of Dog. We also call it a **derived** class, because it is based on Dog.

We can **instantiate** Dog or ServiceDog **objects** by calling their **constructors**.

We say that ServiceDog **overrides** the bark method in Dog.



True or false? All ServiceDogs are Dogs but not all Dogs are ServiceDogs.

Answer: True.

Sharpen your pencil



```

class Car():
    def __init__(self):
        self.speed = 0
        self.running = False

    def start(self):
        self.running = True

    def drive(self):
        if self.running:
            print('Car is moving')
        else:
            print('Start the car first')

class Taxi(Car):
    def __init__(self):
        Car.__init__(self)
        self.passenger = None
        self.balance = 0.0

    def drive(self):
        print('Honk honk, out of the way')
        Car.drive(self)

    def hire(self, passenger):
        print('Hired by', passenger)
        self.passenger = passenger

    def pay(self, amount):
        print('Paid', amount)
        self.balance = self.balance + amount
        self.passenger = None

class Limo(Taxi):
    def __init__(self):
        Taxi.__init__(self)
        self.sunroof = 'closed'

    def drive(self):
        print('Limo driving in luxury')
        Car.drive(self)

    def pay(self, amount, big_tip):
        print('Paid', amount, 'Tip', big_tip)
        Taxi.pay(self, amount + big_tip)

    def pour_drink(self):
        print('Pouring drink')

    def open_sunroof(self):
        print('Opening sunroof')
        self.sunroof = 'open'

    def close_sunroof(self):
        print('Closing sunroof')
        self.sunroof = 'closed'

```

Take a look at the class definitions on the left, which contain a few overridden methods. Execute the code below (in your head) and write down the output here. As always, you'll find the solution at the end of the chapter.

Trace through this
code in your head,
writing the output you
expect below.



```

car = Car()
taxi = Taxi()
limo = Limo()

```

```

car.start()
car.drive()

```

```

taxi.start()
taxi.hire('Kim')
taxi.drive()
taxi.pay(5.0)

```

```

limo.start()
limo.hire('Jenn')
taxi.drive()
limo.pour_drink()
limo.pay(10.0, 5.0)

```

Careful,
this one
is a little
tricky.

Your output here ↴

Python 3.6.0 Shell



Object can HAS-Another object

Object attributes aren't limited to just simple types like numbers and strings, they can be assigned to lists and dictionaries as well. They can even be assigned to other objects. When an attribute is set to another object, we say there is a HAS-A relationship. If we have a class named `House` and its objects have an attribute set to a `Kitchen` object, for example, we say the `House` HAS-A `Kitchen`.

When there is a HAS-A relationship between objects, we say that one object is composed with another object (a `House` is composed with a `Kitchen`). Object-oriented experts get even more precise as to whether both objects can stand on their own or not (a kitchen doesn't make much sense without a house, but a person, who owns a house, makes sense without the house) and they have specific terms for those. We'll let you explore these relationships as you gain experience.

But you're probably wondering, what's the big deal? So what? An object can have another object as an attribute—that's sort of what I'd expect, so why the big production?

You've seen that an object can inherit behavior—for instance, a `ServiceDog` gets its `human_years` behavior, as well as some of its `bark` behavior, from the `Dog` class. Well, another common way to give an object additional behavior is to compose it with another object. Think about that `House` object—when you use *composition*, or compose the `House` object with a `Kitchen` object, all of a sudden you have the new ability to cook.

Let's look at how to compose objects and then we'll see how we can add new behavior (and even delegate some responsibility) to another object.



BRAIN POWER

How would you define a set of classes to build a object-oriented house?



How many \$5 words can you find in this chapter?



Your turn to create a new class. How about a frisbee-catching dog? We've already created a `Frisbee` class for you:

```
class Frisbee:
    def __init__(self, color):
        self.color = color

    def __str__(self):
        return "I'm a " + self.color + ' frisbee'
```

Your job is to help us finish the `FrisbeeDog`. It needs to catch a frisbee and give it back. It should have a `__str__` method as well. Oh, and the dog can't bark if it has a frisbee in its mouth, so you'd better override the `bark` method.

```
class FrisbeeDog(Dog):
    def __init__(self, name, age, weight):
        Dog.__init__(self, name, age, weight)
        self.frisbee = None

    def bark(self):

    def catch(self, frisbee):

    def give(self):

    def __str__(self):
```

← A Frisbee can't do much; it just has a color and a `__str__` method so it prints well.



This is a challenging exercise. Give yourself the time to work through it. Use the solution at the end of the chapter to the extent you need to. Be patient with yourself.

← You'll want the `FrisbeeDog` to bark like other dogs, unless it has a frisbee in its mouth, in which case say "I can't bark, I have a frisbee in my mouth".

← If `catch` gets called, take the frisbee passed to you and store it in the `frisbee` attribute.

← When `give` is called, set the attribute to `None` and return the frisbee.

← If the dog has a frisbee, then return the string "I'm a dog named <name here> and I have a frisbee"; otherwise, return what all Dogs return.



A Test Drive

Double-checking your answer to the previous exercise with our solution, add your new code to the `dog.py` file. Remove the previous test code and add the test code below to the bottom of your file.

```
def test_code():
    dude = FrisbeeDog('Dude', 5, 20)           ← Create a frisbeeDog
                                                and a Frisbee.
    blue_frisbee = Frisbee('blue')

    print(dude)
    dude.bark()
    dude.catch(blue_frisbee)                   ← Print the dog and make it
                                                bark, and then have it catch
                                                the frisbee again.
    dude.bark()                                ← Then have it bark with the frisbee in its mouth.
    print(dude)
    frisbee = dude.give()                      ← Print the dog (now that it
                                                has the frisbee) and then
                                                have it give back the frisbee.
    print(frisbee)
    print(dude)                                ← And then print the frisbee
                                                that was given back by the
                                                dog, and print the dog again
                                                (now that it's given up the
                                                frisbee).

test_code()
```

Notice how this code
is looking a lot more
object-oriented than
procedural? ↗

Here's the output we got.



Dude, a
frisbee-
catching dog.

Python 3.6.0 Shell

```
I'm a dog named Dude
Dude says "woof woof"
Dude caught a blue frisbee
Dude says, "I can't bark, I have a frisbee
in my mouth"
I'm a dog named Dude and I have a frisbee
Dude gives back blue frisbee
I'm a blue frisbee
I'm a dog named Dude
>>>
```

Designing a Doggie Hotel

As you know we're never one to pass up a good business opportunity, and we hear dog boarding is a real growth industry. All we need to do is keep a few dogs, allow them to be checked in and checked out, and of course give them all a chance to bark every once in a while. Let's create some code to do that. Let's do some planning for the hotel by creating a class diagram for it.





Every hotel has a name attribute, to hold a name like "Doggie Hotel" or "Doggie Ranch" or "Puppy Playground".

A Hotel also has two attributes that are parallel lists. The lists hold the names of the dogs along with a corresponding dog object.

And we have two methods...

The `check_in()` method takes a name and a dog, and checks the dog into the hotel.

The `check_out()` method takes a name and returns the dog if the dog is staying at the hotel.



When it comes to writing some code for the `Hotel` class, there are a few things to consider. First, we should only check objects into the hotel if they are truly dogs. To be a dog an object should either be an instance of the `Dog` class, or a subclass of `Dog`. And we can only check dogs out of the hotel if they were checked in, so we need to check that condition as well.

We can say our Hotel is composed with a set of `Dog` objects, the ones stored in the `dogs` attribute list.



Can you think of a better way to store dogs in the hotel than using two parallel lists?

Implementing the Doggie Hotel

Now that we've created a diagram for the `Hotel` class, let's work through implementing it. We'll start by implementing the constructor and then work through implementing the two methods, `check_in` and `check_out`.

```
class Hotel:
    def __init__(self, name):
        self.name = name
        self.kennel_names = []
        self.kennel_dogs = []

    When we instantiate the
    Hotel class, we give it a name,
    like "Doggie Hotel".
```

We've got a method to check dogs into the hotel.
The method takes a Dog object.

```
def check_in(self, dog):
    if isinstance(dog, Dog):
        self.kennel_names.append(dog.name)
        self.kennel_dogs.append(dog)
        print(dog.name, 'is checked into', self.name)
    else:
        print('Sorry only Dogs are allowed in', self.name)

    And we'll use two lists, one to hold the
    dog names and another to hold the
    corresponding Dog objects.
```

First make sure this is
a Dog; no Cats or other
objects allowed.

When we check in, add the
dog's name and the Dog
object to the respective lists...
...and just a little
output for testing.

```
def check_out(self, name):
    for i in range(0, len(self.kennel_names)):
        if name == self.kennel_names[i]:
            dog = self.kennel_dogs[i]
            del self.kennel_names[i]
            del self.kennel_dogs[i]

            print(dog.name, 'is checked out of', self.name)
            return dog
    print('Sorry,', name, 'is not boarding at', self.name)
    return None
```

To check a dog out of the hotel,
we just need to supply its name.

If the value passed
to `check_in` isn't a
Dog, we don't check
it in. Sorry, cats.

First check to make sure
the dog is in the kennel...
...and if it is, get the Dog object
from the list and then delete
the name and object from the
kennel lists.

We also return the Dog object at the end of checkout.
After all, you should get your dog back, right?

If the dog isn't in the kennel, we
let the user know this is the wrong
kennel and return None.



A Test Drive

Add the `Hotel` class on the previous page to your `dog.py` file. Remove the previous test code and add the test code below to the bottom of your file. Oh, and don't forget the `Cat` class too.

```

class Cat():
    def __init__(self, name):
        self.name = name

    def meow(self):
        print(self.name, 'Says, "Meow"')

def test_code():
    codie = Dog('Codie', 12, 38)
    jackson = Dog('Jackson', 9, 12)
    sparky = Dog('Sparky', 2, 14)
    rody = ServiceDog('Rody', 8, 38, 'Joseph')
    dude = FrisbeeDog('Dude', 5, 20)
    kitty = Cat('Kitty')           ← We'll try a Cat too—you never know!

    hotel = Hotel('Doggie Hotel')
    hotel.check_in(codie)
    hotel.check_in(jackson)      ← Create a hotel and get all
    hotel.check_in(rody)          these pets checked in.
    hotel.check_in(dude)
    hotel.check_in(kitty)         ← Now let's check them all out
                                and make sure they're giving
                                us back the right dog.

    dog = hotel.check_out(codie.name)
    print('Checked out', dog.name, 'who is', dog.age, 'and', dog.weight, 'lbs')
    dog = hotel.check_out(jackson.name)
    print('Checked out', dog.name, 'who is', dog.age, 'and', dog.weight, 'lbs')
    dog = hotel.check_out(rody.name)
    print('Checked out', dog.name, 'who is', dog.age, 'and', dog.weight, 'lbs')
    dog = hotel.check_out(dude.name)
    print('Checked out', dog.name, 'who is', dog.age, 'and', dog.weight, 'lbs')
    dog = hotel.check_out(sparky.name)

test_code()

```

Check out our new Cat class!

Let's create a bunch of Dogs, and dogs of different types, like ServiceDogs and FrisbeeDogs.

← We'll try a Cat too—you never know!

← Create a hotel and get all these pets checked in.

← Now let's check them all out and make sure they're giving us back the right dog.

← And let's keep the Doggie Hotel on their toes—we never checked in Sparky.

→ Output on the next page.

Here's the output!


Everyone got checked in...
...except the cat.

And the Doggie Hotel gave us all the right dogs back.

And they figured out we didn't drop off Sparky.

Python 3.6.0 Shell

```
Codie is checked into Doggie Hotel
Jackson is checked into Doggie Hotel
Rody is checked into Doggie Hotel
Dude is checked into Doggie Hotel
Sorry only Dogs are allowed in Doggie Hotel
Codie is checked out of Doggie Hotel
Checked out Codie who is 12 and 38 lbs
Jackson is checked out of Doggie Hotel
Checked out Jackson who is 9 and 12 lbs
Rody is checked out of Doggie Hotel
Checked out Rody who is 8 and 38 lbs
Dude is checked out of Doggie Hotel
Checked out Dude who is 5 and 20 lbs
Sorry, Sparky is not boarding at Doggie Hotel
>>>
```



Renovating the Doggie Hotel

Get out the jackhammer; it's time to rework this hotel. Let's just rework `check_in` and `check_out` from scratch without showing each change; in this case, it's easy to look at:

```
class Hotel:
    def __init__(self, name):
        self.name = name
        self.kennel_names = []
        self.kennel_dogs = []
        self.kennel = {}

    We've still got a method to check dogs into the
    hotel. The method takes a Dog object.
    ↓
    def check_in(self, dog):
        if isinstance(dog, Dog):
            self.kennel[dog.name] = dog
            print(dog.name, 'is checked into', self.name)
        else:
            print('Sorry only Dogs are allowed in', self.name)

    To check a dog out of the hotel,
    we just need to supply its name.
    ↓
    def check_out(self, name):
        if name in self.kennel:
            dog = self.kennel[name]
            print(dog.name, 'is checked out of', self.name)
            del self.kennel[dog.name]
            return dog
        else:
            print('Sorry,', name, 'is not boarding at', self.name)
            return None
```

Nice! Much clearer code!

When we instantiate the Hotel class, we give it a name, like "Doggie Hotel".

And we're now going to use a dictionary to hold the dogs; let's call it kennel.

First make sure this is a Dog; no Cats or other objects allowed.

When we check in, we add the dog to the dictionary, using the dog's name as the key...

...and just a little output for testing.

We also return the Dog object at the end of checkout. After all, you should get your dog back, right?

If the dog isn't in the kennel, we let the user know this is the wrong kennel.

Remember from Chapter 8 that dictionaries are more efficient than lists when we need to find an item.





A Test Drive

Replace your `check_in` and `check_out` methods in `dog.py` file. And give it another test drive.

Notice we didn't change any other code! And we totally changed the way our dogs are stored and accessed. That's encapsulation at work; your other code doesn't need to know or care how you implemented the dogs, as long as you're providing the same object interface (in other words, the methods you can call on a Dog).

Python 3.6.0 Shell

```
Codie is checked into Doggie Hotel
Jackson is checked into Doggie Hotel
Rody is checked into Doggie Hotel
Dude is checked into Doggie Hotel
Sorry only Dogs are allowed in Doggie Hotel
Codie is checked out of Doggie Hotel
Checked out Codie who is 12 and 38 lbs
Jackson is checked out of Doggie Hotel
Checked out Jackson who is 9 and 12 lbs
Rody is checked out of Doggie Hotel
Checked out Rody who is 8 and 38 lbs
Dude is checked out of Doggie Hotel
Checked out Dude who is 5 and 20 lbs
Sorry, Sparky is not boarding at Doggie Hotel
>>>
```

Adding some hotel activities

Any guess what the favorite dog activity is at a dog hotel? Barking, of course. Let's add a `barktime` method to the hotel and let all the dogs get a chance to bark.

```
def barktime(self):
    for dog_name in self.kennel:
        dog = self.kennel[dog_name]
        dog.bark()
```

And let the dog bark.

Go through each dog name in the kennel and use it as a key to grab the Dog object.



A Test Drive

Add the `barktime` method to your `dog.py` file. Remove the previous test code and add the test code below to the bottom of your file. Give it a spin.

```
def test_code():
    codie = Dog('Codie', 12, 38)
    jackson = Dog('Jackson', 9, 12)
    rody = ServiceDog('Rody', 8, 38, 'Joseph')
    frisbee = Frisbee('red')
    dude = FrisbeeDog('Dude', 5, 20)
    dude.catch(frisbee)

    hotel = Hotel('Doggie Hotel')
    hotel.check_in(codie)
    hotel.check_in(jackson)
    hotel.check_in(rody)
    hotel.check_in(dude)

    hotel.barktime()

test_code()
```

Looks like all the dogs are barking.

Python 3.6.0 Shell

```
Dude caught a red frisbee
Codie is checked into Doggie Hotel
Jackson is checked into Doggie Hotel
Rody is checked into Doggie Hotel
Dude is checked into Doggie Hotel
Codie says "WOOF WOOF"
Jackson says "woof woof"
Rody says "WOOF WOOF"
Dude says, "I can't bark, I have a frisbee in my mouth"
>>>
```



I can do anything you can, or Polymorphism

Let's take a look at the output from our barktime test again:

```

Codie says "WOOF WOOF"   ↪ Codie is a Dog.
Jackson says "woof woof"  ↪ Jackson is a Dog too.
Rody says "WOOF WOOF"    ↪ Rody is a ServiceDog.
Dude says, "I can't bark, I have a frisbee in my mouth"

```

↪ And Dude is a FrisbeeDog.

Technically, all the dogs were different types (with the exception of Codie and Jackson, who are both Dogs). Yet, we were able to write code that iterated over all of them, treat them uniformly, and call the bark method.

```


for dog_name in self.kennel:
    dog = self.kennel[dog_name]   No matter what kind of dog it is,
    dog.bark()                  ↪ we can call bark, guaranteed.

```

What if ServiceDog or FrisbeeDog doesn't have a bark method? Ah, we know they are guaranteed to have a bark method because they are subclasses of Dog (said another way, they inherit from the Dog class), and the Dog class has a bark method. Now, in our case, ServiceDogs and FrisbeeDogs override the bark method, but it doesn't matter—one way or another, they have a bark method.

Why is this a big deal? Because we can count on this quality in our objects, we can write code that operates without worrying about how those objects do what they do, even if down the road we change how those objects work, or we create totally new dog types we never anticipated (like a ShowDog or a PoliceDog). In fact, all Dog types, current and future, can participate in the Doggie Hotel's barktime without any changes to the Doggie Hotel code.

This quality we're discussing has a technical name: **polymorphism**. It's another one of those \$5 words from the object-oriented crowd. Polymorphism means that you can have different objects with different underlying implementations (like a FrisbeeDog and a ServiceDog) that present the same programming interface (that is, they both have a bark method). This quality plays out in several ways in object-oriented programming and is a deep topic to explore that is related to inheritance. For now, just remember it is possible to write code that can be applied to many different objects as long as they have the set of methods you're expecting.



The more experienced you become with coding, the more you're going to see this last bit as a huge advantage.



It's about time we teach the other dogs to walk

The only dogs in our implementation that know how to walk are service dogs. That's not right; all dogs walk. We've got the main `Dog` class and we have the `FrisbeeDog` class, which inherits from `Dog`, and both need to be able to walk. Do we need to add a `walk` method to both? Well, as we saw with the `__str__` method, given that `FrisbeeDog` inherits from `Dog`, if we add a `walk` method to `Dog`, then `FrisbeeDogs` will inherit that behavior. Given that, let's do a little reworking of the code to take advantage of that. We can even improve the `ServiceDog` in the process. Let's see how.

```
class Dog:
    def __init__(self, name, age, weight):
        self.name = name
        self.age = age
        self.weight = weight

    def bark(self):
        if self.weight > 29:
            print(self.name, 'says "WOOF WOOF"')
        else:
            print(self.name, 'says "woof woof"')

    def human_years(self):
        human_age = self.age * 7
        return human_age

    def walk(self):
        print(self.name, 'is walking')

    def __str__(self):
        return "I'm a dog named " + self.name

class ServiceDog(Dog):
    def __init__(self, name, age, weight, handler):
        Dog.__init__(self, name, age, weight)
        self.handler = handler
        self.is_working = False

    def walk(self):
        if self.is_working:
            print(self.name, 'is helping its handler',
                  self.handler, 'walk')
        else:
            Dog.walk(self)

    def bark(self):
        if self.is_working:
            print(self.name, 'says, "I can\'t bark, I\'m working"')
        else:
            Dog.bark(self)
```

We're showing only the classes that changed.

Let's add a simple walk method to Dog.

And for the `ServiceDog`, if it's working, we'll show a special message. Otherwise, we'll just do what all other dogs do.





A Test Drive

Add the walk code additions and changes from the previous page to your `dog.py` file. Remove the previous test code and add the test code below to the bottom of your file. Then take this code for a walk.

```
def test_code():
    codie = Dog('Codie', 12, 38)
    jackson = Dog('Jackson', 9, 12)
    rody = ServiceDog('Rody', 8, 38, 'Joseph')
    frisbee = Frisbee('red')
    dude = FrisbeeDog('Dude', 5, 20)
    dude.catch(frisbee)

    codie.walk()
    jackson.walk()
    rody.walk()
    dude.walk()

test_code()
```

Looks like all the dogs are walking.

Python 3.6.0 Shell

```
Dude caught a red frisbee
Codie is walking
Jackson is walking
Rody is walking
Dude is walking
>>>
```



Exercise

Override the `FrisbeeDog`'s `walk` method so that if a dog has a frisbee he says, "I can't walk, I'm playing Frisbee!" Otherwise `FrisbeeDog` acts like a normal `Dog`. Go ahead and add the code to your `dog.py` file. Use the same test code as the last Test Drive.

```
class FrisbeeDog(Dog):
    def __init__(self, name, age, weight):
        Dog.__init__(self, name, age, weight)
        self.frisbee = None

    def bark(self):
        if self.frisbee != None:
            print(self.name,
                  'says, "I can\'t bark, I have a frisbee in my mouth"')
        else:
            Dog.bark(self)

    def walk():

        def catch(self, frisbee):
            self.frisbee = frisbee
            print(self.name, 'caught a', frisbee.color, 'frisbee')

    :   ← The rest of the FrisbeeDog class
        goes here.
```

← Override walk here.

using inheritance

and responsibility

The power of inheritance


All we had to do is add a new method, `walk`, to the `Dog` base class and magically our dogs (the `ServiceDog` and the `FrisbeeDog`) that didn't walk before began walking. That's the power of inheritance. We can add, change, and extend the behavior of a whole set of classes by simply changing a class they inherit from. Now, in general that is a powerful tool in your hands, but as with any tool, it can be misused if you aren't careful. With inheritance we can also cause unintended consequences when we add new behaviors—what if we added a `chase_squirrel` method to the `Dog` class without thinking about the consequences for our `ServiceDog`?

You can also overuse inheritance to extend the functionality of your classes. There are other ways too, and we've mentioned one of them: composition. By putting classes together—or *composing* them—we often come up with object-oriented designs that are more flexible than using inheritance alone.

Using inheritance properly and not overusing it requires good object-oriented design and analysis skills (something you'll learn as you continue to develop your OOP skills). Now we're talking about some subtle aspects of OOP and object-oriented design, but it's good to be aware of these concepts in the beginning—too many coders get far into their coding careers before they become aware of topics like the power of composing classes.

So, again, these are subtleties you'll learn as you gain experience with OOP. For now let's take our hotel just a little further, and maybe we'll use composition in the process.

You know how to draw inheritance with a class diagram. Here a Kitchen is inheriting from a Room class, or, as we say, a Kitchen IS-A Room.



Here's how you draw composition. Here a House HAS-A Kitchen. HAS-A means composition.



There is still an issue with our new dictionary-based implementation of the `Hotel` class. For example, what if two dogs are checked in with the same name? What happens? How would you fix this issue?

Creating a Doggie Hotel walking service

The Doggie Hotel is looking for extra revenue opportunities, so what about providing a dog walking service to the dogs staying in the kennel? Sounds like a winner to us. Let's implement that:



```

class Hotel:
    def __init__(self, name):
        self.name = name
        self.kennel = {}

    def check_in(self, dog):
        if isinstance(dog, Dog):
            self.kennel[dog.name] = dog
            print(dog.name, 'is checked into', self.name)
        else:
            print('Sorry only Dogs are allowed in', self.name)

    def check_out(self, name):
        if name in self.kennel:
            dog = self.kennel[name]
            print(dog.name, 'is checked out of', self.name)
            del self.kennel[dog.name]
            return dog
        else:
            print('Sorry,', name, 'is not boarding at', self.name)
            return None

    def barktime(self):
        for dog_name in self.kennel:
            dog = self.kennel[dog_name]
            dog.bark()

def walking_service(self):
    for dog_name in self.kennel:
        dog = self.kennel[dog_name]
        dog.walk()

```

Adding a walking service is pretty straightforward; in fact, it looks almost exactly like our hotel barktime method, except the dogs walk instead of bark.

Iterate through every dog in the kennel and call each dog's walk method.

Okay, that was easy enough, but let's say we don't have time to walk a zillion dogs; after all, we're busy running this hotel! What we'd love to do is *delegate* the responsibility to someone else.

How are we going to hire a person to walk our dogs if we don't even have people objects?

Good point. Let's fix that. How about we create a simple Person class, and then create a subclass called DogWalker who knows how to walk dogs?

Otherwise known as "subclassing"



Serious Coding

In OOP, when an object asks another object to perform a task, it's called **delegation**. Delegation is a way to give an object extra behavior without having to inherit it or implement it directly.

```
class Person:
    def __init__(self, name):
        self.name = name
    def __str__(self):
        return "I'm a person and my name is " + self.name
```

Just a simple Person class with a name.
We could also add more later.

```
class DogWalker(Person):
    def __init__(self, name):
        Person.__init__(self, name)
    def walk_the_dogs(self, dogs):
        for dog_name in dogs:
            dogs[dog_name].walk()
```

A DogWalker is just a Person, but it has a walk_the_dogs method.

This method just iterates through the dogs and calls each dog's walk method.

Great, now let's rework the Hotel class so that we can hire a DogWalker and then delegate the dog walking through the walking_service method:


```
def hire_walker(self, walker):
    if isinstance(walker, DogWalker):
        self.walker = walker
    else:
        print('Sorry,', walker.name, 'is not a Dog Walker')
```

These methods go in the Hotel class.

```
def walking_service(self):
    if self.walker != None:
        self.walker.walk_the_dogs(self.kennel)
```

In our hire_walker method we make sure the object is a DogWalker, and if so hire them by adding them as an attribute.

Now in walking_service, if there is a walker attribute, then we ask the walker to walk the dogs.



Good question. It is true that the walker knows the dogs are being stored in a dictionary, or rather a set of nested dictionaries. That said, a dictionary is a common data structure and provides a perfectly reasonable way of passing the walker a set of dogs. Hypothetically, the hotel could use a complex internal data structure to store the dogs, and when it comes time to pass them to the walker, it could package them up in a nice dictionary.

You are right, though: if we do change our existing internal implementation of the hotel, we will have to keep in mind that walkers are expecting to get a dictionary of dogs. So we haven't fully encapsulated this aspect of the hotel.

All that said, if you really wanted to encapsulate this aspect of the hotel, and further separate the hotel and the walker (so that the walker doesn't have or rely on knowledge of the hotel's implementation), you could improve the implementation with the iterable pattern that we mentioned much earlier in the book. This pattern allows you to iterate over sequences of values without knowing anything about how they are implemented.

Doing so is a bit beyond the scope of this book, but, again, it's a great question and something to continue to exploring in your own designs.



A Test Drive

At this point you want to add the Person and DogWalker classes from two pages back, as well as add the hire_walker and walking_service methods to the Hotel class. Then use the test code below (replace your existing test code):

```
def test_code():
    codie = Dog('Codie', 12, 38)
    jackson = Dog('Jackson', 9, 12)
    sparky = Dog('Sparky', 2, 14)
    rody = ServiceDog('Rody', 8, 38, 'Joseph')
    rody.is_working = True
    dude = FrisbeeDog('Dude', 5, 20) ← Rody wouldn't be
                                         working at the hotel,
                                         but let's try it out
                                         anyway.

    hotel = Hotel('Doggie Hotel')
    hotel.check_in(codie)
    hotel.check_in(jackson)
    hotel.check_in(rody)
    hotel.check_in(dude)

    joe = DogWalker('joe')
    hotel.hire_walker(joe) ← Let's create and hire
                           our walker...

    hotel.walking_service() ← ...and delegate the
                             responsibility to Joe.

test_code()
```

Looks like delegating
the dog walking is off
to a flying start!

Python 3.6.0 Shell

```
Codie is checked into Doggie Hotel
Jackson is checked into Doggie Hotel
Rody is checked into Doggie Hotel
Dude is checked into Doggie Hotel
Codie is walking
Jackson is walking
Rody is helping its handler Joseph walk
Dude is walking
>>>
```



Meanwhile, back at the turtle races...

Remember back in Chapter 7 when something went awry with the green turtle? If you'll recall the green turtle was mysteriously winning by large margins. The police are still stumped. With your new OOP knowledge, can you take another look and see what is going on?



```

import turtle
import random

turtles = []

class SuperTurtle(turtle.Turtle):
    def forward(self, distance):
        cheat_distance = distance + 5
        turtle.Turtle.forward(self, cheat_distance)

def setup():
    global turtles
    startline = -620
    screen = turtle.Screen()
    screen.setup(1290, 720)
    screen.bgpic('pavement.gif')

    turtle_ycor = [-40, -20, 0, 20, 40]
    turtle_color = ['blue', 'red', 'purple', 'brown', 'green']

    for i in range(0, len(turtle_ycor)):
        if i == 4:
            new_turtle = SuperTurtle()
        else:
            new_turtle = turtle.Turtle()
        new_turtle.shape('turtle')
        new_turtle.penup()
        new_turtle.setpos(startline, turtle_ycor[i])
        new_turtle.color(turtle_color[i])
        new_turtle.pendown()
        turtles.append(new_turtle)

def race():
    global turtles
    winner = False
    finishline = 560

    while not winner:
        for current_turtle in turtles:
            move = random.randint(0, 2)
            current_turtle.forward(move)

            xcor = current_turtle.xcor()
            if (xcor >= finishline):
                winner = True
                winner_color = current_turtle.color()
                print("The winner is", winner_color[0])

setup()
race()

turtle.mainloop()

```

Study the code again carefully; it definitely looks like someone has hacked the program and added some new code. What does the new code do? What object-oriented concepts does the hack depend on?

↗ You'll find the solution in two pages!

CRIME SCENE DO NOT ENTER

CRIME SCENE DO NOT ENTER

CRIME SCENE DO NOT ENTER

Welcome to Objectville

A guide for better living through objects.



Welcome, new Objectville resident! Please accept our handy guide with tips & tricks for better living in Objectville. We hope you enjoy your stay.

- ☞ Get yourself acquainted. Take the time to explore the objects (and classes) around you. Look at other object-oriented Python code to get a feel for how it's been constructed and how objects are being used.
- ☞ Don't be shy about extending Python's built-in classes, which you can do just as with your own classes.
- ☞ Know up front that learning your way around Objectville is a life-long pursuit.
- ☞ Continue learning. You know the basics; now you need the experience. The only way to gain experience is to study and to practice deliberately, otherwise known as "build stuff!"
- ☞ Spend more time on the object-oriented basics, like inheritance and making use of polymorphism in your designs.
- ☞ Keep your objects simple and focused, and work your way up to complex object designs; practice building small houses before you design skyscrapers.
- ☞ Learn more about building with composition and using delegation in your code. You'll find this may make your design more flexible.
- ☞ Don't stop. You've got the momentum going, so keep learning.

The turtle races case SOLVED



The hacker has created a subclass of Turtle that overrides the forward method and adds 5 more units anytime forward is called.

Did you figure out what went awry? It looks like our sneaky hacker has used his subclassing skills to create a **subclass** of Turtle called SuperTurtle. Then in SuperTurtle he **overrode** the forward method so that 5 units get added onto the distance parameter before the call is made to the **base class**'s (Turtle, in this case) forward method. The hacker obviously has a good knowledge of **polymorphism** because he knew that the game's race method would call forward on any kind of object, as long as it **IS-A** Turtle. See, a little OOP knowledge CAN be a dangerous thing!

```

import turtle
import random

turtles = []

class SuperTurtle(turtle.Turtle):
    def forward(self, distance):
        cheat_distance = distance + 5
        turtle.Turtle.forward(self, cheat_distance)

def setup():
    global turtles
    startline = -620
    screen = turtle.Screen()
    screen.setup(1290, 720)
    screen.bgpic('pavement.gif')

    turtle_ycor = [-40, -20, 0, 20, 40]
    turtle_color = ['blue', 'red', 'purple', 'brown', 'green']

    for i in range(0, len(turtle_ycor)):
        if i == 4:
            new_turtle = SuperTurtle()
        else:
            new_turtle = turtle.Turtle()
        new_turtle.shape('turtle')
        new_turtle.penup()
        new_turtle.setpos(startline, turtle_ycor[i])
        new_turtle.color(turtle_color[i])
        new_turtle.pendown()
        turtles.append(new_turtle)

def race():
    global turtles
    winner = False
    finishline = 560

    while not winner:
        for current_turtle in turtles:
            move = random.randint(0,2)
            current_turtle.forward(move)

            xcor = current_turtle.xcor()
            if (xcor >= finishline):
                winner = True
                winner_color = current_turtle.color()
                print("The winner is", winner_color[0])

setup()
race()

turtle.mainloop()

```

A subclass of Turtle is defined!

A SuperTurtle object is being instantiated every time for turtle #4, the green turtle.

Polymorphism at work: this code calls forward on any object that IS-A Turtle, even if it is a SuperTurtle.




CRIME SCENE DO NOT ENTER

CRIME SCENE DO NOT ENTER

CRIME SCENE DO NOT ENTER


congratulations



Have you considered a career in coding?

If you're reading this page, assuming you didn't just skip to the end, congratulations! And you should really ask yourself how far you could take this! In case you haven't noticed, you've covered a huge distance in this book. The exciting and daunting thing is that this book just scratches the surface of software development. If nothing else, we hope you'll consider our suggestion, as you clearly have the right stuff to take this even further.

Here are a few suggestions for what's next:






BULLET POINTS

- Object-oriented programming (OOP for short) focuses on solving problems by modeling real (or virtual) objects.
- Objects have state and behavior.
- Objects are created from classes, which act as blueprints.
- When we create a new object, we say we instantiate it.
- A constructor is a method that initializes a class.
- In Python the constructor is named `__init__`.
- The constructor is passed the object being created as the first argument.
- By convention we call the first parameter of a constructor `self`.
- Attributes are like variables within an object and can be assigned to any Python value.
- Methods are like functions, except they are passed the `self` argument.
- We can inherit the attributes and methods of another class by subclassing.
- The class we're subclassing is often called the superclass or supertype.
- We can override the methods of a superclass by defining methods of the same name in the subclass.
- We say we have an IS-A relationship when we subclass.
- We can test for IS-A relationships with the `isinstance` function in Python.
- The `isinstance` method returns True if an object is an instance of a class (or any of its superclasses).
- Override the `str` method to return the string you'd like displayed when your object is printed by `print`.
- When we write code that works for objects that expose the same interface we're taking advantage of polymorphism.
- We think of an object's interface as the methods we can call on an object.
- We compose objects by assigning another object to the attribute of an object.
- Composition is a common technique to extend a class's behavior.
- When we rely on another class to do work, we're delegating work to that class.
- Multiple inheritance occurs when you inherit behavior and state from more than one class.



Coding Crossword

This is it, the final crossword, and it's object oriented. Well, at least all the words are.



Across

4. Creates an object and initializes it.
6. Built-in function to check IS-A.
10. Dog that helps humans.
12. Code that works over objects with the same interface.
14. Convention for the first parameter of a method.
17. Holds state of object.
18. Has a lot of jargon.

Down

1. Not allowed in the hotel.
2. Type of inheritance that inherits from two or more classes.
3. Class from which others are subclassed or derived.
5. IS-A relationship.
7. Hiding implementation details.
8. Redefining the behavior of a method in a subclass.
9. HAS-A relationship.
11. Asking another object to do the work.



Sharpen your pencil Solution

In Chapter 2 we wrote some code to compute a dog's age in human years. Add a method to our `Dog`'s class to compute its age in human years. You can call the method `human_years`; it takes no arguments and returns the result as an integer.

```
class Dog:
    def __init__(self, name, age, weight):
        self.name = name
        self.age = age
        self.weight = weight

    def print_dog(dog):
        print(dog.name + "'s", 'age is', dog.age,
              'and weight is', dog.weight)

    def bark(self):
        if self.weight > 29:
            print(self.name, 'says "WOOF WOOF"')
        else:
            print(self.name, 'says "woof woof"')

    def human_years(self):
        years = self.age * 7
        return years

codie = Dog('Codie', 12, 38)
jackson = Dog('Jackson', 9, 12)
print(codie.name + "'s age in human years is ", codie.human_years())
print(jackson.name + "'s age in human years is ", jackson.human_years())
```

Here's our code so far. Add a method, `human_years`, that returns the dog's age in human years.)

To compute the dog's age in human years we use the dog's age attribute, multiply it by 7, and return it.

Here's the output.

Python 3.6.0 Shell

```
Codie's age in human years is 84
Jackson's age in human years is 63
>>>
```




Sharpen your pencil Solution

Given the class diagram on the left, fill in the values that `isinstance` evaluates to on the right. Remember `isinstance` always evaluates to True or False.



Your answer, True or False



`simple_cake = Cake()`
`chocolate_cake = FrostedCake()`
`bills_birthday_cake = BirthdayCake()`

False

`isinstance(simple_cake, BirthdayCake)`

False

`isinstance(simple_cake, FrostedCake)`

True

`isinstance(simple_cake, Cake)`

True

`isinstance(chocolate_cake, Cake)`

True

`isinstance(chocolate_cake, FrostedCake)`

False

`isinstance(chocolate_cake, BirthdayCake)`

True

`isinstance(bills_birthday_cake, FrostedCake)`

True

`isinstance(bills_birthday_cake, Cake)`

True

`isinstance(bills_birthday_cake, BirthdayCake)`



Sharpen your pencil Solution

```

class Car():
    def __init__(self):
        self.speed = 0
        self.running = False

    def start(self):
        self.running = True

    def drive(self):
        if self.running:
            print('Car is moving')
        else:
            print('Start the car first')

class Taxi(Car):
    def __init__(self):
        Car.__init__(self)
        self.passenger = None
        self.balance = 0.0

    def drive(self):
        print('Honk honk, out of the way')
        Car.drive(self)

    def hire(self, passenger):
        print('Hired by', passenger)
        self.passenger = passenger

    def pay(self, amount):
        print('Paid', amount)
        self.balance += amount
        self.passenger = None

class Limo(Taxi):
    def __init__(self):
        Taxi.__init__(self)
        self.sunroof = 'closed'

    def drive(self):
        print('Limo driving in luxury')
        Car.drive(self)

    def pay(self, amount, big_tip):
        print('Paid', amount, 'Tip', big_tip)
        Taxi.pay(self, amount + big_tip)

    def pour_drink(self):
        print('Pouring drink')

    def open_sunroof(self):
        print('Opening sunroof')
        self.sunroof = 'open'

    def close_sunroof(self):
        print('Closing sunroof')
        self.sunroof = 'closed'

```

Take a look at the class definitions on the left, which contain a few overridden methods. Execute the code below (in your head) and write the output here.

Trace through this code in your head, writing the output you expect below.

```

car = Car()
taxi = Taxi()
limo = Limo()

car.start()
car.drive()

taxi.start()
taxi.hire('Kim')
taxi.drive()
taxi.pay(5.0)

```

limo.start()
limo.hire('Jenn') Careful,
taxi.drive() ~~is~~ this one
limo.pour_drink()
limo.pay(10.0, 5.0) is a little
tricky.

Your output here ↴

```

Python 3.6.0 Shell

Car is moving
Hired by Kim
Honk honk, out of the way
Car is moving
Paid 5.0
Hired by Jenn
Honk honk, out of the way
Car is moving
Pouring drink
Paid 10.0 Tip 5.0
Paid 15.0
>>>

```





Exercise Solution

Your turn to create a new class. How about a frisbee-catching dog? We've already created a `Frisbee` class for you:

```
class Frisbee:
    def __init__(self, color):
        self.color = color

    def __str__(self):
        return "I'm a " + self.color + ' frisbee'
```

A Frisbee can't do much; it just has a color and a `__str__` method so it prints well.



Your job is to help us finish the `FrisbeeDog`. It needs to catch a frisbee and give it back. It should have a `__str__` method as well.

```
class FrisbeeDog(Dog):
    def __init__(self, name, age, weight):
        Dog.__init__(self, name, age, weight)
        self.frisbee = None

    def bark(self):
        if self.frisbee != None:
            print(self.name,
                  'says, "I can\'t bark, I have a frisbee in my mouth"')
        else:
            Dog.bark(self) ← We're overriding the bark method. If the frisbee dog currently has a frisbee, then it can't bark; otherwise, it barks like any other dog.

    def catch(self, frisbee):
        self.frisbee = frisbee
        print(self.name, 'caught a', frisbee.color, 'frisbee')

    def give(self):
        if self.frisbee != None:
            frisbee = self.frisbee
            self.frisbee = None
            print(self.name, 'gives back', frisbee.color, 'frisbee')
            return frisbee
        else:
            print(self.name, "doesn't have a frisbee")
            return None

    def __str__(self):
        str = "I'm a dog named " + self.name
        if self.frisbee != None:
            str = str + ' and I have a frisbee'
        return str
```

We have a simple constructor; it just sets a `frisbee` attribute. Notice `frisbee` here is another object, so some composition going on.

← We're overriding the `bark` method. If the frisbee dog currently has a frisbee, then it can't bark; otherwise, it barks like any other dog.

← The `catch` method takes a `frisbee` and assigns it to the object's `frisbee` attribute.

← The `give` method sets the `frisbee` attribute to `None`, and then returns the `frisbee`.

← And here's the `str` method, which conditionally prints based on whether the dog has a `frisbee` or not.



Override the `FrisbeeDog`'s `walk` method so that if a dog has a frisbee he says, "I can't walk, I'm playing Frisbee!" Otherwise, `FrisbeeDog` acts like a normal `Dog`. Go ahead and add the code to your `dog.py` file. Use the same test code as the last Test Drive.

```
class FrisbeeDog(Dog):
    def __init__(self, name, age, weight):
        Dog.__init__(self, name, age, weight)
        self.frisbee = None

    def bark(self):
        if self.frisbee != None:
            print(self.name,
                  'says, "I can\'t bark, I have a frisbee in my mouth"')
        else:
            Dog.bark(self)           ← Dog has a frisbee if self.frisbee
                                      is not equal to None.

    def walk(self):
        if self.frisbee != None:
            print(self.name, 'says, "I can\'t walk, I\'m playing Frisbee!"')
        else:
            Dog.walk(self)          ← If the dog has a frisbee, then output that the
                                      dog is playing. Otherwise, do what all Dogs do by
                                      calling the superclass's walk method.

    def catch(self, frisbee):
        self.frisbee = frisbee
        print(self.name, 'caught a', frisbee.color, 'frisbee')

    def give(self):
        if self.frisbee != None:
            frisbee = self.frisbee
            self.frisbee = None
            print(self.name, 'gives back', frisbee.color, 'frisbee')
            return frisbee
        else:
            print(self.name, "doesn't have a frisbee")
            return None


    def __str__(self):
        str = "I'm a dog named " + self.name
        if self.frisbee != None:
            str = str + ' and I have a frisbee'
        return str
```

Python 3.6.0 Shell

```
Dude caught a red frisbee
Codie is walking
Jackson is walking
Rody is walking
Dude says, "I can't walk, I'm playing Frisbee!"
>>>
```



Coding Cross Solution



★ *The Top Ten Topics (We Didn't Cover)* ★



We've covered a lot of ground, and you're almost finished with this book. We'll miss you, but before we let you go, we wouldn't feel right about sending you out into the world without a little more preparation. We can't possibly fit everything you'll need to know into this relatively small chapter. Actually, we *did* originally include everything you need to know about Python programming (not already covered by the other chapters), by reducing the type point size to .00004. It all fit, but nobody could read it. So we threw most of it away, and kept the best bits for this Top Ten appendix.

This really *is* the end of the book. Except for the index, of course (a must-read!).

#1 List comprehensions

You've seen how we can create a list of numbers using the `range` function in Python, but there is an even more powerful way to construct lists that is similar to the way mathematicians construct sets of numbers. We call them *list comprehensions* and they can construct lists of any type. Let's first look at an example with numbers:

```
[x + x for x in range(10)]
```

↑ Doubles every number in the range from 0 to 9

Python 3.6.0 Shell

```
[0, 2, 4, 6, 8, 10, 12, 14, 16, 18]
>>>
```

Or, how about an example with strings:

```
lyric = ['I', 'saw', 'heard', 'on', 'you', 'the', 'wireless', 'back', 'in', '52']
[s[0] for s in lyric]
```

Grabs the first letter of each word in the list `lyric`

Python 3.6.0 Shell

```
['I', 's', 'h', 'o', 'y', 't', 'w', 'b', 'i', '5']
>>>
```

Okay, but how does this actually work? Well, essentially a list comprehension creates a list from another list. To see how this works, let's look at the format of a list comprehension:

The first part is an expression that uses a variable that represents each item in the existing list.

Revisit the examples above with this formula in mind.

We then have a `for` expression with the variable and the old list.

And finally, we have a conditional; we haven't seen one of these yet

[expression for item in list if conditional]

Here's how we can add a conditional to our example:

```
[s[0] for s in lyric if s[0] > 'm']
```

Only add the item to the list if it is a character greater than 'm'.

Python 3.6.0 Shell

```
['s', 'o', 'y', 't', 'w']
>>>
```


As with many things in this appendix, this will take some study to master, but you can see it is a powerful way to create new lists.

#2 Dates and times

Dates and times are an important part of many computations. You can import the Python `datetime` module like so:

```
import datetime
```

Then you can create a `date` object by instantiating it with any date up until the year 9999 (or going back to year 1):

 Year, then month,
then day

```
my_date = datetime.date(2015, 10, 21)
```

Or you can create a `time` object by instantiating it with any time, providing hours, minutes, and seconds:

```
my_time = datetime.time(7, 28, 1) ← Hour, minutes, and seconds
```

Or combine them together with the `datetime` object:

 Or combine them all together.

```
my_datetime = datetime.datetime(2015, 10, 21, 7, 28, 1)
```

Let's print them all:

```
print(my_date)
print(my_time)
print(my_datetime)

print(my_date.year, my_date.month, my_date.day)
print(my_time.hour, my_time.minute, my_time.second)
```


We can print each date and time object to see what it holds.

Python 3.6.0 Shell

```
2015-10-21
07:28:01
2015-10-21 07:28:01
2015 10 21
7 28 1
>>>
```

You can also get the current time with:

```
now = datetime.datetime.today()
print(now)
```

 Notice you can get the current time down to microseconds.

Python 3.6.0 Shell

```
2017-07-27 19:12:07.785931
```

Or use `datetime`'s formatting facilities:

```
output = '{:%A, %B %d, %Y}' ← The date object supports a
print(output.format(my_date)) rich formatting language. →
```

Python 3.6.0 Shell

```
Wednesday, October 21, 2015
```

That's just a start—in any language there's a lot to know about handling dates and times; check out the `datetime` and related modules in Python to dig deeper into this topic.

#3 Regular expressions

'ac*\dc?'

Remember all the trouble we had matching text that contained words and punctuation?

We could have solved that problem using regular expressions. A *regular expression* is, formally, a grammar for describing patterns in text. For instance, using a regular expression (regex for short), you can write an expression that matches all text that starts with *t* and ends with *e*, with at least one *a* and no more than two *us* in between.

Regular expressions can get complex fast. In fact, they can seem like an alien language when you first encounter them. But you can get started with simple regular expressions fairly quickly, and if you like them, become a true expert.

You'll find regular expressions supported by most modern languages. Python is no exception. Here's how you use Python regular expressions:

```
import re ← Import the regular expression module, re
          ↗ Let's test a few strings...
for term in ['I heard you on the wireless back in 52',
             'I heard you on the Wireless back in 52',
             'I heard you on the WIRELESS back in 52']:
    ↗ Search using a regular expression.
    result = re.search(' [wW]ire', term)
    ↗ Here's the regular expression part; it
    if result:   ↗ matches 'wire' or 'Wire'.
        loc = result.span() ↗ If there's a result, there's a match and the span
                           ↗ method tells us where the match is in the string.
        print('found a match between:', loc) ↗ Let's print out where the match is...
    else:         ↗ ...or if there wasn't one.
        print('No match found')
```

Python 3.6.0 Shell

```
found a match between: (19, 23)
found a match between: (19, 23)
No match found>>>
```

In this example we used a very simple regular expression, but regular expressions are capable of matching sophisticated patterns—for example, valid usernames, passwords, and URLs. So, the next time you're about to write code to verify a valid username or something similar, pull out the regular expressions instead—a couple lines of regex could save you a lot of code.

Search is just one method provided by Python for matching strings with an expression. Python also has a sophisticated regex compiler in the `re` module you'll want to check out for intensive pattern matching applications.

The real key to understanding and using regular expressions is learning how to read and create patterns. To do that you'll want to study the general subject of regular expressions, and more specifically, the notation that Python uses for regular expressions.

#4 Other data types: tuples

Python lists have a sister data type we never told you about: tuples. Syntactically the two are almost identical. Check this out:

```
my_list = ['Back to the Future', 'TRON', 'Buckaroo Bonzai'] ← A Python list of movies—well, of strings, actually
```



```
my_tuple = ('Back to the Future', 'TRON', 'Buckaroo Bonzai') ← A Python tuple of strings
```

So, what's the difference? Well, syntactically one uses square brackets and one use parentheses.

You also already know how to use them, for instance, in iteration:

```
for movie in my_list:  
    print(movie)  
  
for movie in my_tuple:  
    print(movie)
```

Python 3.6.0 Shell

```
Back to the Future  
TRON  
Buckaroo Bonzai  
Back to the Future  
TRON  
Buckaroo Bonzai
```

And of course you can refer to the items in a tuple with an index too, like `my_tuple[2]`, which evaluates to 'Buckaroo Bonzai'. Tuples even support most of the same methods as lists, so what's the difference? *Tuples are immutable*—meaning you can't change them like you can lists. Once you make a tuple, that's it, you're done—you can access its items, but you can't change them.

So why would you use them? Why do they exist? Because of what we call *time* and *space*; in other words, tuples take up less memory and you can operate on them faster than you can with lists. If you've got collections of items that are very large and/or you are computing lots of operations on them, then you may want to consider tuples, which can significantly improve both memory use as well as execution time.

It can also be computationally safer to work on data structures that can't change!

You'll also want to take a look at a few things you can do syntactically with tuples you can't do with lists:

`x, y, z = (1, 2, 3)` ← This is called unpacking; Python assigns each variable to the corresponding item in the tuple.


`apples = 'mac', 'red', 'green'` ← Even without parentheses, comma-separated items become a tuple.

`single = (3.14159265,)` ← Careful, a quirk: because of unpacking, if you want to assign a single-item tuple to a variable, you need to add an extra comma.

Extra comma

#5 Other data types: sets

There's another common data type we haven't discussed: sets. Do you remember sets from algebra class? You might recall sets have only one of each element value, and they have no order. You might also remember that common operations on sets include taking the union and intersection of one set with another. Well, Python has sets too; let's see what Python provides:



Sets are represented by comma-separated values enclosed in curly braces.

```
set = {1, 3.14159264, False, 77}
```

↳ Dictionaries have key/value pairs within curly braces, while sets have just values.

↳ Sets can hold practically any Python type, but the values need to be unique.

Like lists, and unlike tuples, sets are mutable, meaning we can change them and add values to them:

```
set.add(99)
```

Or remove them:

```
set.remove(1)
```

Python represents the empty list (having no items) as `set()`.

And of course they provide more interesting methods we can use:

```
even = {2, 4, 6, 8, 10}
odd = {1, 3, 5, 7, 9}
prime = {1, 3, 5, 7}
```

```
even_and_prime = even.intersection(prime)
print(even_and_prime)
```

```
odd_and_prime = odd.intersection(prime)
print(odd_and_prime)
```

```
even_or_prime = even.union(prime)
print(even_or_prime)
```

Python 3.6.0 Shell

```
set()
{1, 3, 5, 7}
{1, 2, 3, 4, 5, 6, 7, 8, 10}
>>>
```


You can also check to see if a value is in a set with the familiar `if x in set` syntax. Check out the Python set documentation for even more interesting methods like set differences, symmetric differences, and supersets.

#6 Server-side coding

Many applications run as web services, providing services like Google search, social networks, and ecommerce. These applications are powered by many different languages, including Python.

Learning server-side coding often requires familiarity with technologies such as the hypertext transport protocol (HTTP), HTML (a page markup language), and JSON (as we've seen, for data exchange), to name just a few. In addition, depending on the language you're working with, you'll most likely want to use a web framework or package. These packages provide functionality that takes care of many of the low-level details of serving web pages and data.

If you are working with Python, two of the more popular frameworks are Flask and Django.




```
@app.route("/")
def hello():
    return "Hello, Web!"
```

Typically you'd output HTML or JSON here.

Here's a quick Flask example. With Flask we can route web traffic from the "root" (think home page) of a website to the function hello. Hello simply outputs a simple string.

Flask is a small, more minimal framework aimed at smaller projects you want to get up and running quickly. Django is a much heavier-weight framework aimed at larger projects. As such, Django takes more time to learn but will do a lot more for you. Django provides page templating, forms, authentication, and a means to administer databases. Because we'd guess you're just getting started in web development, so we'd recommend Flask as a place to start, and then upgrading to Django as your skills and needs increase.

Learning HTML and CSS is also a vital part of creating web pages. After Head First Learn to Code you're more than qualified to take on this book, and perhaps even Head First JavaScript Programming at the same time—JavaScript is the de facto standard for programming in the browser.



#7 Lazy evaluation

Say you wanted to write some code like this:

```
def nth_prime(n):
    count = 0
    for prime in list_of_primes():
        count = count + 1
        if count == n:
            return prime

def list_of_primes():
    primes = []
    next = 1
    while True:
        next_prime = get_prime(next)
        next = next + 1
        primes.append(next_prime)
    return primes
```

This code returns the nth prime number...
...from a list of primes.

We could generate an upper limit, say the first 1,000, but that could be very inefficient as well.

Clearly we can't really do this, because creating an infinite list of primes takes, literally, forever.

We'll leave this function as a homework assignment (or a quick Google search).

We can fix this code using a technique called *lazy evaluation* or *calculation on demand*, and in Python this is supported by something called a generator. Here's how we alter our code to create a generator:

```
def list_of_primes():
    next = 1
    while True:
        next_prime = get_prime(next)
        next = next + 1
        yield next_prime
```

We no longer need our primes array, so we've removed it.

Now each time we generate a new prime, we use the yield statement.

So what does `yield` do? A bit of magic. Think about it like this: in the `nth_prime` function we are iterating over all the primes. When the `for` statement first calls `list_of_primes` and the `yield` statement is used, a generator is created (otherwise known as an iterator in many languages). The generator is an object that has one method, `next`, which can be called (behind the scenes in the case of the `for` statement) to get the next value. Each time `next` is called, the `list_of_primes` magically picks up computation where it last left off (computing the next prime) and as soon as the `yield` statement is invoked, it returns another value. This repeats as long as there are values being generated.

Lazy evaluation is a fascinating and powerful form of computation worth looking into more deeply.

#8 Decorators

Decorators come from an object-oriented design practice called design patterns. Python loosely implements the decorator pattern by allowing you to “decorate” functions with other functions. For instance, if you have a function that just returns some text, you could create a set of decorators that add things to that text, like HTML formatting. Say we wanted to easily add HTML paragraph tags to a piece of text. We could use decorators like this:

```
def paragraph(func):
    def add_markup():
        return '<p>' + func() + '</p>'
    return add_markup
```

```
@paragraph
def get_text():
    return 'hello head first reader'
```

```
print(get_text())
```

To make text a paragraph in HTML, we just start it with a `<p>` and end it with a `</p>`.

We need to use our higher-order function knowledge here. First we’re going to be passed a function, `func`, and then we’ll create and return another function that surrounds whatever `func` returns, when called, with `<p>` and `</p>`.

Then we use the `@` syntax to decorate another function, like `get_text`.

Now when `get_text` is called, it will be called within the decorator code, which causes the `<p>` and `</p>` tags to be added to whatever the `get_text` function returns.

As you can see, this can be a little mind-altering and probably gives you some indication that higher-order functions are worth studying.

Decorators are a powerful feature and can be used far beyond decorating text. In fact, you can add one or more decorators to any type of function that you’d like to give additional behavior to, without altering the original function.

```
Python 3.6.0 Shell
<p>hello head first reader</p>
```



#9 Higher-order and first-class functions

You've come a long way in your understanding and use of functions. We've talked about functions as a way to abstract code, but there is so much further you can take them. In fact, you can do anything with a function that you can with other data types: you can assign a function to a variable, pass a function to another function, and even return a function from a function. When we can treat a function like any other object or data we call it *first class*, and when we either pass or return a function from another function, we call that a *higher-order* function. But what does it even mean to pass or return a function from a function?

Understanding higher-order functions is a topic worthy of some lengthy study; for now, whet your appetite with some code that demonstrates using functions in a higher-order manner.

```
def pluralize(str):
    def helper(word):
        return word + "s"
    return helper(str)

val = pluralize('girl')
print(val)
```

Did you know you can declare a function within another function?
The helper function is only available within the pluralize function; no other code can call it.
The pluralize function uses helper to add an "s" onto a string.

Python 3.6.0 Shell

```
girls
>>>
```

Okay, that's new, but let's make this truly *higher order*. Hang on to your hat:

```
def addition_maker(n):
    def maker(x):
        return n + x
    return maker

add_two = addition_maker(2)

val = add_two(1)
print(val)
```

The function addition_maker takes a number n...
...and defines a function that takes another number, x, and adds n to it.
And then, it returns that function as the result of calling addition_maker.
So if we pass addition_maker the number 2, it returns a function, which here we assign to the variable add_two...
...that, when called, adds two to whatever it is passed, in this case the number 1.

Python 3.6.0 Shell

```
3
>>>
```

If that's a little hard to wrap your head around, welcome to the club. But, like recursion, with a little study and work, thinking in higher-order functions becomes second nature.

#10 A lot of libraries

We've seen a few Python libraries throughout this book, but there are many more built-in and third-party Python packages waiting for you. Here are a few to take a look at:

requests

This third-party package is worth mentioning again. If you need to make HTTP requests from your application, this is the package for you.

Flask, Django

You've seen these frameworks in passing as well. If you need to build server-side Python code, be sure to check out both. Flask tends to be for small-scale projects and Django for large applications, but both should serve you well.

sched

Need to execute code at specific times or on a schedule? The `sched` module is a standard Python module that allows you to create schedules and invoke code on that schedule.

logging

An upgrade from putting simple `print` statements in your code, the `logging` module is a built-in module that gives you a way to output informational warning or error messages. Even better, you can configure the type of messages that are output based on the type of execution (say, testing versus a production run of your code).

Pygame

Pygame is a library for writing video games. Pygame provides modules for dealing with game graphics as well as sound. If you're just starting to write games, this can be a great place to start.

Beautiful Soup

Data on the web isn't always available in JSON, and often you'll just need to grab a web page and sort through the HTML to find what you need. Unfortunately, many web pages contain poorly written HTML. The Beautiful Soup library tries to make all that easier and gives you a nice—no, beautiful—interface to web pages from Python.

Pillow

Pillow is an image library, with everything you need to read, write, and process many common image file formats. Pillow also provides support for displaying files and converting images to other formats.

You'll find a lot more at <https://wiki.python.org/moin/UsefulModules>



I can't believe the book is almost over.
Before you go, you really should read the
index. It's great stuff. And after that you've
always got the website. So I'm sure we'll see
you again soon...

Don't worry, this isn't goodbye.

Nor is it the end. Now that you've got an amazingly solid foundation in learning to code, it's time to become a master. Point your browser to <http://wickedlysmart.com> to explore what's next!

What's next? So much more!

Jump head first in to OOP and an industry-standard language, → Java.



Start on either path.

Follow it with learning high-level → object design with design patterns and principles.




Learn the languages that provide the structure and style of the web...



Learn browser-based web development by reading these books in parallel.



...and the language that provides the behavior.



Follow it up with even more sophisticated browser coding.

Symbols

\ (backslash) 400
: (colon)
 file paths 401
 indented statements and 82, 105, 183
 key/value pairs 364
 slice syntax and 272–273
, (comma) 255, 364, 579
{ } (curly brackets) 445, 580
. (dot notation)
 attributes and 321
 classes and modules 318
 docstrings 300–302
 examples of 77, 294, 308, 529
 methods and 321
 variables and 321
__ (double underscore) 51
== (equality operator) 81–82, 93
= (equal sign)
 assignment operator 38, 82
 keywords arguments 212
** (exponentiation operator) 47–48
/ (forward slash)
 as division operator 47–48
 as file path separator 400–401
> (greater than operator) 80, 93
>= (greater than or equal to operator) 81
(hash character) 24, 99
< (less than operator) 93
% (modulus operator) 47–49
* (multiplication operator) 45, 47–48

Index

- (negation operator) 47–48
!= (not equal operator) 81, 101–102
() (parentheses)
 Boolean expressions and 102
 in functions 60, 183
 grouping operations 45
 operator precedence and 48
 subclassing 536
+ (plus sign)
 addition operator 47–48, 158
 concatenation and 25–26
>>> prompt 40
“” (quotation marks)
 declaring lists 25–26
 strings and 42, 88, 250–251
[] (square brackets) 24–25
- (subtraction operator) 47–48
@ syntax 583
_ (underscore) 51

A

ABC programming language 15
absolute paths 401
abstracting code
 about , 179–182, xiv–xvii
 avatar example 195–199

the index

after method 499–502
and Boolean operator 92–93, 101–102
append method 156, 158, 320
arguments in constructors 320
arguments in functions
 about 61, 183, 186
 evaluating 204
 keywords in 212, 487
 order of 192
 parameters comparison 192, 204, 211
argv attribute 423
assignment operator (=) 38, 82
assignment statements 41
associative maps 367
asterisk (*) 45
attributes
 about 317, 319, 541, 544, 546
 accessing through methods 319, 531
 dictionary items 368, 370–372, 450
 dot notation and 321
 response object 448
 state in form of 315–317, 525, 527
 turtle example 306, 308, 316

B

backslash (\) 400
base class 536, 544
\b (backspace) 408
Beautiful Soup library 585
behavior of objects
 about 306, 308, 315–317, 527
 OOP and 525, 542–544
 overriding and extending 542–544
Bergey, Nathan 444
blocks of code. *See* code block
Boolean data type 80–82, 87, 477
Boolean expressions 81–82, 87, 92
Boolean operators 92–93, 101–102

Boole, George 81
break statement 405–406
bubble sort
 about 227–229
 computing numbers 236
 implementing in Python 234–235
 pseudocode 231–232
bugs (software) 54, 414
Button object 486

C

calculation on demand 582
call stacks 351–354
case sensitivity
 class names 318, 320
 from keyword and 486
 Python programming language 51
 strings 103
choice function (random) 25–26, 86
classes
 about 316, 320–321, 544
 behaviors and 316–317
 built-in 320–321
 case sensitivity 318, 320
 designing 527, 549, 560
 diagramming 316, 525, 527, 549, 558
 dot notation and 318
 implementing 535, 550
 inheritance and 534–537, 541, 544, 558
 objects and. *See* objects
 terminology 536
 using 318
 writing 528–530
client-side coding 581
close method 402
closing files 402, 420
code block 105, 183–188, 418
colon (:)
 file paths 401

indented statements and 82, 105, 183
 key/value pairs 364
 slice syntax and 272–273
 comma (,) 255, 364, 579
 command-line execution 423–424, 442
 comments 24, 98–99, 300–301
 communication protocol 438
 composition 546, 558
 computational thinking , 1–4, x–xiii, 14, xiv
 concatenating
 list items 24–25
 strings 46, 96, 139
 conditional expressions
 about 86
 choice function 25–26, 86
 if statement 82–85, 92
 infinite loops 113
 while statement 105–110
 constructors
 about 318, 544
 arguments in 320
 functionality 528–529
 subclassed and 536
 controller (MVC pattern) 491–510
 converting
 numbers to strings 140
 strings to numbers 59–60
 Conway, John 468
 C programming language 9
 Crazy Libs game
 about 394–395
 creating template 396
 handling exceptions 413–415, 417–420
 processing template text 411–412
 prompting for user input 397
 reading template 397, 399
 signifying placeholders in template 396–397
 storing 421
 updating code 420–424
 writing completed file 397

CSS (Cascading Style Sheets) 581
 Ctrl+C keyboard combination 113
 curly brackets 445, 580
 current directory 400
 current time 577

D

data science 246
 data types
 about 57–58, 316
 Boolean 80–82, 87, 477
 classes 316–321
 dictionaries 362–372
 lists. *See* lists and list items
 None 214, 420–421
 numbers. *See* numbers
 primitive , xiii
 sets 580
 tuples 579
 date object 577
 datetime module 305, 577
 debugging
 about 54–56
 suggestions for 19, 22, 60
 decorators 583
 default values
 assigning in functions 195, 197–198
 parameters with 210
 def keyword 183
 delegation 546, 559, 560–564
 deleting
 dictionary keys 363
 list items 157–158
 del function 157–158, 363
 delimiters
 commas 255
 space separators 24–25, 61, 96, 139
 whitespace 253–256
 derived class 536, 544

the index

design patterns 409, 583
dictionaries
 about 362, 367
 accessing items 366
 adding items to 362, 366
 attributes of items 368, 370–372, 450
 JSON format and 446
 key/value pairs and 362–364, 580
 list comparison 367–368, 553, 561
 memoization and 376–377
division operator (/) 47–48
Django framework 581, 585
docstrings 300–302
Doctorow, Cory 292–293, 299–300, 304
documentation 98–99, 439–441
dot notation (.)
 attributes and 321
 classes and modules 318
 docstrings 300–302
 examples of 77, 294, 308, 529
 methods and 321
 variables and 321
double underscore (__) 296

E

elif keyword 83–85
else keyword 82–85
empty lists
 about 134
 checking for 344
 creating 156, 159, 321
empty strings 88, 198, 349, 409
encapsulation 319, 552, 561
EOL error 22, 43
equality operator (==) 81–82, 93
equal sign (=)
 assignment operator 38, 82
 keywords arguments 212
escape sequences 407–408

F

even method 580
event-based programming 494–498
event handlers 494–498
exception handling
 about 418
 Crazy Libs game 413–415, 417–420
 debugging process 54–56
 detecting invalid input 100–103
 infinite loops 113
 int function 59–60
 lists 134, 139–140
 numbers 53–55
 parameters 211
 return values 56
 strings 53–55, 140
 suggestions for 19, 22, 60
 syntax 22, 60, 102
 variables 207
 Web API requests 440
except keyword 418
executing code
 about 6, 13
 from command line 423–424
 from IDLE 18–21
 from Python Shell 40–41, 188
exponentiation operator (**) 47–48
expressions
 applying operator precedence in 48
 assigning values to variables 45–46, 80
 Boolean 81–82, 87, 92
 conditional 24–25, 82–87, 92, 105–110
 regular 578
extend function 157–158

F

False value 80–83, 87, 92, 106
Fibonacci sequence 357–359, 373
file management
 closing files 402, 420
 file modes 399, 421
 naming considerations 309

- opening files 399–402, 418, 420
- reading files into code 402–409
- updating code 420–424
- writing files 421
- File menu (IDLE editor)
 - New File item 18, 26
 - Save menu item 20, 26
- file object
 - assigning to variable 399
 - close method 402
 - readline method 407, 409
 - read method 403
 - write method 421
- file paths 400–402
- first-class functions 584
- Flask framework 581, 585
- Flesch-Kincaid readability formula 247–248, 278, 282, 301–303. *See also* readability formula
- Flesch, Rudolph 247
- float function 59
- floating point numbers 58–59, 320
- flowcharts 76
- for statement
 - about , 105, xiii
 - break statement and 406
 - bubble sort example 231–232, 234–235
 - in dictionaries 364
 - in operator and 364, 409
 - iteration and 105, 142–148, 151–152, 409
 - in lists 142–148
 - sequences and 78, 145, 152
 - while loop comparison 142, 151–152
- forward slash (/)
 - as division operator 47–48
 - as file path separator 400–401
- fractals, generating 379–382
- frames 351–354
- from keyword 486, 491
- function calls
 - call stacks 351–354
- how to perform 184–188
- memoization 376–377
- recursive functions and 350–354
- to other functions 192
- functions
 - about 37, 77, 183, 192, 315
 - abstracting code. *See* abstracting code
 - accessing within modules 252, 294
 - arguments in. *See* arguments in functions
 - defining 183–185, 192
 - executing 183–188
 - first-class 584
 - hash 367
 - helper 410
 - higher-order 583–584
 - methods and 317, 531
 - naming 183, 192
 - parameters in. *See* parameters in functions
 - passing functions to 192
 - process overview 184–188
 - recursive 343–359
 - return value 39, 56, 85, 183, 193
 - turning blocks of code into 183–188
 - variables and 194, 200–209

G

- Game of Life
 - about 470, 490
 - adding design patterns 506
 - building data model 477
 - building screen view 485
 - building simulator 472–476
 - building the controller 491–510
 - building the data model 477–484
 - building the view 485–490
 - Clear button 472, 485, 502–503
 - complete source code 511–515
 - computing a generation of 478–484
 - computing at regular intervals 499–502
 - correcting layout 488
 - creating widgets 486–488
 - defining design patterns 509

the index

- editing cells directly 504
 - Option Menu 472, 474–475, 485, 506–510
 - Pattern Loader 472, 474–475, 510
 - Pause Button 472, 474–475, 494–498
 - placing widgets into grid layout 489
 - reactive computation for 494–497
 - rules in 468–471, 478
 - sketch of 472
 - Start button 472, 475, 485, 497–498
 - translating grid layout to code 489–490
 - writing grid view handler 505
 - writing option menu handler 507–508
 - writing pattern loader 510
 - generative systems 470
 - generators 582
 - get function (*requests*) 447–448
 - global keyword 207
 - global variables
 - about 194
 - local variable comparison 208–209
 - `__name__` 296–298
 - scope of 200–203
 - using in functions 207
 - Golden Ratio 357
 - graphical user interface (GUI). *See* Game of Life
 - greater than operator (`>`) 80, 93
 - greater than or equal to operator (`>=`) 81
 - GUI (graphical user interface). *See* Game of Life
- ## H
- HAS-A relationship 546
 - hash character (#) 24, 99
 - hash functions 367
 - hash maps 367
 - help documentation 99, 300–304
 - helper functions 410
 - help function 300
 - heuristics 264–273, 276–277
- higher-order functions 583–584
 - history of Python 15
 - HTML (Hypertext Markup Language) 581, 583
 - HTTP (Hypertext Transfer Protocol) 438, 448–450, 581
- ## I
- IDEs (Integrated Development Environments) 13, 18
 - IDLE editor
 - about 13
 - installing xxxiv
 - Python sample programs 18–21, 24–27
 - if statement
 - conditional logic and 82–85, 92
 - in operator and 261, 269, 363
 - imaginary numbers 58
 - import statement 24–25, 77–79, 294, 491
 - indenting statements 82, 105, 183
 - Index Error 134
 - indices
 - dictionary comparison 363
 - for lists 132–133, 138, 157, 235–236, 477
 - for strings 272–276
 - for tuples 579
 - infinite loop 113
 - inheritance 534–537, 541, 544, 558
 - in operator
 - for statement and 364, 409
 - if statement and 261, 269, 363
 - sets and 580
 - input
 - defined 22
 - detecting invalid 100–103
 - file-based. *See* file object
 - prompting for. *See* prompting for input
 - input function
 - functionality 37–39
 - quotation marks and 42
 - return values 39, 56, 85
 - syntax 37

insert function 158
 insertion sort 239
 installing
 IDLE editor xxxiv
 packages 441–442
 Python xxxiv–xxxv, 17
 instances. *See* objects
 instance variables. *See* attributes
 instantiating objects 318, 525, 544
 integer numbers 58–59, 140
 Integrated Development Environments (IDEs) 13, 18
 International Space Station 443–444, 449–461
 interpreting code 6, 13. *See also* Python interpreter
 int function 59–60, 140
 invalid syntax error code 22, 60
 IS-A relationship 537–539
 isinstance function 538–539
 iteration
 about , xiii
 breaking out of 405–406
 dictionaries and 364
 for loop. *See* for statement
 in Game of Life 477–479
 lines of files 409
 lists and 138, 142–148
 recursion comparison 355–356
 tuples and 579
 while loop. *See* while statement
 iterations
 infinite loop 113
 iterators 409

J

Java programming language 8
 JavaScript programming language 9, 581
 JSON format 445–448, 450–451, 581
 json module 450–451

K

KeyError 363
 keys
 dictionary 362–364, 367
 in JSON 445
 key/value pairs
 dictionaries and 362–364, 580
 JSON format and 445–446
 keyword argument 212, 487
 keywords 19, 51. *See also* specific keywords
 koch function 379–382
 Koch, Niels Fabian Helge von 380
 Koch snowflake 380–382

L

lazy evaluation 582
 len function 131, 158, 254, 268
 less than operator (<) 93
 library. *See* modules
 line feed (\n) 403, 407–408
 Linux environment
 file paths in 400–401
 installing Python 17
 installing requests package 442
 LISP programming language 9
 list comprehensions 576
 list function 156
 list multiplication 156, 477
 lists and list items
 about , 125–128, 134, xiii–xvi, 146
 accessing 129, 134
 accessing last item 132
 adding to another 157–158
 altering 263
 creating 128, 156
 declaring 25–26
 deleting 157–158

the index

determining number of items 131
dictionary comparison 367–368, 553, 561
empty lists 134, 156, 159, 321, 344
indices 132–133, 138, 157, 235–236, 477
inserting items 158
iteration in 138, 142–148
lists as classes 320
ordering 134
output considerations 139–140
parallel lists 162, 235, 368
range of numbers 145–146, 148
slicing 273, 344
tuples and 579
updating values in 129
zero index value 132, 138, 157, 477
lists within lists 477
literal notation 364
loads function 450–451
local variables 194, 200–203, 207–209
logging module 585

M

macOS environment
 installing Python xxxiv
MacOS environment
 command 442
 command-line execution 424
 file paths in 400–401
 installing Python 17
 Python sample program 18
mainloop function 309, 496
Massachusetts Institute of Technology 307
math module 305
memoization 376–377
merge sort 239
metacognition xxix
methods
 about 317, 319, 527, 541, 544
 accessing attributes 319, 531

constructor 318
dot notation and 321
functions and 317, 531
invocation process 532
tuples and 579
writing 531–533, 554, 559
model (MVC pattern) 477–484
modules
 about 22, 77, 252, 294–295
 accessing functions within 252, 294
 accessing variables within 252, 294
 datetime 305, 577
 dot notation and 318
 importing 486
 json 450–451
 logging 585
 math 305
 naming 309
 organizing for reuse 292–293, 299–304
 popular Python 305
 random. *See* random module
 request. *See* requests module
 sched 585
 sys 423
 TKinter. *See* TKinter module
 turtle. *See* turtle module
module view controller pattern. *See* MVC (module view controller) pattern
modulus operator (%) 47–49
multiple inheritance 541
multiplication operator (*) 45, 47–48
MVC (module view controller) pattern
 about 476
 building data model 477–484
 building the controller 491–510
 building the view 485–490

N

__name__ global variable 296–298
naming considerations

- Boolean data type 81
 class names 318
 files 309
 functions 183, 192
 modules 309
 variables 51
- National Research Institute for Mathematics and Computer Science (Netherlands) 15
- negation operator (`-`) 47–48
- negative indices
 for lists 132–133
 for strings 273
- nested loops 231–232, 234–235
- New File menu item (File menu) 20, 26
- newline (`\n`) 403, 407–408
- next method 582
- `\n` (newline) 403, 407–408
- None value and type 214, 420–421
- not Boolean operator 92–93
- not equal operator (`!=`) 81, 101–102
- numbers
 about 58
 converting strings to 59–60
 converting to strings 140
 data types supported 57
 error handling 53–55
 Fibonacci sequence 357–359, 373
 floating point 58–59, 320
 imaginary 58
 integer 58–59, 140
 pseudo-random 78
 Python interpreter and 57
 sequences of 78, 145–146
- behavior of. *See* behavior of objects
 classes and. *See* classes
 constructors and 318, 320, 528–529, 544
 HAS-A relationship 546
 instantiating 318, 525, 538–539, 544
 IS-A relationship 537–539
 methods and. *See* methods
 state of 315–317, 525, 527
 using 318
- object variables. *See* attributes
- odd method 580
- OOP (object-oriented programming)
 about 436, 524–526
 composition 546, 558
 delegation 546, 559, 560–564
 designing classes 527, 549, 560
 encapsulation 319, 552, 561
 HAS-A relationship 546
 implementing classes 535, 550
 inheritance 534–537, 541, 544, 558
 IS-A relationship 537–539
 overriding and extending behavior 542–544
 polymorphism 555–556
 subclassing. *See* subclasses
 superclasses 536, 544
 terminology 536, 544
 writing classes 528–530
 writing methods 531–533, 554, 559
- open function 399–401
- opening files 399–402, 418, 420
- Open Notify API 439–440, 443–444, 449
- open-notify.org website 443–444, 447
- Open Weather Map organization 438
- operator (expressions) 45. *See also* specific operators
 operator precedence 47–49, 93
 or Boolean operator 92–93
- organizing source code xxxvi, 20, 22
- output
 defined 22
 error handling 53

O

- Objective-C programming language 8
- objects. *See also* OOP
 about 315–316, 321
 attributes of. *See* attributes

the index

- file output 420–422
- list considerations 139–140
- print function 22–23, 61–63, 96, 139
- overriding behavior 542–544
- # P
- packages
 - about 294, 441, 585
 - installing 441–442
- palindromes 171, 347–354
- paper prototyping 473
- Papert, Seymour 307
- parallel lists 162, 235, 368
- parameters in functions
 - about 183, 192, 201
 - abstracting code example 197–198
 - arguments comparison 192, 204, 211
 - default values 210
 - keywords in 212, 487
 - listing required first 211
- Python interpreter processing 185–186
- recursive functions and 350
- variables comparison 204
- variable scope and 200, 202
- parentheses ()
 - Boolean expressions and 102
 - in functions 60, 183
 - grouping operations 45
 - operator precedence and 48
 - subclassing 536
- path separator (/) 400–401
- PEMDAS mnemonic 48
- period (.). *See* dot notation
- Perl programming language 9
- persistent storage. *See* file management
- PHP programming language 8
- Pillow image library 585
- pip utility 441–442
- pixels 310
- plus sign (+)
 - addition operator and 47–48
 - concatenation and 25–26
- polymorphism 555–556
- pop method 363
- positional arguments. *See* arguments in functions
- prime method 580
- primitive data types , xiii
- print function
 - about 22–23
 - fixing output glitches 139
 - space separators 96, 139
 - user-friendly output 61–63
- problems, breaking down 2–4
- programming languages 6–10, 14
- prompting for input
 - continually 104–105
 - Crazy Libs game 397
 - handling errors 56
 - step-by-step process 37–39
 - storing user responses in variables 85
 - while loop logic 110
- pseudocode
 - about 4, 34, 37
 - anti-social network example 371
 - attributes of items 368
 - bubble sort 231–232
 - computing readability 249
 - crafting 6
 - creating 362, 364
 - deleting keys 363
 - flowcharts and 76
 - Game of Life simulator 491
 - index comparison 363
 - iterating through keys 364
 - lists comparison 367–368
 - order considerations 364
 - retrieving values by keys 362–363, 367
 - testing for keys 363
 - turtle races example 323
 - writing code from 36

pseudo-random numbers 78
 punctuation, removing for readability 272–276
 .py file extension 20, 252
 Pygame library 585
 Python interpreter 13, 57, 183–188
 Python library. *See* modules
 Python NameError 22
 Python programming language
 about 10, 14, 23
 brief history of 15
 case sensitivity 51
 decision-making in 80
 installing xxxiv–xxxv, 17
 sample programs 18–21, 24–27
 versions of 15–16, 442
 writing and running code 13
 Python Shell window
 closing 113
 entering sample programs 18–19, 24–26, 40–41
 viewing program output 21

Q

quicksort algorithm 239
 quotation marks (“”)
 declaring lists 24–25
 strings and 42, 88, 250–251, 301

R

randint function (`random`) 77–79, 158
 random module
 choice function 24–25, 86
 importing 24–25, 77–79, 294
 randint function 77–79
 random number generation 77–79
 range function 145–146, 148, 576
 readability formula
 about 247–248, 278, 282, 301–303
 analyzing text for 250–251
 computing sentences for 247–248, 257–263

computing syllables for 247–248, 264–273, 276–277
 computing words for 247–248, 253–256
 customizing for reuse 292–293
 dealing with extraneous characters 256–257
 implementing 278–283
 pseudocode for 249
 removing punctuation 272–276
 setting up function for 252–253
 reading files into code 402–409
 readline method 407, 409
 read method 403–404
 recipe. *See* pseudocode
 recursive functions
 about 343–346
 determining end of 350
 Fibonacci sequence 357–359, 373
 generating fractals 379–382
 how recursion works 350–354
 iteration comparison 355–356
 palindrome example 347–354
 refactoring code , 179–182, 190, xiv–xvii
 regular expressions 578
 relational operators 80, 93
 relative paths 400–401
 requests module
 about 305, 441–442
 get function 447–448
 requests package 441, 585
 requests (Web APIs)
 about 437
 access tokens and 440
 error handling 440
 forming URLs 444
 request module process 447
 responses (Web APIs)
 about 437
 ISS example 444
 JSON format and 445
 request module process 447–448
 retrieving stored variable values 44

the index

return statement 192
return value (functions)
 about 183, 193
 assigning to variables 39, 85
 handling errors with 56
reverse method 320
Rock, Paper, Scissors game 74–76
root window 486
Rossum, Guido van 15
r (read mode) 399
Run menu (IDLE editor) 21–22, 27
Run Module menu item (Run menu) 21–22, 27
runtime errors
 about 54, 417
 examples 59, 363

S

Save menu item (File menu) 20, 26
sched module 585
Scheme programming language 9
scientific notation 58
screen object 327, 453–456, 460
search method 578
semantic errors 54, 417
semantics of programming languages 7, 38, 535
sentences, computing for readability formula 247–248,
 257–263
sequences
 of characters 58, 257, 262–263, 268
 for loops and 78, 145, 152
 len function and 268
 of numbers 78, 145–146
 of values 142, 260
server-side coding 581
sets 580
shadowing variables 202
shoushiling (game) 74–76
skeleton code 258
slicing
 lists 273, 344
 strings 272–276
sort function 239
sorting data
 about , xv–xvi
 bubble sort 227–239
space separators
 concatenated items and 25–26
 multiple arguments and 61
 print function 96, 139
spaghetti code 476
split function 253–256
Spotify website 439
square brackets [] 25–26
statements
 about 2–3
 assignment 41
 indenting 82, 105, 183
state of objects 315–317, 525, 527
status codes (HTTP) 448–450
steps, breaking down problems into 2–3
storing variable values 38, 44, 85
str function 140, 183
strings
 about 38, 42, 57–58, 262
 accessing last character in 263
 adding multi-line text into code 250–251, 301
 analyzing for readability formula 250–251
 calculating terminal characters for sentences 257–261
 case sensitivity 103
 as classes 320
 concatenating 46, 96, 139
 converting numeric values to 140
 converting to numeric values 59–60
 empty 88, 198, 349, 409
 error handling 53–55, 140
 immutable nature of 263
 indices for 272–276

keys in JSON as 445
 matching with expressions 578
 Python interpreter and 57
 quotation marks and 42, 88, 250–251
 slicing 272–276
 splitting apart 253–256
 stripping characters off 413–414
 substrings. *See* substrings
string (str) class 540
strip method 413–414
subclasses 536–537, 540, 544, 560
substrings 253, 263, 272–276
subtraction operator (-) 47–48
sum function 342
superclasses 536, 544
Swift programming language 8
syllables, computing for readability formula 247–248,
 264–273, 276–277
syntax 7, 37, 535, 583
syntax errors
 about 54, 417
 examples 22, 43, 60, 102, 211
sys module 423

T

templates 396–397
 terminal characters, calculating for sentences 257–261
 terminating programs 113
 testing code 40, 165, 473
 text editors 13
 text files 396, 399
 text strings. *See* strings
 thinking computationally , 1–4, x–xiii, xiv
 third-party packages 441
 time object 577
 Timsort algorithm 239
 Tkinter module 305, 485, 506

Traceback error message 417
 triple quotation marks 250–251, 301
 True value 80–83, 87, 92, 106
 try/except block 417–418, 420
 \t (tab) 408
 tuples 579
turtle module
 about 305–307
 adding turtles 311–313
 creating turtles 308–310, 314
 generating fractals 379–382
 OOP rework 563–565
 purpose of attributes in 319
 purpose of classes in 317
 purpose of methods in 319
 purpose of objects in 315
 screen object and 327, 453–456, 460
 turtle races example 322–333
 using classes in 318
 using objects in 318

U

UnboundLocalError 207
 underscore (_) 51
 unpacking 579
 upper method 320
 URLs (Uniform Resource Locators) 438–440
 usability testing 473–475
 use cases 473, 475
 user interface widgets 485–489

V

variables
 about 38, 44, 46
 accessing within modules 252, 294
 assigning default values to 195
 assigning objects to 399
 assigning return values to 39, 85
 assigning values to 41, 44, 58

the index

computing expressions with 45–46, 80
creating 88
dot notation and 321
functions and 194, 200–209
global 194, 200–203, 207–209, 296–298
instance. *See* attributes
local 194, 200–203, 207–209
naming 51
parameter comparison 204
shadowing 202
storing values in 38, 44, 85
in while loops 105–110
versions of Python 15–16, 442
view (MVC pattern) 485–490
vowels, computing for syllables in words 266–273,
 276–277
\v (vertical tab) 408

W

web addresses 438–440

Web APIs

about 436–437, 446
making web requests 443–444, 447–449
using JSON 445
web addresses and 438–440

while statement

break statement and 406, 409
bubble sort example 231–232, 234–235
fireside chat 151–152
for loop comparison 142, 151–152
introduction 105–110

whitespace 253–256

widgets 485–489

Windows environment

command-line execution 424, 442
file paths in 400–401
installing Python xxxv, 17
Python sample program 18

words, computing for readability formula 247–248,
 253–256
write method 421
w (write mode) 399, 421

Y

yield statement 582

Z

zero index value
 for lists 132, 138, 157, 477
 for strings 274



Don't know about the website?
We've got updates, video,
projects, author blogs, and more!

**Bring your brain over to
wickedlysmart.com**