



INFORMATICS
INSTITUTE OF
TECHNOLOGY

Figure 1

Foundation Certificate for Higher Education

Module: DOC 333 Introduction to Programming Principles

Module Leader: Mr. Sudarshan Welihinda

Assignment Type: Individual

Submission Date: 2023.12.11

Student ID: 20231264

Student Name: Ranuga Disansa Belpa Gamage

Student Email: ranuga.20231264@iit.ac.lk

Acknowledgement

I want to express my appreciation to those who have helped complete this report.

I have been able to complete this report because of the Academic advisor Mr. Sudarshan Welihinda for their invaluable support, mentorship, and feedback and the faculty members of Doc 333 (Introduction to Programming Principles).

Additionally, I would like to thank my family members for their unwilling encouragement and help throughout the report.

Thank you.

Table of Contents

| | |
|--|----|
| 1. Introduction..... | 6 |
| 1.1 The Problem..... | 6 |
| 1.2 The Solution..... | 6 |
| 2. Algorithm..... | 7 |
| 2.1 PesudoCode..... | 7 |
| 2.3 Verification Functions | 12 |
| 2.3.1 date_verification()..... | 12 |
| 2.3.3 project_code_verification() | 14 |
| 2.3.4 check_if_int() | 14 |
| 2.4 Main Functions..... | 14 |
| 2.4.1 remove_completed_projects() | 14 |
| 2.4.2 create_project()..... | 17 |
| 2.4.3 update_project_details()..... | 18 |
| 2.5 Helper Functions | 20 |
| 2.5.1 main()..... | 20 |
| 2.6 Data Structures | 20 |
| 2.6.1 Introduction to Data Structures | 20 |
| 2.6.2 Data Structures Used in the Program | 20 |
| 2.7 Explanation | 22 |
| 2.7.1 Add a new project to existing projects..... | 22 |
| 2.7.2 Removing a Completed project from existing projects..... | 23 |
| 2.7.3 Adding new workers to the available worker's group | 23 |
| 2.7.4 Updating Details to an ongoing project..... | 24 |
| 2.7.5 Project Statistics | 24 |
| 2.7.6 Exiting the Program | 25 |
| 3 Assumptions..... | 25 |
| 4 Python Code..... | 26 |
| 5 Test Cases | 32 |
| 5.1 Main Menu..... | 32 |

| | |
|--|----|
| 5.1.1 Test 1..... | 32 |
| 5.1.2 Test 2..... | 32 |
| 5.1.3 Test 3..... | 33 |
| 5.1.4 Test 4..... | 34 |
| 5.1.5 Test 5..... | 35 |
| 5.1.6 Test 6..... | 36 |
| 5.1.7 Test 7..... | 37 |
| 5.2 Add a New Project..... | 37 |
| 5.2.1 Test 1..... | 37 |
| 5.2.2 Test 2..... | 38 |
| 5.2.3 Test 3..... | 38 |
| 5.2.4 Test 4..... | 39 |
| 5.2.5 Test 5..... | 40 |
| 5.2.6 Test 6..... | 41 |
| 5.3 Remove a Project..... | 42 |
| 5.3.1 Assuming the project below has been added..... | 42 |
| 5.3.2 Test 1..... | 42 |
| 5.3.3 Test 2..... | 43 |
| 5.3.4 Test 3..... | 43 |
| 5.4 Add new Workers..... | 44 |
| 5.4.1 Test 1..... | 44 |
| 5.4.2 Test 2..... | 44 |
| 5.4.3 Test 3..... | 45 |
| 5.4.4 Test 4..... | 45 |
| 5.5 Update Project Details | 46 |
| 5.5.1 Assuming the project below has been added..... | 46 |
| 5.5.2 Test 1..... | 46 |
| 5.5.3 Test 2..... | 47 |
| 5.5.4 Test 3..... | 47 |
| 5.5.5 Test 4..... | 48 |

| | |
|---|----|
| 5.5.6 Test 5..... | 49 |
| 5.5.7 Test 6..... | 49 |
| 5.5.8 Test 7..... | 50 |
| 5.5.9 Test 8..... | 51 |
| 5.6 Project Statistics | 52 |
| 5.6.1 Assuming the project below has been added from Choice 3 | 52 |
| 5.6.2 Assuming the project below has been added from Choice 1 | 52 |
| 5.6.3 Test 1..... | 52 |
| 5.6.4 Test 2..... | 53 |
| 5.7 Exit | 54 |
| 5.7.1 Test 1..... | 54 |
| 6. Conclusion | 54 |

List of Figures

| | |
|----------------|----|
| Figure 1..... | 0 |
| Figure 2..... | 12 |
| Figure 3..... | 13 |
| Figure 4..... | 14 |
| Figure 5..... | 14 |
| Figure 6..... | 15 |
| Figure 7..... | 17 |
| Figure 8..... | 19 |
| Figure 9..... | 20 |
| Figure 10..... | 21 |
| Figure 11..... | 21 |
| Figure 12..... | 22 |
| Figure 13..... | 22 |
| Figure 14..... | 23 |
| Figure 15..... | 23 |
| Figure 16..... | 24 |
| Figure 17..... | 24 |
| Figure 18..... | 25 |
| Figure 19..... | 25 |
| Figure 20..... | 26 |
| Figure 21..... | 27 |
| Figure 22..... | 27 |
| Figure 23..... | 28 |

| | |
|----------------|----|
| Figure 24..... | 28 |
| Figure 25..... | 29 |
| Figure 26..... | 29 |
| Figure 27..... | 30 |
| Figure 28..... | 31 |
| Figure 29..... | 31 |
| Figure 30..... | 32 |
| Figure 31..... | 33 |
| Figure 32..... | 34 |
| Figure 33..... | 35 |
| Figure 34..... | 36 |
| Figure 35..... | 37 |
| Figure 36..... | 37 |
| Figure 37..... | 38 |
| Figure 38..... | 38 |
| Figure 39..... | 39 |
| Figure 40..... | 40 |
| Figure 41..... | 41 |
| Figure 42..... | 42 |
| Figure 43..... | 43 |
| Figure 44..... | 43 |
| Figure 45..... | 44 |
| Figure 46..... | 44 |
| Figure 47..... | 45 |
| Figure 48..... | 45 |
| Figure 49..... | 46 |
| Figure 50..... | 47 |
| Figure 51..... | 47 |
| Figure 52..... | 48 |
| Figure 53..... | 48 |
| Figure 54..... | 49 |
| Figure 55..... | 50 |
| Figure 56..... | 51 |
| Figure 57..... | 51 |
| Figure 58..... | 53 |
| Figure 59..... | 53 |
| Figure 60..... | 54 |

1. Introduction

1.1 THE PROBLEM

The company “XYZ” which undertakes large housing construction projects needs an information system to maintain details of the projects they undertake. This system should keep details of all ongoing projects, the details and the number of workers available to assign to a new project. Before undertaking a project, the company makes sure they have enough workers if not the company doesn’t undertake the project. Once the project is finished it is taken out of the ongoing projects and assigned to completed projects and the workers are released when the project is completed.

1.2 THE SOLUTION

The solution that is created is for the problem to maintain the details of projects the construction company named “XYZ” undertakes. The solution is an information system built using Python programming language.

2. Algorithm

The solution which is implemented by Python Programming language is stated below in the form of algorithm steps and with an explanation of how each aspect of the program functions.

2.1 PESUDOCODE

1. Start
2. # importing packages
 - IMPORT datetime
3. # initialization of variables
 - SET company_name TO “XYZ Company.”
 - SET workers TO 0
 - SET choice TO 0
 - SET all_projects TO []
 - SET completed_projects TO []
 - SET execute TO True
 - SET project_names TO []
 - SET possible_inputs TO [“ongoing”, “completed”, “on hold”]
 - SET statistics_list TO [0] * len(possible_inputs)
 - SET redirect_choice TO False
 - SET redirect_to TO None
4. define function menu(redirect,to,company_name,msg):
 - SET main_menu TO company_name + """
Main Menu
1. Add a new project to existing projects.
2. Remove a completed project from existing projects
3. Add new workers to available workers group
4. Update details on ongoing projects
5. Project Statistics
6. Exit
"""
 - OUTPUT “Redirecting...” if redirect is True else main_menu
 - RETURN to if redirect is True else INPUT user choice
5. define function
remove_completed_projects(code_of_project,every_project,workers_tot,stats_list,complete_projects,possible_stats):
 - TRY
 - SET index_of_project TO project_names.index(code_of_project)
 - SET date_time TO datetime.datetime.now()
 - SET actual_end_date TO date_time.strftime(“%m/%d/%Y”)

- SET
code_of_project,clients_name,start_date,expected_end_date,number_of_workers,_index TO every_project[index_of_project]
- SET completed_project_details TO
[code_of_project,clients_name,start_date,expected_end_date,number_of_workers,actual_end_date]
- IF old_project_status EQUALS "ongoing"
- SET workers_tot TO workers_tot + num_of_workers
- SET stats_list[index] TO stats_list[index] - 1
- SET stats_list[possible_stats.index("completed")] TO
stats_list[possible_stats.index("completed")] + 1
- APPEND completed_project_details TO completed_projects
- DELETE every_project[index_of_project]
- DELETE project_names[index_of_project]
- RETURN (True, "Successful removed completed
projects.",workers_tot,status_list,completed_projects,every_project,project_names)
- EXCEPT Exception as e
- RETURN
(False,e,workers_tot,status_list,completed_projects,every_project,project_names)

6. define function

create_project(status_list,index,code_of_project,clients_name,start_date,expected_end_date,number_of_workers,project_status,workers_tot,project_names,all_projects)

- TRY
- SET status_list[index] TO status_list[index] + 1
- SET project_date TO
[code_of_project,clients_name,start_date,expected_end_date,number_of_workers,project_status,index]
- IF project_status EQUALS "ongoing" and number_of_workers > workers_tot
- RETURN (False," There is not enough workers",
workers_tot,all_projects,project_names)
- IF project_status EQUALS "ongoing"
- SET workers_tot TO workers_tot - number_of_workers
- APPEND code_of_project TO project_names
- APPEND project_data to all_projects
- RETURN (True, "Successfully created a new project",
workers_tot,all_projects,project_names)
- EXCEPT Exception as e
- RETURN (False, e, workers_tot,all_projects,project_names)

7. define function

update_project_details(status_list,index,previous_index,code_of_project,clients_name,start_date,expected_end_date,number_of_workers,project_status,current_workers,workers_tot,previous_project_status)

- TRY

- IF number_of_workers > workers_tot + (current_workers if previous_project_status EQUALS "ongoing" else 0) AND project_status EQUALS "ongoing"
 - RETURN (False, "Workers chosen are too much", workers_tot)
 - IF project_status EQUALS "ongoing"
 - SET workers_tot TO workers_tot – number_of_workers
 - IF previous_project_status EQUALS "ongoing"
 - SET workers_tot TO workers_tot + current_workers
 - SET status_list[index] TO status_list[index] + 1
 - SET status_list[previous_index] TO status_list[previous_index] – 1
 - SET project_data TO [code_of_project,clients_name,start_date,expected_end_date,number_of_workers,project_status,index]
 - SET index TO project_names.index(code_of_project)
 - SET all_projects[index] TO project_data
 - RETURN (True, "Project details updated successfully", workers_tot)
 - EXCEPT Exception as e:
 - RETURN (False,e,workers_tot)
8. define function date_verification(msg)
- TRY
 - SET date TO INPUT(msg)
 - SET splitted_date TO date.split(date[2] if len(date) > 3 else "")
 - IF len(splitted_date) != 3
 - OUTPUT "Enter a valid format of the date...!"
 - SET month TO splitted_date[0]
 - SET date TO splitted_date[1]
 - IF month > 12
 - OUTPUT "Enter a valid month! "
 - RETURN date_verification(msg)
 - IF date > 31
 - OUTPUT "Enter a valid date !"
 - RETURN date_verification(msg)
 - RETURN date
 - EXCEPT
 - RETURN date_verification(msg)
9. define function project_status_verification(msg,update_status)
- SET project_state TO INPUT(msg).replace(" ","").lower()
 - IF project_state NOT IN possible_inputs:
 - OUTPUT "The entered project status is incorrect"
 - IF update_status IS True
 - SET statistics_list[possible_inputs.index(project_state)] TO statistics_list[possible_inputs.index(project_state)] + 1
 - RETURN (project_state,statistics_list,possible_inputs.index(project_state))
10. define function project_code_verification(msg,project_codes)
- SET project_code TO INPUT(msg)

```

- IF project_code IN project_codes
-   OUTPUT "Project code already exists"
-   RETURN project_code_verification(msg,project_codes)
- RETURN project_code
11. define function check_if_int(msg)
- TRY
-   RETURN int(INPUT(msg))
- EXCEPT
-   OUTPUT "The msg entered was not an integer"
-   RETURN check_if_int(msg)
12. while execute
- SET choice TO menu(redirect_choice,redirect_to)
- SET redirect_choice TO False
- SET redirect_to TO None
- IF choice EQUALS "1"
-   OUTPUT company_name + "Add a new project"
-   SET code_of_project TO project_code_verification("Project Code : ",
project_names)
-   IF code_of_project EQUALS "0"
-     CONTINUE
-   SET clients_name TO INPUT("Clients Name : ")
-   SET start_date TO date_verification("Start Date (MM/DD/YYYY) : ")
-   SET expected_end_date TO date_verification("Expected end date
(MM/DD/YYYY)")
-   SET number_of_workers TO check_if_int("Numbers of Workers : ")
-   SET project_status, status_list, index TO project_status_verification()
-   SET save TO INPUT("Do you want to save the project (Yes/No)")
-   IF save.upper() EQUALS "YES"
-     SET execution_status, response_msg, workers TO
create_project(status_list,index,code_of_project,clients_name,start_date,expected_en
d_date,number_of_workers,project_status,workers,all_projects,statistics_list,possible
-Inputs)
-     OUTPUT response_msg + execution_status
-   ELSE:
-     OUTPUT "The project was *not* saved !"
-   ELSEIF choice EQUALS "2"
-     OUTPUT company_name + "Remove completed project"
-     SET code_of_project TO INPUT("Project Code : ")
-     IF code_of_project NOT IN project_names
-       OUTPUT "The project does not exist"
-       CONTINUE
-     SET save TO INPUT("Do you want to remove the project (Yes/No) ? ")
-     IF save.upper() EQUALS "YES"
-       SET
Execution_status,response_msg,workers,status_list,completed_projects,every_project

```

```

, project_names TO
remove_completed_projects(code_of_project,all_projects,workers,statistics_list,com
pleted_projects,possible_inputs)
-     OUTPUT response_msg + execution_status
-     ELSE
-     OUTPUT "The project was not removed"
- ELSEIF choice EQUALS "3"
-     OUTPUT company_name + "Add new workers"
-     SET new_no_of_workers TO check_if_int("Number Workers to Add : ")
-     IF new_no_of_workers < 0
-     OUTPUT "Workers must be more than 0"
-     IF save.upper() EQUALS "YES"
-     SET workers TO workers + new_no_of_workers
-     ELSE
-     OUTPUT "Workers were not added"
- ELSEIF choice EQUALS "4"
-     OUTPUT company_name + "Update Project Details"
-     SET code_of_project TO INPUT("Project Code : ")
-     IF code_of_project NOT IN project_names
-     OUTPUT "There isn't a project with the mentioned project code...!"
-     IF code_of_project.replace(" ",",") EQUALS "0"
-     CONTINUE
-     SET clients_name TO INPUT("Clients Name : ")
-     SET start_date TO date_verification("Start Date (MM/DD/YYYY) : ")
-     SET expected_end_date TO date_verification("Excepected End Date
(MM/DD/YYYY) : ")
-     SET number_of_workers TO check_if_int("Numbers of Workers : ")
-     SET project_status,status_list,index TO project_status_verification()
-     SET save TO INPUT("Do you want to update the project details (Yes/No)")
-     IF save.upper() EQUALS "YES"
-     SET current_workers,previous_project_status,previous_index TO
all_projects[project_names.index(code_of_project)][4:]
-     SET execution_status,response_msg,workers TO
update_project_details(status_list,index,previous_index,code_of_project,client_name
,start_date,expected_end_date,number_of_workers,project_status,current_workers,w
orkers,previous_project_status)
-     OUTPUT response_msg + execution_status
-     ELSE
-     OUTPUT "The project was not updated"
- ELSEIF choice EQUALS "5"
-     OUTPUT company_name + "Project Statistics"
-     FOR idx, item IN enumerate(possible_inputs)
-     OUTPUT "Number of " + item + "projects : " + statistics_list[idx]
-     OUTPUT "Number of Available Workers: " + workers
-     SET add_project TO INPUT("Do you want to add the project")

```

- IF add_project.upper() EQUALS “YES”
- SET redirect_choice, redirect_to TO True, “1”
- ELSEIF choice EQUALS “6”
- SET execute TO False
- ELSE
- OUTPUT “Please enter a valid choice!”

2.3 VERIFICATION FUNCTIONS

2.3.1 date_verification()

```
def date_verification(msg: str) -> str:
    """A function that uses recursion to make sure that the entered date is in a correct format...
    Keyword arguments:
    msg (str) -- the message that should be displayed...
    Return: A string which contains a correct date format...
    """
    try:
        date = input(msg) # asking the user for an input
        splitted_date = date.split(
            date[2] if len(date) > 3 else " "
        ) # splitting the data with the second element (starting from 0) the string
        if (
            len(splitted_date) != 3
        ): # checking if there is 3 elements in the list of the splitting string
            print("Enter a valid format of the date..!")
            return date_verification(msg)
        month, date, _ = splitted_date # splitting the list into month, date, and yrs
        if int(month) > 12: # checking if the months are bigger than 12
            print("Enter a valid month..!")
            return date_verification(msg)
        if int(date) > 31: # checking if the date is higher than 31
            print("Enter a valid date..!")
            return date_verification(msg)
        return date
    except:
        print("An error occurred please enter the value again..!")
        return date_verification(msg)
```

Figure 2

`date_verification()` is a function that uses recursion to make sure the entered date is in the correct format. It has 1 argument which is `msg` which is the message that is displayed to the user. A string containing the correct date format is returned. The function works by first asking the user for a date, and then the data is split by the second character (3rd letter), for example, “12/21/2008” The second element which is “/” will be used to split and it is taken in consideration that the string may be smaller than 3 letters so if it is then an empty string will be used. Then the length of the spliced list is checked and if it is not 3 then the `date_verification()` function calls itself (recursion). Then after that, the month and date are extracted from the list. Finally, the month and date are checked if they are higher than 12 and higher than 31 respectively, and if all the arguments are passed then the date is returned.

2.3.2 project_status_verification()

```

def project_status_verification(
    msg: str = "Project Status (ongoing/completed/on hold) : ",
    update_status: bool = False,
) -> (str, list, int):
    """An function that uses recursion to make sure that an input is enter as required
    Keyword arguments:
    msg -- The message that should be displayed to the user to get the project status input
    update_status -- Whether to update the status count
    Return: Tuple[The state enter by the user,
                  the statistic list used to track the project status count,
                  the index of the enter state
                  ]
    """
    project_state = (
        str(input(msg)).replace(" ", "").lower()
    ) # asking the user for the project_status and then replacing " " with "" and lowering the entire string
    if (
        project_state not in possible_inputs
    ): # checking if the project_state is not in the possible_inputs
        print("The entered project status is incorrect...")
        return (
            project_status_verification()
        ) # Calls the project_status_verification() function (itself)
    if update_status: # checking if the 'update_status' boolean is True
        statistics_list[
            possible_inputs.index(project_state)
        ] += 1 # update the statistics_list
    return (
        project_state,
        statistics_list,
        possible_inputs.index(project_state),
    ) # returning (project_state,statistics_list,index)

```

Figure 3

The `project_status_verification()` function checks whether the project status that is entered is allowed and if not it uses recursion to make sure that the user enters the allowed status. It has 2 arguments which is `msg` which is the message that should be displayed to the user and `update_status` which is a Boolean argument that if True the statistics_list is updated with the status that was entered. First, the user has displayed a message which they need to respond to then the “ ” (blank spaces) are replaced with “and the entire message is lowered, then it is checked if the project_state entered is not in the possible_inputs list, if it is not then the function is calling itself (recursion) and if the project_state is in the possible_input the `statistics_list` is updated and then the following is returned : (project_state, statistics_list, possible_inputs.index(project_state)) => (The project state, the statistics list that is used for the choice `5`, the index of the project state in the list possible_inputs), an example would be: [“ongoing”, [2,1,5], 1]

2.3.3 project_code_verification()

```
def project_code_verification(msg: str, project_codes: list) -> str:
    """Project Code Verification function with the use of recursion...
    Keyword arguments:
    msg (str) -- The message that is displayed and ask the user to enter the project code
    project_codes (list) -- The list of project codes that already exists
    Return: (str) of a project code that doesnt already exist...
    """
    project_code = str(input(msg)) # asking the user for an project_code input
    if (
        project_code in project_codes
    ): # checking if the project code in `project_codes` list
        print("Project Code already exists..!")
        return project_code_verification(
            msg, project_codes
        ) # return the same function (recursion)
    return project_code # return the project_code
```

Figure 4

`project_code_verification()` is a function which uses recursion to make sure the project_code entered does not exist already. The parameters are `msg` which is the message that should be displayed to the user and `project_codes` which is the list of project_codes where the function checks if the entered project code exists or not, and finally if the project code does not exist it is returned.

2.3.4 check_if_int()

```
def check_if_int(msg) -> int:
    try:
        return int(input(msg)) # ask the user an input by displaying the `msg` variable
    except:
        print("The msg entered was not an integer")
        return check_if_int(msg) # if an error is caused by trying to turn the input
```

Figure 5

`check_if_int()` function uses recursion with having 1 parameter `msg` which is what is displayed to the user then the message is displayed and the function tries to return the message by trying to convert the inputted data into an integer and if an error is caused then a message saying “The msg entered was not an integer” is displayed and then the function calls itself (recursion).

2.4 MAIN FUNCTIONS

2.4.1 remove_completed_projects()

```

def remove_completed_projects(
    code_of_project: str,
    every_project: list,
    workers_tot: int,
    stats_list: list,
    complete_projects: list,
    possible_states: list,
) -> (bool, str):
    """Remove Completed projects
    Keyword arguments:
    code_of_project (str) -- The code of the project that will be removed
    every_project (list) -- A list which contains all the projects which haven't been removed
    workers_tot (int) -- The number of workers
    stats_list (list) -- The list that tracks the statistics for choice (5)
    complete_projects (list) -- The list which contains all removed completed projects
    possible_states (list) -- All the possible status
    Return: Tuple(A boolean which states whether or not the operation was successful, A string which has an output msg regarding the operation if it was successful or not.)
    """
    try:
        index_of_project = project_names.index(
            code_of_project
        )
        # getting the index of the project
        actual_end_date = datetime.datetime.now().strftime(
            "%m/%d/%Y"
        )
        # getting the current date
        (
            code_of_project,
            clients_name,
            start_date,
            expected_end_date,
            number_of_workers,
            old_project_status,
            index,
        ) = every_project[
            index_of_project
        ]
        # assigning the details from the project_details
        completed_project_details = [
            code_of_project,
            clients_name,
            start_date,
            expected_end_date,
            number_of_workers,
            actual_end_date,
        ]
        # create a new data structure which contains the details for an completed project
        if old_project_status == "ongoing":
            workers_tot += number_of_workers # if the old project status is ongoing then the workers in the project are added back to the 'workers_tot' variable
            stats_list[index] -= 1 # subtracting 1 from the old_status index
            stats_list[
                possible_states.index("completed")
            ] += 1 # adding 1 for the completed statistics
            complete_projects.append(
                completed_project_details
            )
        # append the 'completed_project_details' list to the main complete_projects list
        del every_project[
            index_of_project
        ]
        # delete the project from 'every_project' list
        del project_names[
            index_of_project
        ]
        # delete the project_code from the 'project_names' list
        return (
            True,
            "Successfully removed completed projects.",
            workers_tot,
            stats_list,
            complete_projects,
            every_project,
            project_names,
        )
    except Exception as e:
        return (
            False,
            e,
            workers_tot,
            stats_list,
            complete_projects,
            every_project,
            project_names,
        )

```

Figure 6

The `remove_completed_projects()` function has parameters which are code_of_project, every_project, workers_tot, stats_list, complete_projects, and possible_states which respectively contain the code of the project to be removed, list which contains all the projects which haven't been removed, number of workers, statistics list which tracks the project statuses for choice `5`, list which contains all removed completed projects, all the possible status. The function gets the current date using `datetime` library and gets `code_of_project`, `clients_name`, `start_date`, `expected_end_date`, `number_of_workers`, `index` from the every_project specific project code, then a list called `completed_project_details` is created using: [code_of_project, clients_name, start_date, expected_end_date, number_of_workers, actual_end_date]

e] then the workers that were in the project if the status was “ongoing” is added back to the workers_tot. Then the statistics list is updated by subtracting the old status and adding to the completed column, then the `completed_project_details` is added to the `completed_projects` list, and the data is deleted from `every_project` and `project_names`, a tuple is returned which contains: (a Boolean which states whether the function was successfully or not, a message that will be displayed to the user, workers_tot, status_list, completed_projects, every_project, project_names). there is a try and except just in case an error is caused in turn return (False, error, workers_tot, status_list, completed_projects, every_project, project_names)

2.4.2 create_project()

```
def create_project(
    status_list: list,
    index: int,
    code_of_project: str,
    clients_name: str,
    start_date: str,
    expected_end_date: str,
    number_of_workers: str,
    project_status: str,
    workers_tot: int,
    project_names: list,
    all_projects: list,
) -> (bool, str):
    """This function creates a new project
    Keyword arguments:
    status_list (list) -- The list that is used for project statistics
    index (int) -- The index of the project status in the status list
    code_of_project (str) -- The code of the project
    clients_name (str) -- The project's clients name
    start_date (str) -- The start date of the project
    expected_end_date (str) -- The expected end date of the project
    number_of_workers (str) -- The number of workers required for the project
    project_status (str) -- The status of the project out of (ongoing, on hold, completed)
    workers_tot (int) -- total number of workers in the organisation
    project_names (list) -- a list that contains all the project codes
    all_projects (list) -- a list that contains all the projects
    Return: Tuple[
        A boolean which shows if the function successfully executed or not,
        The message which will be displayed to the user
    ]
    """
    try:
        status_list[index] += 1 # add 1 to the statistics list that tracks the entire
        project_data = [
            code_of_project,
            clients_name,
            start_date,
            expected_end_date,
            number_of_workers,
            project_status,
            index,
        ] # create a list with the details that are required
        if project_status == "ongoing" and (
            number_of_workers > workers_tot
        ): # checking if the project status is "ongoing" and if 'number_of_workers' is greater than 'workers_tot' variable
            return (
                False,
                "There is not enough workers",
                workers_tot,
                all_projects,
                project_names,
            )
        if project_status == "ongoing": # checking if the project status is "ongoing"
            workers_tot -= number_of_workers # subtracting the workers that were entered by the user by the total workers available
        project_names.append(
            code_of_project
        ) # appending the project code to the 'project_names' list
        all_projects.append(
            project_data
        ) # appending the project data to the 'all_projects' list
        return (
            True,
            "Successfully created a new project",
            workers_tot,
            all_projects,
            project_names,
        )
    except Exception as e:
        return (False, e, workers_tot, all_projects, project_names)
    # return the (execution status, response message, workers_tot, all_projects, project_names)
```

Figure 7

The function ``create_project()`` contains the functionality to create a new project, with parameters of `status_list`, `index`, `code_of_project`, `clients_name`, `start_date`, `expected_end_date`, `number_of_workers`, `project_status`, `workers_tot`, `project_names`, `all_projects` and they contain the following in respective order: list which contains the project statistics, index of the project status entered by the user in the `status_list`, code of the project, clients name in the project, the start date of the project, expected end date of the project, status of the project from (“ongoing”, “on hold”, “completed”), the total number of workers available, list of all the project codes, contains all the projects. The function first updates the `status_list` for the specific project status that was entered by the user, then a list is created with the following information:

`code_of_project`, `clients_name`, `start_date`, `expected_end_date`, `number_of_workers`, `project_status`, `index` then with an if statement we check whether the status is “ongoing” and if there are enough workers to be assigned and if there isn’t enough then (False, “There is not enough workers”, `workers_tot`, `all_projects`, `project_names`) is returned if not we check whether the `project_status` is “ongoing” and if it is then we subtract the number of workers from the total worker count, then the ``code_of_project`` is appended to ``project_names`` and ``project_data`` is appended to ``all_projects`` and finally (True, “Successfully created a new project”, `workers_tot`, `all_projects`, `project_names`) is returned, there is an try and except just in case an error is caused in turn return (False, error, `workers_tot`, `all_projects`, `project_names`)

2.4.3 `update_project_details()`

The function ``update_project_details()`` updates the project details of an already existing project, it takes 12 which are: `status_list`, `index`, `previous_index`, `code_of_project`, `clients_name`, `start_date`, `expected_end_date`, `number_of_workers`, `project_status`, `current_workers`, `workers_tot`, `previous_project_status` which contain the following: the list that contains the project statistics data, index of the new project status in the ``status_list``, `previous_index` which contains the previous project status in the ``status_list``, the project code of the project, the updated client name, the updated start date, the updated expected end date, the updated number of workers, the workers total, the previous `project_status`. First using an if statement the program checks whether there are enough workers and it is only checked for “ongoing” projects, then next if the `project_status` is “ongoing” the `number_of_workers` is subtracted by the workers total, and if the `previous_project_status` is “ongoing” then the workers before they were updated are added to the workers total, then the statistics list (`status_list`) is updated and then the project details are updated, finally (True, “Project details updated successfully”, `workers_tot`) is returned and in case of an error then (False, error, `workers_tot`) is returned.

```

def update_project_details(
    status_list: list,
    index: int,
    previous_index: int,
    code_of_project: str,
    clients_name: str,
    start_date: str,
    expected_end_date: str,
    number_of_workers: str,
    project_status: str,
    current_workers: int,
    workers_tot: int,
    previous_project_status: str,
) -> (bool, str):
    """A function that updates the project details
    Keyword arguments:
    status_list (list) -- The list that is used for project statistics
    index (int) -- The index of the new project status in the status_list
    previous_index (int) -- The index of the previous project status in the status_list
    code_of_project (str) -- The project code of the project
    clients_name (str) -- The (updated / usual) client name
    start_date (str) -- The (updated / usual) start date
    expected_end_date (str) -- The (updated / usual) end date
    number_of_workers (str) -- The (updated / usual) number of workers
    project_status (str) -- The (updated / usual) project status
    current_workers (int) -- The number of workers before the project was updated
    workers_tot (int) -- The total number of workers
    previous_project_status (str) -- The previous project status
    Returns: Tuple[
        A boolean which shows if the function successfully executed or not,
        The message which will be displayed to the user
    ]
    """
    try:
        if (
            number_of_workers
            > workers_tot
            + (current_workers if previous_project_status == "ongoing" else 0)
            and project_status == "ongoing"
        ):
            # checking if there is enough workers if the project_status is "ongoing" to make sure that workers are going to be assigned, and then we check if there is enough workers to add a project
            return (False, "Workers chosen are too much", workers_tot)
        if project_status == "ongoing":
            # checking if the project status is "ongoing"
            workers_tot -= number_of_workers
            # subtracting the number_of_workers from the workers total
        if (
            previous_project_status == "ongoing"
        ):
            # checking if the project status is "ongoing"
            workers_tot += (
                current_workers
            )
            # adding the current_workers from the workers total
        status_list[index] += 1
        # updating the statistics_list of the new status
        status_list[
            previous_index
        ] -= 1
        # updating the statistics metrics of the old status
        project_data = [
            code_of_project,
            clients_name,
            start_date,
            expected_end_date,
            number_of_workers,
            project_status,
            index,
        ]
        # create an project_data list which contains all the data
        index = project_names.index(
            code_of_project
        )
        # finding the index of the project_code
        all_projects[
            index
        ] = project_data
        # reassign the all_projects index to the project_data list
        return (True, "Project details updated successfully", workers_tot)
    except Exception as e:
        return (False, e, workers_tot)
    # return the (execution status, response message, workers_tot)

```

Figure 8

2.5 HELPER FUNCTIONS

2.5.1 main()

```
def menu(  
    redirect: bool = False,  
    to: int = None,  
    name_of_the_company: str = company_name,  
    msg: str = "Enter your choice: ",  
    ) -> str:  
    """This function finds the choice that should be displayed to the user next...  
  
    Keyword arguments:  
    redirect (bool) -- A boolean to know whether or not the user will be redirected  
    to (int) -- The choice that user will be redirected to  
    name_of_the_company (str) -- The companies name that will be displayed  
    msg (str) -- The message that will be displayed to the user asking their next choice  
  
    Return: (str) the next choice which the user has chosen...  
    """  
    main_menu = f"""  
    (name_of_the_company)  
    Main Menu  
    1. Add a new project to existing projects.  
    2. Remove a completed project from existing projects.  
    3. Add new workers to available workers group.  
    4. Updates details on ongoing projects.  
    5. Project Statistics.  
    6. Exit  
    """  
    print(  
        "Redirecting..." if redirect else main_menu  
    )  
    # checking if the 'redirect' variable is True if it is then "Redirecting..." if not then the main menu is displayed  
    return (  
        to if redirect else str(input(msg))  
    )  
    # returning the variable 'to' if 'redirect' variable is True if it isn't then the user is asked an input with the 'msg' string
```

Figure 9

The `menu()` function displays the main_menu and asks the user to enter their choice. But also, it allows the user to be redirected with the use of the parameters `redirect` and `to` where the `redirect` parameter is a Boolean and if True then instead of the main and the returned value if the `to` parameter instead of asking the user for an input.

2.6 DATA STRUCTURES

2.6.1 Introduction to Data Structures

The data structure that was used in the program was a list which is a built-in abstract data type with a sequence or collection of elements, which may be any data type. The data inside a list starts with the index of '0'. Their syntax is '[item1, item2,

...,]'. Lists can be edited or modified compared to similar data types, such as sets.

2.6.2 Data Structures Used in the Program

A variety of variables were created to store different types of data, the following are the variables and their purpose.

2.6.2.1 all_projects

The list that contains all the projects that have been added by the 1st choice and that haven't been removed using the 2nd choice. It uses a nested loop structure with the structure of:

[code_of_project, clients_name, start_date, expected_end_date, number_of_workers, project_status, index]

many projects it would be displayed in the following manner: [

```
[1," Ranuga","12/12/2008","01/01/2009",10,"ongoing",0],  
[2," Devin","06/16/2017","05/12/2020",20,"onhold",2],  
[3," Joe","01/01/2000","10/05/2010","50"," completed",1],  
...]
```

```
project_data = [  
    code_of_project,  
    clients_name,  
    start_date,  
    expected_end_date,  
    number_of_workers,  
    project_status,  
    index,  
] # create a list with the details that are required
```

Figure 10

2.6.2.2 completed_projects

This list contains all the projects that were removed from the 2nd choice, it uses the nested loop concept to store the data with each list that is stored inside the completed_project list being in the following structure: [code_of_project, clients_name, start_date, expected_end_date, number_of_workers, actual_end_date]

examples of many projects being stored: [

```
[5," Tharun","10/10/2015","12/12/2015",10,"01/25/2016"],  
[6," Sandaru","02/10/2013","04/10/2017",100,"05/14/2017"],  
[7," Kalin","05/18/1990","04/19/2000",250,"06/29/2000"],  
...]
```

```
completed_project_details = [  
    code_of_project,  
    clients_name,  
    start_date,  
    expected_end_date,  
    number_of_workers,  
    actual_end_date,  
] # create a new data structure which contains the details for an completed project
```

Figure 11

2.6.2.3 *project_names*

project_names list contains all of the project_codes of the projects that are added by the 1st choice, it is stored in the following order: [project_code1, project_code2,...]. This is used to find the index of a project in `all_projects`, it serves as a link to help the program find the project details just by using the project.

2.6.2.4 *possible_inputs*

The list possible_inputs does not change over time and it contains a constant list of values of: ["ongoing", "completed", "onhold"], this list was made so that the statuses can be scaled for example adding another status would not take much more effort. `possible_inputs` contain all the statuses which are allowed within the program.

```
possible_inputs = ["ongoing", "completed", "onhold"]
```

Figure 12

2.6.2.5 *statistics_list*

The statistics_list is directly dependent on `possible_inputs` it has the same no. of elements as the `possible_inputs` list, it is made with the scalability of new statuses in mind. It is used to track the statistics of each project_status listed in the `possible_inputs` list.

2.7 EXPLANATION

2.7.1 Add a new project to existing projects.

```
XYZ Company
Add a new project

Project Code : 10
Clients Name : Ranuga
Start Date (MM/DD/YYYY) : 12/21/2008
Expected end date (MM/DD/YYYY) : 12/21/2012
Numbers of Workers : 10
Project Status (ongoing/completed/on hold) : onhold
Do you want to save the project(Yes/No)? yes
Successfully created a new project (True)
```

Figure 13

When the user enters the choice `1` the program asks the user for the Project Code which is directed through a function `project_code_verification()` which makes sure that the project code is unique, for the start date and expected end date, function `date_verification()` is used which makes sure the date entered is in the correct format of MM/DD/YYYY. When asking the user for the project status it is passed through a function `project_status_verification()` which checks whether the status entered was either “ongoing”, “completed” or “on hold”.

2.7.2 Removing a Completed project from existing projects

```
Enter your choice: 2

XYZ Company
Remove Completed Project

Project Code : 10
Do you want to save the project (Yes/ No)? yes
Successfully removed completed projects. (True)
```

Figure 14

When the user enters the choice `2` the program asks for the project code which needs to be removed, and it makes sure that the project code exists in the list `project_names`.

2.7.3 Adding new workers to the available worker's group

```
Enter your choice: 3

XYZ Company
Add new Workers

Number Workers to Add : 100
Do you want to add ? (Yes / No) yes
Workers added successfully..!
```

Figure 15

When the user chooses the choice `3` the user is asked for the number of workers that they want to add and the function `check_if_it()` is used to make sure the user enters an integer value.

2.7.4 Updating Details to an ongoing project

```
Enter your choice: 4

      XYZ Company
      Update Project Details

Project Code : 10
Clients Name : Devin
Start Date (MM/DD/YYYY) : 06/16/2017
Expected end date (MM/DD/YYYY) : 06/16/2020
Numbers of Workers : 25
Project Status (ongoing/completed/on hold) : ongoing
Do you want to update the project details (Yes/No)?yes
Project details updated successfully (True)
```

Figure 16

When the user chooses the choice `4` the user is asked for the project code and other details such as Clients Name, Start Date, Expected end Date, Number of workers, and Project Status which uses functions such as `date_verification()`, `check_if_int()` and `project_status_verification()`, and this updates the data in the main list `all_projects`

2.7.5 Project Statistics

```
Enter your choice: 5

      XYZ Company
      Project Statistics

Number of ongoing projects : 1
Number of completed projects : 0
Number of onhold projects : 0
Number of available workers : 75
Do you want to add the project (Yes/No)?yes
Redirecting...

      XYZ Company
      Add a new project

Project Code : 0
```

Figure 17

When the user chooses the choice `5` it displays the project statistics such as ongoing, completed, hold projects and the available workers. It also allows the user to be redirected to the 1st choice.

2.7.6 Exiting the Program

```
elif choice == "6": # checking if the user entered "6"
    print("Exiting Program...")
    execute = False # setting execute to False so the program stops
```

Figure 18

```
Enter your choice: 6
Exiting Program...
```

Figure 19

When the user chooses the choice `6` then the program exits by changing the variable `execute` which is the condition that is given to the while loop in turn looping until `execute` is False.

3 Assumptions

The listed below are assumptions that were made about the solution when making the program:

1. Unique Project Code
It was assumed that the project code must be unique throughout all other projects with either ongoing or on-hold status, but the project code can be one which was already completed.
2. When removing a project, the current date should be stored.
It was assumed that the date on which the user removes a project needs to be stored as stated in the “DOC 333 CW Specification”, due to that reason the package “datetime” was imported to get the date on the 2nd option of removing a completed project. (“Remove a completed project from existing projects.”)
3. Only workers are assigned to ongoing projects.
It was assumed that only ongoing projects need to be assigned workers, the other statuses do not get assigned workers when they are created, but if they are updated to ongoing then workers are assigned to those projects.
4. The date format was assumed to be (MM/DD/YYYY)
It was assumed that the Date format that should be used is MM/DD/YYYY, and it is followed throughout the program.
5. There were 0 workers initially.

It is assumed that only ongoing projects need to be assigned workers and that on hold and completed projects do not require any assigned workers.

```

unbury: D:\University\IT\DOC313\DOC313-CW-SEM1\Tronbury (D117)
File Edit Format Run Options Window Help

#####
def main_menu():
    """Main menu"""
    company_name = "TSC Company"
    workers = 0
    choice = 1
    all_projects = []
    completed_projects = []
    removed_projects = []
    possible_inputs = ["company", "workers", "completed", "removed"]
    statistics_line = [0] * len(possible_inputs)
    redirect_option = "False"
    redirect_to = None

    while True:
        print("\nMain Menu")
        print("1. Add a new project to existing projects.")
        print("2. Remove a completed project from existing projects.")
        print("3. Add new workers to available workers group.")
        print("4. Update details on ongoing projects.")
        print("5. Project Statistics.")
        print("6. Exit")
        choice = input("Enter your choice: ")

        if choice == "1":
            """This function adds the choice that should be displayed to the user next..."""
            # Redirect logic
            redirect_option = "True"
            redirect_to = "Add New Project"
            return redirect_option, redirect_to

        elif choice == "2":
            """This function finds the choice that should be displayed to the user next..."""
            # Redirect logic
            redirect_option = "True"
            redirect_to = "Remove Completed Project"
            return redirect_option, redirect_to

        elif choice == "3":
            """This function finds the choice that should be displayed to the user next..."""
            # Redirect logic
            redirect_option = "True"
            redirect_to = "Add New Workers"
            return redirect_option, redirect_to

        elif choice == "4":
            """This function finds the choice that should be displayed to the user next..."""
            # Redirect logic
            redirect_option = "True"
            redirect_to = "Update Details"
            return redirect_option, redirect_to

        elif choice == "5":
            """This function finds the choice that should be displayed to the user next..."""
            # Redirect logic
            redirect_option = "True"
            redirect_to = "Project Statistics"
            return redirect_option, redirect_to

        elif choice == "6":
            """This function finds the choice that should be displayed to the user next..."""
            # Redirect logic
            redirect_option = "True"
            redirect_to = "Exit"
            return redirect_option, redirect_to

        else:
            print("Invalid choice. Please enter a valid option.")

    return redirect_option, redirect_to

def add_new_project():
    """Add a new project to existing projects"""
    name_of_project = input("Enter project name: ")
    worker_list = []
    state_list = []
    complete_projects = []
    possible_state = []

    while True:
        print("\nEnter project details")
        print("1. Enter project name")
        print("2. Enter number of workers")
        print("3. Enter state of project")
        print("4. Enter completion status")
        print("5. Enter possible states")
        choice = input("Enter your choice: ")

        if choice == "1":
            name_of_project = input("Enter project name: ")
        elif choice == "2":
            worker_list = input("Enter number of workers: ").split()
        elif choice == "3":
            state_list = input("Enter state of project: ").split()
        elif choice == "4":
            complete_projects = input("Enter completion status: ").split()
        elif choice == "5":
            possible_state = input("Enter possible states: ").split()
        else:
            break

    # Add project to list
    all_projects.append(name_of_project)
    workers.append(worker_list)
    state.append(state_list)
    complete_projects.append(complete_projects)
    possible_state.append(possible_state)

    # Remove completed projects
    removed_projects = []
    for i in range(len(all_projects)):
        if state[i] == "Completed":
            removed_projects.append(all_projects[i])
            del all_projects[i]
            del workers[i]
            del state[i]
            del complete_projects[i]
            del possible_state[i]
    return removed_projects

def project_statistics():
    """Project Statistics"""
    print("\nProject Statistics")
    print("Total Projects: ", len(all_projects))
    print("Total Workers: ", len(workers))
    print("Total States: ", len(state))
    print("Total Completion Status: ", len(complete_projects))
    print("Total Possible States: ", len(possible_state))

```

```

runpy - DiUniversity\IT\DOC333\DOC333-CW-Sem7\runpy (3.11.7)
File Edit Format Run Options Window Help

workers_list: list -- The number of workers
status_list: list -- The list that tracks the statistics for choice (3)
complete_projects: list -- The list which contains all removed completed projects
possible_status: list -- The possible status
Returns: Tuple: A boolean which states whether or not the operation was successful, A string which has an output msg regarding the operation if it was successful or not.

try:
    index_of_project = project_names.index(
        code_of_project
    )
    actual_end_date = datetime.datetime.now().strftime(
        "%Y-%m-%d"
    )
    # Update the current data
    (
        code_of_project,
        clients_name,
        start_date,
        expected_end_date,
        number_of_workers,
        old_project_status,
        index,
    ) = every_project[
        index_of_project
    ]
    # Use project_details from the project_details
    completed_project_details = [
        code_of_project,
        clients_name,
        start_date,
        expected_end_date,
        number_of_workers,
        actual_end_date,
    ]
    # Check if the project status is "Completed"
    if old_project_status == "Completed":
        workers_list = number_of_workers + 1 if the old project status is "Completed" then the workers in the project are added back to the workers_list variable
        status_list[index] += 1 # Incrementing 1 from the old status index
        possible_status.index("Completed")
    # Increment the statistics
    complete_projects.append(
        completed_project_details
    )
    # Add every project to "Completed Project Details" list or the main complete_projects list
    # Add every project
    index_of_project
    # Add every project from "every_project" list
    del project_names[index_of_project]
    # Add every project from "every_project" list
    # Add every project from "every_project" list
    return (
        True,
        "Successfully removed completed projects.",
        workers_list,
        status_list,
        complete_projects,
        every_project,
        project_names,
    )
except Exception as e:
    return (
        False,
        e,
        workers_list,
        status_list,
        complete_projects,
        every_project,
        project_names,
    )
# Return the requested status, response message, workers_list, status_list, complete_projects, every_project, project_names

```

Figure 21

```

runpy - DiUniversity\IT\DOC333\DOC333-CW-Sem7\runpy (3.11.7)
File Edit Format Run Options Window Help

# Return the requested status, response message, workers_list, status_list, complete_projects, every_project, project_names

def remove_project():
    status_list: list,
    index: int,
    code_of_project: str,
    clients_name: str,
    start_date: str,
    expected_end_date: str,
    number_of_workers: str,
    project_status: str,
    workers_list: list,
    project_names: list,
    all_projects: list
    """
    This function creates a new project
    """
    # Return arguments
    status_list: list -- The list that is used for project statistics
    index: int -- The index of the project status in the status list
    code_of_project: str -- The code of the project
    clients_name: str -- The project's clients name
    start_date: str -- The start date of the project
    expected_end_date: str -- The expected end date of the project
    number_of_workers: str -- The number of workers required for the project
    project_status: str -- The status of the project out of "pending", "hold", "completed"
    workers_list: list -- A list that contains all the projects
    project_names: list -- A list that contains all the project names
    all_projects: list -- A list that contains all the projects
    Returns: Tuple
    A boolean which states if the function successfully executed or not,
    The message which will be displayed to the user

    try:
        status_list[index] += 1 # Add 1 to the statistics list when remove the status
        project_data = [
            code_of_project,
            clients_name,
            start_date,
            expected_end_date,
            number_of_workers,
            project_status,
            index,
        ]
        # Check if the project status is "Completed"
        if project_status == "Completed":
            # Check if the project status is "Completed" and if "number_of_workers" is greater than "workers_list" variable
            # Check if the project status is "Completed" and if "number_of_workers" is greater than "workers_list" variable
            return (
                False,
                "There is not enough workers",
                workers_list,
                status_list,
                all_projects,
                project_names,
            )
        # Check if the project status is "Completed"
        if project_status == "Completed":
            # Check if the project status is "Completed"
            workers_list = number_of_workers + 1 # Incrementing the workers list when removed by the user by the total workers available
            project_names.append(
                code_of_project
            )
            # Add every project from "every_project" list
            all_projects.append(
                project_data
            )
            # Add every project from "every_project" list
            return (
                True,
                "Successfully removed a new project",
                workers_list,
                status_list,
                all_projects,
            )

```

Figure 22

```
runpy - DiUniversity/ST/DOC333/DOC333-CW-SemTrinary (3.11.7)
File Edit Format Run Options Window Help

    True,
    "Successfully created a new project",
    workers_tot,
    all_projects,
    project_name,
}

except Exception as e:
    return (False, e, workers_tot, all_projects, project_name)
# returns the success status, response message, workers_tot, all_projects, project_name

def update_project_details(
    status_list: list,
    index: int,
    previous_index: int,
    code_of_project: str,
    client_name: str,
    start_date: str,
    expected_end_date: str,
    number_of_workers: int,
    project_status: str,
    current_workers: int,
    workers_tot: int,
    previous_project_status: str,
) -> bool:
    """The function that updates the project details
    Request arguments:
    status_list (list) -- The list that is used for project status
    index (int) -- The index of the new project status in the status_list
    previous_index (int) -- The index of the previous project status in the status_list
    code_of_project (str) -- The project code of the project
    client_name (str) -- The updated / usual client name
    start_date (str) -- The updated / usual start date
    expected_end_date (str) -- The updated / usual end date
    number_of_workers (int) -- The updated / usual number of workers
    current_workers (int) -- The updated / usual current status
    workers_tot (int) -- The number of workers before the project was updated
    previous_project_status (str) -- The previous project status
    Return:
    A boolean which shows if the function successfully updated or not.
    The message which will be displayed to the user
    """
    if not (
        number_of_workers
        > workers_tot
        & previous_status == "ongoing"
        & (current_workers if previous_project_status == "ongoing" else 0)
    ):
        # returns the status of the project, workers_tot, workers_tot
        if project_status == "ongoing":
            # returns if the function status is "ongoing"
            workers_tot -= number_of_workers # subtracting the number of workers from the workers total
        if (
            previous_project_status == "ongoing"
            & current_workers
        ):
            workers_tot += (
                current_workers # adding the current workers from the workers total
            )
        status_list[index] = 1 # updating the status list of the new status
        status_list[previous_index] = 0
        project_name,
        client_name,
        start_date,
        expected_end_date,
    )

    return (
        True,
        "Successfully updated the project details",
        workers_tot,
        all_projects,
        project_name,
    )

def data_verification(msg: str) -> str:
    """The function that verifies the data to make sure that the entered data is in a correct format...
    Request arguments:
    msg (str) -- The message that should be displayed
    Return:
    A string which contains a correct date format...
    """
    if not (
        data := input(msg) # asking the user for an input
    ):
        splitted_data = data.split()
        detail = len(splitted_data) - 1
        if (
            splitted_data[0] != 1
        ):
            # returns if the data is in a correct format
            print(f"Error: a valid format of the date is {splitted_data[0]}")
            return data_verification(msg)
        month, date = splitted_data[1:]
        if (
            int(month) > 12
        ):
            # returns if the month is bigger than 12
            print(f"Error: a valid month is {month}")
            return data_verification(msg)
        if (
            int(date) > 31
        ):
            # returns if the date is bigger than 31
            print(f"Error: a valid date is {date}")
            return data_verification(msg)
        return data
    except:
        print(f"An error occurred please enter the value again.")
        return data_verification(msg)

def project_status_verification(
    msg: str = "Please enter the project status (ongoing/completed/stop) : ",
    update_status: bool = False,
) -> str:
    """The function that verifies the project status to make sure that an input is entered as required
    Request arguments:
    msg -- The message that should be displayed to the user to get the project status input
    update_status -- Whether to update the status or not
    Return:
    The status list used to track the project status input,
    the index of the status list
    """
    project_status = [
        "ongoing",
        "completed",
        "stop",
    ]
    if (
        project_status not in possible_inputs
    ):
        print(f"The entered project status is {project_status}")
        return project_status_verification(msg, update_status)
```

Figure 23

```
runpy - DiUniversity/ST/DOC333/DOC333-CW-SemTrinary (3.11.7)
File Edit Format Run Options Window Help

    name_of_project,
    client_name,
    start_date,
    expected_end_date,
    number_of_workers,
    project_status,
    index,
}

# returns the success status, response message, workers_tot, all_projects, project_name
def data_verification(msg: str) -> str:
    """The function that verifies the data to make sure that the entered data is in a correct format...
    Request arguments:
    msg (str) -- The message that should be displayed
    Return:
    A string which contains a correct date format...
    """
    if not (
        data := input(msg) # asking the user for an input
    ):
        splitted_data = data.split()
        detail = len(splitted_data) - 1
        if (
            splitted_data[0] != 1
        ):
            # returns if the data is in a correct format
            print(f"Error: a valid format of the date is {splitted_data[0]}")
            return data_verification(msg)
        month, date = splitted_data[1:]
        if (
            int(month) > 12
        ):
            # returns if the month is bigger than 12
            print(f"Error: a valid month is {month}")
            return data_verification(msg)
        if (
            int(date) > 31
        ):
            # returns if the date is bigger than 31
            print(f"Error: a valid date is {date}")
            return data_verification(msg)
        return data
    except:
        print(f"An error occurred please enter the value again.")
        return data_verification(msg)

def project_status_verification(
    msg: str = "Please enter the project status (ongoing/completed/stop) : ",
    update_status: bool = False,
) -> str:
    """The function that verifies the project status to make sure that an input is entered as required
    Request arguments:
    msg -- The message that should be displayed to the user to get the project status input
    update_status -- Whether to update the status or not
    Return:
    The status list used to track the project status input,
    the index of the status list
    """
    project_status = [
        "ongoing",
        "completed",
        "stop",
    ]
    if (
        project_status not in possible_inputs
    ):
        print(f"The entered project status is {project_status}")
        return project_status_verification(msg, update_status)
```

Figure 24

```

runpy - DiUniversity\IT\DOC333\DOC333-CW-SemTrunpy (3.11.7)
File Edit Format Run Options Window Help

print("No error, project status saved the value again.")
return data_verification(msg)

def project_status_verification():
    msg = f"Project status computing/completed on hold : ".
    update_status: bool = False,
    ) -> (str, bool)
    """The function that uses recursion to make sure that an input is enter as required
    Required arguments:
    msg -- The message that should be displayed to the user to get the project status input
    update_status -- Boolean to update the status count
    Return: Tuple (The value stored by the user,
    the statistic list used to track the project status count,
    the index of the user state
    """
    project_state = 1
    statistic(msg).replace(" ", "").lower()
    ) # asking the user for the project status and then replacing " " with "" and lowering the entire string
    if:
        project_state not in possible_inputs
    ):
        return f"Error: The entered project status is incorrect."
    else:
        project_status_verification()
    if update_status: # checking if the update_status boolean is True
        statistic_list
        possible_inputs.index(project_state)
        ) + 1 # update the statistic_list
    return (
        project_state,
        statistic_list,
        possible_inputs.index(project_state),
    ) # returning project_state, statistic_list, index

def project_code_verification(msg: str, project_code: list) -> str:
    """Project Code Verification function that the use of recursion
    Required arguments:
    msg (str) -- The message that is displayed and ask the user to enter the project code
    project_code (list) -- The list of project codes that already exists
    Return: str of a project code that doesn't already exist.
    """
    project_code = statistic(msg) # asking the user for an project_code input
    if:
        project_code in project_codes
    ):
        # checking if the project_code is in project_codes list
        # if it is, then return the error message
        return project_code_verification(msg)
    else:
        return project_code # return the project_code

def check_if_int(msg) -> bool:
    msg = statistic(msg) # ask the user an input by displaying the msg variable
    except:
        print("The msg entered was not an integer")
        return check_if_int(msg) # if an error is raised by trying to cast the input

while True:
    choice = menu(menu_items, choice, to_redirect, to) # call the menu() function
    redirect_choice, redirect_to = False, None
    if choice == "1": # checking if the choice entered is "1"
        print()
        (project_name,
        Add a new project
        """ create()
        """
        )
        code_of_project = project_code_verification(
            project_name, # project_name
        ) # ask the user for the project_code
        if code_of_project == "0": # checking if the project_code entered is "0"
            continue
        clients_name = str()
        print("Clients Name : ")
        start_date = date_verification()
        """ start Date (DD/MM/YYYY) """
        expected_end_date = date_verification()
        """ expected end date (DD/MM/YYYY) """
        ) # ask the user for the project_code
        number_of_workers = check_if_int()
        """ Number of workers """
        ) # ask the user for the number of workers
        (
            project_status,
            status_list,
            index,
        ) = project_status_verification() # ask the user for the project_status
        save = False
        input("Do you want to save the project(Yes/No)? ")
        ) # ask the user if they want save the project
        if save_upper() == "Y":
            (
                execution_status,
                response_msg,
                workers,
                all_projects,
                project_name,
            ) = create_project(
                status_list,
                index,
                code_of_project,
                clients_name,
                start_date,
                expected_end_date,
                number_of_workers,
                project_status,
                project_name,
                all_projects,
            ) # calling the create_project() function
            print()
            # (response_msg) (execution_status)
        ) # print out the response_msg and execution_status
        else:
            print("The project was 'not' saved.")
        print()
        (response_msg)
        """ Save Completed Project
        """
        """ create()
        """
        """
        """

```

Figure 25

```

runpy - DiUniversity\IT\DOC333\DOC333-CW-SemTrunpy (3.11.7)
File Edit Format Run Options Window Help

choice = menu(menu_items, choice, to_redirect, to) # call the menu() function
redirect_choice, redirect_to = False, None
if choice == "1": # checking if the choice entered is "1"
    print()
    (project_name,
    Add a new project
    """ create()
    """
    )
    code_of_project = project_code_verification(
        project_name, # project_name
    ) # ask the user for the project_code
    if code_of_project == "0": # checking if the project_code entered is "0"
        continue
    clients_name = str()
    print("Clients Name : ")
    start_date = date_verification()
    """ start Date (DD/MM/YYYY) """
    expected_end_date = date_verification()
    """ expected end date (DD/MM/YYYY) """
    ) # ask the user for the project_code
    number_of_workers = check_if_int()
    """ Number of workers """
    ) # ask the user for the number of workers
    (
        project_status,
        status_list,
        index,
    ) = project_status_verification() # ask the user for the project_status
    save = False
    input("Do you want to save the project(Yes/No)? ")
    ) # ask the user if they want save the project
    if save_upper() == "Y":
        (
            execution_status,
            response_msg,
            workers,
            all_projects,
            project_name,
        ) = create_project(
            status_list,
            index,
            code_of_project,
            clients_name,
            start_date,
            expected_end_date,
            number_of_workers,
            project_status,
            project_name,
            all_projects,
        ) # calling the create_project() function
        print()
        # (response_msg) (execution_status)
    ) # print out the response_msg and execution_status
    else:
        print("The project was 'not' saved.")
    print()
    (response_msg)
    """ Save Completed Project
    """
    """ create()
    """
    """
    """

```

Figure 26


```

new = exit()
    print("Do you want to add 1 (Yes / No)?")
    if name_upper() == "yes": # adding the user and the project
        workers = new_no_of_workers # adding the number of workers to the total available workers
        print("Workers added successfully.")
    else:
        print("Workers were not added.")

elif choice == "3": # check if the user entered "4"
    print()
    (response_name)
    update_project_details
    """center:
    14
    """
    code_of_project = exit(input("Project Code : ")) # enter the project code
    if (
        code_of_project not in project_names
    ):
        # checking if the project code is in the project name list
        print("There isn't a project with the mentioned project code.")
        continue
    if (
        code_of_project.replace("-", "") == "np"
    ):
        # replacing the project code to new
        continue
    clients_name = exit()
    input("Clients Name : ")
    start_date = date_verification()
    # start date (DD/MM/YYYY)
    if (
        start_date < date_verification()
    ):
        # replacing the start date with the expected end date
        expected_end_date = date_verification()
        # replacing the start date with the expected end date
        number_of_workers = check_if_not(
            number_of_workers
        )
        # adding the number of workers
        project_status,
        status_list,
        index,
    ) = project_status_verification() # adding the user for the project status
    new = exit()
    input("Do you want to update the project details (Yes/No)?")
    if name_upper() == "yes":
        (
            current_workers,
            previous_project_status,
            previous_index,
        ) = all_projects[project_names.index(code_of_project)]
        if (
            # replacing the current workers, previous project status, previous index to the (1)
            execution_status, response_msg, workers = update_project_details(
                status_list,
                index,
                previous_index,
                code_of_project,
                clients_name,
                start_date,
                expected_end_date,
                number_of_workers,
                project_status,
                current_workers,
                workers,
                previous_project_status,
            )
        ):
            print("The project was not updated")
        else:
            print("The project was updated")
    else:
        print("The project was not updated")

# When user choice is 5
elif choice == "5": # replacing if the user entered "5"
    print()
    (response_name)
    Project Statistics
    """center:
    14
    """
    for idw, item in enumerate(
        possible_responses
    ):
        # replacing the previous project with (current) response
        result["Number of (last) projects : statistics_list[idw]"]
        print(f"Number of available workers : {workers}")
        add_project = exit()
        input("Do you want to add the project (Yes/No)?")
        if (
            add_project_upper() == "yes"
        ):
            # adding the user name and the project
            add_project_choice, redirect_to = (
                "Yes",
                "No",
            )
            # adding variables so that they not change condition the user to the "1" choice
        elif choice == "4": # checking if the user entered "4"
            print("Please enter a valid choice.")
        else:
            print("Please enter a valid choice.")

```

Figure 28

```

(
    project_status,
    status_list,
    index,
) = project_status_verification() # adding the user for the project status
new = exit()
input("Do you want to update the project details (Yes/No)?")
if name_upper() == "yes":
    (
        current_workers,
        previous_project_status,
        previous_index,
    ) = all_projects[project_names.index(code_of_project)]
    if (
        # replacing the current workers, previous project status, previous index to the (1)
        execution_status, response_msg, workers = update_project_details(
            status_list,
            index,
            previous_index,
            code_of_project,
            clients_name,
            start_date,
            expected_end_date,
            number_of_workers,
            project_status,
            current_workers,
            workers,
            previous_project_status,
        )
    ):
        print("The project was not updated")
    else:
        print("The project was updated")

# When user choice is 5
elif choice == "5": # replacing if the user entered "5"
    print()
    (response_name)
    Project Statistics
    """center:
    14
    """
    for idw, item in enumerate(
        possible_responses
    ):
        # replacing the previous project with (current) response
        result["Number of (last) projects : statistics_list[idw]"]
        print(f"Number of available workers : {workers}")
        add_project = exit()
        input("Do you want to add the project (Yes/No)?")
        if (
            add_project_upper() == "yes"
        ):
            # adding the user name and the project
            add_project_choice, redirect_to = (
                "Yes",
                "No",
            )
            # adding variables so that they not change condition the user to the "1" choice
        elif choice == "4": # checking if the user entered "4"
            print("Please enter a valid choice.")
        else:
            print("Please enter a valid choice.")

```

Figure 29

5 Test Cases

5.1 MAIN MENU

5.1.1 Test 1

The following test cases are the main menu, it checks for the first choice in the menu.

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------|---------------|----------------------------|----------------------------|---------|
| Choice | "1" | Displays Add a new project | Displays Add a new project | Pass |

```
XYZ Company
Main Menu
1. Add a new project to existing projects.
2. Remove a completed project from existing projects.
3. Add new workers to available workers group.
4. Updates details on ongoing projects.
5. Project Statistics.
6. Exit

Enter your choice: 1

      XYZ Company
      Add a new project

Project Code : |
```

Figure 30

5.1.2 Test 2

The following test cases are the main menu, it checks for the second choice in the menu.

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------|---------------|-------------------------------------|-------------------------------------|---------|
| Choice | "2" | Displays remove a completed project | Displays remove a completed project | Pass |

```
XYZ Company
Main Menu
1. Add a new project to existing projects.
2. Remove a completed project from existing projects.
3. Add new workers to available workers group.
4. Updates details on ongoing projects.
5. Project Statistics.
6. Exit

Enter your choice: 2

XYZ Company
Remove Completed Project

Project Code : |
```

Figure 31

5.1.3 Test 3

The following test cases are the main menu, it checks for the third choice in the menu.

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------|---------------|---|---|---------|
| Choice | "3" | Displays add a new worker to the available worker's group | Displays add a new worker to the available worker's group | Pass |

```
XYZ Company
Main Menu
1. Add a new project to existing projects.
2. Remove a completed project from existing projects.
3. Add new workers to available workers group.
4. Updates details on ongoing projects.
5. Project Statistics.
6. Exit

Enter your choice: 3

XYZ Company
Add new Workers

Number Workers to Add : |
```

Figure 32

5.1.4 Test 4

The following test cases are the main menu, it checks for the fourth choice in the menu.

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------|---------------|--|--|---------|
| Choice | "4" | Displays updated details on ongoing projects | Displays updated details on ongoing projects | Pass |

```
XYZ Company
Main Menu
1. Add a new project to existing projects.
2. Remove a completed project from existing projects.
3. Add new workers to available workers group.
4. Updates details on ongoing projects.
5. Project Statistics.
6. Exit

Enter your choice: 4

XYZ Company
Update Project Details

Project Code : |
```

Figure 33

5.1.5 Test 5

The following test cases are the main menu, it checks for the fifth choice in the menu.

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------|---------------|-----------------------------|-----------------------------|---------|
| Choice | "5" | Displays Project Statistics | Displays Project Statistics | Pass |

```
XYZ Company
Main Menu
1. Add a new project to existing projects.
2. Remove a completed project from existing projects.
3. Add new workers to available workers group.
4. Updates details on ongoing projects.
5. Project Statistics.
6. Exit

Enter your choice: 5

XYZ Company
Project Statistics

Number of ongoing projects : 0
Number of completed projects : 0
Number of onhold projects : 0
Number of available workers : 0
Do you want to add the project (Yes/No)?|
```

Figure 34

5.1.6 Test 6

The following test cases are the main menu, it checks for the sixth choice in the menu.

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------|---------------|-------------------|-------------------|---------|
| Choice | "6" | Exits the Program | Exits the Program | Pass |

```
XYZ Company
Main Menu
1. Add a new project to existing projects.
2. Remove a completed project from existing projects.
3. Add new workers to available workers group.
4. Updates details on ongoing projects.
5. Project Statistics.
6. Exit

Enter your choice: 6
Exiting Program...
```

Figure 35

5.1.7 Test 7

The following test cases are the main menu, it checks what is the response given by the program when an unknown input is given.

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------|---------------|----------------------------------|----------------------------------|---------|
| Choice | “test” | “Please enter a valid choice..!” | “Please enter a valid choice..!” | Pass |

```
XYZ Company
Main Menu
1. Add a new project to existing projects.
2. Remove a completed project from existing projects.
3. Add new workers to available workers group.
4. Updates details on ongoing projects.
5. Project Statistics.
6. Exit

Enter your choice: test
Please enter a valid choice..!
```

Figure 36

5.2 ADD A NEW PROJECT

5.2.1 Test 1

The following test cases are for the 1st choice (“Add a new project to existing projects.”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------|---------------|------------------|----------------|---------|
|-------|---------------|------------------|----------------|---------|

| | | | | |
|--------------|-----|------------------------------|------------------------------|------|
| Project Code | “0” | Exit and Go to the Main Menu | Exit and Go to the Main Menu | Pass |
|--------------|-----|------------------------------|------------------------------|------|




Figure 37

5.2.2 Test 2

The following test cases are for the 1st choice (“Add a new project to existing projects.”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------------|---------------|--|--|---------|
| Project Code | “10” | Continue | Continue | Pass |
| Clients Name | “Ranuga” | Continue | Continue | Pass |
| Start Date | “2” | Error Raised, asking the user to enter the date again... | Error Raised, asking the user to enter the date again... | Pass |




Figure 38

5.2.3 Test 3

The following test cases are for the 1st choice (“Add a new project to existing projects.”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|------------------|----------------|---------|
| Project Code | “10” | Continue | Continue | Pass |
| Clients Name | “Ranuga” | Continue | Continue | Pass |
| Start Date | “12/12/2000” | Continue | Continue | Pass |
| Expected End Date | “01/01/2001” | Continue | Continue | Pass |

| | | | | |
|-------------------|------|--------------------------------------|--------------------------------------|------|
| Number of Workers | "!@" | "The msg entered was not an integer" | "The msg entered was not an integer" | Pass |
|-------------------|------|--------------------------------------|--------------------------------------|------|

Enter your choice: 1

XYZ Company
Add a new project

Project Code : 10
Clients Name : Ranuga
Start Date (MM/DD/YYYY) : 12/12/2000
Expected end date (MM/DD/YYYY) : 01/01/2001
Numbers of Workers : !@
The msg entered was not an integer
Numbers of Workers : |

Figure 39

5.2.4 Test 4

The following test cases are for the 1st choice ("Add a new project to existing projects.")

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|--|--|---------|
| Project Code | "10" | Continue | Continue | Pass |
| Clients Name | "Ranuga" | Continue | Continue | Pass |
| Start Date | "12/12/2000" | Continue | Continue | Pass |
| Expected End Date | "01/01/2001" | Continue | Continue | Pass |
| Number of Workers | 10 | Continue | Continue | Pass |
| Project Status | "ongone" | "The entered project status is incorrect..." | "The entered project status is incorrect..." | Pass |


```
Enter your choice: 1

XYZ Company
Add a new project

Project Code : 10
Clients Name : Ranuga
Start Date (MM/DD/YYYY) : 12/12/2000
Expected end date (MM/DD/YYYY) : 01/01/2001
Numbers of Workers : 10
Project Status (ongoing/completed/on hold) : ongoing
The entered project status is incorrect...
Project Status (ongoing/completed/on hold) :
```

Figure 40

5.2.5 Test 5

The following test cases are for the 1st choice (“Add a new project to existing projects.”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|-----------------------------------|-----------------------------------|---------|
| Project Code | “10” | Continue | Continue | Pass |
| Clients Name | “Ranuga” | Continue | Continue | Pass |
| Start Date | “12/12/2000” | Continue | Continue | Pass |
| Expected End Date | “01/01/2001” | Continue | Continue | Pass |
| Number of Workers | 10 | Continue | Continue | Pass |
| Project Status | “on hold” | Continue | Continue | Pass |
| Save | “No” | “The project was *not* saved ..!” | “The project was *not* saved ..!” | Pass |

```
Enter your choice: 1

                XYZ Company
                Add a new project

Project Code : 10
Clients Name : Ranuga
Start Date (MM/DD/YYYY) : 12/12/2000
Expected end date (MM/DD/YYYY) : 01/01/2001
Numbers of Workers : 10
Project Status (ongoing/completed/on hold) : on hold
Do you want to save the project(Yes/No)? No
The project was *not* saved ..!
```

Figure 41

5.2.6 Test 6

The following test cases are for the 1st choice (“Add a new project to existing projects.”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|---|---|---------|
| Project Code | “10” | Continue | Continue | Pass |
| Clients Name | “Ranuga” | Continue | Continue | Pass |
| Start Date | “12/12/2000” | Continue | Continue | Pass |
| Expected End Date | “01/01/2001” | Continue | Continue | Pass |
| Number of Workers | 10 | Continue | Continue | Pass |
| Project Status | “on hold” | Continue | Continue | Pass |
| Save | “Yes” | “Successfully created a new project (True)” | “Successfully created a new project (True)” | Pass |

```
Enter your choice: 1

XYZ Company
Add a new project

Project Code : 10
Clients Name : Ranuga
Start Date (MM/DD/YYYY) : 12/12/2000
Expected end date (MM/DD/YYYY) : 01/01/2001
Numbers of Workers : 10
Project Status (ongoing/completed/on hold) : on hold
Do you want to save the project(Yes/No)? Yes
Successfully created a new project (True)
```

Figure 42

5.3 REMOVE A PROJECT

5.3.1 Assuming the project below has been added

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|---|---|---------|
| Project Code | "10" | Continue | Continue | Pass |
| Clients Name | "Ranuga" | Continue | Continue | Pass |
| Start Date | "12/12/2000" | Continue | Continue | Pass |
| Expected End Date | "01/01/2001" | Continue | Continue | Pass |
| Number of Workers | 10 | Continue | Continue | Pass |
| Project Status | "on hold" | Continue | Continue | Pass |
| Save | "Yes" | "Successfully created a new project (True)" | "Successfully created a new project (True)" | Pass |

5.3.2 Test 1

The following test cases are for the 2nd choice ("Remove Completed Project")

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------------|---------------|---------------------------------|---------------------------------|---------|
| Project Code | "90" | "The project does not exist..!" | "The project does not exist..!" | Pass |

```

Enter your choice: 2

XYZ Company
Remove Completed Project

Project Code : 90
The project does not exist

```

Figure 43

5.3.3 Test 2

The following test cases are for the 2nd choice (“Remove Completed Project”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------------|---------------|-----------------------------------|-----------------------------|---------|
| Project Code | “10” | Continue | Continue | Pass |
| Save | “No” | “The project was not removed...!” | “The v was not removed...!” | Pass |

```

Enter your choice: 2

XYZ Company
Remove Completed Project

Project Code : 10
Do you want to save the project (Yes/ No)? No
The project was not removed..!

```

Figure 44

5.3.4 Test 3

The following test cases are for the 2nd choice (“Remove Completed Project”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------------|---------------|--|--|---------|
| Project Code | “10” | Continue | Continue | Pass |
| Save | “Yes” | “Successfully removed completed projects.” | “Successfully removed completed projects.” | Pass |

```
Enter your choice: 2

XYZ Company
Remove Completed Project

Project Code : 10
Do you want to save the project (Yes/ No)? yes
Successfully removed completed projects. (True)
```

Figure 45

5.4 ADD NEW WORKERS

5.4.1 Test 1

The following test cases are for the 3rd choice (“Add new Workers”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|----------------------------------|----------------------------------|---------|
| Number of Workers | -10 | “Workers must be more than 0..!” | “Workers must be more than 0..!” | Pass |

```
Enter your choice: 3

XYZ Company
Add new Workers

Number Workers to Add : -10
Workers must be more than 0..!
```

Figure 46

5.4.2 Test 2

The following test cases are for the 3rd choice (“Add new Workers”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|--------------------------------------|--------------------------------------|---------|
| Number of Workers | “test” | “The msg entered was not an integer” | “The msg entered was not an integer” | Pass |

```
Enter your choice: 3

XYZ Company
Add new Workers

Number Workers to Add : test
The msg entered was not an integer
```

Figure 47

5.4.3 Test 3

The following test cases are for the 3rd choice (“Add new Workers”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|-------------------------------|-------------------------------|---------|
| Number of Workers | 10 | Continue | Continue | Pass |
| Save | No | ” Workers were not added...!” | ” Workers were not added...!” | Pass |

```
Enter your choice: 3

XYZ Company
Add new Workers

Number Workers to Add : 10
Do you want to add ? (Yes / No) No
Workers were not added..!
```

Figure 48

5.4.4 Test 4

The following test cases are for the 3rd choice (“Add new Workers”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|----------------------------------|----------------------------------|---------|
| Number of Workers | 10 | Continue | Continue | Pass |
| Save | Yes | “Workers added successfully...!” | “Workers added successfully...!” | Pass |

```
Enter your choice: 3

XYZ Company
Add new Workers

Number Workers to Add : 10
Do you want to add ? (Yes / No) yes
Workers added successfully..!
```

Figure 49

5.5 UPDATE PROJECT DETAILS

5.5.1 Assuming the project below has been added

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|---|---|---------|
| Project Code | "10" | Continue | Continue | Pass |
| Clients Name | "Ranuga" | Continue | Continue | Pass |
| Start Date | "12/12/2000" | Continue | Continue | Pass |
| Expected End Date | "01/01/2001" | Continue | Continue | Pass |
| Number of Workers | 10 | Continue | Continue | Pass |
| Project Status | "on hold" | Continue | Continue | Pass |
| Save | "Yes" | "Successfully created a new project (True)" | "Successfully created a new project (True)" | Pass |

5.5.2 Test 1

The following test cases are for the 4th choice ("Update Project Details")

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------------|---------------|------------------------------|------------------------------|---------|
| Project Code | 0 | Exit and Go to the Main Menu | Exit and Go to the Main Menu | Pass |

```

Enter your choice: 4

XYZ Company
Update Project Details

Project Code : 0

```

Figure 50

5.5.3 Test 2

The following test cases are for the 4th choice (“Update Project Details”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------------|---------------|--|--|---------|
| Project Code | “10” | Continue | Continue | Pass |
| Clients Name | “Devin” | Continue | Continue | Pass |
| Start Date | “0000” | “Enter a valid format of the date...!” | “Enter a valid format of the date...!” | Pass |

```

Enter your choice: 4

XYZ Company
Update Project Details

Project Code : 10
Clients Name : Devin
Start Date (MM/DD/YYYY) : 0000
Enter a valid format of the date..!

```

Figure 51

5.5.4 Test 3

The following test cases are for the 4th choice (“Update Project Details”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|--|--|---------|
| Project Code | “10” | Continue | Continue | Pass |
| Clients Name | “Devin” | Continue | Continue | Pass |
| Start Date | “01/01/2020” | Continue | Continue | Pass |
| Expected End Date | “007” | “Enter a valid format of the date...!” | “Enter a valid format of the date...!” | Pass |


```

Enter your choice: 4

      XYZ Company
      Update Project Details

Project Code : 10
Clients Name : Devin
Start Date (MM/DD/YYYY) : 01/01/2020
Expected end date (MM/DD/YYYY) : 007
Enter a valid format of the date..!
Expected end date (MM/DD/YYYY) : |

```

Figure 52

5.5.5 Test 4

The following test cases are for the 4th choice (“Update Project Details”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|--------------------------------------|--------------------------------------|---------|
| Project Code | “10” | Continue | Continue | Pass |
| Clients Name | “Devin” | Continue | Continue | Pass |
| Start Date | “01/01/2020” | Continue | Continue | Pass |
| Expected End Date | “12/12/2022” | Continue | Continue | Pass |
| Number of Workers | “test” | “The msg entered was not an integer” | “The msg entered was not an integer” | Pass |

```

Enter your choice: 4

      XYZ Company
      Update Project Details

Project Code : 10
Clients Name : Devin
Start Date (MM/DD/YYYY) : 01/01/2020
Expected end date (MM/DD/YYYY) : 12/12/2022
Numbers of Workers : test
The msg entered was not an integer

```

Figure 53

5.5.6 Test 5

The following test cases are for the 4th choice (“Update Project Details”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|--|--|---------|
| Project Code | “10” | Continue | Continue | Pass |
| Clients Name | “Devin” | Continue | Continue | Pass |
| Start Date | “01/01/2020” | Continue | Continue | Pass |
| Expected End Date | “12/12/2022” | Continue | Continue | Pass |
| Number of Workers | 25 | Continue | Continue | Pass |
| Project Status | “on done” | “The entered project status is incorrect...” | “The entered project status is incorrect...” | Pass |

```
Enter your choice: 4

XYZ Company
Update Project Details

Project Code : 10
Clients Name : Devin
Start Date (MM/DD/YYYY) : 01/01/2020
Expected end date (MM/DD/YYYY) : 12/12/2022
Numbers of Workers : 25
Project Status (ongoing/completed/on hold) : on done
The entered project status is incorrect...
```

Figure 54

5.5.7 Test 6

The following test cases are for the 4th choice (“Update Project Details”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|-------------------------------|-------------------------------|---------|
| Project Code | “10” | Continue | Continue | Pass |
| Clients Name | “Devin” | Continue | Continue | Pass |
| Start Date | “01/01/2020” | Continue | Continue | Pass |
| Expected End Date | “12/12/2022” | Continue | Continue | Pass |
| Number of Workers | 25 | Continue | Continue | Pass |
| Project Status | “on hold” | Continue | Continue | Pass |
| Save | “no” | “The project was not updated” | “The project was not updated” | Pass |

```
Enter your choice: 4

XYZ Company
Update Project Details

Project Code : 10
Clients Name : Devin
Start Date (MM/DD/YYYY) : 01/01/2020
Expected end date (MM/DD/YYYY) : 12/12/2022
Numbers of Workers : 25
Project Status (ongoing/completed/on hold) : on hold
Do you want to update the project details (Yes/No)?no
The project was not updated
```

Figure 55

5.5.8 Test 7

The following test cases are for the 4th choice (“Update Project Details”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|---|---|---------|
| Project Code | “10” | Continue | Continue | Pass |
| Clients Name | “Devin” | Continue | Continue | Pass |
| Start Date | “01/01/2020” | Continue | Continue | Pass |
| Expected End Date | “12/12/2022” | Continue | Continue | Pass |
| Number of Workers | 25 | Continue | Continue | Pass |
| Project Status | “on hold” | Continue | Continue | Pass |
| Save | “yes” | “Project details updated successfully (True)” | “Project details updated successfully (True)” | Pass |

```
Enter your choice: 4

XYZ Company
Update Project Details

Project Code : 10
Clients Name : Devin
Start Date (MM/DD/YYYY) : 01/01/2020
Expected end date (MM/DD/YYYY) : 12/12/2022
Numbers of Workers : 25
Project Status (ongoing/completed/on hold) : on hold
Do you want to update the project details (Yes/No)?yes
Project details updated successfully (True)
```

Figure 56

5.5.9 Test 8

The following test cases are for the 4th choice (“Update Project Details”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------------|---------------|---|---|---------|
| Project Code | “58” | “There isn’t a project with the mentioned project code...!” | “There isn’t a project with the mentioned project code...!” | Pass |

```
Enter your choice: 4

XYZ Company
Update Project Details

Project Code : 58
There isn't a project with the mentioned project code..!
```

Figure 57

5.6 PROJECT STATISTICS

5.6.1 Assuming the project below has been added from Choice 3

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|------------------------------|------------------------------|---------|
| Number of Workers | 100 | Continue | Continue | Pass |
| Save | “Yes” | “Workers added successfully” | “Workers added successfully” | Pass |

5.6.2 Assuming the project below has been added from Choice 1

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------------|---------------|---|---|---------|
| Project Code | “10” | Continue | Continue | Pass |
| Clients Name | “Ranuga” | Continue | Continue | Pass |
| Start Date | “12/12/2000” | Continue | Continue | Pass |
| Expected End Date | “01/01/2001” | Continue | Continue | Pass |
| Number of Workers | 10 | Continue | Continue | Pass |
| Project Status | “on going” | Continue | Continue | Pass |
| Save | “Yes” | “Successfully created a new project (True)” | “Successfully created a new project (True)” | Pass |

5.6.3 Test 1

The following test cases are for the 5th choice (“Project Statistics”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------|---------------|------------------------------|------------------------------|---------|
| Add Project | “No” | Exit and Go to the Main Menu | Exit and Go to the Main Menu | Pass |

```
Enter your choice: 5

      XYZ Company
      Project Statistics

Number of ongoing projects : 1
Number of completed projects : 0
Number of onhold projects : 0
Number of available workers : 90
Do you want to add the project (Yes/No)?no
```

Figure 58

5.6.4 Test 2

The following test cases are for the 5th choice (“Project Statistics”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|-------------|---------------|----------------------|----------------------|---------|
| Add Project | “Yes” | Redirect to Choice 1 | Redirect to Choice 1 | Pass |

```
Enter your choice: 5

      XYZ Company
      Project Statistics

Number of ongoing projects : 1
Number of completed projects : 0
Number of onhold projects : 0
Number of available workers : 90
Do you want to add the project (Yes/No)?yes
Redirecting...

      XYZ Company
      Add a new project

Project Code : |
```

Figure 59

5.7 EXIT

5.7.1 Test 1

The following test cases are for the 6th choice (“Exit”)

| Field | Input Entered | Expected Outcome | Actual Outcome | Results |
|--------|---------------|----------------------|----------------------|---------|
| Choice | 6 | “Exiting Program...” | “Exiting Program...” | Pass |

```
XYZ Company
Main Menu
1. Add a new project to existing projects
2. Remove a completed project from existin
3. Add new workers to available workers g
4. Updates details on ongoing projects.
5. Project Statistics.
6. Exit

Enter your choice: 6
Exiting Program...
PS D:\University\IIT\DOC333\DOC333-CW-Sem1> |
```

Figure 60

6. Conclusion

In conclusion, the solution that was implemented can manage XYZ Corporation's Projects, by adding new projects, updating details of ongoing projects and removing completed projects. With the ability to add new workers to the company as well as see statistics of how all the projects are going including the workers available. The code has been tested thoroughly and has many verification steps and in turn, it should meet up to the standards that XYZ Corporation needs to continue their operations seamlessly and smoothly.