

Chess GUI with support for electronic chessboards

Lars Nowak

28.11.2020

Abstract

Why yet another chess GUI?

Many GUIs support electronic chessboards, but do not use the full potential that chessboards with piece recognition offer. They could be much better used for training or analysis of games and positions. Read more in chapter **11 Analysis mode** on page 38.

Another feature is the extended engine support. Read more in chapter **15 Extended engine support** on page 48.

So the focus of BearChess is more on exploiting the possibilities of the chessboards than being just another GUI. Of course, you not need an electronic chessboard to use BearChess.

The first version of BearChess supports the chessboards from Certabo and the boards connected via Millennium ChessLink.

As you can see from the version number, this software is still under development. There are still some functions that are not fully implemented and there are certainly still many bugs. But BearChess has now reached a level where it can be used and feedback from other users is welcome.

Some functions are marked with a *. These functions are still under development.

I am a professional programmer and write the software in my spare time and it is free. I am not an employee of Inventhio Srl trading (Certabo) or Millennium 2000 GmbH. If something does not work, Certabo or Millennium is not responsible for it.

Send errors, comments, suggestions for improvement or requests to lars@solanosoft.com.

Contents

1	Quick start	4
2	Introduction	4
2.1	Modes	5
3	Main window	6
3.1	Actions	8
3.2	Games	8
3.3	Engines	9
3.4	Books	9
3.5	Settings	9
3.6	Electronic Boards	10
3.7	Windows	10
4	Install, Configure and Load a chess engine	11
4.1	Install a new engine	11
4.1.1	Use opening book *	13
4.2	Configure an engine	13
4.3	Load an engine	13
5	Load and Manage Opening Books	13
6	Configure Board and Pieces	17
6.1	Install new board colors and pieces	19
6.1.1	New board colors	20
6.1.2	New pieces	20
7	Configure Notation and Moves	23
8	Configure clock style	24
9	Electronic chessboards	25
9.1	Configure Certabo boards	25
9.1.1	Calibration	28
9.1.2	Connect	30
9.2	Configure Millennium ChessLink	30
9.2.1	Connect	33
10	Start a game	34
10.1	Select opponent	35
10.2	Start from	35
10.3	Allow to take a move back	36
10.4	Time control	36

10.5 Influence of BearChess in engine games	37
11 Analysis mode	38
11.1 With electronic chessboard	38
11.2 Without electronic chessboard	39
12 Setup position	40
12.1 With support of an electronic chessboard	41
12.2 Without support of an electronic chessboard	42
13 Games	43
13.1 Save	44
13.2 Show and load	44
14 Engine window	45
15 Extended engine support	48
16 Important To Know	50
16.1 Certabo: Calibration	50
16.2 Certabo: Pawn conversion to a queen	50
17 Trouble shooting	50
17.1 The chess moves are not or not correctly displayed	50
18 Known Issues	50
19 Next Steps	50
20 Changelog	51
20.1 Version 0.3.0 =>0.3.1	51

1 Quick start

- Simply unpack the file BearChessWin.zip into a new folder.
- Start BearChess with a double-click on BearChessWin.exe
- Connect your electronic chessboard to your computer.
- Set all chessmen to their start position.
- Configure the electronic chessboard connection.
- Connect to the electronic chessboard.
- Load a chess engine.
- Start a game and make your first move on the electronic chessboard.

2 Introduction

BearChess offers among others the following functions:

1. Play with Certabo chessboards.
2. Play with Millennium chessboards via ChessLink modul.
3. Play against human beings or UCI engines.
4. Analyze your games or trainings with the help of electronic chessboards.
5. Use multiple chess engines at the same time for playing and analyzing.
6. Support for Polyglot and Arena opening books.
7. Save and load your games
8. Individual chessmen and board fields.

BearChess follows the design of Single Document Interface (SDI). You can place different windows, e.g. chess engine output or chess move list, anywhere on your Windows desktop. If you close them or exit BearChess, the position is saved and set to the same position when reopening.

2.1 Modes

BearChess is running in different modes. The current mode is displayed in the lower left corner.

- **Easy playing** This is the mode in the beginning. You just can simply start making your moves on the screen on your electronic chessboard. In addition to support you can start chess programs or load opening books. But these only give hints, but do not play as opponents. This mode is automatically set if you are not playing in another mode.




Figure 1: Easy playing

- **Playing a game** This is the mode if you play against a chess engine or another player. Only valid chess moves are allowed and the game is time controlled.




Figure 2: Playing a game

- **Analyzing** If you select this mode you can make any chess moves or place the pieces as you like, almost without regard to the chess rules. This mode is recommended to analyze a game or positions. Try different variants on the board and let several chess programs analyze the positions simultaneously.




Figure 3: Analyzing

- **Setup Position** Build up a new starting position on the chessboard. It is easiest to set it up on the electronic chessboard.




Figure 4: Setup Position

3 Main window

The first start of BearChess shows the following main window:




Figure 5: Main window

Above you have access to different functions of BearChess.

3.1 Actions








Figure 6: Actions

-  **Start a new game** opens a new window to select opponents and time control.
-  **Run in analyze mode** allows you to analyze games or positions with support of several chess engines.
-  **Setup position**
-  **Close** exits BearChess

3.2 Games






Figure 7: Games

-  **Save** your current game.
-  **Show & Load** opens a new window in which you can see and load all your previously saved games.

All games are saved in a PGN file.

3.3 Engines





Figure 8: Engines

-  **Load & manage engines** opens a new window in which you can install, load or configure your chess engines.
- **Show communication window** opens a new window where you can follow the communication between BearChess and chess engines. It is useful to detect any problems in communication.

3.4 Books





Figure 9: Books

-  **Load & manage opening books** opens a new window in which you can install or load your opening books.

BearChess can handle Polyglot and Arena opening books.

3.5 Settings








Figure 10: Settings

-  **Board & Pieces** opens a window where you can change the appearance of the chessboard and the pieces.
-  **Rotate board** if you like to play with black.
-  **Notation/Moves** opens a windows where you can change the appearance of the notation, e.g. figurine or letters.
-  **Clocks** switches between large and small clocks.

3.6 Electronic Boards






Figure 11: Electronic Boards

-  **Certabo** opens a window where you can configure and connect to Certabo chessboards.
-  **Millennium ChessLink** opens a window in which you can configure chessboards connected to Millennium ChessLink and connect to them.
- **Black pieces in front** assumes that you have placed the black chessmen in front of you.

3.7 Windows




Figure 12: Windows

- **Show** brings clocks or move list windows to the foreground if they are currently not visible.

- **Arrange** auto arrange all windows to fit on your screen and not overlapping.

4 Install, Configure and Load a chess engine




Figure 13: Open Load And Manage UCI Engines window

BearChess does not include a chess engine. Click on "Load & manage engines" to install and configure one. "*Install*" means to make a chess program BearChess known, not to install it on your computer. BearChess supports any UCI engine.










Figure 14: Load And Manage UCI Engines

-  Load selected engine
-  Configure selected engine
-  Install a new engine
-  Uninstall selected engine
-  Close the window

4.1 Install a new engine

To install a new engine click on  and select an UCI engine file, e.g. the latest Stockfish exe file. If the file detected as UCI engine, confirm your

selection.

Next, a configuration dialog box appears where you can configure the engine and give it a name.







Figure 15: Engine configuration


The name is freely assignable, must be unique across all engines. But this way you can install the same engine several times with different configurations. The configuration values, names and possibilities are given by the engines. The first time these are the default values.

-  Accept the changes
-  Reset to default values
-  Cancel


4.1.1 Use opening book *

Some engines comes with there own opening book and you have an option to use them or not. You can also tell BearChess to use an opening book before the moves are calculated by the engines.

4.2 Configure an engine

To change the configuration of an installed engine click on  The same configuration dialog box as during installation is shown where you can configure the engine or just change the name.

4.3 Load an engine

To load an installed engine, select an engine and click on  or just double-click.




Figure 16: Some installed engines

5 Load and Manage Opening Books




Figure 17: Open Load and Manage Opening Books

BearChess does not include opening books. Click on "Load & manage opening books" to install one. "*Install*" means to make a opening book BearChess known, not to install it on your computer. BearChess supports Polyglot and Arena opening books.




Figure 18: Load and Manage Opening Books

- Load selected book
- Install a new book
- Uninstall selected book
- Close the window

To install a new opening book click on and select a book file. The file extension for Polyglot books is **bin** and for Arena is **abk**.





Figure 19: Some installed books

To select an opening book click on or just double-click. A new window opens and shows the current possible moves found in the book.



From	To	Weight	Games	Wins	Lost	
e2	e4	65520	0	0	0	
d2	d4	39312	0	0	0	
g1	f3	13104	0	0	0	
c2	c4	13104	0	0	0	

Figure 20: Loaded opening book on base position

You can load more than one book. Every book has their own window and is synchronized with the current position on the chessboard.




Figure 21: Loaded opening books

* So far, the possibilities are still very limited with the opening books. This will improve in the next versions.

6 Configure Board and Pieces




Figure 22: Open window to configure board and pieces

To change the appearance of BearChess select "Board and Pieces". A new window opens where you can configure it. BearChess comes with one set of pieces and board colors.








Figure 23: Setup board and pieces

-  Install new board colors or pieces
-  Uninstall board colors or pieces
-  Accept the changes
-  Cancel

If the options "Show last move" and "Show best move" are activated, the last move and the currently best analysis move of an engine are marked on the board.



Figure 24: Last move




Figure 25: Currently best move

6.1 Install new board colors and pieces

BearChess uses png files for board colors and pieces.

6.1.1 New board colors

Click on  to select a directory where the files are located. BearChess accepts `w.png` or `white.png` for white fields and `b.png` or `black.png` for black fields.




Figure 26: Example for wood fields

If BearChess find both files inside the directory it builds an empty chess-board to confirm your choice. A name for your board is required.




Figure 27: Confirm new board

6.1.2 New pieces

Click on  to select a directory where the files are located.

Important: The png files must have a transparent background color, otherwise they would paint over the fields. BearChess accepts following names for the different pieces:

- White king: KingW.png, WhiteKing.png, wk.png
- Black king: KingB.png, BlackKing.png, bk.png
- White queen: QueenW.png, WhiteQueen.png, wq.png
- Black queen: QueenB.png, BlackQueen.png, bq.png
- White rook: RookW.png, WhiteRook.png, wr.png
- Black rook: RookB.png, BlackRook.png, br.png
- White bishop: BishopW.png, WhiteBishop.png, wb.png
- Black bishop: BishopB.png, BlackBishop.png, bb.png
- White knight: KnightW.png, WhiteKnight.png, wn.png
- Black knight: KnightB.png, BlackKnight.png, bn.png
- White pawn: PawnW.png, WhitePawn.png, wp.png
- Black pawn: PawnB.png, BlackPawn.png, bp.png




Figure 28: Example for new pieces

If BearChess find all files inside the directory it builds an piece set to confirm your choice. A name for your set is required.




Figure 29: Confirm new pieces

Now you can combine your boards with your pieces.




Figure 30: Combine board and pieces

7 Configure Notation and Moves




Figure 31: Opens a window to configure notation and moves

BearChess can display moves in different ways.




Figure 32: Configure notation and moves

In long and short notation and with symbols or letters for the chessmen.

8 Configure clock style




Figure 33: Configure clocks

BearChess offers two different clocks: small and big




Figure 34: Small clocks




Figure 35: Big clocks

9 Electronic chessboards

BearChess supports two electronic chessboards: Certabo boards and Millennium boards via the ChessLink module. Both boards communicate via a USB port as a serial COM port. Which COM port is used is not the same for all computers and can change over time, especially if you have more than one COM port available on your computer.

9.1 Configure Certabo boards



Figure 36: Open a window to configure Certabo boards

Certabo requires two configuration steps. The used COM-port and a calibration to detect the chess pieces.





Figure 37: Configure Certabo boards

Select the COM port if you know them or let the <auto> selection. Click on  to verify your selection.




Figure 38: COM port successful detected

If you select an invalid COM port, you will receive the following error message:




Figure 39: Invalid COM port

If you select <auto> and no board is found, you will receive the following error message:




Figure 40: No board found

Hint: You can always use the selection `<auto>`, but if you have more than one COM port available, it can always take some seconds until the right one is recognized.

9.1.1 Calibration

At the first start, BearChess needs a calibration to identify your chessmen. A new calibration is only required if you use another set of chessmen.


Click on  to open the calibration dialog.



Figure 41: Calibrate base position

If all pieces on the right position click the accept button. When a calibration is running, you will see the chessboard LEDs flashing each row. Please wait until all LEDs are off and the confirm dialog appears.




Figure 42: Calibration finished

Hint: If the calibration never seems to end, check that the chessmen are correctly placed in the middle of the squares.

9.1.2 Connect




Figure 43: Connect to Certabo

When the configuration is complete, you can connect to your chessboard. In the lower right corner a new button appears, which allows you to easily connect or disconnect your board. The current status is also written.




Figure 44: Connected




Figure 45: Disconnected

9.2 Configure Millennium ChessLink




Figure 46: Open a window to configure Millennium boards

For your Millennium ChessLink you may need to configure the COM port used. You can also change how the LEDs should light up.





Figure 47: Configure Millennium ChessLink

Select the COM port if you know them or let the <auto> selection. Click on  to verify your selection.




Figure 48: COM port successful detected

If you select an invalid COM port, you will receive the following error message:




Figure 49: Invalid COM port

If you select <auto> and no board is found, you will receive the following error message:




Figure 50: No board found

Hint: You can always use the selection <auto>, but if you have more than one COM port available, it can always take some seconds until the right one is recognized.

You can change how the LEDs should light up. The brightness and whether the LEDs should flash alternately or synchronously when indicating moves.

9.2.1 Connect




Figure 51: Connect to Millennium ChessLink

When the configuration is complete, you can connect to your chessboard. In the lower right corner a new button appears, which allows you to easily connect or disconnect your board. The current status is also written.




Figure 52: Connected




Figure 53: Disconnected

10 Start a game




Figure 54: Opens a window to play a new game

If you start a new game you can select the opponents and the time control.

10.1 Select opponent







Figure 55: Play a new game

Select the opponents for white  and black . "Player" means a human opponent. You can select "Player" for white and black if you want to play a game against another human opponent on your chessboard. You can select an engine for white and black if you want to play a pure engine match.

* You cannot use an electronic chessboard for a pure engine match. This is still in development.

 opens the engine configuration dialog. This is the same dialog as for Load and manage engines. However, all changes are only used for this game and are not saved permanently.

* "Thinking on opponent's time" is also known as ponder. Use the configuration dialog to activate or deactivate it. The checkbox control is still in development.

10.2 Start from

Select your start position. The default is the base position, but you can start from any position on the board.

10.3 Allow to take a move back

It is worth activating this option for a training session or when playing against a strong engine. If you are using an electronic chessboard, just take back the last move. The LEDs show you the next previous move. Follow them until you make the right move.

If you are not using an electronic chessboard, you can use the move controls below the board.



Figure 56: Move controls

10.4 Time control




Figure 57: Time control

- **Time per game** limits the entire game to the given minutes.
- **Time per game with increment** limits the entire game to the given minutes but give extra seconds for every move.
- **Time per given move** limits the game for moves in a certain time frame, e.g. 40 moves in 60 minutes.
- **Average time per move** requires the engine to execute the moves in an average time of seconds or minutes.

"**Extra time for human player**" add extra minutes for human opponents.

* "**Start the clock after the move is executed on the electronic board**" avoids a time gap to execute the moves of the engines on the board.

10.5 Influence of BearChess in engine games

Chess engines generally do not have the ability to give up or to recognize a draw, e.g. by repeating moves. In a match between two engines BearChess checks the moves and the current rating. If a draw is detected, e.g. by a move repetition or insufficient material, the game is ended.




Figure 58: Draw by repetition




Figure 59: Draw by insufficient material

If both programs give at least a -4 or +4 in their scores over several moves, the game is finished.



Figure 60: Won by score

11 Analysis mode




Figure 61: Analysis mode

One outstanding feature compared to other GUIs is the analysis mode. The idea behind it is how a player analyses his games or interesting positions. The figures are quickly rearranged or moves are made that do not always conform to the rules.

For example, the player does not want to go back the last three or four moves to try out a new variant. He sets up the new position directly on the board. Or you are more of a beginner and want to practice a typical endgame, e.g. king and pawn against king. You then want to know quickly if this move leads to a win or if the opponent can draw.

You can achieve all this with the analysis mode.

11.1 With electronic chessboard

You get the biggest advantage if you have connected an electronic chessboard with a piece recognition. Connect your electronic chessboard before you start the analysis mode.

When you start the analysis mode, you will be asked to select a supporting analysis engine.




Figure 62: Selection for an analysis engine

The engine immediately starts to analyze the current position. If you want, you can add more engines.

Now you can remove or add figures or make moves on your chessboard as you like. The engine window shows immediately the current analysis. The current color results from which figure was moved last. To change the color, simply lift a figure of the current color and put it back in its place. The analysis will then start for the other color. Especially in endgames it can be important to know which color is on the move. Think of the king and pawn versus king endgame.




Figure 63: Stop analysis mode

11.2 Without electronic chessboard

You can also use the analysis mode without an electronic chessboard. If you do not want to start from the base position, you should first set up the desired position via Setup position.

When you start the analysis mode, you will be asked to select a supporting analysis engine.




Figure 64: Selection for an analysis engine

The engine immediately starts to analyze the current position. If you want, you can add more engines.

You can rearrange individual figures by clicking on the figure and then on the target field.

If you press the right mouse button on a field, a context menu appears.





Figure 65: Analysis context menu

Click on one the figure to place in on the selected field. If the is a piece on the field, the button  removes it from the board. With the two clocks symbol can you switch the current color.




Figure 66: Stop analysis mode

12 Setup position




Figure 67: Opens a window for position setup

Setup a new position is very easy. You can do it with or without the support of an electronic chessboard.

12.1 With support of an electronic chessboard

First connect to your electronic chessboard before you run the setup. This is important, because the further behaviour of the program depends on it. The small board starts with the current position.





Figure 68: Setup a new position with an electronic chessboard

Now you can also give the electronic chessboard an arbitrary position, which is immediately displayed on the small chessboard. Don't forget to set the castling rights and current color.




Castling

White	Black
<input checked="" type="checkbox"/> 0-0	<input checked="" type="checkbox"/> 0-0
<input checked="" type="checkbox"/> 0-0-0	<input checked="" type="checkbox"/> 0-0-0

Color on move

☒ White ☐ Black

Figure 69: Castling rights and current color

With the button  the new position is placed on the chessboard.

* It is not completely checked whether the position is valid. This also applies to castling rights.

12.2 Without support of an electronic chessboard

First ensure you are **not connect** to your electronic chessboard before you run the setup. This is important, because the further behaviour of the program depends on it.

The small board starts with the current position.



Figure 70: Setup a new position without an electronic chessboard

The input box shows the fen position. You can insert a new position in the input field and click on "Set" to place it on the small board.




Figure 71: FEN input box

To place a piece on the board, select the corresponding icon. The desired color is not important here.



With a left click on the small board you place a white piece, with a right click a black piece. If you click on field with a piece on it, you remove it. Don't forget to set the castling rights and current color.







Figure 72: Castling rights and current color

There are three buttons to quickly set the base position or empty the board.

-  Remove all pieces from the board.
-  Put all pieces on their base position.
-  Reset to start position.

With the button  the new position is placed on the chessboard.

* It is not completely checked whether the position is valid. This also applies to castling rights.

13 Games




Figure 73: Games

13.1 Save

BearChess stores all games in one PGN file. When you save a game for the first time, you must first select a PGN file.

The save dialog is prefilled with the known data. But you can correct them before saving.




Figure 74: Save a game

* Currently BearChess does not support comments or variants in the PGN notation.

13.2 Show and load

BearChess stores all games in one PGN file. The current name is shown in the title bar.








Figure 75: Games window

If you double click on a row, the game is displayed on the board.

-  Create a new games file.
-  Open an existing games file.
-  Delete selected game.
-  Close the window.

* Currently BearChess does not support a search a filter function.






14 Engine window

Each loaded engine is listed in the engine window.



Figure 76: Two loaded engines

If the engine allows to configure its ELO number, it appears under the name.

-   Pause the engine or continue.
-  Add a info line.
-  Remove a info line.
-  Close the engine. Not visible if you play a game.

If you have configured that currently the best move should be displayed, the analysis of the topmost engine is taken.




Figure 77: Two loaded engines

15 Extended engine support

Another outstanding feature compared to other GUIs is the extended engine support. You can load one or more engines at any time to assist you in a game against another engine or another player.

1. Start a new game against an engine.
2. Load a second engine for assistant.

The following figure gives you an example. You play a game against Stockfish and Komodo gives hints for the next best move.



Figure 78: Play against Stockfish with support from Komodo

Even if you are not playing a game and are on mode "Easy playing", just load some engines and make your moves.

16 Important To Know

16.1 Certabo: Calibration

For the first time, the engine assumes that all chessmen are on their initial position and the extra queens on d3 (white queen) and d6 (black queen). You can also perform the calibration without extra queens. But this has an effect on the transformation of a pawn into a queen.

16.2 Certabo: Pawn conversion to a queen

If you have performed the calibration without extra queens and are performing a pawn conversion with a extra queen on your board for the first time, the program needs a few seconds to identify the new piece. Please wait until the LEDs are off. The new piece code is stored. There is no delay next time.

17 Trouble shooting

17.1 The chess moves are not or not correctly displayed

- Check the correct COM port in the configuration dialog.
- Check the position of the chessmen. Moves are only accepted if the chessmen are on the correct square. Fields with missing or wrong figure light up.

18 Known Issues

- **Setup position** It is not completely checked whether the position is valid. This also applies to castling rights.
- Some windows may overlap for the first time, e.g. the clocks for white and black.

19 Next Steps

- Error correction.
- Develop missing functionality *
- Improvements on handling opening books.
- Improvements on handling saved games.

20 Changelog

20.1 Version 0.3.0 => 0.3.1

- Improvements in the calibration for Certabo chessboards.
- Fixed an error on pawn conversation.
- Fixed an error on position setup via electronic chessboard.