
Build-Systeme: Apache Maven

Carsten Gips (HSBI)


Unless otherwise noted, this work is licensed under CC BY-SA 4.0.

Build-Tool Maven: Alternative zu Ant oder Gradle

```
mvn archetype:generate -DgroupId=de.hsbi.pm -DartifactId=my-project
                       -DarchetypeArtifactId=maven-archetype-quickstart
```



Lebenszyklus (eingebaut in Maven)



Project Object Model: *pom.xml*

```xml
<project>
    <!-- aktuelle Version für Maven 2.x-->
    <modelVersion>4.0.0</modelVersion>

    <!-- Basisinformationen -->
    <groupId>de.hsbi.pm</groupId>
    <artifactId>my-project</artifactId>
    <version>1.0-SNAPSHOT</version>

    <!-- Eigenschaften, vergleichbar zu den Properties in Ant -->
    <properties>
        <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
        <maven.compiler.release>17</maven.compiler.release>
    </properties>

    <!-- Abhängigkeiten zu externen Bibliotheken -->
    <dependencies>
        <dependency>
            <groupId>junit</groupId>
```

Project Object Model: Plugins

```
<project>
    ...

    <!-- Plugins: Stellen eigene "Goals" zur Verfügung -->
    <build>
        <plugins>
            <plugin>
                <!-- https://mvnrepository.com/artifact/org.apache.maven.plugins/maven-comp
                <groupId>org.apache.maven.plugins</groupId>
                <artifactId>maven-compiler-plugin</artifactId>
                <version>3.10.1</version>
            </plugin>

            <plugin>
                <!-- https://mvnrepository.com/artifact/org.apache.maven.plugins/maven-sure
                <groupId>org.apache.maven.plugins</groupId>
                <artifactId>maven-surefire-plugin</artifactId>
                <version>2.22.2</version>
            </plugin>
```

Wrap-Up

Apache Maven: maven.apache.org, Maven Getting Started Guide

- Automatisieren von Arbeitabläufen
- Apache Maven: Goals, Properties, Dependencies $=>$ "*Convention over Configuration*", Java-Standard-Lebenszyklus eingebaut
  - Goals sind auswählbare Ziele, bereitgestellt durch Plugins
  - Abhängigkeiten zwischen Goals möglich
  - Properties agieren wie Variablen, etwa für Versionsnummern
  - Abhängigkeiten zu externen Bibliotheken werden als Dependencies formuliert:



Unless otherwise noted, this work is licensed under CC BY-SA 4.0.