


Switch Statement

Produced Ms. Maireád Meagher
by: Dr. Siobhán Drohan
 Siobhan Roche

The **switch** statement

- The switch statement works in exactly the same way as a **set of if** statements, but is more compact and readable.
- The *switch statement* switches on a single **value** to one of an arbitrary number of **cases**.

The switch statement




The switch statement

- A *switch* statement can have any number of **case** labels.
- The **default** case is optional; if no default is given, it may happen that no case is executed.
- Can *switch* on **int**, **char** or **String**.


The switch statement – **int** example

```
public static void main(String args[]){  
    int day = 3;  
  
    switch (day){  
        case 1 -> System.out.println("Monday");  
        case 2 -> System.out.println("Tuesday");  
        case 3 -> System.out.println("Wednesday");  
        case 4 -> System.out.println("Thursday");  
        case 5 -> System.out.println("Friday");  
        case 6 -> System.out.println("Saturday");  
        case 7 -> System.out.println("Sunday");  
        default -> System.out.println("Invalid day: " + day);  
    }  
}
```



The switch statement – String example


```
public static void main(String args[]){  
    String dayOfWeek = "Mon";  
  
    switch (dayOfWeek.toLowerCase()){  
        case "mon"    -> System.out.println("Weekday");  
        case "tues"   -> System.out.println("Weekday");  
        case "wed"    -> System.out.println("Weekday");  
        case "thurs"  -> System.out.println("Weekday");  
        case "fri"    -> System.out.println("Weekday");  
        case "sat"    -> System.out.println("Weekend");  
        case "sun"    -> System.out.println("Weekend");  
        default -> System.out.println("Invalid day: " + dayOfWeek);  
    }  
}
```



The switch statement – **String** example


DRY code – Don't Repeat Yourself!

```
public static void main(String args[]){  
    String dayOfWeek = "Mon";  
  
    switch (dayOfWeek.toLowerCase()){  
        case "mon", "tues", "wed", "thurs", "fri"  
            -> System.out.println("Weekday");  
        case "sat", "sun"  
            -> System.out.println("Weekend");  
        default -> System.out.println("Invalid day: " + dayOfWeek);  
    }  
}
```



The switch statement – **char** example

```
public static void main(String args[]){  
    char alphabetChar = 'B';  
  
    switch (alphabetChar){  
        case 'A' -> System.out.println("Apple");  
        case 'B' -> System.out.println("Ball");  
        case 'C' -> System.out.println("Cat");  
        case 'D' -> System.out.println("Dog");  
        case 'E' -> System.out.println("Elephant");  
        default -> System.out.println("Char not on our list yet: " + alphabetChar);  
    }  
}
```



Questions?

