

Status Finished**Started** Thursday, 23 October 2025, 6:27 PM**Completed** Thursday, 23 October 2025, 6:30 PM**Duration** 2 mins 35 secs**Question 1**

Complete

Marked out of 1.00

v1 (latest)

Which statement best describes a mutator (setter) method?

Select one:

- ☒ a. It only prints information.
- ☐ b. It always returns a value.
- ☐ c. It changes the value of a field.
- ☐ d. It creates a new object.

Question 2

Complete

Marked out of 1.00

v1 (latest)

What is the effect of `System.out.println("# " + price + " cents.");`?

Select one:

- ☒ a. Prints only the variable name.
- ☐ b. Adds price to a balance field.
- ☐ c. Concatenates the string and the value of price into output.
- ☐ d. Returns the value.

Question 3

Complete

Marked out of 1.00

v1 (latest)

Which list correctly names the three kinds of variables discussed in class design?

Select one:

- ☒ a. Locals, packages, and modules
- ☐ b. Fields, arrays, and constants
- ☐ c. Parameters, methods, and classes
- ☐ d. Fields, parameters, and local variables

Question 4

Complete

Marked out of 1.00

v1 (latest)

What does the statement `balance = balance + amount;` do?

Select one:

- ☒ a. Always resets balance to zero.
- ☐ b. Creates a new variable.
- ☐ c. Adds amount to the current value of balance.
- ☐ d. Swaps two values.

Question 5

Complete

Marked out of 1.00

v2 (latest)

What is wrong with the declaration `Int number = 5;`

Select one:

- ☒ a. Value cannot be assigned at declaration
- ☐ b. Data type is case-sensitive
- ☐ c. Semicolon is missing
- ☐ d. Variable name is invalid

Question 6

Complete

Marked out of 1.00

v2 (latest)

In the method below, what value is returned? `public int refundBalance() { int amountToRefund; amountToRefund = balance; balance = 0; return amountToRefund; }`

Select one:

- ☒ a. The new value of balance
- ☐ b. Nothing is returned
- ☐ c. 0
- ☐ d. The old value of balance

Question 7

Complete

Marked out of 1.00

v2 (latest)

In Java, a _____ is a small, meaningful piece of code such as a keyword, operator, literal, or identifier.

Select one:

- ☒ a. token
- ☐ b. block
- ☐ c. method
- ☐ d. comment

Question 8

Complete

Marked out of 1.00

v2 (latest)

The scope of a field is:

Select one:

- ☒ a. The whole class
- ☐ b. The block in which it is declared
- ☐ c. Limited to a single statement
- ☐ d. Only inside its method

Question 9

Complete

Marked out of 1.00

v2 (latest)

What does this statement do?

```
x += 5;
```

Select one:

- ☒ a. Multiplies x by 5
- ☐ b. Sets x to 5
- ☐ c. Divides x by 5
- ☐ d. Increases x by 5

Question 10

Complete

Marked out of 1.00

v2 (latest)

Given `int a = 7, b = 2;` what is the value of:

a / b

Select one:

- ☒ a. 4
- ☐ b. Error
- ☐ c. 3.5
- ☐ d. 3

Question 11

Complete

Marked out of 1.00

v2 (latest)

What is the final value of `x` after this executes (assume `int x = 4;`)?

```
x -= 6; // line 1
x += 3; // line 2
```

Select one:

- ☒ a. -2
- ☐ b. -3
- ☐ c. 1
- ☐ d. 7

Question 12

Complete

Marked out of 1.00

v2 (latest)

What is wrong with this code?

```
if (x = 5) {
    System.out.println("Five");
}
```

Select one:

- ☒ a. Nothing is wrong
- ☐ b. Missing semicolon after if
- ☐ c. Should use === in Java
- ☐ d. Uses = instead of ==

Question 13

Complete

Marked out of 1.00

v2 (latest)

For input **mark**, when is this condition true?

```
(mark >= 0) && (mark <= 100)
```

Select one:

- ☒ a. When mark is between 0 and 100 inclusive
- ☐ b. When mark is negative
- ☐ c. Always
- ☐ d. Only when mark is strictly between 0 and 100

Question 14

Complete

Marked out of 1.00

v1 (latest)

Which are valid Java boolean literals?

Select one:

- ☒ a. true and false
- ☐ b. 1 and 0
- ☐ c. Yes and No
- ☐ d. "true" and "false"

Question 15

Complete

Marked out of 1.00

v1 (latest)

In Java, which of these is **not** a type of loop?

Select one:

- ☒ a. for
- ☐ b. do while
- ☐ c. while
- ☐ d. repeat until

Question 16

Complete

Marked out of 1.00

v1 (latest)

What is the main purpose of using a loop in programming?

Select one:

- ☒ a. To execute a set of statements only once
- ☐ b. To repeat a set of statements multiple times
- ☐ c. To compare two numbers
- ☐ d. To define a variable

Question 17

Complete

Marked out of 1.00

v1 (latest)

Which of the following `for` loop headers would create an infinite loop?

Select one:

- ☒ a. `for (int i = 0; i < 5; i++)`
- ☐ b. `for (int i = 1; i <= 10; i++)`
- ☐ c. `for (int i = 10; i > 0; i--)`
- ☐ d. `for ( ; ; )`

Question 18

Complete

Marked out of 1.00

v1 (latest)

In a Person array, what does `friends[i].printFirstName()` do?

Select one:

- ☒ a. Causes a compile error
- ☐ b. Accesses an element without printing anything
- ☐ c. Calls a method on the Person object stored at index i
- ☐ d. Creates a new Person

Question 19

Complete

Marked out of 1.00

v1 (latest)

In Java, how do you declare an array of 10 integers?

Select one:

- ☒ a. `int numbers = new int(10);`
- ☐ b. `int numbers[] = new int[10];`
- ☐ c. `numbers = new int[10];`
- ☐ d. `int numbers = [10];`

Question 20

Complete

Marked out of 1.00

v1 (latest)

Which of the following is a valid declaration for an array of String objects?

Select one:

- ☒ a. `String[] words = new String[4];`
- ☐ b. `String words = new String(4);`
- ☐ c. Both B and C
- ☐ d. `String words[] = {"Dog", "Cat"};`