

Inheritance

Exploring Polymorphism

Produced Ms. Mairéad Meagher
by: Dr. Siobhán Drohan
Ms Siobhan Roche


Lectures and Labs

- This weeks lectures and labs are based on examples in:
 - Objects First with Java - A Practical Introduction using BlueJ, © David J. Barnes, Michael Kölling (<https://www.bluej.org/objects-first/>)


Topic List

- Method polymorphism
- Static and dynamic type
- Overriding
- Dynamic method lookup
- Protected access

Social Network V5.0 – Inheritance Hierarchy



Testing the display method...



Create this MessagePost

```
0: Leonardo da Vinci
2 people like this.
    Had a great idea this morning.
    But now I forgot what it was. Something to do with flying ...
```

Create this PhotoPost

```
1: Alexander Graham Bell
4 people like this.
    experiment.jpg
    I think I might call this thing 'telephone'.
```

Testing the display method...

0: Leonardo da Vinci

2 people like this.

Had a great idea this morning.

But now I forgot what it was. Something to do with flying ...

1: Alexander Graham Bell

4 people like this.

experiment.jpg

I think I might call this thing 'telephone'.

What we want


0: Leonardo da Vinci

2 people like this.

1: Alexander Graham Bell



4 people like this.

What we have




The problem

- The **display** method in **Post** only prints the common fields.
- Inheritance is a one-way street:
 - A subclass inherits the superclass fields.
 - The superclass knows **nothing** about its subclass's fields.



Attempting to solve the problem?



- Place **display** where it has access to the information it needs.
- Each subclass has its own version.

But:

- **Post**'s fields are private.
- **NewsFeed** cannot find a **display** method in **Post**.

Topic List

- Method polymorphism
- Static and dynamic type
- Overriding
- Dynamic method lookup
- Protected access

Static type and dynamic type

- A more complex type hierarchy requires further concepts to describe it.
- Some new terminology:
 - static type
 - dynamic type
 - method dispatch/lookup

Static and dynamic type

What is the type of c1?

```
Car c1 = new Car();
```

What is the type of v1?

```
Vehicle v1 = new Car();
```

The declared
type of a variable
is its *static* type.

The type of the
object a variable
refers to is its
dynamic type.

Static and dynamic type

The compiler's job is to check for static-type violations.

What is the type of v1?

```
Vehicle v1 = new Car();
```

The declared type of a variable is its *static* type.

The type of the object a variable refers to is its *dynamic* type.

Recall our attempt to solve this problem...

0: Leonardo da Vinci

2 people like this.

Had a great idea this morning.


But now I forgot what it was. Something to do with flying ...

1: Alexander Graham Bell

4 people like this.

experiment.jpg

I think I might call this thing 'telephone'.



What we want

0: Leonardo da Vinci


2 people like this.

1: Alexander Graham Bell

4 people like this.

What we have

Recall our attempt to solve this problem...



- We placed **display** in each subclass where it has access to the information it needs.

But:


- **Post**'s fields are private and **NewsFeed** cannot find a **display** method in **Post**.

```
for(Post post : posts) {
    post.display(); // Compile-time error (static-type violation)
                  // method display() is not found in the
                  // Post class
}
```

Topic List

- Method polymorphism
- Static and dynamic type
- Overriding
- Dynamic method lookup
- Protected access

Overriding - the solution to our problem




Overriding

- Superclass and subclass define methods with the same signature.
- Each has access to the fields of its class.
- Superclass satisfies static type check.
- Subclass method is called at runtime – it *overrides* the superclass version.
- What becomes of the superclass version?

Topic List

- Method polymorphism
- Static and dynamic type
- Overriding
- Dynamic method lookup
- Protected access


Dynamic method lookup



Inheritance but
no overriding.

The inheritance
hierarchy is
ascended,
searching for a
match.

Dynamic method lookup



Polymorphism
and overriding.

The 'first'
version found is
used.

Dynamic method lookup summary

1. The variable is accessed.
2. The object stored in the variable is found.
3. The class of the object is found.
4. The class is searched for a method match.
5. If no match is found, the superclass is searched.
6. This is repeated until a match is found, or the class hierarchy is exhausted.
7. Overriding methods take precedence.


Super call in methods

- Overridden methods are hidden ...
- ... but we often still want to be able to call them.
- An overridden method *can* be called from the method that overrides it.
 - `super.method(...)`
 - Recall we used **super** in our constructors.

Calling an overridden method

```
public String display() {  
    String str = "";  
  
    str += (author + "\n");  
  
    if(likes > 0) {  
        str += (" - " + likes + " people like this.\n");  
    }  
    else {  
        str += "0 likes.\n";  
    }  
  
    return str;  
}
```

Post



```
public String display() {  
    String str = super.display();  
  
    if (!message.isEmpty()){  
        str += "\t" + message + "\n";  
    }  
    return str;  
}
```

MessagePost

Method polymorphism

- We have been discussing *polymorphic method dispatch*.
- A polymorphic variable can store objects of varying types.
- Method calls are polymorphic.
 - The actual method called depends on the dynamic object type.

The **instanceof** operator

- Used to determine the dynamic type.
- Can recover 'lost' type information.
- Usually precedes assignment with a cast to the dynamic type:

```
if (post instanceof MessagePost) {  
    MessagePost msg = (MessagePost) post;  
    ... e.g. then access MessagePost methods via msg object ...  
}
```

Recall the Object class...

java.lang

Class Object

java.lang.Object

```
public class Object
```

Class Object is the root of the class hierarchy. Every class has Object as a superclass. All objects, including arrays, implement the methods of this class.

Since:

JDK1.0

Recall the Object class...

*All classes inherit
from **Object**.*

java.lang

Class Object


java.lang.Object

```
public class Object
```

Class Object is the root of the class hierarchy. Every class has Object as a superclass. All objects, including arrays, implement the methods of this class.

Since:

JDK1.0



Methods in
Object are
inherited by all
classes.

Any of these may
be overridden.

Methods	
Modifier and Type	Method and Description
protected Object	clone() Creates and returns a copy of this object.
boolean	equals(Object obj) Indicates whether some other object is "equal to" this one.
protected void	finalize() Called by the garbage collector on an object when garbage collection determines that there are no more references to the object.
Class <?>	getClass() Returns the runtime class of this Object.
int	hashCode() Returns a hash code value for the object.
void	notify() Wakes up a single thread that is waiting on this object's monitor.
void	notifyAll() Wakes up all threads that are waiting on this object's monitor.
String	toString() Returns a string representation of the object.
void	wait() Causes the current thread to wait until another thread invokes the notify() method or the notifyAll() method for this object.
void	wait(long timeout) Causes the current thread to wait until either another thread invokes the notify() method or the notifyAll() method for this object, or a specified amount of time has elapsed.
void	wait(long timeout, int nanos) Causes the current thread to wait until another thread invokes the notify() method or the notifyAll() method for this object, or some other thread interrupts the current thread, or a certain amount of real time has elapsed.

Methods	
Modifier and Type	Method and Description
protected Object	clone() Creates and returns a copy of this object.
boolean	equals(Object obj) Indicates whether some other object is "equal to" this one.
protected void	finalize() Called by the garbage collector on an object when garbage collection determines that there are no more references to the object.
Class<?>	getClass() Returns the runtime class of this Object.
int	hashCode() Returns a hash code value for the object.
void	notify() Wakes up a single thread that is waiting on this object's monitor.
void	notifyAll() Wakes up all threads that are waiting on this object's monitor.
String	toString() Returns a string representation of the object.
void	wait() Causes the current thread to wait until another thread invokes the <code>wait()</code> method on this object, or a certain amount of real time has elapsed.

The **toString** method is commonly overridden:

```
public String toString()
```

Returns a string representation of the object.

Overriding `toString` in `Post`

```
public String toString()
{
    String text = author + "\n";

    if(likes > 0) {
        text += " - " + likes + " people like this.\n";
    }
    else {
        text += "\n";
    }
}
```

Overriding `toString`

- Explicit print methods can often be omitted from a class:

```
System.out.println(post.toString()) ;
```

- Calls to `println` with just an object automatically result in `toString` being called:
- `System.out.println(post) ;`


Topic List

- Method polymorphism
- Static and dynamic type
- Overriding
- Dynamic method lookup
- Protected access

Protected access

- *Private* access in the superclass may be too restrictive for a subclass.
- The closer inheritance relationship is supported by *protected* access.
- *Protected* access is more restricted than *public* access.

Access levels



Review

- The declared type of a variable is its static type.
 - Compilers check static types.
- The type of an object is its dynamic type.
 - Dynamic types are used at runtime.
- Methods may be overridden in a subclass.
- Method lookup starts with the dynamic type.
- Protected access supports inheritance.

**Any
Questions?**

