QA Testing Guide

Minimal step-by-step test plan for a QA engineer. Covers every major feature area with expected results.

---

1. Access

URL	Purpose
`https://impact.humanconcernusa.org/`	Public portal
`https://impact.humanconcernusa.org/alkabirimpact/login`	Admin login
`https://impact.humanconcernusa.org/alkabirimpact/dashboard`	Admin dashboard

> *Obtain valid admin credentials from the project owner before starting. No local setup is required — the site is fully deployed and running.*

---

2. Public Portal

#	Steps	Expected
P1	Visit `/`	Report grid loads; stat bar (total reports, lives impacted) visible.
P2	Use the search box; type a project name	Results filter in real time (~400 ms debounce).
P3	Apply a region and sector filter	Grid updates; URL params reflect the selection.
P4	Click a report card	Navigates to `/report/<slug>`. Hero, brief, stats, map, and media sections render.
P5	On report detail — check a field that was hidden by an editor (see TC R6)	That section is absent from the page.
P6	Enter a valid email in the newsletter subscribe input	Success toast; email stored (verify in Subscribers module).
P7	Submit the same email again	Still shows success (no enumeration error).

---

3. Authentication

3.1 Standard Login

#	Steps	Expected
A1	Go to `/alkabirimpact/login`, enter valid credentials	Redirects to `/alkabirimpact/dashboard`.
A2	Enter wrong password 3 times	Login fails; a notification is created (visible in the bell icon after a successful login).
A3	After login, wait until the session timeout (default 30 min, configurable in Settings)	Automatically logged out, redirected to login page.
A4	Open browser DevTools → Application → Cookies; verify `adminToken` cookie exists	Cookie is `HttpOnly`-equivalent; JWT present.

3.2 Email OTP Login (if SMTP is configured)

#	Steps	Expected
A5	Log in with valid credentials when OTP login is active	Returns to a "Check your email" screen; JWT is not issued yet.
A6	Enter the 6-digit code from the email	JWT issued; redirected to dashboard.
A7	Enter an incorrect OTP	Error message; code still valid.

3.3 Password Reset

#	Steps	Expected
A8	Click "Forgot password" on the login page; submit a registered email	6-digit OTP emailed; 10-minute expiry.
A9	Submit the OTP	Receive a short-lived `resetToken` in the response; UI shows password reset form.
A10	Set a new password	Can log in with the new password; old password rejected.

3.4 TOTP 2FA (optional, settings-level)

#	Steps	Expected
A11	In Settings → Security, click "Set up authenticator"	QR code displayed. Scan with an authenticator app.
A12	Submit the 6-digit code from the app to confirm setup	TOTP enabled; next login requires an app code.
A13	Log in with credentials; when prompted, enter a wrong TOTP code 5 times	Rate-limited for 15 minutes (in-memory; resets on server restart).

---

4. Report Creation Wizard

Requires an `editor` or `superadmin` account.

#	Steps	Expected
R1	Dashboard → Reports → "New Report"	Modal opens; enter a project name and submit. Report created with `status: pending`. URL gains `?reportId=<id>&step=general`.
R2	**General tab** — fill all required fields (project name, region, sector, lives impacted, fiscal year) and click Next	Step saved via `PATCH .../step/general`; `stepsCompleted` now includes `general`.
R3	**Narrative tab** — fill Project Background, Strategic Response; add at least one testimonial; click Next	`narrative` added to `stepsCompleted`.
R4	**Metrics tab** — add beneficiary counts (children, women, men) and at least one deliverable row; click Next	`metrics` added.
R5	**Media & Timeline tab** — upload a thumbnail, add at least one milestone; click Next	`media` added; image appears in Cloudinary.
R6	**Field visibility** — in any tab, toggle a field's eye icon off (e.g. donation URL or subtitle)	Field marked hidden; saved to `hiddenFields`; hidden on the public detail page (verify via P5).

R7	**Location tab** — select one or more countries; click Save	`location` added. `region` field auto-derived from countries via `regionUtils`. Report status flips to `published` (no approver assigned) or `pending_approval` (approver assigned).
R8	Visit `/report/<slug>`	Report is publicly visible.

4.1 Approval Workflow (when `approvalAssignedTo` is set in General tab)

#	Steps	Expected
R9	Complete all 5 steps with an approver assigned	Report status becomes `pending_approval`, not `published`.
R10	Log in as the assigned approver; open the report	"Approve" button visible.
R11	Click Approve	Status changes to `published`; report appears on public portal.

---

5. Admin User Management

Requires `superadmin`.

#	Steps	Expected
U1	Dashboard → Users → "Invite User"	Enter an email; 48-hour invite token emailed.
U2	Open the invite link in a private window	Registration form with username + password fields.
U3	Complete registration	Account created; token consumed; can log in.
U4	Back in Users — toggle a user's Active switch	User immediately cannot log in (401).
U5	Change a user's role (e.g. editor → viewer)	On next action, the viewer cannot save reports (403).
U6	Delete a user	User removed from list; their JWT invalidated on next request.

---

6. Role Access Gates

#	Role	Action	Expected
G1	`viewer`	Try to save a wizard step	403 error toast.
G2	`editor`	Navigate to `/alkabirimpact/dashboard/users`	Silently redirected to `overview`.
G3	`editor`	Try to access a report not assigned to them	403.
G4	`viewer`	Navigate to Settings → Platform	Platform settings tab not rendered.

---

7. Trash & Recovery

#	Steps	Expected
T1	In the report list, delete a report	Moves to Trash (`status: trash`); disappears from public portal.
T2	Switch the list filter to "Trash"; restore the report (superadmin)	Status reverts to previous value; report reappears publicly if it was published.
T3	Permanently delete a report from Trash (superadmin)	Record gone from DB; slug reusable.

---

8. Platform Settings

Requires `superadmin`. Dashboard → Settings → Platform.

#	Steps	Expected
S1	Change Session Timeout to 1 minute; save	Wait ~90 s idle in another tab; session expires automatically.
S2	Add a new Region in Data Management	New region appears in the General tab's region dropdown when editing a report.
S3	Edit/remove a Sector	Sector no longer selectable in the wizard; existing reports retain the old value.

---

9. Exports

#	Steps	Expected
E1	Reports list → Export → CSV	`.csv` downloads; rows match the visible list.
E2	Reports list → Export → Excel	`.xlsx` downloads with all columns.
E3	Activity Logs → Export (superadmin, Settings or Logs page)	Log entries exported in chosen format.

---

10. Notifications

#	Steps	Expected
N1	Trigger 3 failed logins for any user (see A2)	Bell icon shows an unread badge after next successful login.
N2	Click "Mark all read"	Badge clears; notifications still listed.

Known Behaviours / Non-bugs

- Subscribing with a duplicate email always returns success (intentional — prevents enumeration).
- TOTP rate-limit resets on server restart (in-memory; expected in dev).
- The `@supabase/supabase-js` and `@questlabs/react-sdk` packages are installed but unused — no features to test.
- Navigating to a restricted dashboard section redirects silently to `overview` (no error shown).