
a
contrast changes are changes of spread
observed contrast change (σ)
contrast change predicted by the spread change (σ)
one population (slope 1)
two types, Δ = 2 (slope 0.58)
SNAPSI zonal (post hoc)
SNAPSI full 3-D (post hoc)
SNAPSI free, natural (registered)
b
law (filled) vs shift only (open)
SNAPSI zonal-mean
SNAPSI SH warming
SNAPSI full 3-D
CESM2, January 2021
SNAPSI free, natural
pooled, five sets
24 regional cold classes
human forcing, C. Europe JJA
W. Russia JJA
C. N. America JJA
C. Eurasia DJF
forced contrast minus null contrast (σ)
c
elasticity: one population 1; forced mixing of types ≥ 2 s.d. apart below 0.6
SNAPSI zonal (36) (post hoc)
SNAPSI free (registered)
human forcing, C. Europe JJA
human forcing, W. Russia JJA
human forcing, C. N. America JJA
human forcing, C. Eurasia DJF
Δ = 4
Δ = 3
two types, Δ = 2
one population
elasticity of the contrast with respect to the spread
d
human forcing: hot−summer rate 0.33 → 0.58, law residual +0.04
law residual (σ)
CEUR JJA
WRUS JJA
CNAM JJA
CEAS DJF
change in class rate (historical − natural forcing), per year