


Alzheimer's Disease

Can We Predict It?



This project aims to develop a tool to identify the key factors that contribute to the onset and progression of Alzheimer's disease




Data
<https://>

PatientID	Age	Gender
4751	73	F
4752	89	M
4753	73	F
4754	74	M
4755	89	F
4756	86	M
4757	68	F
4758	75	M
4759	72	F
4760	87	M
4761	89	F
4762	78	M
4763	84	F
4764	78	M
4765	64	F

Tools and Technology

ML Learning	ML Libraries	Additional Tools
Logistic Regression Model	sklearn	numpy
Random Forest Model	seaborn	pandas
Decision Trees Model	tensorflow	matplotlib
Kmeans Model	imblearn	Tableau
Kneighbors Model		PostgreSQL
Neural Networks Model		Jupyter Notebook



Dataset:

<https://www.kaggle.com/datasets/rabieelkharoua/alzheimers-disease-dataset/data>

PatientID	Age	Gender	Ethnicity	EducationLevel	BMI	Smoking	AlcoholConsumption	PhysicalActivity	DietQuality	SleepQuality	FamilyHistory	Alzheimer	CardiovascularDisease	Diabetes	Depression	HeadInjury	Hypertension	SystolicBP	DiastolicBP	CholesterolTotal	CholesterolLDL	CholesterolHDL
4751	73	0	0	2	22.92774923	0	13.29721773	6.327112474	1.347214306	9.025678666	0	0	1	1	0	0	142	72	242.3668397	56.15089696	33.682	
4752	89	0	0	0	26.82768119	0	4.542523818	7.61988454	0.518767139	7.151292743	0	0	0	0	0	0	115	64	231.162595	193.4079955	79.0284	
4753	73	0	3	1	17.79588244	0	19.55508453	7.844987791	1.826334665	9.673574158	1	0	0	0	0	0	99	116	284.1818578	153.3227622	69.7722	
4754	74	1	0	1	33.80081704	1	12.20926555	8.42800135	7.43560414	8.392553685	0	0	0	0	0	0	118	115	159.5822396	65.36663684	68.4574	
4755	89	0	0	0	20.71697383	0	18.45435609	6.310460689	0.795497509	5.597237678	0	0	0	0	0	0	94	117	237.6021836	92.86969988	56.8743	
4756	86	1	1	1	30.62688555	0	4.140143784	0.211061631	1.584922011	7.261952505	0	0	1	0	0	0	168	62	280.7125387	198.3346285	79.0805	
4757	68	0	3	2	38.38762186	1	0.646047271	9.25769491	5.897387927	5.477685594	0	0	0	0	1	0	143	88	263.734149	52.47066963	66.5333	
4758	75	0	0	1	18.77600941	0	13.72382571	4.649450668	8.341903192	4.213209925	0	0	0	0	0	0	117	63	151.3831368	69.62351041	77.3468	
4759	72	1	1	0	27.83318838	0	12.16784763	1.531359788	6.736882044	5.748223869	0	0	0	0	0	1	117	119	233.6057552	144.0457396	43.0758	
4760	87	0	0	0	35.45630173	1	16.02868824	6.440772687	8.086019121	7.551773444	0	1	0	0	0	0	130	78	281.6300502	130.4975804	74.2912	
4761	89	0	3	1	39.46303422	0	9.811292129	8.81950351	0.434020278	7.6440973	0	0	0	0	0	0	131	86	224.5264374	160.7564751	68.3283	
4762	78	0	0	2	22.46338265	1	19.30018298	3.834639382	8.279189504	8.312325537	0	0	1	0	0	1	165	97	254.5865603	132.9600115	39.009	
4763	84	1	0	1	26.770946	0	10.97802164	3.978078872	7.024417381	8.253004551	1	0	0	1	0	0	145	63	254.4353861	148.2914229	98.5855	
4764	78	1	0	1	28.87065239	1	10.1947063	0.631280727	1.653281417	7.333235623	1	0	0	0	0	0	137	82	221.3053385	194.6003789	26.3339	
4765	64	1	0	2	27.94286273	0	2.17577965	9.714565829	5.317231744	9.087141195	0	1	1	1	0	0	94	98	247.5846143	193.9084814	94.8117	
4766	69	0	0	1	18.04591747	0	8.116831616	2.956494729	7.570632794	6.736796642	0	0	0	0	0	1	124	72	204.6707593	97.75564858	99.2863	
4767	63	1	1	2	22.82289624	1	4.433961006	7.182894555	7.929485772	4.65482804	0	1	0	0	0	0	148	116	200.5001232	181.0235604	51.8671	
4768	65	1	0	1	16.33328275	1	4.161794911	1.306320412	2.888935528	5.436422671	0	0	0	0	0	1	154	61	183.1123335	101.2581964	39.2296	
4769	72	0	0	2	37.93246903	0	9.385602765	7.127939893	3.314982664	6.790196088	0	0	0	1	0	0	132	107	214.9084055	132.1273691	20.8879	
4770	68	0	0	3	20.04140036	0	18.42636447	4.060713917	3.361536133	7.393126211	0	0	0	0	0	0	144	98	195.2046348	181.9779289	50.5978	
4771	82	1	0	0	36.2230988	0	4.19289551	6.381502407	7.971127069	9.521026999	0	1	0	0	0	0	120	93	271.8414494	84.47888882	76.3703	
4772	65	0	1	2	37.54394317	1	12.06395931	9.126038218	3.531206847	9.574004795	0	0	0	0	0	0	178	89	210.1505183	94.12843564	68.1956	
4773	82	1	0	3	37.58387706	0	5.83642077	7.676580404	9.767579025	9.250389465	0	0	0	0	0	0	120	71	225.6582355	87.32844007	43.2241	
4774	82	1	2	1	21.96939009	0	3.289650198	6.934726371	3.242343132	4.412595501	0	0	0	0	0	0	106	95	201.6216146	110.1518657	26.6350	

ETL Data Processing Flow Chart

A[Extract Data] --> B
[Transform Data into
Pandas DataFrame]

B --> C

[Perform Data Cleaning]

C --> D

[Store Clean Data in SQL]

D --> E

[Perform EDA
Correlation Analysis]

E --> F

[Data Visualization using
Pandas, Matplotlib,
Seaborn, Tableau]

F --> G


[Unsupervised Machine
Learning]

G --> H

[Supervised Machine
Learning]


H --> I

[Neural Network Deep
Learning]




What are modifiable and nonmodifiable metrics that most accurately predict the onset of Alzheimer's Disease?

Alzheimer's is a progressive neurological disease and a type of dementia that affects the memory, thinking and behaviour of an individual [alz.org]



What are modifiable and nonmodifiable metrics that most accurately predict the onset of Alzheimer's Disease?




What are modifiable and nonmodifiable metrics that most accurately predict the onset of Alzheimer's Disease?


There is no one metric that can predict Alzheimer's disease

Medical History


Head Injury




Head Injury




Diabetes



Depression



Family History of Alzheimer's





Decision Tree

confusion_matrix

	Predicted 0	Predicted 1
Actual 0	277	70
Actual 1	55	136

Accuracy Score: 0.7676579925650557

classification Report

	precision	recall	f1-score	support
0	0.83	0.80	0.82	347
1	0.66	0.71	0.69	191
accuracy			0.77	538
macro avg	0.75	0.76	0.75	538
weighted avg	0.77	0.77	0.77	538

LifeStyle


BMI
Smoking
AlcoholConsumption
PhysicalActivity
DietQuality
SleepQuality




LifeStyle

BMI
Smoking
AlcoholConsumption
PhysicalActivity
DietQuality
SleepQuality

Diagnosis Distribution Amongst Patients who Smoke






Diagnosis Distribution Amongst Patients who do NOT Smoke



LifeStyle

BMI
Smoking
AlcoholConsumption
PhysicalActivity
DietQuality
SleepQuality






Supervised Learning




```
alzheimer_df.columns  
0.0s  
Index(['BMI', 'Smoking', 'AlcoholConsumption', 'PhysicalActivity',  
       'DietQuality', 'SleepQuality', 'CardiovascularDisease', 'Diabetes',  
       'SystolicBP', 'DiastolicBP', 'CholesterolTotal', 'CholesterolLDL',  
       'CholesterolHDL', 'CholesterolTriglycerides', 'MMSE',  
       'FunctionalAssessment', 'MemoryComplaints', 'BehavioralProblems', 'ADL',  
       'Confusion', 'Disorientation', 'PersonalityChanges',  
       'DifficultyCompletingTasks', 'Forgetfulness', 'Diagnosis'],  
      dtype='object')
```

Supervised Learning



Supervised Learning



Confusion Matrix

	Predicted 0	Predicted 1
Actual 0	335	13
Actual 1	23	167

Accuracy Score : 0.9330855018587361

Classification Report

	precision	recall	f1-score	support
0	0.94	0.96	0.95	348
1	0.93	0.88	0.90	190
accuracy			0.93	538
macro avg	0.93	0.92	0.93	538
weighted avg	0.93	0.93	0.93	538

RandomForest

Confusion Matrix

	Predicted 0	Predicted 1
Actual 0	329	18
Actual 1	23	168

Accuracy Score : 0.9237918215613383


Classification Report

	precision	recall	f1-score	support
0	0.93	0.95	0.94	347
1	0.90	0.88	0.89	191
accuracy			0.92	538
macro avg	0.92	0.91	0.92	538
weighted avg	0.92	0.92	0.92	538


Decision Trees

Correlation Matrix Heatmap


Five Cognitive and Functional Assessments features demonstrate the correlation with diagnosis




Total Gender Distribution



Patient Gender Distribution



Non-Patient Gender Distribution




Total participants -The proportion of female participants is slightly higher than that of male participants(1.2%)

Patients - The proportion of male patients is slightly higher than that of female patients(1.6%)

Non-patients - The portion of female non-patients is slightly higher than that of male non-patients(3.2%)


Education Level Analysis




1. Patient ratio in non education group is the highest among all education levels.

2. Patient ratio in high school and Bachelor's degree are similar.

3. Patient ratio in the higher education group is the lowest.




Education Level Analysis




1. Patient ratio in non education group is the highest among all education levels.

2. Patient ratio in high school and Bachelor's degree are similar.

3. Patient ratio in the higher education group is the lowest.




Patient Count Ratio of Age



The patient ratio shows the greatest at age 61.

Count of Age



```
# Perform a t-test to see if the difference is statistically significant from zero
t_statistic, p_value = stats.ttest_1samp(diff, 0)
```

```
# Print the results
print(f"Mean difference: {mean_difference:.4f}")
print(f"Median difference: {median_difference:.4f}")
print(f"Standard deviation of difference: {std_difference:.4f}")
print(f"T-statistic: {t_statistic:.4f}")
print(f"P-value: {p_value:.4f}")
```

Mean difference: 0.0059
Median difference: 0.0060
Standard deviation of difference: 0.1114
T-statistic: 0.2886
P-value: 0.7749

```
print("There is no significant difference due to p-value is greater than 0.05")
```


There is no significant difference due to p-value is greater than 0.05

No significant difference of patient ratio among age groups from 60-90

Feature Selection


... Ranked Features based on Spearman's Correlation Coefficients:

Diagnosis	1.000000
FunctionalAssessment	0.366687
ADL	0.330450
MemoryComplaints	0.306742
MMSE	0.236271
BehavioralProblems	0.224350
SleepQuality	0.056069
EducationLevel	0.043325
CholesterolHDL	0.042542
Hypertension	0.035080
FamilyHistoryAlzheimers	0.032900
CholesterolLDL	0.032010
Diabetes	0.031508
CardiovascularDisease	0.031490
BMI	0.026402
Disorientation	0.024648
CholesterolTriglycerides	0.023072
HeadInjury	0.021411
Gender	0.020975
PersonalityChanges	0.020627



Machine Learning Optimization

A comparison of Models



The Predictive Capacity of an Alzheimer Machine Learning Model

Target:

- Diagnosis (of Alzheimer's)

Features:

- Age
- Gender
- Ethnicity
- Education Level
- BMI
- Smoking
- Alcohol Consumption
- Physical Activity
- Diet Quality
- Sleep Quality

- Family History of Alzheimer's
- Cardiovascular Disease
- Diabetes
- Depression
- Head Injury
- Hypertension
- Systolic BP
- Diastolic BP
- Cholesterol Total
- Cholesterol LDL
- Cholesterol HDL
- Cholesterol Triglycerides
- MMSE

- Functional Assessment
- Memory Complaints
- Behavioral Problems
- ADL
- Confusion
- Disorientation
- Personality Changes
- Difficulty Completing Tasks
- Forgetfulness



Limitations and Future Directions

- Skewed dataset
 - Confounding factors
 - Feature ambiguity
-
- Increase data pool
 - Extended feature combinations
 - Clarify feature collection criteria

