Voter/candidate

attribute	voter_counter_id	voter_id	first_name	last_name	dob	adhar_card	email	mobile	password	photo	is_active	is_voted	district_id	gender	party_id	is_independent	is_active	is_accepted	symbol_id	candidat_electi	total_votes
Datatype	int(5)	varchar(10)	varchar(20)	varchar(25)	Date	char(12)	varchar(25)	varchar(15)	varchar(200)	varchar(400)	int(1)	int(1)	int(3)	int(1)	int(2)	int(1)	int(1)	int(1)	int(2)	int(3)	int(5)
key	PK					UK							FK		FK				FK	FK	
	auto incremnet																				

Party

attribute	party_id	party_name	objective	party_head_id	is_active	email	phone	password	symbol_id	district _id
Datatype	int(2)	varchar(40)	varchar(200)	varchar(40)	int(1)	varchar(30)	varchar(15)	varchar(200)	int(2)	int(3)
key	PK	UK		FK					FK	FK
	auto incremnet									

Admin				
attribute	admin_id	name	email	password
Datatype	int(3)	varchar(20)	varchar(25)	varchar(200)
key	PK			
	auto incremnet			

Election							
attribute	ele_id	nomination_start_d	nomination_end_	ele_date	ele_result_date	district_id	
Datatype	int	date	date	date	date	int(3)	
key	PK					FK	
	auto_increment						

State			
attribute	state_id	state_name	state_code
Datatype	int(2)	varchar(30)	varchar(3)
key	PK		
	auto incremented		

District				
attribute	district_id	district_name	state_id	district_code
Datatype	int(2)	varchar(30)	int(2)	int(3)
key	PK		FK	
	auto incremented			

Symbol			
attribute	symbol_id	symbol_img	is_taken
Datatype	int(2)	varchar(400)	int(1)
key	PK		
	auto incremented		

Complaints

attribute	complaints_id	complaints_title	complaints_des	entity	user_id
Datatype	int(2)	varchar(50)	varchar(500)	int	varchar(10)
key	PK				FK
	auto incremented				

feedback			
attribute	feedback_id	feedback_title	feedback_description
Datatype	int(2)	varchar(50)	varchar(500)
key	PK		
	auto incremented		