Tables (19)

Name	Туре	Schema
app_Containers		CREATE TABLE "app_Containers" ("id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE, "container_name" varchar(40) NOT NULL UNIQUE, "container_price" INTEGER NOT NULL, "container_ingredients" TEXT NOT NULL)
id	INTEGER	"id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE
container _name	varchar(40)	"container _name" varchar(40) NOT NULL UNIQUE
container _price	INTEGER	"container_price" INTEGER NOT NULL
container_ingredients	TEXT	"container _ingredients" TEXT NOT NULL
app_IceCreamFI avours		CREATE TABLE "app_IceCreamFlavours" ("id" INTEGER NOT NULL UNIQUE, "name" varchar(40) NOT NULL, "price" integer NOT NULL, "flavour_ingredients" TEXT NOT NULL, "image" BLOB, PRIMARY KEY("id" AUTOINCREMENT))
id	INTEGER	"id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE
name	varchar(40)	"name" varchar(40) NOT NULL
price	integer	"price" integer NOT NULL
flavour_ingredients	TEXT	"flavour_ingredients" TEXT

Name	Туре	Schema	
		NOT NULL	
image	BLOB	"image" BLOB	
app_Myorders		CREATE TABLE "app_Myorders" ("id" INTEGER NOT NULL UNIQUE, "name" varchar(40) NOT NULL, "flavor_id" INTEGER NOT NULL, "topping_id" INTEGER NOT NULL, "container_id" INTEGER NOT NULL, "price" INTEGER NOT NULL, PRIMARY KEY("id" AUTOINCREMENT), FOREIGN KEY("flavor_id") REFERENCES "app_IceCreamFlavours"("id") ON DELETE CASCADE, FOREIGN KEY("container_id") REFERENCES "app_Containers"("id") ON DELETE CASCADE, FOREIGN KEY("topping_id") REFERENCES "app_Toppings"("id") ON DELETE CASCADE)	
id	INTEGER	"id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE	
name	varchar(40)	"name" varchar(40) NOT NULL	
flavor_id	INTEGER	"flavor_id" INTEGER NOT NULL	
topping_id	INTEGER	"topping_id" INTEGER NOT NULL	
container_id	INTEGER	"container_id" INTEGER NOT NULL	
price	INTEGER	"price" INTEGER NOT NULL	

Name	Туре	Schema
app_Size		CREATE TABLE "app_Size" ("scoop" INTEGER NOT NULL UNIQUE, "scoop_price" INTEGER NOT NULL, PRIMARY KEY("scoop"))
scoop	INTEGER	"scoop" INTEGER NOT NULL UNIQUE
scoop_price	INTEGER	"scoop_price" INTEGER NOT NULL
app_Toppings		CREATE TABLE "app_Toppings" ("id" INTEGER NOT NULL UNIQUE, "topping_name" varchar(40) NOT NULL, "topping_price" INTEGER NOT NULL, "topping_ingredients" TEXT NOT NULL, PRIMARY KEY("id" AUTOINCREMENT))
id	INTEGER	"id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE
topping_name	varchar(40)	"topping_name" varchar(40) NOT NULL
topping_price	INTEGER	"topping_price" INTEGER NOT NULL
topping_ingredients	TEXT	"topping_ingredients" TEXT NOT NULL
app_container _ Ingredients		CREATE TABLE "app_container_Ingredien ts" ("id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE)
id	INTEGER	"id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE
		CREATE TABLE

Name	Туре	Schema
app_flavors_In gredients		"app_flavors_Ingredients " ("id" INTEGER NOT NULL UNIQUE, "flavour_id" INTEGER NOT NULL, "flavour_ingredients" TEXT NOT NULL, "container_id" INTEGER NOT NULL, "container_ingredients" TEXT NOT NULL, "toppings_id" INTEGER NOT NULL, "toppings_ingredients" TEXT NOT NULL, PRIMARY KEY("id" AUTOINCREMENT), FOREIGN KEY("flavour_id") REFERENCES "app_IceCreamFlavours"(" id") ON DELETE CASCADE, FOREIGN KEY("container_id") REFERENCES "app_Containers"("id") ON DELETE CASCADE, FOREIGN KEY("toppings_id") REFERENCES "app_Toppings"("id") ON DELETE CASCADE)
id	INTEGER	"id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE
flavour_id	INTEGER	"flavour_id" INTEGER NOT NULL
flavour_ingredients	TEXT	"flavour _ingredients" TEXT NOT NULL
container_id	INTEGER	"container_id" INTEGER NOT NULL
container_ingredients	TEXT	"container _ingredients" TEXT

Name	Туре	Schema
		NOT NULL
toppings_id	INTEGER	"toppings_id" INTEGER NOT NULL
toppings_ingredients	TEXT	"toppings_ingredients" TEXT NOT NULL
app_toppings_I ngedients		CREATE TABLE "app_toppings_Ingedients " ("id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE)
id	INTEGER	"id" INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT UNIQUE
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_per missions		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRABLE INITIALLY DEFERRABLE INITIALLY DEFERRABLE INITIALLY

Name	Туре	Schema
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permissio n		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
auth_user		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL,

Name	Туре	Schema
		"email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
auth_user _grou ps		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE

Name	Туре	Schema
		INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
auth_user _use r _permissions		CREATE TABLE "auth_user_user_permissi ons" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
django_admin_I og		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0), "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES

Name	Туре	Schema
		"django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_time" datetime NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag">=0)
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
django_content _type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT

Name	Туре	Schema
		NULL
django_migrati ons		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL PRIMARY KEY AUTOINCREMENT
арр	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
sqlite_sequenc e		CREATE TABLE sqlite_sequence(name, seq)
name	TEXT	"name" TEXT
seq	TEXT	"seq" TEXT

Indices (15)

Name	Туре	Schema
auth_group_per missions_group _id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id_ b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
auth_group_per missions_group _id_permission _id_0cd325b0 _uniq		<pre>CREATE UNIQUE INDEX "auth_group_permissions_group_id_ permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")</pre>
group_id		"group_id"
permission_id		"permission_id"
auth_group_per missions_permi ssion_id_84c5c 92e		CREATE INDEX "auth_group_permissions_permissio n_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
auth_permissio n_content_type _id_2f476e4b		CREATE INDEX "auth_permission_content_type_id_ 2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
auth_permissio n_content_type _id_codename_ 01ab375a_uniq		<pre>CREATE UNIQUE INDEX "auth_permission_content_type_id_ codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")</pre>
content_type_id		"content_type_id"
codename		"codename"
auth_user_grou		CREATE INDEX "auth_user_groups_group_id_975595

Name	Туре	Schema
ps_group_id_97 559544		44" ON "auth_user_groups" ("group_id")
group_id		"group_id"
auth_user _grou ps_user _id_6a 12ed8b		CREATE INDEX "auth_user_groups_user_id_6a12ed8 b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
auth_user _grou ps_user _id_gro up_id_94350c0 c_uniq		CREATE UNIQUE INDEX "auth_user_groups_user_id_group_i d_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
auth_user _use r _permissions_ permission_id_1 fbb5f2c		CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")
permission_id		"permission_id"
auth_user _use r _permissions_ user _id_a95ea d1b		CREATE INDEX "auth_user_user_permissions_user_ id_a95ead1b" ON "auth_user_user_permissions" ("user_id")
user_id		"user_id"
auth_user _use r_permissions_ user_id_permis sion_id_14a6b6		CREATE UNIQUE INDEX "auth_user_user_permissions_user_ id_permission_id_14a6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")

Name	Туре	Schema
32_uniq		
user_id		"user_id"
permission_id		"permission_id"
django_admin_l og_content_typ e_id_c4bce8eb		CREATE INDEX "django_admin_log_content_type_id _c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_I og_user _id_c5 64eba6		<pre>CREATE INDEX "django_admin_log_user_id_c564eba 6" ON "django_admin_log" ("user_id")</pre>
user_id		"user_id"
django_content _type_app_labe l_model_76bd3 d3b_uniq		CREATE UNIQUE INDEX "django_content_type_app_label_mo del_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
django_session _expire_date_a 5c62663		CREATE INDEX "django_session_expire_date_a5c62 663" ON "django_session" ("expire_date")
expire_date		"expire_date"

Views (0)

Name Type Schema

Triggers (0)

Name Type Schema