Sapindus drummondii
Western soapberry

Also known as: Sapindus saponaria var. drummondii | Family: Sapindaceae

Rockery: 3 **TOTAL 3**



HABIT



FALL



LEAF





FLOWER / FRUIT

QUICK FACTS

Plant Type: Not stated

Evergreen or deciduous
Deciduous. Leaves pinnately compound, 8–18 leaflets, glossy medium green. Fall color yellow. Flowers yellowish-white in terminal clusters, May–June. Fruit yellow-orange to black drupes that persist into winter; toxic if ingested. Bark gray, divided into scaly plates. Fruits historically used as soap (saponins). Good urban tolerance. Clear yellow fall color

Growth & Size
Rate: Not stated
Size: 20–50 ft tall and wide. Medium-sized deciduous tree with open-rounded crown

Sun

Water

Soil
Tolerates dry to medium soils, including alkaline, sandy, and rocky

Zone 8a
Hardy in Zones 6–9. Suitable for Atlanta Zone 8a

ORIGIN AND CHARACTERISTICS

Origin
Native to southwestern United States and northern Mexico

Form
Deciduous. Leaves pinnately compound, 8–18 leaflets, glossy medium green. Fall color yellow. Flowers yellowish-white in terminal clusters, May–June. Fruit yellow-orange to black drupes that persist into winter; toxic if ingested. Bark gray, divided into scaly plates. Fruits historically used as soap (saponins). Good urban tolerance. Clear yellow fall color

Foliage
Not stated

Flowers and fruit
Not stated

Bark
Not stated

PLANTING NOTES

Siting
Not stated

Soil prep
Not stated

Depth & spacing
Not stated

Best planting season
Not stated

Establishment
Plant in full sun on well-drained soil. Drought tolerant after establishment. Fruit can be messy over patios or walks

HEALTH

Health
Generally pest-resistant. Fruit toxic if eaten. May sucker and form groves. Scales and borers occasionally noted

Symptoms
None stated