Vitex agnus-castus

Chaste tree, Lilac chastetree, Monk's pepper

Also known as: Abraham's balm, Chasteberry | Family: Lamiaceae

Rockery: 3 **TOTAL 3**

Not available

HABIT

Not available

FALL

Not available

LEAF



FLOWER

QUICK FACTS

Plant Type: Small tree or large shrub

Evergreen or deciduous
Deciduous multi-stemmed shrub or small tree. Aromatic palmate leaves with 5–7 grayish-green leaflets. No significant fall color. Fragrant lavender to violet (or white/pink) flower panicles mid to late summer. Small dark purple drupes. Attracts pollinators, hummingbirds, butterflies. Aromatic foliage. Suitable for borders, specimen, or trained as small tree

Growth & Size
Rate: Not stated
Size: 8–15 ft tall × 5–10 ft wide. Multi-trunked shrub or small tree. Fast growth

Sun

Water

Soil
Medium moisture, well-drained soils; adaptable to clay, sand, acid to alkaline

Zone 8a
Hardy USDA zones 6–9. Excellent for southern landscapes in zones 7–9. May die back in colder winters but recovers and flowers on new wood. Suitable for Atlanta Zone 8a

ORIGIN AND CHARACTERISTICS

Origin
Native to Mediterranean region and western Asia. Not native to North America

Form
Deciduous multi-stemmed shrub or small tree. Aromatic palmate leaves with 5–7 grayish-green leaflets. No significant fall color. Fragrant lavender to violet (or white/pink) flower panicles mid to late summer. Small dark purple drupes. Attracts pollinators, hummingbirds, butterflies. Aromatic foliage. Suitable for borders, specimen, or trained as small tree

Foliage
Not stated

Flowers and fruit
Not stated

Bark
Not stated

PLANTING NOTES

Siting
Not stated

Soil prep
Not stated

Depth & spacing
Not stated

Best planting season
Not stated

Establishment
Medium maintenance. Prune in early spring. Can be cut back hard

HEALTH

Health
Leaf spots possible with overhead irrigation. Can reseed and become invasive in some areas. Generally low serious problems

Symptoms
None stated