Cucumber Report

Start : Feb 21, 10:25:59.739 AM	End : Feb 21, 10:29:09.067 AM	Duration : 3 m 9.328 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 2 FAILED - 4 SKIPPED - 6

4

4

12

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
16 %
0 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Home Page of cheapair project	*1 m 38.015 s*	*1*	*0*	*1*	*0*	*3*	*2*	*1*	*0*
Departure Page of cheapair project	*31.053 s*	*1*	*0*	*1*	*0*	*4*	*0*	*1*	*3*
Trip Details Page of cheapair project	*30.047 s*	*1*	*0*	*1*	*0*	*3*	*0*	*1*	*2*
Registration page of cheapair project	*30.054 s*	*1*	*0*	*1*	*0*	*2*	*0*	*1*	*1*

#	Feature Name	T	P	F	S	Duration
1	Home Page of cheapair project	1	0	1	0	1 m 38.015 s
2	Departure Page of cheapair project	1	0	1	0	31.053 s
3	Trip Details Page of cheapair project	1	0	1	0	30.047 s
4	Registration page of cheapair project	1	0	1	0	30.054 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Home Page of cheapair project	Home Page Scenario	3	2	1	0	1 m 37.958 s
2	Departure Page of cheapair project	Departure Page Scenario	4	0	1	3	31.053 s
3	Trip Details Page of cheapair project	Trip Details Page Scenario	3	0	1	2	30.046 s
4	Registration page of cheapair project	Registration Page Scenario	2	0	1	1	30.054 s

Home Page of cheapair project

FAILED	DURATION - 1 m 38.015 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 10:25:59.739 AM // 10:27:37.754 AM /					

Home Page Scenario

FAILED	DURATION - 1 m 37.958 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 10:25:59.796 AM // 10:27:37.754 AM /				
Home Page of cheapair project				

#	Step / Hook Details	Status	Duration
1	Given Browser Launch	PASSED	52.914 s
2	When Enter the Details	PASSED	14.747 s
3	Then Validating the Details	FAILED	30.242 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='sc-fnGiBr kCVmbb']"} (Session info: chrome=109.0.5414.120) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'PC1-PC', ip: '192.168.225.102', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\PC1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:49527}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 038863b5837030d43a35dfef3d313997 *** Element info: {Using=xpath, value=//div[@class='sc-fnGiBr kCVmbb']}
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at org.openqa.selenium.By$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.$Proxy18.click(Unknown Source)		
	at com.aiiet.stepdefinition.HomePageStepDefinition.validating_the_details(HomePageStepDefinition.java:115)		
	at ?.Validating the Details(file:///C:/Users/PC1/eclipse-workspace/cheapair/src/test/resources/features/Ahomepage.feature:6)		
* Not displayable characters are replaced by '?'.			

Departure Page of cheapair project

FAILED	DURATION - 31.053 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	4
/ 10:27:37.875 AM // 10:28:08.928 AM /					

Departure Page Scenario

FAILED	DURATION - 31.053 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	4
/ 10:27:37.875 AM // 10:28:08.928 AM /				
Departure Page of cheapair project				

#	Step / Hook Details	Status	Duration
1	Given get the text of the departure time	FAILED	31.047 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//span[@class='sc-cNYriL iMFOwb'])[1]"} (Session info: chrome=109.0.5414.120) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'PC1-PC', ip: '192.168.225.102', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\PC1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:49527}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 038863b5837030d43a35dfef3d313997 *** Element info: {Using=xpath, value=(//span[@class='sc-cNYriL iMFOwb'])[1]}
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	    at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at com.sun.proxy.$Proxy18.getText(Unknown Source)
	    at com.aiiet.stepdefinition.DepartureStepDefinition.departureTime(DepartureStepDefinition.java:18)
	    at ?.get the text of the departure time(file:///C:/Users/PC1/eclipse-workspace/cheapair/src/test/resources/features/Bdepart.feature:4)
	* Not displayable characters are replaced by '?'.		

2	When select the departure ticket price	SKIPPED	0.002 s
3	Then get the text of the returning time	SKIPPED	0.000 s
4	And select the return ticket price	SKIPPED	0.000 s

Trip Details Page of cheapair project

FAILED	DURATION - 30.047 s	Scenarios	Steps
/ 10:28:08.936 AM // 10:28:38.983 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	Total - 3 Pass - 0 Fail - 1 Skip - 2

Trip Details Page Scenario

FAILED	DURATION - 30.046 s		Steps
/ 10:28:08.937 AM // 10:28:38.983 AM /			Total - 3 Pass - 0 Fail - 1 Skip - 2
Trip Details Page of cheapair project			

#	Step / Hook Details	Status	Duration
1	Given Verify text of the departure time	FAILED	30.041 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//b[@class='FlightSegment_Full__HourMinuesStyled-sc-18y1gd-3 iZePuD'])[1]"} (Session info: chrome=109.0.5414.120) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'PC1-PC', ip: '192.168.225.102', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\PC1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:49527}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 038863b5837030d43a35dfef3d313997 *** Element info: {Using=xpath, value=(//b[@class='FlightSegment_Full__HourMinuesStyled-sc-18y1gd-3 iZePuD'])[1]}
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.$Proxy18.getText(Unknown Source) at com.aiiet.stepdefinition.TripDetailsStepDefinition.verifyDepartureTime(TripDetailsStepDefinition.java:18) at ?.Verify text of the departure time(file:///C:/Users/PC1/eclipse-workspace/cheapair/src/test/resources/features/CTripDetails.feature:4) * Not displayable characters are replaced by '?'.		
2	When Verify text of the returning time	SKIPPED	0.001 s
3	Then Verify the selected Members	SKIPPED	0.001 s

Registration page of cheapair project

FAILED	DURATION - 30.054 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 10:28:39.013 AM // 10:29:09.067 AM /			1		2

Registration Page Scenario

FAILED	DURATION - 30.054 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 10:28:39.013 AM // 10:29:09.067 AM /				2
Registration page of cheapair project				

#	Step / Hook Details	Status	Duration
1	When Enter the details for registration	FAILED	30.049 s

#	Step / Hook Details	Status	Duration

Fields	values1	values2	values3	values4	values5	values6	values7	values8	values9
FirstName	bhanu	suji	mohana	sathish	suvetha	ashwin	samyuktha	yuvaraj	azar
MiddleName	priya	sujitha	lakshmi	kumar	rani	win	samyu	yuva	azar
LastName	B	ganesh	gowri	bala	madan	jaga	jaga	raj	udeen
suffix	Jr	Jr	Jr	Jr	Jr	Sr	Sr	II	III
Gender	F	F	F	M	F	M	F	M	M
Month	January	January	January	January	January	January	January	January	January
day	01	01	01	01	01	01	01	01	01
year	2000	2000	2000	2000	2000	2000	2000	2000	2000

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#firstName1"} (Session info: chrome=109.0.5414.120) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/ no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'PC1-PC', ip: '192.168.225.102', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome. ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\PC1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:49527}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 038863b5837030d43a35dfef3d313997 *** Element info: {Using=id, value=firstName1}
   at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
   at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
   at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372)
   at org.openqa.selenium.By$ById.findElement(By.java:188)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
   at com.aiiet.BasePackage.BaseClass.findElementBy(BaseClass.java:316)
   at com.aiiet.stepdefinition.RegisterStepDefinition.details(RegisterStepDefinition.java:19)
   at ?.Enter the details for registration(file:///C:/Users/PC1/eclipse-workspace/cheapair/src/test/resources/features/Dregistration.feature:6)
* Not displayable characters are replaced by '?'.

| 2 | Then Enter the card details | SKIPPED | 0.001 s |

Fields	values1
ccNum	4408041234567890

#	Step / Hook Details	Status	Duration
	<table><tr><td>month</td><td>01</td></tr><tr><td>year</td><td>2023</td></tr><tr><td>cvv</td><td>234</td></tr><tr><td>name</td><td>bhanu</td></tr><tr><td>country</td><td>India</td></tr><tr><td>address</td><td>chennai</td></tr><tr><td>address</td><td>anna nagar</td></tr><tr><td>city</td><td>chennai</td></tr><tr><td>phone</td><td>9842222848</td></tr><tr><td>email</td><td>mcabhanu2gmail.com</td></tr><tr><td>password</td><td>welcome@1987</td></tr><tr><td>confirm</td><td>welcome@1987</td></tr></table>		