

FreightFlex

Driver Mobile App

End-to-End Test Report

Report Date: 16 May 2026
Platform: React Native (iOS & Android)
Backend: FastAPI (Python)
Environment: Local / VPS (No Azure Storage)

Severity Legend

CRITICAL	Blocks core user flow — app is unusable for that feature
HIGH	Data is wrong, lost, or security concern
MEDIUM	Degraded UX, wrong feedback, minor data issue

1. Executive Summary

This report covers a full end-to-end code audit of the FreightFlex Driver mobile application. Every screen, API call, and backend route used by drivers was reviewed. 26 issues were identified spanning authentication, document upload, compliance/handover, availability scheduling, notifications, and general UX.

6 Critical issues block core functionality — delivery proof photos are never uploaded (a mock URI is used), handover photos are captured but never sent to the server, the compliance photo endpoints have a complete request-format mismatch, push notifications are never registered, and availability changes are not persisted correctly.

Severity	Count	Flows affected
CRITICAL	6	Compliance, Availability, Notifications
HIGH	9	Compliance, Documents, Jobs, Auth, API Client
MEDIUM	11	Auth, Navigation, Profile, Notifications, UX

2. Issue Master List

#	Severity	Flow	Issue	File / Line
1	CRITICAL	Compliance	Delivery photo uses hardcoded mock URI — real photo never uploaded	DeliveryScreen.tsx:61
2	CRITICAL	Compliance	Handover photos captured but never sent to backend	DriverApp.tsx:1413

#	Severity	Flow	Issue	File / Line
3	CRITICAL	Compliance	Handover/Delivery photo upload endpoints expect JSON (presigned URLs) but mobile sends FormData	compliance_flow.py:154
4	CRITICAL	Availability	Save creates duplicate slots instead of updating; toggle never persists	DriverApp.tsx:1614
5	CRITICAL	Availability	PUT /availability/toggle requires slot_id path param; mobile sends body only → 404	supplier.py / driverApi.ts:92
6	CRITICAL	Notifications	FCM token never registered → no push notifications on device	DriverApp.tsx (missing call)
7	HIGH	Compliance	Driver signature hardcoded to string 'driver_signed' — not real capture	DriverApp.tsx:1423
8	HIGH	Compliance	Haulier signature drawn on driver phone never sent to server (requires HAULIER role)	HandoverScreen.tsx:232
9	HIGH	Documents	documentType values (aadhaar_card, pan_card) not in backend DocType enum → 422	DocumentUploadScreen.tsx:29
10	HIGH	Documents	File MIME type hardcoded to image/jpeg regardless of actual file	DriverApp.tsx:1573
11	HIGH	Documents	docType vs documentType field name mismatch in API response vs mobile type	supplier.py:29 / types/index.ts:160
12	HIGH	Jobs	Quote field name: mobile sends quoteAmount, backend flat route may use price	DriverApp.tsx:1271 / driverApi.ts:307
13	HIGH	Jobs	canApply allows drivers with no uploaded documents to submit quotes	JobDiscoveryScreen.tsx:41
14	HIGH	Auth	Backend profile update field names: camelCase sent, backend may expect snake_case	DriverApp.tsx:1128
15	HIGH	API	Error from Pydantic validation (JSON object) displayed as [object Object]	client.ts:166
16	MEDIUM	Navigation	invoices.detail route renders nothing — empty case in renderCurrentView	DriverApp.tsx:694
17	MEDIUM	Navigation	onSelectDrawerRoute handles only 4 route groups; earnings/documents/availability do nothing	DriverApp.tsx:1767
18	MEDIUM	Navigation	compliance.loadcode vs compliance.loadCode case mismatch in normalizeComplianceStep	DriverApp.tsx:201
19	MEDIUM	Auth	authInfo success messages never rendered in any UI element	DriverApp.tsx:296
20	MEDIUM	Auth	defaultVerify.email hardcoded to john@example.com	DriverApp.tsx:109
21	MEDIUM	Auth	Reset password validator overwrites same error key twice — only last error shown	ResetPasswordScreen.tsx:56
22	MEDIUM	Auth	Button text nearly invisible on ForgotPassword/ResetPassword screens (amber on dark blue)	ForgotPasswordScreen.tsx:148

#	Severity	Flow	Issue	File / Line
23	MEDIUM	Profile	Document file picker allows video selection (mediaType:'mixed')	ProfileScreen.tsx:252
24	MEDIUM	Profile	Expiry date format DD-MM-YYYY may fail backend parsing (expects ISO8601)	ProfileScreen.tsx:247
25	MEDIUM	Notifications	Mark All Read button missing from NotificationsScreen UI	NotificationsScreen.tsx:195
26	MEDIUM	Branding	Copyright shows 'FreightFlow Systems' instead of FreightFlex	LoginScreen.tsx:125

3. Detailed Findings by Flow

3.1 Authentication Flow

Screens: LoginScreen → RegisterScreen → VerifyScreen → ProfileSetupScreen

The auth flow is largely functional. Login, register, OTP verification, forgot password and reset password all make correct API calls. Issues are mostly UX and edge-case bugs.

MEDIUM	AUTH-01	defaultVerify.email is hardcoded to 'john@example.com' (DriverApp.tsx:109). Correct email is set after registration but if VerifyScreen is reached via another path, the placeholder is shown.
MEDIUM	AUTH-02	authInfo state is set on registration success, OTP resend, etc., but no UI element ever reads or renders this variable. Users get no success confirmation text.
MEDIUM	AUTH-03	ResetPasswordScreen validate() (line 56) sets errs.password for both 'no uppercase' and 'no digit' checks, so only the last check survives. If both rules fail, only 'no digit' is shown.
MEDIUM	AUTH-04	ForgotPasswordScreen and ResetPasswordScreen have a 'Send'/'Submit' button with textColor=colors.accent (amber) on a dark blue (#1066B1) background — text is nearly invisible.
HIGH	AUTH-05	Profile setup calls PUT /profile/update with camelCase fields {licenceNumber, vehicleType}. The backend UpdateProfileRequest Pydantic model must have matching aliases; if it only accepts snake_case, these fields are silently dropped.

3.2 Document Upload Flow

The document upload now correctly POSTs multipart FormData to POST /supplier/documents/upload (fixed in this session). However several issues remain:

HIGH	DOC-01	DocumentUploadScreen defines aadhaar_card and pan_card as selectable document types (lines 29-33). Neither exists in the backend DocType enum. Submitting either returns 422. Valid types are: DRIVING_LICENCE, VEHICLE_REG, VEHICLE_INSURANCE, COMPANY_REG, FLEET_INSURANCE.
HIGH	DOC-02	In handleDocumentUpload (DriverApp.tsx:1573), file MIME type is always hardcoded to 'image/jpeg' regardless of whether the driver selected a PDF or PNG. The backend uses content_type to determine file extension.
HIGH	DOC-03	Backend _doc_dict returns docType (camelCase), but the mobile DocumentSummary type declares documentType. ProfileScreen recovers via d.documentType ?? d.docType but the canonical type definition is wrong and will cause TypeScript issues.
MEDIUM	DOC-04	Document file picker uses mediaType:'mixed' (ProfileScreen.tsx:252), allowing video selection. Videos sent as documents will produce corrupt or rejected files.
MEDIUM	DOC-05	Expiry date is formatted as DD-MM-YYYY (ProfileScreen.tsx:247). The backend stores it as a plain string (no parsing currently), but if date parsing is added later this will break. Recommend ISO8601 (YYYY-MM-DD).

No file-size validation exists anywhere in the upload flow. A driver can select a 100 MB file which will time out or exhaust server memory.

3.3 Compliance Flow (Handover → Delivery)

This is the most severely broken flow. Two of the six critical issues are here. The compliance pipeline — load code verify → handover checklist + photos + signature → delivery proof — is partially non-functional.

CRITICAL	COM-01	DeliveryScreen.handlePickPhoto (line 61) does NOT launch the camera or image library. It sets a hardcoded mock object {uri: 'mock-uri', type}. The delivery photo URL submitted to POST /compliance/delivery/submit is always the string 'mock-uri' — never a real image.
CRITICAL	COM-02	handleSubmitHandover (DriverApp.tsx:1413) receives handover photos from HandoverScreen as the second parameter but completely ignores them. submitHandoverPhotos is never called. Photos captured on device are discarded.
CRITICAL	COM-03	POST /compliance/handover/photos/upload (compliance_flat.py:154) expects a JSON body {jobId, count} and returns presigned Azure upload URLs. The mobile driverApi sends a FormData object with actual photo bytes. These are completely incompatible — the endpoint cannot accept the mobile's payload and would return 422.
HIGH	COM-04	signDriverHandover sends signatureData: 'driver_signed' (DriverApp.tsx:1423) — a hardcoded string literal, not a real captured signature. No signature canvas or pad is shown to the driver. The compliance record permanently stores this placeholder.
HIGH	COM-05	HandoverScreen captures a haulier signature locally via a drawing pad. This is stored in local state only. POST /compliance/handover/sign/haulier requires HAULIER role — a driver cannot call it. The haulier's drawn signature on the driver's phone is never persisted to the server.
MEDIUM	COM-06	normalizeComplianceStep (DriverApp.tsx:201) compares against 'compliance.loadcode' (all lowercase) but the route key is 'compliance.loadCode' (camelCase C). The comparison always fails, falling through to secondary status checks.
HIGH	COM-07	LoadCodeScreen has two duplicate buttons that both call onOpenScanner — one is a 'Can't find code? Open scanner' secondary button and one is an 'Open Scanner' primary button. The duplication is confusing UX.

3.4 Jobs & Quotes Flow

HIGH	JOB-01	Quote submission (DriverApp.tsx:1271) sends {jobId, quoteAmount, currency, notes}. The driverApi posts to POST /quotes/submit. If the backend flat endpoint expects the field name 'price' (as used internally in quotes_svc.submit_quote), the amount is silently ignored and stored as null.
HIGH	JOB-02	canApply check (JobDiscoveryScreen.tsx:41): canApply = docStatus === 'approved' docStatus === 'none'. Drivers with no uploaded documents (status 'none') are permitted to apply for jobs. They should be blocked until at least DRIVING_LICENCE is submitted.
MEDIUM	JOB-03	Quote currency is hardcoded to 'INR' in both defaultQuoteForm and handleQuoteSubmit. International drivers have no way to change the currency.
MEDIUM	JOB-04	GET /jobs/list?status=open is used for job discovery instead of GET /jobs/available. The list endpoint returns all jobs visible to the role; the available endpoint is specifically filtered for drivers. Drivers may see jobs they cannot bid on.

3.5 Availability Flow

CRITICAL	AVL-01	handleAvailabilitySave (DriverApp.tsx:1614) calls POST /supplier/availability/set once per selected day. On repeated saves this creates duplicate slots — each save adds N new rows instead of updating existing ones. The correct approach is PUT /availability/update/{slot_id}.
CRITICAL	AVL-02	PUT /supplier/availability/toggle/{slot_id} requires slot_id as a URL path parameter. driverApi.availability.toggle calls PUT /supplier/availability/toggle with a JSON body and no path param — the server receives a request with a literal path 'toggle' which matches no route → 404/405.
MEDIUM	AVL-03	GET /supplier/availability/me returns {slots, blocks}. The mobile reads avail.isAvailable and avail.availableDays (DriverApp.tsx:650) — fields that don't exist in the response. isAvailable is always undefined; the UI falls back to blocks.length === 0.
MEDIUM	AVL-04	Time inputs in AvailabilityScreen are plain TextInput fields with no time picker or validation. A driver can submit '99:99' as a start time, which will be stored and cause issues in any downstream scheduling logic.

3.6 Notifications

CRITICAL	NOT-01	FCM token registration (driverApi.notifications.registerFcmToken) is defined in driverApi.ts but is never called anywhere in DriverApp.tsx. The device token is never sent to the backend, so the server cannot send push notifications to the driver's device.
MEDIUM	NOT-02	WebSocket notification handler reads payload.body as the message body (DriverApp.tsx:928) but the REST notification list returns item.message. The field names are inconsistent — live push notifications may display blank message bodies.
MEDIUM	NOT-03	NotificationsScreen has no 'Mark All Read' button despite the onMarkAllRead handler being passed as a prop from DriverApp. The feature is implemented in the backend and the handler exists but is unreachable from the UI.

3.7 Navigation & General UX

MEDIUM	NAV-01	invoices.detail route (DriverApp.tsx:694-695) is an empty case — no screen is rendered. Tapping an invoice to view its details shows nothing.
MEDIUM	NAV-02	onSelectDrawerRoute only handles home, jobs.*, tracking/compliance.*, and profile.* route groups. Tapping earnings, documents, availability, notifications, or support in the drawer does nothing — the route is not mapped.
MEDIUM	NAV-03	earnings.monthly and earnings.total both load the same data and render the same screen. There is no distinct 'total earnings' view.
MEDIUM	BRD-01	LoginScreen.tsx:125 copyright text reads 'FreightFlow Systems' — incorrect brand name. Should be 'FreightFlex'.

3.8 API Client (mobile/src/api/client.ts)

HIGH	API-01	When a backend Pydantic validation error returns a JSON array as the 'message' field, JavaScript displays it as '[object Object]'. The client should detect array/object messages and format them into a readable string.
MEDIUM	API-02	Token refresh regex (/not authenticated unauthorized invalid or expired token/) is too narrow. Backend messages like 'Token has expired' or 'Authentication required' won't trigger a refresh — the user gets a raw 401 error instead.
MEDIUM	API-03	No network connectivity check before requests. On airplane mode, the driver waits the full 60-second AbortController timeout before seeing an error.

4. Recommended Fixes (Priority Order)

#	Priority	Title	Action
1	CRITICAL	Fix DeliveryScreen.handlePickPhoto	Replace mock object with launchCamera() / launchImageLibrary() call. Upload result to POST /files/upload or a dedicated compliance endpoint before calling submitDeliveryProof.
2	CRITICAL	Fix compliance photo upload contract	Convert POST /compliance/handover/photos/upload and /delivery/photos/upload to accept multipart FormData (UploadFile) directly, similar to the supplier documents fix. Remove the presigned-URL two-step for mobile clients.
3	CRITICAL	Wire up handover photo upload	In handleSubmitHandover, iterate the photos parameter and call driverApi.compliance.submitHandoverPhotos with the actual file FormData before signing.
4	CRITICAL	Register FCM token on login	After login succeeds, call driverApi.notifications.registerFcmToken(deviceToken) using the token obtained from @react-native-firebase/messaging.
5	CRITICAL	Fix availability save — update not create	Fetch existing slots first. For each selected day, if a slot already exists call PUT /supplier/availability/update/{slot_id}; otherwise POST /availability/set.
6	CRITICAL	Fix availability toggle API call	driverApi.availability.toggle must include slot_id as a path parameter: PUT /supplier/availability/toggle/{slotId}.
7	HIGH	Add real driver signature capture	Integrate a signature canvas (e.g. react-native-signature-canvas). Upload the captured SVG/PNG to /files/upload and send the returned URL as signatureData.
8	HIGH	Remove aadhaar_card and pan_card from DocumentUploadScreen	These types are not in the backend DocType enum. Replace with the valid types: DRIVING_LICENCE, VEHICLE_REG, VEHICLE_INSURANCE.
9	HIGH	Fix file MIME type in document upload	Use file.type from the picked asset instead of hardcoding 'image/jpeg'. Also restrict mediaType to 'photo' or add 'pdf' support explicitly.
10	HIGH	Prevent unverified drivers from submitting quotes	Change canApply: docStatus === 'approved' — remove the ' docStatus === none' clause.

#	Priority	Title	Action
11	MEDIUM	Add 'Mark All Read' button to NotificationsScreen	Add a header-right button that calls onMarkAllRead prop.
12	MEDIUM	Fix invoices.detail empty route	Implement and render an InvoiceDetailScreen for the invoices.detail route.
13	MEDIUM	Map all drawer routes in onSelectDrawerRoute	Handle earnings.*, documents.*, availability.*, notifications.*, support.* route groups.
14	MEDIUM	Fix LoginScreen copyright text	Change 'FreightFlow Systems' to 'FreightFlex'.
15	MEDIUM	Fix invisible button text on ForgotPassword/Reset screens	Use colors.white or a high-contrast color on the dark blue background.

5. Manual Test Checklist

Use this checklist when manually testing on a device after fixes are applied.

◆ Authentication

- Register with valid name/email/phone/password (min 8 chars, uppercase, digit)
- Check OTP email received; enter correct OTP → lands on ProfileSetup
- Enter wrong OTP → see clear error message
- Request OTP resend → receive new email; old OTP rejected
- Login with wrong password → see 'Invalid credentials' (no page reload)
- Login with correct password → lands on Dashboard (or ProfileSetup if incomplete)
- Forgot password → receive OTP email → reset with new password → login succeeds
- Change password from Settings → old password required, new password confirmed
- Logout → session cleared, redirected to Login

◆ Profile

- Upload profile photo → photo appears immediately in header
- Upload profile photo a second time → replaces previous (no 500 error)
- Update name, phone, vehicle type → changes persist after refresh
- View documents list → correct statuses shown (PENDING / APPROVED / REJECTED)
- Upload DRIVING_LICENCE document → appears in list with PENDING status
- Upload VEHICLE_REG document → appears in list
- Upload VEHICLE_INSURANCE document → appears in list
- Re-upload same document type → replaces previous (no uniqueness error)

◆ Jobs & Quotes

- Browse available jobs → list loads with correct details
- View job detail → pickup, delivery, weight, price visible
- Submit quote with amount → quote appears in My Quotes with PENDING status

- Withdraw a pending quote → quote removed from list
- Driver with no documents cannot submit quote (blocked by UI)

◆ **Compliance — Handover**

- Verify load code → correct code accepted, wrong code rejected with error
- Complete vehicle checklist → all items tappable
- Capture handover photos → photos visible in preview
- Handover photos uploaded to server (verify via admin panel or DB)
- Driver signs handover → real signature captured (not placeholder string)
- Haulier countersigns → system records both signatures
- Proceed to active tracking after both signatures

◆ **Compliance — Delivery**

- Capture delivery photo using camera → real photo visible in preview
- Delivery photo URL is a real server URL (not 'mock-uri')
- Enter recipient name → required field validated
- Capture recipient signature → drawn signature recorded
- Submit delivery → POST /compliance/delivery/submit succeeds
- Payment released screen appears after successful submission

◆ **Availability**

- Set availability for Monday 08:00–17:00 → slot created in DB
- Save again for same day → existing slot updated, no duplicate created
- Toggle a day off → change persists after app restart
- Block dates work correctly — blocked range appears in list

◆ **Notifications**

- Push notification received on device when haulier accepts quote
- Tapping push notification opens correct screen
- In-app notification badge shows unread count
- Marking one notification read → count decrements
- Mark All Read → all notifications cleared
- Live WebSocket notification arrives without app restart

◆ **General / Edge Cases**

- No network → clear error shown within a few seconds (not 60s hang)
- Slow network → upload shows loading state throughout
- Session expires mid-session → auto-refreshes transparently
- All drawer menu items navigate to correct screens
- Invoice detail screen renders invoice data
- Earnings monthly and total show different data