Claude / Codex + Unity + Blender MCP

A short step-by-step guide — one project, one Blender file, one port

1. Create a project in your engine

- Create a new project in Unity (or in another engine). This guide uses a single project as the example.

2. Open the project folder in Claude or Codex


- Open the root folder of the Unity project in Claude Code or Codex.
- If you use VS Code, open this same folder as the project's working folder.

3. Create a Blender file inside the project

- Open Blender and create a new file.
- Save it right inside the project folder, for example: Blender/main.blend.
- From here on, use only this one file, main.blend.

4. Install Blender MCP and open the MCP tab

- First install the MCP for Blender add-on. In a terminal run: `uvx mcp-for-blender install-addon`
- Then in Blender open Edit → Preferences → Add-ons and enable “Interface: MCP for Blender”.
- After that, in the 3D View press N → open the “MCP for Blender” tab.



5. Set the port in Blender

- In the MCP for Blender tab, set the port. This example uses 9876.
- Start the MCP Server / make sure the server is active.

6. Connect Blender MCP to Claude or Codex

- Use only the option for the client you work in.

Claude Code — Desktop or VS Code

- Open a terminal in the project folder and run:

```
claude mcp add --scope local blender -- uvx mcp-for-blender --port 9876
```

- Check the connection: `claude mcp list` or the `/mcp` command inside Claude Code.
- Claude Code Desktop and Claude Code in VS Code use this project configuration.

Codex — Desktop or VS Code

- Open a terminal and run:

```
codex mcp add blender -- uvx mcp-for-blender --port 9876
```

- Check the connection: `codex mcp list`.
- Codex Desktop and the Codex extension for VS Code share a common MCP configuration.

7. Close the engine, keep Blender open

- Save the project and close Unity.
- Leave Blender with the main.blend file open.
- The MCP Server in Blender must stay running on port 9876.

8. In the first prompt, specify the engine, the Blender file and the port

- Tell the agent that it is working with the current Unity project.
- Say that 3D models must be created and edited through Blender MCP.
- Give the Blender file name main.blend and the port 9876.

Example prompt

```
Work with the current Unity project.
Use Blender via MCP to create and edit 3D models.
Blender file: Blender/main.blend
Blender MCP port: 9876
Save all created models and needed files inside the current project.
```