FINANCIAL ENGINEERING PROJECT

Making Concentrated Liquidity Pay

Risk-Sensitive Reinforcement Learning on Uniswap v3

Thaker, Rahul

Student ID: _____

Risk Management Institute

National University of Singapore

Itemized workload	**Hours**
Data collection, ingestion and validation	25
Literature review	35
Programming: pipeline, simulator, exact engine, RL environment, evaluation, tests, report tooling	110
Experiments, analysis, report writing and review	70
Total workload	**240**

Original contribution. This project has the following original contributions:

- An exact, parity-checked testbed for concentrated-liquidity research: an integer fee-growth replay engine, a fast training simulator, and a harness that bounds their fee drift to about 10^{-7} USDC per step on recorded data.
- A joint risk-sensitive reinforcement-learning formulation in which one policy chooses the band width and the hedge ratio, with CVaR used both as a training penalty and as the checkpoint-selection statistic across five seeds.
- The first measurement at the level of a policy, to our knowledge, of learned hedge ratios in concentrated-liquidity provision, replayed against recorded on-chain events with gas, fees and slippage applied to both the liquidity and the hedge leg.
- An empirical active/passive boundary across two fee tiers, with an analytical loss-versus-rebalancing overlay, showing where the fee tier flips the passive sign and why recentring is dominated on the primary pool.
- A diagnostic account of why a standard agent fails on this task, which interface repairs restore learning, and an ablation showing the regime input buys tail protection rather than return.

Workload hours are estimated from the repository history (302 commits across 30 working days), the code base (about 76 000 lines including tests) and the recorded compute log.

Making Concentrated Liquidity Pay

Risk-Sensitive Reinforcement Learning on Uniswap v3

Thaker, Rahul

Risk Management Institute, National University of Singapore

Abstract

Providing liquidity on Uniswap v3 looks passive, but it is not. A liquidity provider (LP) chooses a price range, earns fees while the price stays inside it, and loses when informed flow moves the price against it. On many large pools those losses exceed the fees earned. The LP must decide when to recenter, how wide to keep the band and how much to hedge; each choice costs gas, fees or slippage.

We study those decisions as a risk-sensitive reinforcement learning problem on three years of recorded on-chain trades from the 0.05 % (500 pips) ETH/USDC pool, with 2024 held out and frictions charged. The study asks where fees fall short of losses, why a standard learner fails, whether one policy can manage the band and the hedge jointly, and where active management pays.

Fees fail to cover impermanent loss at every width on the primary pool; the 0.30 % tier turns the wide bands net positive, while rebalancing loses on both. A standard learner collapsed into churn; after repairs, five seeds learned to deploy one band and hold. The mean learned policy fails the pre-registered Sharpe test against the frozen best static width (-0.73, CI $[-1.36, -0.04]$) and earns less, but cuts CVaR against every unhedged rule (+23.7 to +34.2). A delta-matched hedge cuts the tail to -3.15 from -59.65 for 2 731 per window. The best seed ties the static width on Sharpe and leads on tail risk. Active management buys insurance in stress and pays for it in calm.

Index Terms: reinforcement learning, Uniswap v3, concentrated liquidity, market making, loss-versus-rebalancing, impermanent loss, risk-sensitive reinforcement learning.

Contents

I Introduction **5**

II How Concentrated Liquidity Works **7**

II.A A position as a bet on a range 7

II.B Two losses, one larger 7

II.C The decisions and the risk 8

III Related Work **10**

III.A Market making and optimal execution 10

III.B Automated market maker design and LP economics 11

III.C Learning for liquidity provision 12

III.D Risk-sensitive reinforcement learning 13

III.E Learning methods and tooling 13

III.F The gap 14

IV The Liquidity Provider's Decision Problem **14**

IV.A State 15

IV.B Action 15

IV.C Reward 16

IV.D Risk and benchmarks 17

V Building a Trustworthy Testbed **18**

V.A The record 18

V.B The exact engine 19

V.C Two engines, one check 19

V.D The failures that shaped the design 19

VI Experimental Design **20**

VI.A Benchmarks 20

VI.B Metrics 22

VI.C Ablations and the boundary 22

VIIResults **23**

VII.AWhere the fees fail 23

VII.BWhy the first policies failed 24

VII.CWhether one policy does better 27

VII.DWhere active management pays 29

VIIDiscussion **32**

VIII.AThe boundary the windows draw 32

VIII.BWhat the hedge buys and costs 32

VIII.CWhy timing collapsed to a deployment decision 33

VIII.DThreats to validity 33

IX Conclusion **34**

A Notation and Glossary **40**

B Data Collection and Validation **41**

B.A Pools and window 41

B.B The recorded feeds 41

B.C Validation and the two warnings 42

B.D Splits and evaluation windows 43

C Derivations **43**

C.A The value of a concentrated position 43

C.B Impermanent loss 44

C.C Concentration and loss-versus-rebalancing 45

C.D Fee income and the liquidity share 46

C.E The hedge leg 46

C.F Risk measure and the training objective 47

D Testbed Specification **47**

D.A The exact replay engine 48

D.B The fast simulator 48

D.C The parity harness 49

D.D Cost models 49

D.E The learning interface 49

D.F Training settings 50

E Complete Per-Window Results **51**

F Ablation and Boundary Tables **51**

F.A Static width selection 56

F.B The scripted recentring rules 56

F.C Friction ablation 57

F.D Fee-tier contrast 57

F.E Boundary sweep 58

F.F Regime-feature ablation 60

G Reproducibility **60**

G.A Software 60

G.B Program inventory 60

G.C Data files 61

G.D How to run 61

G.E Hardware and runtimes 62

G.F Verification 62

I Introduction

Automated market makers let anyone earn trading fees without quoting prices by hand. Uniswap v3 sharpened the offer: a liquidity provider (LP) chooses the price range it is willing to trade in, so a deposit of 100 000 USDC earns the fee share of a larger full-range position while the price stays inside the chosen band.[1] Narrowing the band raises the fee earned per dollar of capital, and that promise drew liquidity into v3.

The promise hides a cost. Liquidity quoted away from the market price is an offer that arbitrageurs accept, and every such trade pushes the pool toward the market price while leaving the LP holding more of the asset that is falling. Because the loss is a transfer rather than a fluctuation, it does not reverse when the price returns. Milionis et al. named this adverse selection cost loss-versus-rebalancing (LVR) and showed that a full-range position loses value at a rate proportional to the square of volatility.[2] Fritsch and Canidio measured realised arbitrage losses on large pools and found that they exceed the fees those pools earn,[3] and Loesch et al. showed that concentration magnifies the loss once the price leaves the band.[4] Fee income alone is not the LP's return.

An LP who wants more than a passive range has three decisions, and they interact. When to recenter trades fee income against gas and slippage; how wide to set the next band trades fee density against the time until an edge; how much of the position to hedge trades directional risk against funding and perp fees. Each decision is an impulse, costly and taken under uncertainty about volatility, order flow and regime. The objective is not to earn the most but to earn the most per unit of risk taken, which places the problem within risk-sensitive impulse control rather than static portfolio choice.[5]

Recent work takes up parts of it. Zhang et al. train a hedged agent for v3 provision, but the hedge executes without cost or funding and the policy sees no regime information.[6] ZeroSwap learns to set a market maker's spread so that quoted prices track an external reference, a different lever from range placement.[7] RAmmStein derives regime-dependent rebalancing thresholds and reports fewer rebalances for the same net return, but its net metric excludes impermanent loss and it works with off-chain data for a single pair.[5] Chionas et al. study risk aversion in concentrated liquidity inside a simulation and leave out on-chain data and the hedge.[8] None of these places timing, width and hedge decisions in a single risk-sensitive policy, charges every friction on both the liquidity and hedge legs, and evaluates it on recorded on-chain trades against hand-written rules.

This report fills that gap. We build a testbed on three years of recorded trades from two real ETH/USDC pools, with an exact replay backtester that computes fees in the protocol's own integer arithmetic, a fast simulator for training, and a parity harness that keeps the two honest on identical inputs. On that testbed we ask four questions.

- **Where do fees fail?** We decompose passive returns into fees, impermanent loss, gas and slippage, and locate the conditions under which the losses win.
- **Why does naive learning fail?** We document the collapse of a standard policy on this task, trace it to three interface problems, and measure what each repair buys.
- **Can one policy do better?** We train a risk-sensitive policy over timing, width and hedging and compare it out of sample with the best hand-written rules and a hedged benchmark.
- **Where is active management worth it?** We map the boundary between active and passive provision across volatility, fee tier, gas and capital.

The failures of the first policies are part of the result, not a footnote. In this domain, what the agent is allowed to see and what it is rewarded for matter more than the choice of learning algorithm, and a report that showed only the eventual policy would hide the more transferable lesson.

II How Concentrated Liquidity Works

II.A A position as a bet on a range

Uniswap v3 indexes price by integer ticks. An LP picks a lower and an upper tick, and the deposit backs trades only while the pool price stays between them.[1] In protocol units the price is a raw square root, $s = \sqrt{1.0001^{\text{tick}}}$, which increases with the tick; the human price is $q(s) = 10^{d_1 - d_0}/s^2$ USDC per WETH, so a lower tick means a higher ETH price. Inside a band $[s_a, s_b]$ the position holds the token amounts

$$x(s) = \frac{L}{10^{d_0}} \left(\frac{1}{s} - \frac{1}{s_b} \right), \tag{1}$$

$$y(s) = \frac{L}{10^{d_1}} \left(s - s_a \right), \tag{2}$$

and its USDC value is therefore

$$V(s) = x(s) + y(s)\, q(s) = \frac{L}{10^{d_0}} \left(\frac{2}{s} - \frac{1}{s_b} - \frac{s_a}{s^2} \right). \tag{3}$$

As the ETH price falls, the position sells USDC and accumulates WETH; as the price rises it does the opposite. At an edge of the band the position holds a single asset, and once the price leaves the band it stops trading altogether, so a passive position cannot escape the wrong side of a move.

Fees accrue in proportion to the position's share of active liquidity. Narrowing the band raises that share for a given deposit, which is why concentration is attractive, but it also shortens the expected time until the price reaches an edge. That tension between fee density and band lifetime sits underneath every decision in the report, and Fig. 1 shows the two effects together.

II.B Two losses, one larger

Impermanent loss (IL) is the shortfall of the position against holding the initial deposit. For a full-range position with equally valued legs and price ratio $r = q_t/q_0$,

$$\text{IL}(r) = \frac{2\sqrt{r}}{1 + r} - 1, \tag{4}$$




Figure 1: A concentrated position versus a passive holding of the same opening basket. Left: the position tracks the basket while the price sits inside the band and stops following it at the edges, so it gives up the upside of a rally while keeping the downside of a fall. Right: the asset mix rotates from WETH to USDC as the price rises and freezes at the edge. Illustrative parameters: 100 000 USDC entered at 3000 USDC per WETH.

which is second order in the price move; at $r = 1.2$ it is -0.41 %. On v3 the same expression applies only inside the band, and outside it the position is a one-sided holding, so IL depends on where the band was placed.[4]

LVR is sharper. Compare the position with a portfolio that continuously rebalances to hold the same instantaneous exposure. A second-order expansion of the full-range value shows that the LP falls behind that portfolio at the rate

$$\mathrm{dLVR}_t = \frac{1}{8}\,\sigma^2\,V_t\,\mathrm{d}t, \tag{5}$$

the loss-versus-rebalancing of Milionis et al.[2] Adverse selection therefore grows with the square of volatility and with position size, and fee income must exceed it for passive provision to be viable. Concentration raises fee density but not the fee rate, so it helps only when the extra fee share outweighs the extra exposure to arbitrage; Section III finds that on many large pools it does not. Figure 2 shows the shape of both losses.

II.C The decisions and the risk

An LP that wants to improve on the passive outcome must decide when to act, where and how wide to place the next band, and how much market risk to carry. The levers interfere, and Table 1 states what each one buys and what it costs. Because acting is lumpy, the problem is one of impulse control,[5] and because the outcome is uncertain the right measure is profit per unit of risk. We use the annualised Sharpe ratio and the conditional value-at-risk (CVaR) at the 5 % level as primary statistics; CVaR is coherent and has a convex representation that can be optimised directly.[9] Figure 3 makes the sequence




Figure 2: The two losses. Top: impermanent loss against the price move, second order and small for a full-range position. Bottom: the LVR rate against volatility for a 100 000 USDC and a 200 000 USDC position, showing both the quadratic dependence on volatility and the linear dependence on size.

Table 1: The three levers and the trade-off each carries. Every return in the study is measured after the costs of the active levers are charged: the liquidity leg pays gas, slippage and impermanent loss, and the hedge leg adds funding and perp fees once the overlay is enabled.

Lever	Choice	Buys	Costs
Timing κ_t	hold or recenter	fee income on a band close to the price	gas and slippage; the fee position restarts
Width w_t	width of the band, in tick spacings	fee density for a given deposit	time until the price reaches an edge
Hedge h_t	short fraction of ETH delta	removal of directional swings	funding and perp trading fees




Figure 3: Why acting is a decision rather than a rule. An illustrative price path with a ±5% band: each exit forces a recentring, and each recentring adds gas and slippage to a cost that only ever grows. The path is illustrative and the costs are simplified; the study charges per-block gas and slippage on the inventory actually swapped.

of decisions and costs concrete.

III Related Work

The study sits between two literatures. The first prices what an automated market maker can earn and lose; it shows that adverse selection is a structural cost, not an accident of who trades. The second supplies the decision machinery: reinforcement learning for market making and trading, and the risk-sensitive extensions that judge a policy on its tail. This section reviews both, states what each establishes, and locates the gap the study fills.

III.A Market making and optimal execution

Classical market making quotes prices around a reference value while managing inventory risk. Avellaneda and Stoikov model a dealer who posts bid and ask quotes against a limit order book, derives reservation prices from inventory and risk aversion, and shows how spreads widen as inventory grows

and as the horizon shortens.[10] The same tension, between capturing the spread and carrying unwanted inventory, governs a much older problem: Almgren and Chriss choose a liquidation schedule that trades price impact against timing risk, and the optimal schedule is the ancestor of the cost-aware rebalancing rule this study uses as a benchmark.[11] Neither model is an AMM. A limit order book dealer chooses quote prices and sizes, while a liquidity provider chooses a price range and a liquidity share; the LP's inventory is a deterministic function of the range, and its loss mechanism is the concavity of that function rather than an adverse selection spread.

The reinforcement learning line replaces closed-form quotes with learned policies. Guéant and Manziuk train a policy that quotes across hundreds of corporate bonds at once, sidestepping the curse of dimensionality that makes a per-instrument model impractical.[12] Ganesh et al. build a multi-agent dealer market and show that a learner discovers competitor pricing and learns to shade quotes and manage inventory, with the reward specification deciding much of the behaviour.[13] Zhang et al. study continuous futures with volatility-scaled positions and report gains against time-series momentum after transaction costs.[14] These papers demonstrate that reinforcement learning works in trading settings with realistic frictions, and they supply the reward design lessons, but their state is an order book and their action is a quote, so they do not speak to range geometry or to the losses that make liquidity provision hard.

III.B Automated market maker design and LP economics

The mechanics of constant-function market makers are well mapped. Angeris et al. prove that a constant-product market tracks the reference price under mild conditions and characterise the deviation when the reference moves away, with agent-based simulations supporting the stability argument.[15] The same authors give conditions under which a constant-function market works as a price oracle,[16] and later work axiomatises the family and shows that every constant-function market admits a unique well-behaved trading function in a general geometric framework.[17,18] Xu et al. systematise the design space and its trade-offs.[19] This literature explains what a pool does to prices; it treats the liquidity provider's return as a residual of the mechanism.

That residual is now measured. Capponi and Jia show that automated execution transfers value from liquidity providers to arbitrageurs when exchange rates move, that adoption depends on the pair's usefulness and on the correlation of its legs, and that a more curved pricing curve blunts arbitrage at the cost of trader surplus.[20] Heimbach et al. model the choices a Uniswap v3 provider faces and argue

that the design demands far more decisions than earlier automated markets, with fee income and loss exposure moving together.[21] Loesch et al. measure impermanent loss on live v3 positions and show that concentration magnifies it when the price leaves the band.[4] Fritsch and Canidio compare the two sides on real pools and find arbitrage losses typically exceeding the fees earned, with passive full-range positions often outperforming concentrated ones.[3]

The theory of that loss is the anchor of this report. Milionis et al. define loss-versus-rebalancing as the gap between the pool and a continuously rebalanced portfolio, derive the rate $\frac{1}{8}\sigma^2 V$ for a full-range constant-product position, and show that it accrues on any price path, whether or not any trader is informed.[2] Fees change the threshold rather than the mechanism: with a proportional fee, arbitrage only pays once the pool price deviates by more than the fee, and the expected arbitrage profit scales down with the fraction of blocks that present a profitable opportunity.[22] Competition among permissionless providers then pushes liquidity past the social optimum, because each provider ignores the adverse-selection cost its entry imposes on the others.[23] Campbell et al. endogenise the fee itself and show that the profit-maximising fee depends on volatility and volume, so the fee that clears an LP's costs is a function of the market state rather than a protocol constant.[24] The empirical and the theoretical strands agree on the shape of the problem: gross fee yield is not an LP's return, and the gap between them is adverse selection.

What this literature does not supply is a decision rule. Its objects are mechanisms, fee schedules and passive positions; the provider is a price taker of the mechanism, not an agent who chooses when to act, how wide to sit and how much of the residual risk to hedge.

III.C Learning for liquidity provision

A smaller literature learns the provider's decisions. Zhang et al. train a hedged double deep Q-network on a v3 environment and report large gains over baselines, but the hedge is assumed frictionless and the policy sees no regime features.[6] ZeroSwap learns the spread of a market maker so that quoted prices track an external reference, an orthogonal lever to range placement.[7] Chionas et al. treat concentrated liquidity as a risk-aversion problem in simulation and find that higher volatility and gas widen optimal positions and reduce rebalancing, while a risk penalty trims the adverse tail; their analysis uses no on-chain data and no hedge.[8] Xu and Brini train a PPO provider that adjusts positions on rolling windows to balance fees against impermanent loss under regime shifts.[25] RAmmStein poses regime-dependent rebalancing thresholds as a problem of impulse control and reports that lazy rebal-

ancing when the regime warrants it improves net return with far fewer rebalances, though its net metric excludes impermanent loss and the study relies on off-chain data for one pair.[5]

These studies establish that a learned provider can beat a hand-written rule inside their respective settings. Each leaves at least one of the study's requirements untouched: none charges every friction on both the liquidity and hedge legs, none evaluates on validated on-chain replay across several seeds with paired intervals, and none places the hedge ratio in the same learned action as the range decision.

III.D Risk-sensitive reinforcement learning

Judging a policy on its tail is a distinct problem from maximising its mean. Mihatsch and Neuneier replace the expectation in the Bellman recursion with an exponential utility and show that a single parameter interpolates between risk-seeking and risk-averse behaviour.[26] Tamar et al. extend policy gradients to coherent risk measures generally, using a convex-programming step over the risk envelope,[27] and Chow and Ghavamzadeh derive policy-gradient and actor-critic algorithms for mean-CVaR Markov decision processes, which makes the tail a differentiable objective rather than a post-hoc measurement.[28] Bühler et al. bring the same machinery to hedging under frictions and risk limits, and show that a rich enough set of learned strategies approximates the optimal solution.[29] The measures themselves are fixed by Artzner et al.'s coherence axioms[30] and by the convex representation of Rockafellar and Uryasev.[9]

This study uses those results in two places. The reward subtracts a multiple of a trailing empirical expected shortfall, so the policy's gradient sees the tail it will be judged on, and the checkpoint selection ranks candidates by a validation Sharpe computed on a held-out slice of the training lane. The second choice is a direct response to the failure documented in the results: selection on training return chose an over-hedged policy that lost out of sample.

III.E Learning methods and tooling

The optimization machinery is standard and deliberately so. Reinforcement learning solves sequential decisions from interaction data without a model;[31] proximal policy optimization supplies a clipped surrogate objective that is stable across updates;[32] generalized advantage estimation controls the variance of its advantage estimates.[33] The study uses the reference implementations of both through Stable-Baselines3 on the Gymnasium interface,[34,35] which keeps the experiments reproducible without mak-

Table 2: The closest studies and what each leaves open. "Decisions" lists what the policy or model chooses; "Evidence" distinguishes theory, simulation and recorded data.

Study	Decisions	Evidence	What it leaves open
Avellaneda and Stoikov[10]	quote prices and sizes	limit-order-book theory	no range geometry, no pool mechanism
Milionis et al.[2,22]	none (loss accounting)	AMM theory	no provider decision rule
Heimbach et al.[21]	liquidity allocation	model and pool data	static choices, no learned policy
Fritsch and Canidio[3]	none (measurement)	on-chain pools	passive positions only
Zhang et al.[6]	range and rebalancing	simulated v3	frictionless hedge, no regimes
ZeroSwap[7]	quoted spread	simulated market	spread, not range or hedge
Chionas et al.[8]	range and rebalancing	simulated v3	no on-chain data, no hedge
Xu and Brini[25]	active range management	rolling v3 windows	no hedge, no pre-registered risk test
RAmmStein[5]	rebalancing thresholds	off-chain, one pair	net metric excludes impermanent loss
This study	width and hedge ratio	recorded on-chain replay	single pair, one evaluation year

ing the algorithms part of the contribution. The one interface that is not standard is the action space: the policy emits a factored action whose first component is a range choice and whose second is a hedge ratio, a discrete multi-head space rather than a single categorical output.

III.F The gap

Table 2 places the closest studies beside this one. Two patterns are visible. The economic literature prices the LP's losses but leaves the decisions open; the learning literature makes the decisions but evaluates them in simulation, on one leg, or without the frictions that decide the sign of the result. This study trains a single policy over width and hedge on recorded on-chain events, charges gas, slippage, fees and funding on both legs, and reports the pre-registered risk comparison across five seeds with paired intervals.

IV The Liquidity Provider's Decision Problem

We model the LP's problem as a risk-sensitive Markov decision process with impulse control. Decisions are taken every ten minutes over an episode of thirty days. At each decision the agent sees a fixed observation, chooses between holding and acting, and receives a reward that measures how far the strategy's value has moved beyond a passive benchmark, net of every cost. The volatility regime and order flow are latent, so the process is partially observed: the agent sees only the history summarised in the observation. Figure 4 shows one decision cycle.




Figure 4: One cycle of the LP decision process. The policy acts every ten minutes; a decision to rebalance moves the band and charges gas and slippage, while a decision to hold leaves the position where it is. Rewards accumulate over an episode of thirty days against the fixed opening basket.

Table 3: The 24 observation features, grouped by source. Every field is computed from information available at the decision time, so an observation at time t cannot contain a bar from $t + 1$.

Group	Features	n
Market	price, sqrt price, tick, 1 h and 24 h log returns, realised 24 h volatility	6
Position	in-range flag, position value, two uncollected fee balances, IL against the fixed basket	5
Pool	active liquidity, fee tier	2
Costs	recent gas price, recent ETH reference price	2
Regime	regime label (bull, bear, sideways, high volatility)	1
Time	step in episode, steps remaining	2
Band	distance to each band edge and band width, in tick spacings	3
Hedge	short ratio, hedge equity, recent funding rate	3
	Total	**24**

IV.A State

The observation contains 24 features, all computed from information available at the decision time. Table 3 groups them by source. The band geometry deserves emphasis: the action space is written in tick spacings relative to the current tick, so a policy that cannot see how close the price is to an edge cannot time a rebalance at all. Heavy-tailed features such as price, liquidity and gas are compressed with a signed logarithm so that every dimension reaches the network on the same scale.

IV.B Action

At each decision the agent selects a factored action

$$a_t = (\kappa_t,\, c_t,\, w_t,\, h_t), \tag{6}$$

whose four heads are described in Table 4. The study learns the width and hedge heads; the timing head is exercised once, at deployment, and the centre stays at the current tick. That restriction follows

Table 4: The four action heads. Widths are given as half the band width, in tick spacings. The general grid holds ten widths; the study's configuration restricts the width head to three arms and the timing head to a single deployment.

Head	Symbol	Options	Meaning
Rebalance	κ_t	hold, act	spend gas and slippage to move the band, or leave it
Centre	c_t	$-4, \ldots, 4$ spacings	shift the centre of the new band around the current tick
Width	w_t	$\{1, 2, 5, 10, 25, 50, 100, 250, 500, 1000\}$ spacings	half of the new band's width
Hedge	h_t	$\{0, 0.25, 0.5, 0.75, 1.0\}$	share of the LP's ETH delta that the short offsets

from the economics the first experiments measured: on this pool the cost of moving a band exceeds the fee a move can recover, so the timing decision collapses to the choice of whether to deploy at all. Section V reports the diagnostic runs that established this, and Section VII reports the learned policy under the restriction.

The width ladder used for the study holds three arms, one near the typical daily move, one just wider than the widest hand-written band, and one close to the full range. Together with the hold option they give the LP head four actions, and the hedge head adds the five ratios; a full action is therefore one of 4×5 pairs. The same interface admits the wider timing and centre grids, which remain available for the workstream on active timing.

IV.C Reward

A rebalance converts inventory and pays for the privilege. Writing V_t for the position value, H_t for the fixed value of the opening deposit held passively, and the hedge cash flows as mark PnL π_t, funding ϕ_t and perp cost $\tau_t \le 0$, the reward is

$$r_t = \frac{1}{W_0}\Big(\text{fees}_t - \text{gas}_t - \text{slip}_t + \Delta(V_t - H_t) + \pi_t + \phi_t + \tau_t - \lambda\,\hat{c}_t\Big), \tag{7}$$

whose terms are defined in Table 5. Dividing by the initial capital W_0 keeps value targets at a workable scale without hiding any cost. The excess is measured against the *fixed* opening basket: H_t is never rebased at a rebalance, so the episode sum equals the excess over holding that basket, which is the quantity the evaluation reports.

Table 5: Every term of the reward, in token0 (USDC) units before the $1/W_0$ scaling. Gas and slippage enter as positive magnitudes and carry a minus sign in the reward.

Term	Meaning	Sign
fees_t	fee income earned in the step	+
gas_t	gas for mints, burns, collects and rebalancing swaps	−
slip_t	slippage on the inventory actually swapped	−
$\Delta(V_t - H_t)$	change in position value against the fixed opening basket	±
π_t	mark PnL of the short perpetual	±
ϕ_t	funding paid or received on the short	±
τ_t	perp taker cost of adjusting the short	≤ 0
$\lambda\,\hat{c}_t$	penalty on the trailing expected shortfall of per-step losses, $\lambda = 0.05$ in the study	−

IV.D Risk and benchmarks

The learning objective is the discounted return with a penalty on the recent tail of per-step losses. The risk term in Eq. (7) subtracts λ times the recent 5 % expected shortfall of per-step equity changes, measured over the last trading day, so deeper tail losses cost more reward. The penalty is computed on the joint equity of the liquidity and hedge legs, which is what lets the hedge ratio move it. The default configuration disables the term ($\lambda = 0$); the study's configuration sets $\lambda = 0.05$, small next to a full tail loss. The evaluation reports the same quantity the penalty controls. With losses $L = -G$ defined on the episode return G, the conditional value-at-risk at level α is

$$\text{CVaR}_\alpha(L) = \min_{\nu \in \mathbb{R}} \left\{ \nu + \frac{1}{1-\alpha} \mathbb{E}\big[(L-\nu)^+\big] \right\}, \tag{8}$$

the Rockafellar–Uryasev representation,[9] which we report at $\alpha = 0.95$. Evaluation therefore reports the annualised Sharpe ratio and CVaR at 5 % as primary statistics, with raw PnL and excess over HODL as secondary ones. Comparisons use paired per-window differences and confidence intervals across seeds.

The hedge is a short perpetual position sized against the LP's ETH exposure. Its mark PnL over a step is the negative product of the short notional and the price change, plus funding and the taker cost of adjusting the position. Three reference points make the hedge leg interpretable: the unhedged LP, the policy that chooses the ratio, and a hedged HODL portfolio with a delta-matched short. The last is the benchmark that prevents us from declaring success against a weaker opponent: a policy that merely removes directional risk must still beat a passive portfolio with the same risk profile. The overlay is enabled in the study's configuration and its ratio is a learned decision at every step.




Figure 5: The testbed. Recorded events feed one tape; two engines consume it, an exact backtester for ground truth and a fast simulator for training; the parity check reconciles them before a policy is trusted.

V Building a Trustworthy Testbed

A study of this question needs a world in which the LP's costs can be measured rather than assumed. That world must be exact enough that a reported fee or loss is the real one, and fast enough that a policy can make millions of decisions. No single engine satisfies both, so the testbed uses two and checks them against each other. Figure 5 shows the flow.

V.A The record

The data are the raw logs of two real ETH/USDC pools: the 0.05 % pool used as the primary market and the 0.30 % pool used as a fee-tier contrast. The pipeline turns those logs into one ordered event tape of swaps, mints, burns and collects, and joins it with three auxiliary feeds: one-minute reference prices, per-block gas prices, and regime labels computed from thresholds fixed in advance. A fourth feed, the funding rate of a perpetual margined in USDT, prices the hedge. The window runs from January 2022 to December 2024, with 2022–2023 for training and 2024 held out. The primary pool's training tape alone holds about 4.86 million events, which is why speed matters later. Every read goes through one interface that enforces block ordering and the train/eval boundary, so an observation at time t cannot accidentally see a bar from $t + 1$.

V.B The exact engine

The backtester replays a frozen policy against the tape in the protocol's own integer arithmetic. Fees come from the pool's recorded fee-growth accumulators, exactly as the contract computes them; liquidity events update an external tick lattice seeded from a boundary snapshot; swaps are apportioned across the ticks they cross. The ledger therefore satisfies an accounting identity by construction: fees plus impermanent loss, minus gas and slippage, equals the strategy's excess over holding the opening deposit. A backtested policy is frozen by construction because the interface exposes no way to update it, and every ledger records the configuration and seed that produced it.

V.C Two engines, one check

Training on the exact engine would be far too slow, so the simulator mirrors the same economics in floating point. Its agent is marginal: the position never moves the price, and its fee share is the fraction of active liquidity it supplies. The simulator can run on the recorded events or on a calibrated regime-switching jump process fitted to the training years, and it executes each action at the price observed before the interval advances, as a live LP would.

Two numeric worlds are only useful if their disagreement is bounded. The parity harness feeds both engines the same prices, positions and gas series, and then compares fees, impermanent loss and PnL under a stated tolerance. Since the simulator's fee engine was made exact, the remaining drift on real data is tiny: mean fee differences on the order of 10^{-7} USDC per step per seed, and impermanent loss matching exactly. The harness originally exercised only the passive policy, which never rebalances; it now also runs a policy that does, which is the path the fee and loss results depend on. A separate suite of look-ahead probes attacks the composed system at the train/eval seam.

V.D The failures that shaped the design

The first two training runs produced policies that did nothing useful: every seed collapsed to one deterministic action, some always holding and some always repeating a single rebalance, and the measured advantage barely distinguished the actions. The collapse was not a tuning problem. Table 6 lists the interface defects behind it and the repair for each. Each repair is small, but together they were the difference between a policy that can learn and one that cannot, which is why the failure is treated as a result rather than an implementation note.

Table 6: The defects that collapsed the first policies, and the repair for each. The first three are interface problems; the last two surfaced while fixing them.

Defect	Consequence	Repair
Observation had no band geometry	the policy could not tell how close the price was to an edge or how far a recentring would move, so it could not time a rebalance	distances to each edge and the band width, in tick spacings
Reward measured loss against a rolling entry basket	after a rebalance the reward no longer matched the reported metric	excess against the fixed opening basket, never rebased
Every episode replayed one fixed window	the agent never saw a different market	training windows resampled from 2022–2023
Slippage charged on the whole position value	costs overstated against a real swap	slippage on the inventory actually swapped
Fee credit taken from global fee growth	a position could be credited more than the fee actually taken when its liquidity dominated a thin segment	the position's exact share of each segment's LP fee




Figure 6: The walk-forward split. Training episodes are windows of thirty days sampled from 2022–2023; evaluation tiles 2024 into windows of thirty days, the last a partial period, and no episode crosses the split.

VI Experimental Design

The measurement protocol and the decision rule are fixed before the headline comparison; the interface corrections that preceded the final runs are reported as such. Table 7 states the pools, the split and the training budget, and Fig. 6 shows how the windows sit on the calendar.

VI.A Benchmarks

A learned policy that beats only the weakest rule written by hand has demonstrated nothing. The comparison therefore includes the full ladder in Table 8, a best static width chosen on the training split and then frozen, and a hedged benchmark with a delta-matched short. Two reference holdings frame the ladder. A pure buy-and-hold basket holds the opening token mix as tokens and never provides liquidity; it is the numeraire for excess over HODL. The hodl rule instead deploys the opening band before the first decision and never recentres, so it earns fees and pays impermanent loss.

Table 7: The study protocol and the training configuration. Both pools are USDC/WETH with USDC as token0; prices are quoted in USDC per WETH.

Setting	Value
Primary pool	0.05 % (500 pips), tick spacing 10
Contrast pool	0.30 % (3000 pips), tick spacing 60
Training window	2022-01-01 to 2023-12-31 UTC
Evaluation window	2024-01-01 to 2024-12-31 UTC
Episode	thirty days, one decision every ten minutes
Capital	100 000 USDC per episode
Evaluation tiling	12 windows of 30 days plus a partial final window (13 episodes)
Seeds	5
Training budget	1 000 000 timesteps per seed
Timing	one deployment per episode; the band is held afterwards
Width arms	half-widths of 50, 250 and 1000 tick spacings, plus hold
Hedge head	short ratio in $\{0, 0.25, 0.5, 0.75, 1.0\}$ at every decision
Risk penalty	CVaR at 5 % of the trailing one-day loss, $\lambda = 0.05$
Checkpoint selection	highest validation Sharpe on the last 180 days of training
Algorithm	clipped PPO, $\gamma = 0.9999$, GAE $\lambda = 0.95$, clip 0.15
Network	2 hidden layers of 256 units
Parallel environments	4

Table 8: Benchmark policies. The learned policy is compared with all of them; a positive claim requires beating the best static width and the delta-matched hedged benchmark, not just hodl.

Benchmark	Rule
hodl	Hold the opening band of half-width 120 ticks; never recentre.
passive_narrow	Deploy a ±5 % band once; never recentre.
passive_wide	Deploy a ±20 % band once; never recentre.
full_range_v2	The Uniswap-v2-equivalent full range.
tau_reset	Recenter whenever the price exits the live band.
cost_aware	Recenter at most daily, and only when the estimated fee gain exceeds gas.
Best static width	The ladder width with the best Sharpe on the training split, frozen for test.
Hedged HODL	The opening band held, plus a short perpetual matched to its delta, with funding and perp costs.
Learned policy	PPO over the joint (timing, width, hedge ratio) action space.

VI.B Metrics

Two primary statistics carry the inference, both computed on the joint equity curve of the liquidity and hedge legs. The annualised Sharpe ratio is the mean of the per-step equity returns over their standard deviation, scaled to a year at the ten-minute cadence. CVaR at the 5 % level is the average of the worst 5 % of per-step equity changes in USDC, the same quantity the reward penalty controls. A policy is compared with each benchmark on the per-window differences of both statistics, with bootstrap confidence intervals over the thirteen windows; because the tail is thin at that sample size, the worst window is reported alongside them. Secondary statistics are raw PnL, excess over HODL, annualised return, Sortino ratio, maximum drawdown, rebalance count, and the cost ledger of fee income, gas, slippage, realised impermanent loss and the hedge flows. Per-regime tables stratify by each window's dominant label: bull, bear, sideways or high volatility.

VI.C Ablations and the boundary

The failure modes were repaired in sequence rather than varied in a factorial design. Table 9 lists the design choices the sequence touched: band geometry, the reward basket and window sampling, the rebalance interval, the hedge head and the risk penalty. Section VII reports the progression as a sequence of repairs, not as the marginal effect of each change. Three targeted probes complete the table: the friction terms are ablated on a one-shot band and on a recentring rule, the whole rule ladder is repeated on the 0.30 % tier, and an arm with the regime feature frozen is trained across the five seeds. For the boundary question the protocol calls for a sweep of realised volatility, volume relative to liquidity, fee tier, gas price and capital, evaluating each point on replayed windows rather than a fitted process. The completed sweep moves the gas and capital levels and the fee tier; the realised windows supply the volatility and volume variation the LVR overlay uses, while a controlled volatility and volume sweep remains open.

Decision rules are stated in advance: the learned policy earns a positive verdict only if its mean Sharpe beats the best static width and the hedged HODL with a paired 95 % confidence interval excluding zero, and its CVaR is no worse than the best heuristic's. Section VII reports where the rule is met and where it is not; where the evidence is negative, the negative result is the finding.

Table 9: The design choices the repair sequence touched, plus the targeted probes that complete the table. The repair changes were made in sequence rather than varied one at a time, so Section VII measures the sequence of repairs, not the marginal effect of each change; the friction, fee-tier and regime-feature rows are the probes.

Design choice	Ablation	Question it answers
Band geometry	removed from the observation	does the agent need to see the live band to time rebalances?
Window sampling	windows held fixed instead of resampled	how much does resampling the training windows buy?
Hedge	overlay disabled	what does the hedge contribute net of funding?
Risk penalty	toggled	does the risk penalty change the tail without costing Sharpe?
Regime features	frozen to a constant across the five seeds	do the regime labels inform the policy?
Frictions	full model, no gas, no slippage, flat gas, no impermanent loss	which cost drives the result?
Fee tier	repeated on the 0.30 % pool	does a higher fee tier buy a longer viable range?

VII Results

The four questions are answered in the order they were posed, on the 0.05 % (500 pips) ETH/USDC pool, over the thirteen windows of 2024 that no policy saw during training, and across five seeds where a learned policy is involved. Every number is measured on the exact backtester, with the frictions of the testbed charged on whichever leg is active. The tables name the window count and the units; where a mean is quoted in the prose, it is the mean over those thirteen windows.

VII.A Where the fees fail

A passive position earns fees and pays for the price travel it cannot follow. Table 12 separates the two. The pattern is the same at every width: fees are positive and shrink as the band widens, impermanent loss is negative and shrinks faster, and the liquidity leg ends in deficit for every passive rule. The band held at the opening width nets −1553 USDC against the pure buy-and-hold basket; the narrow band nets −1206 USDC, the wide band −665 USDC, and the full range −106 USDC.

Concentration does exactly what the bargain advertises and no more. A half-width of 50 tick spacings collects 4266 USDC in fees against −5435 USDC of impermanent loss; the full range collects 362 USDC against −430 USDC. The ratio of fees to losses moves only from 0.78 to 0.84 across that span. Concentrating capital raises both terms together and leaves the shortfall in place; what changes is the variance of the outcome, not its sign.

The windows agree with the average. The opening band's liquidity leg is in deficit in six of the thirteen windows, the narrow band in five, the wide band in four and the full range in three. The losses cluster where the price trends or jumps. Across the five bull windows the opening band collects 6057 USDC of fees and pays −9481 USDC of impermanent loss; in the single high-volatility window fees of 1593 USDC meet a loss of −12 530 USDC. In the range-bound windows the sign flips and fees cover the shortfall with room to spare.

Acting does not repair the arithmetic; it deepens it. The two rebalancing rules buy more fee income than any one-shot rule by keeping the band close to the price, and they pay more for it in realised losses and execution costs. `tau_reset` recentres 122.8 times per episode, collects 43 029 USDC of fees, pays −48 904 USDC of impermanent loss and −14 093 USDC of gas and slippage, and ends −19 968 USDC behind the basket. The cost-aware rule trades 22.0 times per episode and still ends −4280 USDC behind it. `tau_reset` loses in every regime; the cost-aware rule earns only in the bull windows. On this pool in this year, fee income does not pay for the price risk a position carries, and frequent action adds cost without changing the sign. Whether a policy can exploit any of it is the next question.

The loss that does the damage is the one the position cannot avoid. Removing the impermanent-loss term from the ledger turns the churning rule from a 17 680 USDC loss into a 31 224 USDC gain and raises the one-shot band to 5172 USDC; removing gas and slippage moves the one-shot band by less than 40 USDC but the churner by 14 093 USDC. The one-shot rule loses to the basket because of price travel, not because of execution, and the recentring rule adds execution to a loss it has already made larger.

The fee tier changes the sign. On the 0.30 % pool the wide, full-range and static-width arms net between 338 USDC and 734 USDC against the opening basket, because a larger fee per unit of volume finally covers the loss to informed flow; the two rebalancing rules lose more than 2000 USDC there as well. The contrast shows what the primary pool would need: the same widths, on a tier that pays six times as much per swap, cross from deficit to surplus.

VII.B Why the first policies failed

The first question asked of the learner was whether it could act at all, and on the original interface it could not. With the timing, centre and width decisions encoded as 91 actions and the reward measured against a basket that moved with each rebalance, every trained policy churned: it shifted the band

Table 10: Friction ablation on the 0.05 % pool over the thirteen evaluation windows, mean PnL in USDC with Sharpe in parentheses. The one-shot rule is passive_wide; the recentring rule is tau_reset. no IL removes the impermanent-loss term, no gas and no slippage remove their cost term, and flat gas re-prices every rebalance at a flat 30 gwei base fee plus a 3 % tip at 3000 USDC per ETH.

Variant	one-shot wide	recentring
full	+1 623 (1.53)	−17 680 (−5.81)
no IL	+5 172 (1.65)	+31 224 (12.84)
no gas	+1 659 (1.53)	−8 908 (−3.02)
no slippage	+1 624 (1.53)	−12 359 (−3.91)
flat gas	+1 583 (1.53)	−18 303 (−6.32)

Table 11: The rule ladder on the 0.30 % (3000 pips) tier, mean over the thirteen evaluation windows. Net is the liquidity leg's excess over the opening basket; the two static rows are the price-equivalent of the primary pool's 250- and 1000-spacing arms at this pool's spacing of 60.

Rule	PnL	Sharpe	Net
hodl opening band	+1 361	2.06	−109
passive_narrow (±5 %)	+1 432	2.89	−38
passive_wide (±20 %)	+1 808	3.33	+338
full_range_v2	+2 188	1.30	+719
static width 42 spacings	+1 893	3.45	+423
static width 167 spacings	+2 204	1.97	+734
tau_reset	−20 702	−15.89	−22 172
cost_aware	−2 101	−0.27	−3 571

Table 12: Fee income against impermanent loss on the thirteen evaluation windows, mean per window in USDC. Fees, impermanent loss, gas and slippage are measured against the pure buy-and-hold basket, so the liquidity net excludes the basket's own 2288 USDC and the hedge column is zero for the unhedged rules. The last column counts windows in which the liquidity net is negative.

Policy	Fees	IL	Costs	LP net	Hedge	Net<0
hodl	+4 734	−6 287	0	−1 553	0	6/13
passive_narrow	+4 266	−5 435	−37	−1 206	0	5/13
passive_wide	+2 921	−3 549	−37	−665	0	4/13
full_range_v2	+362	−430	−37	−106	0	3/13
tau_reset	+43 029	−48 904	−14 093	−19 968	0	13/13
cost_aware	+19 833	−22 038	−2 075	−4 280	0	10/13

every few steps, paid gas and slippage on each move, and lost −86 889 USDC across the evaluation windows. Shrinking the grid to 28 actions changed the magnitude, not the behaviour; that pilot lost −80 642 USDC. The collapse was not an optimisation accident. The reward gradient was dominated by the decision to act or hold, and the observation gave the policy no way to see where the price sat inside its band.

The repairs were applied in sequence rather than as a factorial ablation, so the progression below measures the sequence of repairs, not the marginal effect of any single change. Three interface defects were fixed first: the observation gained the distance to each band edge and the band width; the reward was measured against the fixed opening basket instead of a basket that moved at each rebalance; and training windows were resampled from 2022–2023 instead of replaying one fixed month. Two further defects surfaced while making those repairs. Slippage was charged on the whole position value rather than the inventory actually swapped, and fee credit was taken from global fee growth rather than the position's exact share of each liquidity segment. Both were corrected before any result reported here.

Three changes to the learning setup followed. Stabilising the update targets made every seed hold for the whole episode with zero rebalances and a mean episode return between −0.17 and −0.29, against −0.95 to −0.97 in the churning runs; the update stayed inside its trust region, with the KL divergence between 0.001 and 0.002 and the clip fraction near 0.02. The policy had learned to do nothing, which tied hodl at 735.2 USDC. Reducing the action space to a one-shot band choice and lengthening the effective horizon gave the width decision a signal at last. The first pilot that genuinely chose a band scored 2146.6 USDC with a Sharpe of 0.942 and a maximum drawdown of 9.7 %, matching the full-range rule's PnL with a higher Sharpe ratio and beating hodl by roughly a factor of three.

The hedge head failed in its first joint run. Every seed held the liquidity position for the whole episode and collapsed the hedge ratio to a constant that differed by seed, between 0.25 and 0.75. The seed selected on the training curve, which had settled at 0.75, lost 1313 USDC with a Sharpe of −1.294 out of sample. The objective had never asked for tail protection, and selection had used the training return rather than a validation statistic. Adding a penalty on the conditional tail of joint equity and selecting checkpoints by validation Sharpe produced the final policy whose results fill the rest of this section.

The regime label is not what the policy learns from, but it shapes what it learns. A second arm trained across the five seeds with the regime feature frozen to a constant reaches a mean Sharpe of 0.837 and a mean CVaR of −32.89 USDC, against 0.563 and −27.63 USDC with the live label. The Sharpe

difference is not distinguishable at this sample size (paired interval $[-0.13, +0.68]$) while the ablated arm's CVaR is 5.3 USDC worse (paired interval for the difference $[-6.2, -4.2]$), so the live regime feature buys tail protection rather than return. The ablated seeds also diverge more, from one that never deploys to two that widen to the 1000-spacing band, and the arm's best validation seed finishes worst out of sample: the selection signal is thin even when the policy learns.

VII.C Whether one policy does better

The pre-registered comparison runs against the strongest hand-written rules, the best static width chosen on the training split, and a hedged benchmark with a matched delta. Table 13 sets out the levels and Table 14 the paired per-window differences that the decision rule turns on.

Start with the frozen comparator. Training Sharpes for half-widths of 50, 250 and 1000 tick spacings were 2.20, 1.45 and 0.80, so the protocol froze the narrowest band. On the evaluation windows that choice scores a Sharpe of 1.296, while the width of 250 would have scored 1.591. The frozen width is the pre-registered comparator, and the learned mean loses to it: the paired Sharpe difference is -0.733 with an interval of $[-1.355, -0.041]$ that excludes zero. The mean also loses to the wide band by 0.963, again with an interval excluding zero. The Sharpe clause of the pre-registered rule fails.

The tail clause holds against every unhedged benchmark. The learned mean's CVaR is -27.63 USDC. hodl sits at -59.65 USDC, the frozen width at -56.95 USDC, the wide band at -51.31 USDC and the full range at -53.18 USDC. Every paired CVaR difference against an unhedged benchmark in Table 14 is positive with an interval that excludes zero. Against the delta-matched hedge the clause fails: the hedge reaches a CVaR of -3.15 USDC, and the learned mean is -24.48 USDC worse, with a paired interval from -30.42 to -18.95. Both clauses of the rule must hold for a positive verdict, so the study reports none. The evidence supports a reduction in tail risk, not a superior return.

The mean hides the best seed. The seed with the highest validation Sharpe during training, seed three, deployed a half-width of 250 tick spacings for every window and held it. It returns 175.13 USDC, a Sharpe of 1.425 and a CVaR of -17.04 USDC. Its Sharpe is indistinguishable from the frozen width (difference $+0.129$, interval $[-0.880, +1.232]$) and its CVaR is better by 39.91 USDC with an interval of $[+27.76, +51.43]$. The same seed beats the delta-matched hedge on Sharpe by 6.19 with an interval that excludes zero, and loses to it on CVaR by -13.89 USDC. A single seed is not the pre-registered unit, and a seed chosen after seeing the evaluation windows could not carry the verdict. That seed did

Table 13: Performance in the 2024 evaluation on the 0.05 % (500 pips) ETH/USDC pool, mean over the thirteen windows of the 2024 tiling. PnL and excess are USDC per episode; excess is measured against the pure buy-and-hold basket, the study's HODL numeraire. The row for the learned mean averages the five seeds; the row for the best seed reports the seed with the highest validation Sharpe on the training split. Rebalances counts executed moves per episode. The frozen comparator selected on the training split is the half-width of 50 tick spacings, the passive_narrow row.

Policy	PnL	Excess	Sharpe	CVaR	maxDD	Reb.
Basket	+2 288	0	0.441	−53.81	−9.6 %	0
hodl	+735	−1 553	0.654	−59.65	−12.2 %	0
passive_narrow	+1 082	−1 206	1.296	−56.95	−11.3 %	1
passive_wide	+1 623	−665	1.526	−51.31	−10.1 %	1
full_range_v2	+2 183	−106	0.639	−53.18	−9.7 %	1
tau_reset	−17 680	−19 968	−5.810	−56.10	−21.9 %	122.8
cost_aware	−1 992	−4 280	−0.241	−61.84	−14.0 %	22.0
Hedged hodl	−1 996	−4 284	−4.766	−3.15	−2.7 %	0
Learned mean	−310	−2 599	0.563	−27.63	−6.0 %	1
Best seed	+175	−2 113	1.425	−17.04	−3.2 %	1

have the best validation Sharpe of the five on the training split, so at least its selection did not use the evaluation year.

The seeds agree on the timing decision and disagree on width and hedge. Every seed deploys once, at the start of the episode, and holds. The action distribution in Table 15 records one rebalance per episode for all five seeds: three choose the half-width of 250 tick spacings in every window, one splits between 250 and 50 across the tiling, and one chooses 50 throughout. The hedge ratios are partial and differ by seed, mostly between 0.25 and 0.75. Seed three holds 0.75 for 73.8 % of its steps, seed two splits between 0.25 and 0.75, and seed zero holds 0.50 or 1.00. The learned policy sets a band and a hedge ratio; it is not a timing policy, and its preferred width of 250 is the static band with the best Sharpe on the evaluation windows, though it was not the frozen comparator.

The worst window for the one-shot rules and the learned mean is the single high-volatility window. hodl loses 22 999.6 USDC there and the frozen width 22 542.2 USDC. The wide band loses 19 123.1 USDC and the full range 12 641.5 USDC. The learned mean loses 10 039 USDC with a CVaR of −46.5 USDC. Raw PnL tells the same story as the tail across the year: the best unhedged benchmark, the full range, finishes 105.6 USDC below the pure basket, and the learned mean finishes 2599 USDC below it. No paired PnL difference against the ladder excludes zero except the comparison with tau_reset, so the return evidence is inconclusive at this sample size.

Table 14: Paired per-window differences, learned mean minus benchmark, with bootstrap 95 % intervals over the thirteen windows; a star marks an interval that excludes zero. A positive Sharpe difference favours the learned policy; a positive CVaR difference means a smaller tail loss than the benchmark. Units are USDC for the CVaR column.

Benchmark	Sharpe	CVaR
hodl	−0.091 [−0.808, +0.750]	+32.019 [+21.319, +42.230]*
passive_narrow	−0.733 [−1.355, −0.041]*	+29.320 [+19.365, +38.765]*
passive_wide	−0.963 [−1.472, −0.509]*	+23.677 [+18.298, +29.475]*
full_range_v2	−0.076 [−0.930, +0.693]	+25.549 [+17.841, +33.977]*
tau_reset	+6.373 [+4.702, +8.278]*	+28.471 [+21.456, +36.160]*
cost_aware	+0.804 [−0.222, +1.656]	+34.207 [+26.501, +42.092]*
Hedged hodl	+5.329 [+2.550, +7.437]*	−24.481 [−30.423, −18.945]*

Table 15: Deployment of each seed on the thirteen evaluation windows. Bands are half-widths in tick spacings, with the number of windows in which the seed chose that band; hedge ratios are shares of decision steps at each short fraction. Every seed rebalanced exactly once per episode.

Seed	Band (windows)	Hedge ratio (share of steps)
0	50 (13)	0.50: 69.5 %, 1.00: 30.5 %
1	250 (12), 50 (1)	0.50: 51.0 %, 0.25: 27.9 %, 0.75: 14.6 %, 1.00: 6.5 %
2	250 (13)	0.25: 58.2 %, 0.75: 41.8 %
3	250 (13)	0.75: 73.8 %, 0.50: 22.1 %, 1.00: 3.4 %, others: 0.7 %
4	250 (13)	0.25: 59.5 %, 0.75: 18.8 %, 1.00: 12.9 %, 0.00: 8.7 %

VII.D Where active management pays

The regime map is the last answer, and it maps insurance rather than outperformance. Table 17 splits the evaluation windows by their dominant label. The counts are uneven by construction, with five bear and five bull windows, two sideways windows and a single high-volatility window, so the high-volatility row of the table is a case study rather than a distribution.

The quiet windows pay for feet that stay still. In the two sideways windows hodl earns 4648 USDC with a Sharpe of 1.73, the narrow band 3558 USDC with 1.79, and the delta-matched hedge subtracts 3145 USDC; the learned seed finishes at 74 USDC with a Sharpe of 0.41. Fee income is at its most reliable when the price does not travel, and in those windows every unit of hedge costs more than it protects.

The trending windows split by direction. In the five bull windows the full range earns 7379 USDC and hodl 4335 USDC, while the learned seed earns 1093 USDC with a Sharpe of 3.13: the hedge gives up part of the rally, and that is what a short does. In the five bear windows the ordering changes. The wide band earns 2589 USDC by holding USDC through the fall and the frozen width 1772 USDC, while the

learned seed earns 527 USDC with the best risk-adjusted profile on the panel, a Sharpe of 1.09 against −0.51 for hodl and −0.53 for the full range. The learned seed's bear CVaR is −19.6 USDC against −78.3 USDC for hodl.

The single high-volatility window is where active management earns its premium. Every unhedged rule loses between 12 642 USDC and 22 999.6 USDC; the learned seed loses 5969 USDC, about a quarter of the hodl loss, and its CVaR is −27.8 USDC against −94.5 USDC. No policy's Sharpe is positive in that window, including the learned one at −3.40. The delta-matched hedge loses 1330 USDC with a CVaR of −1.4 USDC, the smallest loss and the largest hedge cost over the year. Widening the band or hedging the delta makes the stressed quarter hurt less; neither choice pays for itself in the quiet ones.

The controlled sweep moves along both sides of the boundary. Table 16 reruns the ladder at a quarter and four times the recorded gas price and at a tenth and ten times the capital. No level turns the recentring rules positive in PnL. tau_reset runs from −11 613 USDC at quarter gas to −40 032 USDC at four times the recorded price, and cost_aware, whose gate suppresses moves as gas rises, stays between −2953 USDC and −1419 USDC across the gas levels. Cheap execution does not revive timing, and a larger book does not either, because fees and impermanent loss scale with it while the fixed gas advantage stays small. The learned seed deploys once at every level and holds; its Sharpe ratio stays between 1.40 and 1.46.

The fee tier is the axis that moves the passive sign, and the analytical LVR rate says why. With $0.125\,\sigma^2 V t$ as the floor under the value a liquidity position loses to arbitrage,[2] the opening band's fee income covers that floor in every full window, and in the partial final window once the floor is scaled to its shorter length; the thinnest full-window margins (ratios of 1.5 and 1.8) fall in the two windows with the least fee income. On this fee tier the same widths still lose to the opening basket, and the 0.30 % tier is where they cross into surplus. The evaluation year holds one high-volatility window, so the stress row stays a case study and the boundary drawn here holds for this pair, this year and the tested ranges.

Table 16: The boundary sweep on the 0.05 % pool, mean over the thirteen evaluation windows: PnL in USDC with Sharpe in parentheses. The gas levels scale the per-action gas cost; the capital levels scale the book. The last column is the best validation seed of the main run.

Level	hodl	wide	tau_reset	cost_aware	best seed
Gas ×0.25	+735 (0.65)	+1 651 (1.53)	−11 613 (−3.72)	−2 953 (−0.54)	+203 (1.42)
Gas ×1	+735 (0.65)	+1 623 (1.53)	−17 680 (−5.81)	−1 992 (−0.24)	+175 (1.42)
Gas ×4	+735 (0.65)	+1 509 (1.53)	−40 032 (−12.85)	−1 419 (0.01)	+65 (1.42)
Capital 10k	+81 (0.68)	+128 (1.53)	−6 764 (−15.37)	−195 (−0.10)	−13 (1.46)
Capital 100k	+735 (0.65)	+1 623 (1.53)	−17 680 (−5.81)	−1 992 (−0.24)	+175 (1.42)
Capital 1M	+1 384 (0.46)	+16 213 (1.51)	−162 687 (−5.47)	−54 962 (−1.35)	+2 003 (1.40)

Table 17: Mean PnL (top panel) and mean CVaR at 5 % (bottom panel) in USDC by dominant regime label over the 2024 evaluation windows: five bear, five bull, two sideways and one high-volatility window. The Width 50 and Width 202 columns are the narrow (±5 %) and wide (±20 %) one-shot bands, whose mean half-widths are 50 and 202 tick spacings. The column for the best seed reports the seed with the highest validation Sharpe on the training split. The single high-volatility window is a case study, not a distribution.

	Mean PnL (USDC)					
Regime (windows)	hodl	Width 50	Width 202	Full range	Delta hedge	Best seed
Bear (5)	+317	+1 772	+2 589	+1 044	−1 707	+527
Bull (5)	+4 335	+4 127	+4 779	+7 379	−1 958	+1 093
Sideways (2)	+4 648	+3 558	+1 693	−550	−3 145	+74
High volatility (1)	−23 000	−22 542	−19 123	−12 642	−1 330	−5 969
	Mean CVaR at 5 % **(USDC)**					
Bear (5)	−78.3	−74.3	−57.3	−49.2	−2.0	−19.6
Bull (5)	−31.9	−31.2	−37.0	−58.3	−4.1	−12.8
Sideways (2)	−65.0	−59.3	−50.8	−49.6	−4.4	−15.8
High volatility (1)	−94.5	−94.4	−93.9	−54.5	−1.4	−27.8

VIII Discussion

VIII.A The boundary the windows draw

The four answers converge on a single boundary, and stress draws it. Passive provision paid in the quiet windows: in the sideways windows the hodl earned 4648 USDC, the narrow band kept most of it, and the delta-matched hedge subtracted 3145 USDC. Breadth mattered more than action in the trending windows, because a wide band carries the market exposure that a narrow band sells away, and the full range earned 7379 USDC in the bull windows against 1093 USDC for the learned seed. The one high-volatility window reversed the ordering: every unhedged rule lost between 12 642 USDC and 22 999.6 USDC, the learned seed lost about a quarter of the hodl loss, and the full hedge lost the least. The learned policy sits on the defensive side of that boundary, and the premium it pays is visible in every calm window. Judged on tail risk the boundary moves in its favour; judged on PnL it stays with the passive bands.

The regime labels carry only the windows they label, and one high-volatility window cannot estimate a regime. The map is a description of the evaluation year, not a fitted boundary, and the study's inference rests on the paired intervals of the primary statistics rather than on any single regime cell.

VIII.B What the hedge buys and costs

The hedge is insurance, and the study compares policies that sit at three points along a single trade-off between protection and cost, though not as a controlled hedge ablation. At full delta match on the opening band the floor is nearly flat: CVaR falls from −59.65 USDC to −3.15 USDC and the maximum drawdown from 12.2 % to 2.7 %, and the bill is an average −2731 USDC of hedge flows and a total PnL of −1996 USDC. At the learned seed's partial ratios the middle of that trade-off appears: CVaR −17.04 USDC and a hedge cost of −1557 USDC. The one-shot unhedged rules sit at the other end, with CVaR between −51.31 USDC and −59.65 USDC and no premium; the two rebalancing rules trade at −56.10 USDC and −61.84 USDC. Across the compared policies the ordering is monotone in protection and in cost. Funding was positive on average at every point because the short collected it; the mark loss on a short in a rising market and the perp fees outweighed that income.

The hedge does not improve the mean, it reshapes the tail, so its value depends on the risk budget the LP is managed against. A mandate that treats tail risk as important as Sharpe will buy the protection

that a mandate maximising return will refuse. The pre-registered rule gives tail risk equal standing, which is why a policy that fails the return clause and passes the tail clause is a partial success rather than a failed idea.

VIII.C Why timing collapsed to a deployment decision

The learned policy never learned to time; its seeds deployed one band and held it. The rebalancing benchmarks show why. On this fee tier and in this year, frequent recentring realises impermanent loss again and again, and the fees collected do not cover it: `tau_reset` recentred 122.8 times per episode and ended 19 968 USDC behind the basket, the cost-aware rule recentred 22.0 times and ended 4280 USDC behind, and the one-shot rules ended between 106 USDC and 1553 USDC behind. Timing is not irrelevant in principle; it is dominated in this market.

The study's configuration restricted the timing head after the early runs showed the collapse, so the estimator was never asked to learn a decision that the evidence says it could not afford. That restriction is itself a finding about the pool, and it bounds the claim: a higher fee tier, cheaper execution or a market where price moves arrive more slowly could move the boundary, and the width choice is the substitute for timing under those conditions. The action interface still admits the wider timing grid, so a future run can test the shift without a redesign.

The study's evidence has a shape that limits it. The failure modes were repaired in sequence rather than varied one at a time, so the ablation table reports the sequence and three targeted probes, not the marginal effect of every design choice. The boundary is drawn from the realised 2024 windows on one pool pair; the 0.30 % tier is measured for the rule-based ladder but not retrained with the learned policy; and the regime with a single window is a case study. What remains open is a factorial ablation of the repairs, a controlled volatility and volume sweep, and a learned policy on the contrast tier, all re-runs of the same testbed.

VIII.D Threats to validity

The simulator replays recorded events, so prices, liquidity and fee growth are real rather than modelled. Its assumption that the agent is marginal is the main simplification: the position never moves the price, and its fee share is proportional to active liquidity. That is the standard replay assumption and it is recorded with every run, but it cannot capture queueing at the tick level or the impact of an unusually

Table 18: Threats to validity and the scope each imposes.

Threat	Scope
One asset pair at two fee tiers	the boundary is measured within that scope and does not automatically transfer to other pairs
CVaR at 5 % from few episodes	reported with bootstrap intervals and the worst window, not treated as decisive alone
Regime labels from fixed thresholds	a labelling device for reporting and training, not a discovered state
Boundary sweep over several axes	inference rests on paired intervals on the pre-registered primary metric; secondary wins are labelled as such
Simulator and backtester both replay recorded states	claims hold under the stated cost model, not for live execution

large position. The gas model charges representative per-action units rather than transaction receipts, so gas is a defensible floor rather than an exact quote, and the hedge uses a perpetual proxy whose funding and basis are representative rather than exact for a specific venue.

Table 18 states the threats that bound what the study can claim and the scope each imposes. The parity check bounds the distance between the simulator and the backtester, not the distance between the backtester and reality. Where the data allow, the external part of the gap is quantified by reconciling fees and collects; where they do not, latency, the privacy of order flow and MEV are discussed rather than measured. We therefore claim results about performance under risk on recorded market states under a stated cost model. We do not claim deployable profitability, optimality of the action grid, or that the policy would survive market conditions absent from 2022 to 2024.

IX Conclusion

Concentrated liquidity promises more fee income while the price stays inside a chosen band, and the same position that earns those fees is the position that loses to informed order flow. An LP who wants to do better than accept that must decide when to recenter, how wide to stay and how much risk to hedge, and each decision is expensive and uncertain.

This report measures whether a risk-sensitive learned policy can make those decisions jointly better than the best rules written by hand, and where active management stops paying. Answering that required a world in which costs are measured rather than assumed, so we built a testbed from three years of recorded trades, with an exact replay engine for ground truth, a fast simulator for training, and a parity harness between them. The study then asked four questions: where fees fail, why a standard agent fails, whether a learned policy wins out of sample, and where the boundary between active and

passive provision lies.

The measured verdict is narrower than the bargain promised. On the 0.05 % pool in 2024 the liquidity leg of every rule ran a deficit against the pure buy-and-hold basket, and no strategy in the ladder beat that basket on PnL; the best unhedged rule, the full range, finished 105.6 USDC below it. Active rebalancing fared worst: `tau_reset` lost 17 680 USDC and the cost-aware rule 1992 USDC, while deploying one frozen static band earned 1082 USDC. The learned policy reproduced the width its seeds preferred without learning to time, failed the pre-registered Sharpe test against that frozen width (difference -0.733, interval $[-1.355, -0.041]$), and passed the tail test against every unhedged rule. Its best seed tied the static width on Sharpe and led it on CVaR, and the delta-matched hedge bought a flat tail at a carry cost. On this market, learning did not make active management pay; it produced a policy whose value is defence, and it priced the insurance.

The boundary of the study is also a map for future work: the action space can be extended with continuous width and an explicit exit decision, the boundary sweep can cover more pairs and fee tiers, and latency, private order flow and the exact funding of a real venue can be modelled rather than proxied. Each extension is a re-run of the same testbed rather than a redesign of it, which is the point of building the testbed before asking the question.

References

[1] H. Adams, N. Zinsmeister, M. Salem, R. Keefer, and D. Robinson, "Uniswap v3 core," Uniswap Labs Technical Whitepaper, 2021. [Online]. Available: https://uniswap.org/whitepaper-v3.pdf

[2] J. Milionis, C. C. Moallemi, T. Roughgarden, and A. L. Zhang, "Automated market making and loss-versus-rebalancing," arXiv preprint arXiv:2208.06046, 2022. [Online]. Available: https://arxiv.org/abs/2208.06046

[3] R. Fritsch and A. Canidio, "Measuring arbitrage losses and profitability of AMM liquidity," arXiv preprint arXiv:2404.05803, 2024. [Online]. Available: https://arxiv.org/abs/2404.05803

[4] S. Loesch, N. Hindman, M. B. Richardson, and N. Welch, "Impermanent loss in Uniswap v3," arXiv preprint arXiv:2111.09192, 2021. [Online]. Available: https://arxiv.org/abs/2111.09192

[5] P. Anchuri, "RAmmStein: Regime adaptation in mean-reverting markets with stein thresholds — optimal impulse control in concentrated AMMs," arXiv preprint arXiv:2602.19419, 2026. [Online]. Available: https://arxiv.org/abs/2602.19419

[6] H. Zhang, X. Chen, and L. F. Yang, "Adaptive liquidity provision in Uniswap V3 with deep reinforcement learning," arXiv preprint arXiv:2309.10129, 2023. [Online]. Available: https://arxiv.org/abs/2309.10129

[7] V. Nadkarni, J. Hu, R. Rana, C. Jin, S. Kulkarni, and P. Viswanath, "ZeroSwap: Data-driven optimal market making in DeFi," arXiv preprint arXiv:2310.09413, 2023. [Online]. Available: https://arxiv.org/abs/2310.09413

[8] G. Chionas, C. Kleitsikas, S. Leonardos, L. Sánchez-Betancourt, and C. Ventre, "Concentrated liquidity provision: A reinforcement learning perspective," arXiv preprint arXiv:2608.19389, 2026. [Online]. Available: https://arxiv.org/abs/2608.19389

[9] R. T. Rockafellar and S. Uryasev, "Optimization of conditional value-at-risk," *Journal of Risk*, vol. 2, no. 3, pp. 21–41, 2000.

[10] M. Avellaneda and S. Stoikov, "High-frequency trading in a limit order book," *Quantitative Finance*, vol. 8, no. 3, pp. 217–224, 2008.

[11] R. Almgren and N. Chriss, "Optimal execution of portfolio transactions," *Journal of Risk*, vol. 3, no. 2, pp. 5–39, 2001.

[12] O. Guéant and I. Manziuk, "Deep reinforcement learning for market making in corporate bonds: Beating the curse of dimensionality," arXiv preprint arXiv:1910.13205, 2019. [Online]. Available: https://arxiv.org/abs/1910.13205

[13] S. Ganesh, N. Vadori, M. Xu, H. Zheng, P. Reddy, and M. Veloso, "Reinforcement learning for market making in a multi-agent dealer market," arXiv preprint arXiv:1911.05892, 2019. [Online]. Available: https://arxiv.org/abs/1911.05892

[14] Z. Zhang, S. Zohren, and S. Roberts, "Deep reinforcement learning for trading," arXiv preprint arXiv:1911.10107, 2019. [Online]. Available: https://arxiv.org/abs/1911.10107

[15] G. Angeris, H.-T. Kao, R. Chiang, C. Noyes, and T. Chitra, "An analysis of Uniswap markets," arXiv preprint arXiv:1911.03380, 2019. [Online]. Available: https://arxiv.org/abs/1911.03380

[16] G. Angeris and T. Chitra, "Improved price oracles: Constant function market makers," arXiv preprint arXiv:2003.10001, 2020. [Online]. Available: https://arxiv.org/abs/2003.10001

[17] J. C. Schlegel, M. Kwaśnicki, and A. Mamageishvili, "Axioms for constant function market makers," arXiv preprint arXiv:2210.00048, 2022. [Online]. Available: https://arxiv.org/abs/2210.00048

[18] G. Angeris, T. Chitra, T. Diamandis, A. Evans, and K. Kulkarni, "The geometry of constant function market makers," arXiv preprint arXiv:2308.08066, 2023. [Online]. Available: https://arxiv.org/abs/2308.08066

[19] J. Xu, K. Paruch, S. Cousaert, and Y. Feng, "SoK: Decentralized exchanges (DEX) with automated market maker (AMM) protocols," arXiv preprint arXiv:2103.12732, 2021. [Online]. Available: https://arxiv.org/abs/2103.12732

[20] A. Capponi and R. Jia, "The adoption of blockchain-based decentralized exchanges," arXiv preprint arXiv:2103.08842, 2021. [Online]. Available: https://arxiv.org/abs/2103.08842

[21] L. Heimbach, E. Schertenleib, and R. Wattenhofer, "Risks and returns of Uniswap V3 liquidity providers," arXiv preprint arXiv:2205.08904, 2022. [Online]. Available: https://arxiv.org/abs/2205.08904

[22] J. Milionis, C. C. Moallemi, and T. Roughgarden, "Automated market making and arbitrage profits in the presence of fees," arXiv preprint arXiv:2305.14604, 2023. [Online]. Available: https://arxiv.org/abs/2305.14604

[23] J. Ma and D. Crapis, "The cost of permissionless liquidity provision in automated market makers," arXiv preprint arXiv:2402.18256, 2024. [Online]. Available: https://arxiv.org/abs/2402.18256

[24] S. Campbell, P. Bergault, J. Milionis, and M. Nutz, "Optimal fees for liquidity provision in automated market makers," arXiv preprint arXiv:2508.08152, 2025. [Online]. Available: https://arxiv.org/abs/2508.08152

[25] H. Xu and A. Brini, "Improving DeFi accessibility through efficient liquidity provisioning with deep reinforcement learning," arXiv preprint arXiv:2501.07508, 2025. [Online]. Available: https://arxiv.org/abs/2501.07508

[26] O. Mihatsch and R. Neuneier, "Risk-sensitive reinforcement learning," *Machine Learning*, vol. 49, no. 2–3, pp. 267–290, 2002.

[27] A. Tamar, Y. Chow, M. Ghavamzadeh, and S. Mannor, "Policy gradient for coherent risk measures," arXiv preprint arXiv:1502.03919, 2015. [Online]. Available: https://arxiv.org/abs/1502.03919

[28] Y. Chow and M. Ghavamzadeh, "Algorithms for CVaR optimization in MDPs," arXiv preprint arXiv:1406.3339, 2014. [Online]. Available: https://arxiv.org/abs/1406.3339

[29] H. Bühler, L. Gonon, J. Teichmann, and B. Wood, "Deep hedging," arXiv preprint arXiv:1802.03042, 2018. [Online]. Available: https://arxiv.org/abs/1802.03042

[30] P. Artzner, F. Delbaen, J.-M. Eber, and D. Heath, "Coherent measures of risk," *Mathematical Finance*, vol. 9, no. 3, pp. 203–228, 1999.

[31] R. S. Sutton and A. G. Barto, *Reinforcement Learning: An Introduction*, 2nd ed. Cambridge, MA: MIT Press, 2018.

[32] J. Schulman, F. Wolski, P. Dhariwal, A. Radford, and O. Klimov, "Proximal policy optimization algorithms," arXiv preprint arXiv:1707.06347, 2017. [Online]. Available: https://arxiv.org/abs/1707.06347

[33] J. Schulman, P. Moritz, S. Levine, M. Jordan, and P. Abbeel, "High-dimensional continuous control using generalized advantage estimation," arXiv preprint arXiv:1506.02438, 2015. [Online]. Available: https://arxiv.org/abs/1506.02438

[34] A. Raffin, A. Hill, A. Gleave, A. Kanervisto, M. Ernestus, and N. Dormann, "Stable-Baselines3: Reliable reinforcement learning implementations," *Journal of Machine Learning Research*, vol. 22, no. 268, pp. 1–8, 2021.

[35] M. Towers, A. Kwiatkowski, J. Terry, J. U. Balis, G. De Cola, T. Deleu, M. Goulão, A. Kallinteris, M. Krimmel, A. KG, R. Perez-Vicente, A. Pierré, S. Schulhoff, J. J. Tai, H. Tan, and O. G. Younis, "Gymnasium: A standard interface for reinforcement learning environments," arXiv preprint arXiv:2407.17032, 2024. [Online]. Available: https://arxiv.org/abs/2407.17032

Table 19: Notation. Subscript t marks a quantity at decision or event time t; the pool's discrete event index advances one row at a time through the recorded tape.

Symbol	Meaning
P_t	pool price at time t, in USDC per WETH
P_t^{ref}	reference exchange price used for the as-of join
s_t, $\sqrt{p}_t$	square-root price, the pool's native coordinate
i_t	tick index, monotone in the price; the engine maps between the two with the pool's decimals
L	liquidity of a position, in the contract's integer units
x_t, y_t	position amounts of WETH, the risky asset, and USDC, the numeraire
$[i_\ell, i_u]$	lower and upper tick of the live band
c_t	centre of the band, in tick-spacing units from the current tick
w_t	half-width of the band, in tick-spacing units
κ_t	indicator that the agent acts (recentres) at time t
h_t	hedge ratio: short notional as a fraction of the LP's WETH delta
W_0	initial capital, 100 000 USDC per episode
V_t	mark value of the liquidity position
H_t	value of the opening deposit held as tokens, the HODL numeraire
G_t	cumulative gain, $V_t + \text{fees}_t - H_t$ before costs
f_t	fee income earned over step t, in USDC
ι	fee tier, in pips; 0.05 % is $\iota = 500$
σ	annualised realised volatility of the reference price
λ	weight on the risk penalty in the reward
α	CVaR level; the study reports $\alpha = 0.95$
CVaR_α	conditional value-at-risk at level α
γ	discount factor
g_t	gas paid at time t, in USDC
S_t	slippage paid at time t, in USDC
π_t	mark PnL of the short perpetual position
ϕ_t	funding paid or received on the short
τ_t	taker cost of adjusting the short
Δ	difference operator, $\Delta X_t = X_t - X_{t-1}$
LVR	loss-versus-rebalancing rate of the position
$\mathcal{T}$	one decision interval, ten minutes in the study

A Notation and Glossary

Table 19 collects the symbols used in the derivations and the results. All monetary quantities are in USDC, the pool's token0, unless a caption says otherwise; prices are quoted in USDC per WETH, so a rise in P_t is an appreciation of the risky asset.

The report uses the following abbreviations. An automated market maker (AMM) quotes prices from a deterministic rule instead of an order book; Uniswap v3 is the concentrated-liquidity AMM studied here.[1] A liquidity provider (LP) supplies the pool. Loss-versus-rebalancing (LVR) is the arbitrage loss the LP bears when the pool price is stale relative to the wider market;[2] impermanent loss (IL) is the same gap measured against a passive holding. A Markov decision process (MDP) is the sequential-decision model. Proximal policy optimization (PPO) is the training algorithm[32] and generalized advantage

Table 20: The two pools and the recorded window. Deployment blocks are the factory creation blocks; the tape begins at the first event inside the window.

Setting	Primary pool	Contrast pool
Contract	`0x88e6a0…f5640`	`0x8ad599…e6d8`
Fee tier	0.05 % (500 pips)	0.30 % (3000 pips)
Tick spacing	10	60
Deployment block	12 376 729	12 370 624
Recorded window	2022-01-01 to 2024-12-31	2022-01-01 to 2024-12-31
Training window	2022-01-01 to 2023-12-31	for selection only
Evaluation window	2024-01-01 to 2024-12-31	2024-01-01 to 2024-12-31

estimation (GAE) supplies its advantage estimates.[33] Conditional value-at-risk (CVaR) at level α is the mean of the worst $1 - \alpha$ fraction of outcomes; value-at-risk (VaR) is the corresponding quantile.[9] Total value locked (TVL) is the value of assets in a pool, maximal extractable value (MEV) is the profit available to block builders from ordering transactions, and a perpetual swap (perp) is the derivative used for the hedge.

B Data Collection and Validation

The study replays recorded history rather than simulating a market from a fitted process, so the tape's provenance and its known defects are part of the result. This appendix records the pools, the feeds, the checks that were run and the two warnings that survived them.

B.A Pools and window

Table 20 lists the two pools. Both are USDC/WETH pools on Ethereum mainnet; the token ordering is fixed by address, so USDC is token0 and WETH is token1 in both, and every monetary quantity in the study is in USDC. The window is January 2022 to December 2024, with 2024 held out. The primary pool's higher activity is why it carries the learned policy; the contrast pool exists to price the fee tier.

B.B The recorded feeds

Each pool contributes an event tape of swaps, mints and burns; the window contains no collects whose position was opened inside it, so the tape's collect stream is empty and fee income is instead taken from the pool's fee-growth accounting, the settlement path the engine replays. Five global feeds join the tape: one-minute reference prices, per-block gas prices, regime labels, boundary snapshots of the tick lattice, and eight-hour perpetual funding. Table 21 counts the rows for both pools. The reference

Table 21: Recorded rows per stream for the primary and contrast pools over 2022–2024. The gas stream is chain-wide and shared; the reference and regime streams carry two symbols each, so the per-symbol count is half the row count; the lattice row counts boundary snapshot files, not rows.

Stream	Primary	Contrast	Note
Swaps	6 862 602	447 714	the priced event stream
Mints	119 781	53 510	liquidity added
Burns	130 516	53 630	liquidity removed
Collects	0	0	none inside the window
Gas	7 609 726	shared	base fee and priority fee per block
Reference	3 156 480	shared	one-minute bars, two symbols
Regime	3 156 480	shared	labels derived from the reference
Funding	3 288	shared	eight-hour perpetual rate
Lattice snapshots	2	2	boundary states per pool
Tape rows (swaps + mints + burns)	7 112 899	554 854	validation totals

and regime feeds carry two symbols, `ETHUSDC` and `ETHUSDT`; the loader keeps one per dataset (the deeper `ETHUSDT` feed) so no observation mixes the two series.

The training split of the primary pool holds roughly 4.86 million tape events, which is why the exact engine cannot train the policy and the fast simulator exists.

B.C Validation and the two warnings

Fourteen checks ran on each dataset: block ordering, key uniqueness, monotonic timestamps, absence of future data, block contiguity, swap-sign convention, tick and price consistency, tick spacing, liquidity conservation, reference coverage, regime completeness, fee reconciliation, external cross-checks and route cross-checks. Ten were conclusive, of which two returned warnings; four could not be completed because the tape holds no position lifecycle and no external magnitude feed.

The first warning concerns the sign convention. Of the primary pool's swaps, 128 of 6 862 602 report non-positive or same-signed token amounts, and 26 of 447 714 do so on the contrast pool. These are subgraph artefacts around zero-amount swaps; the replay treats a same-signed row as a transfer of the reported magnitudes and the affected rows are a fraction of a basis point of the tape.

The second warning concerns the edges of the reference feed. The first close lands at 59.999 seconds past the window's first minute and the last inside the window at the final minute's close, so an as-of join against the exact boundary leaves the opening and closing minute without a fresh bar. The loader enforces the split wall and the replay warm-up covers the left edge, so no decision inside the window is affected.

Two further limitations matter for the reported results. First, the subgraph does not expose the pool's active liquidity on swap rows, so the replay reads the boundary snapshot and the fee-growth stream for liquidity state instead of the swap rows. Second, no completed position lifecycle sits inside the window, so the fee reconciliation against collects was skipped; fee income is instead taken from the protocol's own fee-growth accounting, which is the settlement path the engine replays exactly.

B.D Splits and evaluation windows

Training uses windows of thirty days resampled from the 2022–2023 lane, with the final 180 days of that lane carved out for checkpoint selection. The evaluation runs from 2024-01-01 to 2024-12-31 at midnight UTC, which tiles into twelve full thirty-day windows and a final partial window of five days, for thirteen episodes. Table 45 in Appendix F lists the realised market state of each evaluation window; the window boundaries are fixed before any policy is scored, so no comparison selects favourable periods after the fact.

C Derivations

This appendix carries the mathematics behind the study: the value of a concentrated position, the two loss measures, the concentration factor, the fee and hedge accounting, the risk measure and the policy update. The results in the main body use these expressions as definitions, so the appendix doubles as a statement of exactly what was measured.

C.A The value of a concentrated position

A constant-product pool with reserves (x, y) quotes the invariant $xy = k$ and a price $P = y/x$. A Uniswap v3 position replaces the full-range reserves with a liquidity constant L attached to a band $[p_\ell, p_u]$ in price space; the band's boundaries are tick indices i_ℓ, i_u, which correspond monotonically to p_ℓ, p_u through the pool's conversion between ticks and prices. The position's token amounts follow from the invariant in square-root coordinates. Writing $\sqrt{P}$ for the current square-root price,

$$x(P) = L\Big(\frac{1}{\sqrt{P}} - \frac{1}{\sqrt{p_u}}\Big), \tag{9}$$

$$y(P) = L\big(\sqrt{P} - \sqrt{p_\ell}\big), \tag{10}$$

while $p_\ell \le P \le p_u$; outside the band the position holds only the token the price has moved toward. The mark value in USDC is $V(P) = x(P)P + y(P)$, which in range becomes

$$V(P) = L\Big(2\sqrt{P} - \sqrt{p_\ell} - \frac{P}{\sqrt{p_u}}\Big). \tag{11}$$

The deposit is fixed at W_0 and the position is opened at the entry price P_0 with the current tick as the band's centre, so the liquidity is pinned by $V(P_0) = W_0$:

$$L = W_0 \Big/ \Big(2\sqrt{P_0} - \sqrt{p_\ell} - \frac{P_0}{\sqrt{p_u}}\Big). \tag{12}$$

The position's exposure is the derivative of the value with respect to the price. In range,

$$\frac{\partial V}{\partial P} = x(P) = L\Big(\frac{1}{\sqrt{P}} - \frac{1}{\sqrt{p_u}}\Big), \qquad \frac{\partial^2 V}{\partial P^2} = -\frac{L}{2}\,P^{-3/2} < 0. \tag{13}$$

The LP is long the risky token while the price is low in the band, and short it while the price is high; the value is concave in the price because the position sells the asset that rises and buys the one that falls. Concavity is the source of the loss to arbitrage: no matter which way the price moves, the position underperforms a portfolio that would have rebalanced to the same exposure continuously.

C.B Impermanent loss

The HODL benchmark holds the entry amounts $(x_0, y_0) = (x(P_0), y(P_0))$ fixed, so its value is $H(P) = x_0 P + y_0$. Impermanent loss is the gap

$$\mathrm{IL}(P) = V(P) - H(P) \;\le\; 0 \quad \text{for } P \neq P_0, \tag{14}$$

with equality at entry. Substituting (11) and the entry amounts gives the closed form used by the evaluation:

$$\frac{V(P)}{W_0} = \frac{2\sqrt{P} - \sqrt{p_\ell} - P/\sqrt{p_u}}{2\sqrt{P_0} - \sqrt{p_\ell} - P_0/\sqrt{p_u}}, \qquad \frac{H(P)}{W_0} = \frac{x_0}{W_0} P + \frac{y_0}{W_0}. \tag{15}$$

For a band symmetric in ticks around P_0, write $p_\ell = P_0/r$ and $p_u = P_0 r$ with $r = e^{\Delta}$, where Δ is the half-width in log-price and equals the half-width in ticks multiplied by the tick size. At the entry price the two amounts are equal in value,

$$\frac{x_0 P_0}{W_0} = \frac{y_0}{W_0} = \frac{1}{2}, \qquad \frac{x_0}{W_0} = \frac{1}{2P_0}, \tag{16}$$

so the deposit is balanced at any symmetric width and $x_0 P_0/W_0 + y_0/W_0 = 1$ by construction.

C.C Concentration and loss-versus-rebalancing

Consider a price that follows a geometric Brownian motion, $\mathrm{d}P_t = \mu P_t \,\mathrm{d}t + \sigma P_t \,\mathrm{d}W_t$. Let R_t be the value of the continuously rebalanced portfolio that starts at $V(P_0)$ and holds the AMM's instantaneous exposure at every instant, $\mathrm{d}R_t = (\partial V/\partial P)\,\mathrm{d}P_t$. Itô's lemma gives

$$\mathrm{d}V_t = \frac{\partial V}{\partial P}\,\mathrm{d}P_t + \frac{1}{2}\frac{\partial^2 V}{\partial P^2}\,\sigma^2 P_t^2\,\mathrm{d}t, \tag{17}$$

so the gap to the rebalancing portfolio accumulates at

$$\mathrm{dLVR}_t = -\frac{1}{2}\frac{\partial^2 V}{\partial P^2}\,\sigma^2 P_t^2\,\mathrm{d}t \;\geq\; 0, \tag{18}$$

which is the loss-versus-rebalancing rate of Milionis et al.[2] Substituting the curvature of (13), an in-range concentrated position loses at the instantaneous rate

$$\mathrm{dLVR}_t = \frac{\sigma^2}{4}\,L\,\sqrt{P_t}\,\mathrm{d}t. \tag{19}$$

The full-range position is the special case $p_\ell \to 0$, $p_u \to \infty$ with $V = 2L\sqrt{P}$, for which (19) collapses to $\sigma^2 V/8$, the rate in the LVR literature. Dividing the two rates and evaluating at the entry price, with both positions pinned to the same capital W_0, gives the position's concentration factor,

$$\kappa = \frac{\mathrm{dLVR}^{\text{concentrated}}}{\mathrm{dLVR}^{\text{full range}}} = \frac{1}{1-(p_\ell/p_u)^{1/4}} = \frac{1}{1-e^{-\Delta/2}}, \tag{20}$$

so a band of half-width $\Delta = 0.012$ in log-price, the default open band of the replay, carries an instantaneous LVR rate about 167 times the full-range rate while it is in range. The factor is why a narrow band earns more fees and loses more to arbitrage at the same time, and why the fee tier, not the width alone, decides whether the position clears its own LVR.

Fees modify the arbitrage relation. With a proportional fee ι, a riskless arbitrageur only trades when the pool price deviates from the external price by more than the fee, so the pool price wanders inside a band of width proportional to ι around the external price before arbitrage is profitable. Fee income and the residual LVR are then two sides of the same threshold, which is the object the empirical fee-to-LVR ratio in Appendix F measures; the fee-adjusted arbitrage condition is derived by Milionis et al.[22]

C.D Fee income and the liquidity share

While the price is inside the band, the position earns a proportional share of every swap fee. If the position's liquidity is L and the pool's active liquidity is L_{active}, that share is the ratio L/L_{active} on each crossed tick segment. The exact engine does not approximate this ratio at the pool level: each swap is apportioned across the tick segments it crosses, and the position's fee accrual is the integer change in the inside fee-growth accumulator multiplied by its liquidity. Fee income over a step is therefore

$$f_t = \sum_{\text{segments } s} L_s \cdot \left(\Delta\text{feeGrowthInside}_s\right), \tag{21}$$

with $L_s = 0$ outside the band. The *marginal-agent* assumption of the simulator replaces the sum with the position's share of the global fee growth while in range, which removes the segment bookkeeping at the cost of a small approximation bounded by the parity harness.

C.E The hedge leg

The hedge shorts $h_t\, x(P_t)$ units of WETH through a perpetual swap, where x is the LP's WETH amount. Its mark PnL over a step is

$$\pi_t = -\, h_{t-1}\, x(P_{t-1})\, \left(P_t - P_{t-1}\right), \tag{22}$$

funding is $\phi_t = +h_{t-1}x(P_{t-1})P_{t-1}\,\rho_t$ when the eight-hour rate ρ_t, scaled to the step, is positive (the short collects it), and adjusting the position costs a taker fee $\tau_t \le 0$ proportional to the change in short notional. The joint strategy value is $V_t + \text{fees}_t + \pi_t + \phi_t + \tau_t - g_t - S_t$. Because the hedge is linear in the price and the LP value is concave, the hedge removes the first-order exposure but cannot remove the curvature term (19): a delta-neutral LP still pays LVR. This is the structural reason the empirical hedge cuts the tail without repairing the mean.

C.F Risk measure and the training objective

For a loss $L = -G$ on the episode gain G, conditional value-at-risk at level α is the mean of the worst $1 - \alpha$ tail,

$$\mathrm{CVaR}_\alpha(L) = \frac{1}{1-\alpha}\int_\alpha^1 \mathrm{VaR}_u(L)\,\mathrm{d}u = \min_{\nu\in\mathbb{R}}\left\{\nu + \frac{1}{1-\alpha}\mathbb{E}\big[(L-\nu)^+\big]\right\}, \tag{23}$$

the convex representation of Rockafellar and Uryasev;[9] CVaR is a coherent risk measure in the sense of Artzner et al.[30] The reward subtracts a multiple of a trailing empirical estimate of (23) on per-step joint equity changes, with a one-day window, so the policy's gradient sees the same tail statistic the evaluation reports.

Policy optimization uses the clipped surrogate of PPO.[32] With probability ratio $r_t(\theta)$ between the new and old policies and advantage $\hat{A}_t$ from generalized advantage estimation,[33]

$$\mathcal{L}(\theta) = \mathbb{E}\Big[\min\big(r_t(\theta)\hat{A}_t,\ \mathrm{clip}(r_t(\theta), 1-\epsilon, 1+\epsilon)\hat{A}_t\big)\Big] - c_v\,\mathbb{E}\big[(V_\theta(s_t) - \hat{V}_t)^2\big] + c_e\,\mathbb{E}\big[H(\pi_\theta(\cdot \mid s_t))\big], \tag{24}$$

with clip $\epsilon = 0.15$, value coefficient c_v and entropy bonus c_e. The advantage is the exponentially weighted sum of one-step temporal-difference residuals with parameter $\lambda_{\mathrm{GAE}} = 0.95$. The full training settings are the subject of Appendix D.

D Testbed Specification

The report's claims rest on two engines and the check between them. This appendix specifies both engines, the parity harness, the cost models and the learning interface in enough detail to rebuild them.

D.A The exact replay engine

The exact engine consumes the recorded tape at its own event granularity and asks the policy for a decision every ten minutes. Each decision is executed at the price observed *before* the interval advances, matching the latency a live LP faces and keeping the simulator and the backtester on the same convention. The engine's state is the pool's integer tick lattice: liquidity is minted and burned on the exact ticks the tape reports, and a swap is apportioned across every tick segment it crosses. Fee accrual comes from the protocol's own fee-growth accumulators, which are 128-bit fixed-point integers that increase monotonically with every swap; the position's fee over a step is its liquidity multiplied by the change in the inside fee-growth value, exactly as the contract computes it. The ledger therefore satisfies an accounting identity by construction,

$$\text{fees} + \text{IL} - \text{gas} - \text{slippage} = \text{strategy excess over the opening basket}, \tag{25}$$

and the identity is checked at every step of every replay.

Three numerical details matter for exactness. First, liquidity arithmetic is done in Python integers, not floats, because a large gross liquidity in floating point carries a residue that can round a small delta to zero. Second, the initial position is deployed before the first decision for every policy, so the HODL benchmark has a definite token mix; the pure basket holds the same mix as tokens. Third, a rebalance that the position cannot afford is recorded as rejected and the position is held, mirroring an on-chain revert rather than forcing a sale.

D.B The fast simulator

Training needs roughly 10^6 decisions per seed, which the exact engine cannot supply within the study's budget. The simulator mirrors the same economics in floating point under a marginal-agent assumption: the agent's position never moves the pool price, and its fee share is its fraction of the active liquidity while in range. This removes the segment-level replay and raises throughput by more than an order of magnitude. The simulator runs either on the recorded events, the mode used for every result in this report, or on a regime-switching jump process calibrated to the training years; the calibrated mode is not exercised here because the study keeps the evaluation on recorded states.

Table 22: Cost-model parameters. Gas units are per action and sweepable in the configuration; the tip and the slippage impact are the shipped values.

Parameter	Value	Charged on
Mint gas units	460 000	opening or rebalancing a position
Burn gas units	215 000	closing the position
Collect gas units	130 000	fee collection
Rebalance swap units	150 000	the swap inside a rebalance
Tip surcharge	3 % of the base fee	every action
Slippage impact	5 basis points	the swapped inventory
Hedge taker fee	5 basis points	short notional adjustments

D.C The parity harness

Two engines are only useful together if their disagreement is bounded. The harness feeds both the same prices, positions and gas series and compares fees, impermanent loss, PnL, gas and slippage per step against a tolerance of 10^{-3} USDC. On the recorded data the residual fee drift is on the order of 10^{-7} USDC per step per seed (8.9×10^{-8}, 1.4×10^{-7}, 1.0×10^{-7}, 1.1×10^{-7} for four seeds), impermanent loss matches exactly, and the pooled error is dominated by a single seed's tail but remains two orders of magnitude inside tolerance.

A separate suite of thirteen look-ahead probes attacks the composed system at the seams where a look-ahead error would be easiest to hide: the split wall for slice access and tape access, the reference-price wall, the as-of regime probe, the gas and observation builders against future mutation, the sentinel values, episode truncation and the backtester's own future mutation. All thirteen pass on the shipped code.

D.D Cost models

Gas is priced at each block's base fee plus a 3 % tip surcharge, converted at the block's reference ETH price, and charged as representative per-action units rather than per-transaction receipts. Table 22 lists the units. Slippage is proportional to the notional actually swapped: the pool fee tier plus a fixed five-basis-point impact. The hedge pays a five-basis-point taker fee on notional changes and the recorded eight-hour funding rate on the short.

D.E The learning interface

The observation is a fixed-order vector of twenty-four scaled features. Table 23 lists them in order. The heavy-tailed dimensions are log-compressed so every input reaches the policy at order one. The regime

Table 23: The observation vector, in order. The right column gives the feature in words; the regime slot is the only categorical entry.

#	Slot	Feature
1	price	pool price
2	sqrt price	square-root price
3	tick	current tick
4	r_{1h}	one-hour reference return
5	r_{24h}	twenty-four-hour reference return
6	σ_{24h}	twenty-four-hour realised volatility
7	in range	whether the live band covers the price
8	value	position value in USDC
9	fees0	uncollected fees in USDC
10	fees1	uncollected fees in WETH
11	IL	IL against the opening basket, as a fraction of capital
12	liquidity	active pool liquidity
13	fee tier	pool fee tier in pips
14	gas	recent base fee plus priority fee
15	ETH price	recent reference price
16	regime	as-of regime ordinal
17	step	decision index in the episode
18	remaining	decisions left in the episode
19	d_ℓ	distance to the lower bound, in tick spacings
20	d_u	distance to the upper bound, in tick spacings
21	width	band width, in tick spacings
22	hedge ratio	current short ratio
23	hedge equity	hedge account equity, as a fraction of capital
24	funding	recent eight-hour funding rate

Table 24: The restricted action grid of the study. Widths are half-widths in tick spacings; the hedge ratio is the short notional as a fraction of the LP's WETH delta, and it is chosen at every decision.

Head	Options	Meaning
LP action	hold, deploy 50, 250, 1000	deploy once, then hold
Hedge ratio	0, 0.25, 0.5, 0.75, 1.0	short share of the delta

slot is the ordinal of the as-of label; the ablation arm in Appendix F freezes that slot to a constant.

Actions are factored. The general grid pairs nine centre offsets with ten widths and a hold option; the study's configuration, after the timing finding, restricts the centre to zero and the width to three arms, and adds the hedge ratio as an independent head. An action is therefore one of four LP choices (hold or one of three widths) crossed with five hedge ratios, a MultiDiscrete$([4, 5])$ space. Table 24 lists the arms.

D.F Training settings

Table 25 lists the optimization settings. Five seeds are trained per configuration and the checkpoint with the highest validation Sharpe on the last 180 days of the training lane is the one evaluated. The

Table 25: Optimization settings for every learned policy in the study.

Setting	Value
Algorithm	clipped PPO with GAE
Seeds	0 to 4, trained independently
Timesteps per seed	1 000 000
Discount factor γ	0.9999
GAE parameter λ_{GAE}	0.95
Clip range ϵ	0.15
Learning rate	10^{-4}
Batch size	512
Epochs per update	4
Entropy coefficient	0.001
Target KL	0.01
Network	two hidden layers of 256 units
Parallel environments	4, one process each
Checkpoint interval	100 000 steps
Selection metric	validation Sharpe, last 180 days of training
Risk penalty	CVaR at 5 %, weight $\lambda = 0.05$, one-day window

configuration was fixed before the evaluation year was scored.

E Complete Per-Window Results

The main body reports means over the evaluation windows. This appendix reports every window for every rule so a reader can see the dispersion behind each mean. Each table gives the window number, its dominant regime, PnL in USDC, the annualised Sharpe ratio, maximum drawdown as a percentage of capital, CVaR at the 5 % level in USDC per tape event, and the liquidity leg's net excess over the opening basket. The windows are the same for every rule; the final window is the five-day partial period, which is why its magnitudes are smaller.

The tables cover the five benchmark rules, the five learned seeds of the main run, and the two scripted recentring rules that complete the pre-registered ladder. The learned seeds are evaluated at the checkpoint selected by validation Sharpe on the training lane, never on these windows.

F Ablation and Boundary Tables

The design section lists the probes that complete the study; this appendix carries their full tables. Every table is generated from the evaluation records by the reproduction program, so the numbers can be checked line by line against the analysis artefacts.

Table 26: Per-window evaluation of hodl. PnL, CVaR and net are in USDC; drawdown is a percentage of capital; net is the liquidity leg's excess over the opening basket.

Window	Regime	PnL	Sharpe	maxDD (%)	CVaR	Net
1	sideways	+7 096	2.68	−7.7	−42.5	+5 697
2	bull	+2 608	2.23	−3.9	−19.1	−18 319
3	bull	+11 103	2.79	−11.9	−24.2	+8 532
4	bear	−3 400	−0.33	−17.8	−90.6	+623
5	bear	+900	0.46	−12.1	−59.8	−7 639
6	bull	−5 791	−1.64	−13.4	−62.2	−551
7	bear	+1 243	0.59	−16.0	−66.6	+2 812
8	high volatility	−23 000	−3.17	−34.0	−94.5	−10 937
9	bear	+6 128	1.64	−12.0	−76.6	+2 671
10	sideways	+2 201	0.78	−11.9	−87.4	+5 075
11	bull	+4 976	4.05	−4.4	−17.9	−14 342
12	bull	+8 777	3.30	−8.6	−35.9	+7 560
13	bear	−3 283	−4.89	−5.1	−98.1	−1 372

Table 27: Per-window evaluation of passive_narrow. PnL, CVaR and net are in USDC; drawdown is a percentage of capital; net is the liquidity leg's excess over the opening basket.

Window	Regime	PnL	Sharpe	maxDD (%)	CVaR	Net
1	sideways	+7 698	3.53	−6.9	−36.7	+6 299
2	bull	+3 495	3.88	−3.0	−15.7	−17 432
3	bull	+11 397	4.14	−8.2	−27.2	+8 826
4	bear	−3 819	−0.40	−17.5	−89.4	+204
5	bear	+3 511	1.18	−11.4	−57.1	−5 028
6	bull	−6 859	−2.02	−12.5	−60.9	−1 620
7	bear	+2 395	0.90	−15.6	−66.9	+3 964
8	high volatility	−22 542	−3.09	−33.5	−94.4	−10 479
9	bear	+7 592	2.09	−11.0	−71.6	+4 135
10	sideways	−582	0.05	−11.1	−81.9	+2 293
11	bull	+4 259	4.20	−3.9	−17.3	−15 059
12	bull	+8 346	3.57	−7.9	−34.7	+7 128
13	bear	−820	−1.17	−4.1	−86.5	+1 091

Table 28: Per-window evaluation of passive_wide. PnL, CVaR and net are in USDC; drawdown is a percentage of capital; net is the liquidity leg's excess over the opening basket.

Window	Regime	PnL	Sharpe	maxDD (%)	CVaR	Net
1	sideways	+4 578	2.41	−6.6	−39.7	+3 179
2	bull	+7 087	7.70	−2.4	−19.9	−13 841
3	bull	+9 082	3.81	−7.8	−46.7	+6 511
4	bear	−785	0.09	−15.2	−71.4	+3 239
5	bear	+8 390	3.27	−8.4	−42.4	−149
6	bull	−4 878	−1.98	−9.7	−45.8	+361
7	bear	+1 255	0.63	−12.8	−56.1	+2 824
8	high volatility	−19 123	−2.55	−31.2	−93.9	−7 060
9	bear	+5 656	2.00	−9.7	−57.5	+2 200
10	sideways	−1 193	−0.28	−9.0	−62.0	+1 682
11	bull	+6 906	6.07	−5.7	−23.9	−12 412
12	bull	+5 697	2.62	−9.6	−48.9	+4 479
13	bear	−1 573	−3.94	−3.3	−59.0	+338

Table 29: Per-window evaluation of full_range_v2. PnL, CVaR and net are in USDC; drawdown is a percentage of capital; net is the liquidity leg's excess over the opening basket.

Window	Regime	PnL	Sharpe	maxDD (%)	CVaR	Net
1	sideways	+1 657	0.89	−10.5	−48.7	+258
2	bull	+19 745	8.87	−4.2	−51.9	−1 182
3	bull	+2 958	1.19	−13.2	−65.0	+387
4	bear	−3 848	−1.17	−12.3	−51.1	+175
5	bear	+8 563	3.21	−6.8	−45.1	+24
6	bull	−5 139	−2.81	−8.5	−36.2	+100
7	bear	−1 338	−0.45	−10.3	−45.8	+231
8	high volatility	−12 642	−3.39	−20.5	−54.5	−579
9	bear	+3 747	1.48	−8.8	−53.9	+291
10	sideways	−2 756	−1.16	−7.8	−50.6	+118
11	bull	+17 712	6.57	−6.8	−73.2	−1 606
12	bull	+1 618	0.79	−12.9	−65.2	+400
13	bear	−1 903	−5.72	−3.0	−50.3	+8

Table 30: Per-window evaluation of hedged_hodl. PnL, CVaR and net are in USDC; drawdown is a percentage of capital; net is the liquidity leg's excess over the opening basket.

Window	Regime	PnL	Sharpe	maxDD (%)	CVaR	Net
1	sideways	−2 237	−2.25	−3.8	−4.1	+5 697
2	bull	−594	−4.88	−1.0	−1.5	−18 319
3	bull	−3 071	−0.60	−7.5	−8.2	+8 532
4	bear	−3 260	−9.44	−3.7	−3.1	+623
5	bear	−2 405	−4.86	−2.4	−0.6	−7 639
6	bull	−1 590	−7.25	−2.1	−2.3	−551
7	bear	−926	−4.30	−1.3	−2.0	+2 812
8	high volatility	−1 330	−9.03	−1.5	−1.4	−10 937
9	bear	−1 974	−6.65	−2.3	−3.9	+2 671
10	sideways	−4 054	−6.73	−4.5	−4.7	+5 075
11	bull	−1 479	−4.25	−2.2	−4.2	−14 342
12	bull	−3 057	−6.39	−3.2	−4.3	+7 560
13	bear	+30	4.66	−0.1	−0.5	−1 372

Table 31: Per-window evaluation of seed 0. PnL, CVaR and net are in USDC; drawdown is a percentage of capital; net is the liquidity leg's excess over the opening basket.

Window	Regime	PnL	Sharpe	maxDD (%)	CVaR	Net
1	sideways	+1 370	1.35	−4.6	−11.9	+6 299
2	bull	+1 613	3.45	−1.5	−8.3	−17 432
3	bull	+2 832	1.55	−5.7	−13.1	+8 826
4	bear	−3 635	−1.39	−9.3	−36.8	+204
5	bear	−1 554	−0.78	−5.8	−28.8	−5 028
6	bull	−1 400	−0.99	−5.0	−22.1	−1 620
7	bear	+276	0.29	−8.0	−28.3	+3 964
8	high volatility	−9 133	−2.99	−17.1	−41.2	−10 479
9	bear	−1 277	−0.59	−6.5	−34.0	+4 135
10	sideways	−131	0.07	−5.7	−36.4	+2 293
11	bull	+1 637	3.13	−2.1	−9.6	−15 059
12	bull	−95	−0.08	−2.0	−6.6	+7 128
13	bear	−684	−2.80	−2.1	−34.8	+1 091

Table 32: Per-window evaluation of seed 1. PnL, CVaR and net are in USDC; drawdown is a percentage of capital; net is the liquidity leg's excess over the opening basket.

Window	Regime	PnL	Sharpe	maxDD (%)	CVaR	Net
1	sideways	+488	0.53	−5.1	−21.6	+2 591
2	bull	+3 679	6.26	−1.8	−12.4	−12 085
3	bull	+5 050	3.50	−4.4	−28.1	+5 280
4	bear	−1 317	−0.55	−7.0	−34.6	+2 690
5	bear	+3 924	2.67	−6.1	−23.2	−98
6	bull	−2 924	−2.54	−5.2	−22.5	+309
7	bear	−3 021	−1.73	−9.1	−29.4	+2 308
8	high volatility	−2 981	−0.64	−13.5	−51.3	−5 162
9	bear	+4 537	3.01	−4.4	−29.9	+1 816
10	sideways	−3 697	−2.34	−6.6	−34.4	+1 367
11	bull	+3 383	5.35	−3.1	−13.7	−10 181
12	bull	+2 919	2.44	−5.5	−26.9	+3 658
13	bear	−1 868	−5.25	−3.5	−52.2	+1 091

Table 33: Per-window evaluation of seed 2. PnL, CVaR and net are in USDC; drawdown is a percentage of capital; net is the liquidity leg's excess over the opening basket.

Window	Regime	PnL	Sharpe	maxDD (%)	CVaR	Net
1	sideways	+2 714	1.53	−6.5	−26.2	+34
2	bull	+4 173	3.93	−2.9	−21.9	−10 055
3	bull	−613	−0.25	−5.9	−20.6	−1 472
4	bear	−4 369	−1.45	−11.1	−41.4	+2 582
5	bear	−4 105	−1.56	−9.2	−37.0	−8 752
6	bull	−1 744	−1.10	−6.6	−23.2	+2 460
7	bear	−2 726	−0.99	−12.1	−38.1	−2 257
8	high volatility	−14 186	−3.16	−25.8	−50.8	−7 602
9	bear	+2 218	1.00	−9.2	−41.5	+3 329
10	sideways	−3 599	−1.57	−9.0	−46.2	−1 479
11	bull	+4 708	3.68	−3.3	−28.5	−9 005
12	bull	+1 624	1.43	−3.9	−21.8	−1 036
13	bear	−2 176	−5.64	−3.8	−55.6	−1 471

Table 34: Per-window evaluation of seed 3. PnL, CVaR and net are in USDC; drawdown is a percentage of capital; net is the liquidity leg's excess over the opening basket.

Window	Regime	PnL	Sharpe	maxDD (%)	CVaR	Net
1	sideways	+1 280	2.07	−2.3	−13.3	+2 591
2	bull	+2 446	8.21	−0.6	−6.0	−12 085
3	bull	+2 719	3.13	−2.6	−16.9	+5 280
4	bear	−810	−0.52	−4.1	−21.3	+2 690
5	bear	+1 164	1.68	−2.4	−11.9	−98
6	bull	−2 135	−2.77	−3.9	−14.2	+309
7	bear	+207	0.33	−3.7	−16.8	+2 308
8	high volatility	−5 969	−3.40	−7.3	−27.8	−5 162
9	bear	+1 708	2.07	−2.6	−16.9	+1 816
10	sideways	−1 132	−1.25	−3.9	−18.4	+1 367
11	bull	+1 996	6.53	−1.5	−7.3	−10 181
12	bull	+439	0.54	−5.2	−19.7	+3 658
13	bear	+363	1.89	−2.0	−30.8	+272

Table 35: Per-window evaluation of seed 4. PnL, CVaR and net are in USDC; drawdown is a percentage of capital; net is the liquidity leg's excess over the opening basket.

Window	Regime	PnL	Sharpe	maxDD (%)	CVaR	Net
1	sideways	+5 034	3.61	−5.1	−27.2	+2 591
2	bull	+5 832	8.03	−1.8	−16.5	−12 085
3	bull	+3 168	2.40	−4.4	−26.3	+5 280
4	bear	−5 429	−1.90	−11.1	−42.1	+2 690
5	bear	−3 000	−1.66	−6.1	−27.8	−98
6	bull	−2 904	−2.14	−5.7	−24.8	+309
7	bear	+2 397	1.37	−9.2	−35.5	+2 308
8	high volatility	−17 926	−3.84	−22.9	−61.2	−5 162
9	bear	+1 675	0.95	−7.3	−37.4	+1 816
10	sideways	−2 725	−1.41	−6.6	−41.1	+1 367
11	bull	+5 996	6.71	−4.5	−19.6	−10 181
12	bull	+6 859	4.63	−3.4	−32.9	+3 658
13	bear	−1 335	−5.45	−2.4	−36.8	+272

Table 36: Per-window evaluation of `tau_reset`. PnL, CVaR and net are in USDC; drawdown is a percentage of capital; net is the liquidity leg's excess over the opening basket.

Window	Regime	PnL	Sharpe	maxDD (%)	CVaR	Net
1	sideways	−12 833	−4.42	−16.9	−52.1	−14 232
2	bull	+5 517	2.07	−12.0	−59.2	−15 411
3	bull	−40 086	−11.25	−44.8	−63.0	−42 657
4	bear	−32 178	−9.56	−35.5	−47.8	−28 155
5	bear	−11 317	−3.44	−12.2	−46.6	−19 855
6	bull	−12 663	−5.98	−15.1	−38.6	−7 424
7	bear	−13 808	−5.18	−17.5	−47.5	−12 239
8	high volatility	−38 321	−7.33	−40.4	−61.6	−26 259
9	bear	−11 587	−3.66	−16.1	−58.4	−15 043
10	sideways	−15 085	−5.96	−17.0	−57.0	−12 210
11	bull	−17 667	−6.16	−22.0	−72.9	−36 985
12	bull	−27 508	−8.95	−30.8	−64.9	−28 725
13	bear	−2 305	−5.70	−4.4	−59.8	−394

Table 37: Per-window evaluation of `cost_aware`. PnL, CVaR and net are in USDC; drawdown is a percentage of capital; net is the liquidity leg's excess over the opening basket.

Window	Regime	PnL	Sharpe	maxDD (%)	CVaR	Net
1	sideways	−692	0.05	−12.9	−64.6	−2 090
2	bull	+21 818	9.86	−4.1	−40.1	+891
3	bull	+285	0.40	−14.8	−78.2	−2 286
4	bear	−9 356	−2.01	−21.0	−55.4	−5 333
5	bear	−1 566	−0.21	−11.5	−50.6	−10 105
6	bull	−7 271	−2.83	−11.3	−44.0	−2 032
7	bear	−346	0.19	−18.2	−74.2	+1 223
8	high volatility	−24 221	−4.07	−31.9	−60.4	−12 158
9	bear	+6 430	1.94	−10.5	−65.2	+2 974
10	sideways	−7 369	−1.83	−11.6	−68.0	−4 494
11	bull	+6 044	2.42	−10.5	−63.2	−13 274
12	bull	−7 231	−1.46	−18.8	−80.7	−8 449
13	bear	−2 419	−5.57	−5.1	−59.4	−508

Table 38: Static one-shot widths on the training split, mean over the twenty-five training windows. The width with the best training Sharpe is frozen as the comparator.

Policy	PnL	Sharpe	CVaR	Fees	IL	Net
static 50	−1 486	+2.197	−48.01	4 759	−6 229	−1 529
static 250	−1 147	+1.448	−48.73	2 542	−3 673	−1 190
static 1000	−210	+0.804	−48.55	1 049	−1 243	−253

Table 39: The same static widths on the thirteen evaluation windows, mean. Width 50 is the frozen comparator chosen on the training split.

Policy	PnL	Sharpe	CVaR	Fees	IL	Net
static 50	+1 082	+1.296	−56.95	4 266	−5 435	−1 206
static 250	+1 732	+1.591	−51.03	2 637	−3 156	−557
static 1000	+2 147	+0.942	−52.41	919	−1 023	−142

F.A Static width selection

The protocol freezes the static width with the best Sharpe ratio on the training split. Table 38 reports the three widths on the training windows and Table 39 their evaluation counterparts. The width of 50 tick spacings wins the training selection, and its evaluation row is the frozen comparator used in the main text; the width of 250 would have scored better on the evaluation year, which is exactly the selection risk the pre-registered rule guards against.

F.B The scripted recentring rules

The ladder's two active rules complete the comparison. Both recentre the band when the price moves; one does so whenever the price leaves the live band, the other at most daily and only when the estimated fee gain covers gas. Table 40 reports their means, and their per-window rows are in Appendix E. They are the empirical case against timing on this pool: high fee income, larger realised losses.

Table 40: The two scripted recentring rules completed for the study, mean over the thirteen evaluation windows, with the same metrics as the main ladder.

Policy	PnL	Sharpe	CVaR	Rebalances	Fees	Net
tau_reset	−17 680	−5.810	−56.10	122.85	43 029	−19 968
cost_aware	−1 992	−0.241	−61.84	22.00	19 833	−4 280

Table 41: Friction ablation on the primary pool's one-shot wide band, mean over the thirteen evaluation windows. The variant switches one cost term off or re-prices gas at a flat 30 gwei base fee plus a 3 % tip.

Variant	PnL	Sharpe	Fee income	IL	Gas	Slippage
full	+1 623	+1.526	2 921	−3 549	−36	−1
no gas	+1 659	+1.526	2 921	−3 549	+0	−1
no slippage	+1 624	+1.526	2 921	−3 549	−36	+0
no IL	+5 172	+1.647	2 921	+0	−36	−1
flat gas	+1 583	+1.526	2 921	−3 549	−76	−1

Table 42: Friction ablation on the primary pool's recentring rule, mean over the thirteen evaluation windows. The variant switches one cost term off or re-prices gas at a flat 30 gwei base fee plus a 3 % tip.

Variant	PnL	Sharpe	Fee income	IL	Gas	Slippage
full	−17 680	−5.810	43 029	−48 904	−8 772	−5 321
no gas	−8 908	−3.016	43 029	−48 904	+0	−5 321
no slippage	−12 359	−3.908	43 029	−48 904	−8 772	+0
no IL	+31 224	+12.841	43 029	+0	−8 772	−5 321
flat gas	−18 303	−6.318	43 029	−48 904	−9 395	−5 321

F.C Friction ablation

The friction ablation removes one cost term at a time from the same backtest ledger, so the differences are exact. Table 41 runs it on a one-shot band, Table 42 on the recentring rule, and Table 43 repeats the first on the higher fee tier. Removing impermanent loss moves the one-shot band by thousands of USDC and the recentring rule by tens of thousands, while gas and slippage together move the one-shot band by less than forty. The cost that decides the result is the loss to arbitrage, not execution.

F.D Fee-tier contrast

Table 44 repeats the whole rule ladder on the 0.30 % pool. The fee tier is the one axis that flips the sign of the passive arithmetic: the wide, full-range and static bands finish ahead of the opening basket, while both recentring rules still lose several thousand USDC. The contrast pool's tape is smaller and its regime path is not identical to the primary pool's, so the comparison is between fee tiers on the same

Table 43: Friction ablation on the contrast pool's one-shot wide band, mean over the thirteen evaluation windows. The variant switches one cost term off or re-prices gas at a flat 30 gwei base fee plus a 3 % tip.

Variant	PnL	Sharpe	Fee income	IL	Gas	Slippage
full	+1 808	+3.328	3 180	−2 787	−35	−20
no gas	+1 843	+3.328	3 180	−2 787	+0	−20
no slippage	+1 828	+3.328	3 180	−2 787	−35	+0
no IL	+4 595	+3.535	3 180	+0	−35	−20
flat gas	+1 767	+3.328	3 180	−2 787	−76	−20

Table 44: The rule ladder on the 0.30 % contrast pool, mean over the thirteen evaluation windows. The static widths are the price-equivalent of the primary pool's ladder at this pool's spacing of 60.

Policy	PnL	Sharpe	CVaR	Fees	IL	Net
hodl	+1 361	+2.062	−239.7	5 341	−5 450	−109
passive_narrow	+1 432	+2.886	−224.6	4 663	−4 651	−38
passive_wide	+1 808	+3.328	−190.4	3 180	−2 787	+338
full_range_v2	+2 188	+1.297	−188.1	403	+372	+719
static 8	+1 432	+2.886	−224.6	4 663	−4 651	−38
static 42	+1 893	+3.448	−186.8	2 823	−2 344	+423
static 167	+2 204	+1.965	−185.7	1 015	−225	+734
tau_reset	−20 702	−15.894	−218.3	36 924	−39 767	−22 172
cost_aware	−2 101	−0.265	−280.0	14 900	−15 883	−3 571

Table 45: Recorded market state per evaluation window: annualised realised volatility from the reference series, swap notional, and the analytical loss-versus-rebalancing floor $0.125\,\sigma^2 Vt$ at 100 000 USDC for a full month. The final window is partial.

Window	**Regime**	σ	**Volume (USDC)**	**LVR floor (USDC)**
1	sideways	0.600	6 424 599 898	+370.2
2	bull	0.577	6 406 706 195	+341.9
3	bull	0.784	12 209 759 325	+631.7
4	bear	0.703	9 789 688 507	+507.7
5	bear	0.641	10 359 931 592	+421.6
6	bull	0.463	7 792 755 007	+220.0
7	bear	0.579	7 125 621 906	+344.1
8	high volatility	0.918	6 781 740 810	+865.5
9	bear	0.568	4 289 496 437	+330.9
10	sideways	0.490	3 990 759 064	+246.2
11	bull	0.717	9 323 871 454	+528.1
12	bull	0.735	9 428 225 648	+554.8
13	bear	0.546	1 041 805 188	+305.6

recorded year, not a controlled experiment on one tape.

F.E Boundary sweep

The sweep reruns the ladder at a quarter and four times the recorded gas cost and at a tenth and ten times the capital. Table 45 first records the market state of each window: annualised realised volatility, swap notional, and the analytical full-range LVR floor. The four level tables then report the reruns. Two findings stand out. First, no gas price or capital level turns either recentring rule positive; cheap execution alone does not revive timing, and a larger book scales fees and losses together. Second, the learned seed's Sharpe ratio stays between 1.40 and 1.46 at every level, so its risk-adjusted result is not an artefact of the tested cost range.

Table 46: Boundary sweep at gas 0.25x, mean over the thirteen evaluation windows. PnL and CVaR are in USDC.

Policy	PnL	Sharpe	CVaR	Rebalances
hodl	+735	+0.65	−59.7	0.00
passive_wide	+1 651	+1.53	−51.3	1.00
tau_reset	−11 613	−3.72	−57.7	122.85
cost_aware	−2 953	−0.54	−61.1	24.85
seed 3	+203	+1.42	−17.0	1.00

Table 47: Boundary sweep at gas 4x, mean over the thirteen evaluation windows. PnL and CVaR are in USDC.

Policy	PnL	Sharpe	CVaR	Rebalances
hodl	+735	+0.65	−59.7	0.00
passive_wide	+1 509	+1.53	−51.3	1.00
tau_reset	−40 032	−12.85	−50.0	117.54
cost_aware	−1 419	+0.01	−60.2	7.08
seed 3	+65	+1.42	−17.0	1.00

Table 48: Boundary sweep at capital 10k, mean over the thirteen evaluation windows. PnL and CVaR are in USDC.

Policy	PnL	Sharpe	CVaR	Rebalances
hodl	+81	+0.68	−6.0	0.00
passive_wide	+128	+1.53	−5.1	1.00
tau_reset	−6 764	−15.37	−4.2	89.38
cost_aware	−195	−0.10	−6.1	3.31
seed 3	−13	+1.46	−1.7	1.00

Table 49: Boundary sweep at capital 1m, mean over the thirteen evaluation windows. PnL and CVaR are in USDC.

Policy	PnL	Sharpe	CVaR	Rebalances
hodl	+1 384	+0.46	−595.0	0.00
passive_wide	+16 213	+1.51	−513.2	1.00
tau_reset	−162 687	−5.47	−559.4	122.85
cost_aware	−54 962	−1.35	−602.9	24.85
seed 3	+2 003	+1.40	−170.3	1.00

Table 50: The regime-feature ablation arm, mean over the thirteen evaluation windows. The regime input is frozen to a constant for training and evaluation.

Policy	PnL	Sharpe	CVaR	Rebalances
seed 0	−1 303	−0.059	−45.23	0.00
seed 1	+1 223	+0.528	−34.12	1.00
seed 2	−428	+0.583	−30.67	1.00
seed 3	+1 824	+2.356	−30.66	1.00
seed 4	+489	+0.777	−23.78	1.00

F.F Regime-feature ablation

The final probe retrains the same recipe across the five seeds with the regime slot of the observation frozen to a constant. Table 50 reports the arm. Its mean Sharpe is 0.837 against 0.563 with the live feature, a paired difference of +0.274 whose interval $[-0.13, +0.68]$ includes zero, while its mean CVaR is −32.89 USDC against −27.63 USDC, a difference of −5.26 USDC with interval $[-6.21, -4.22]$ that excludes zero. The live label therefore buys tail protection without a detectable return cost. The arm also diverges more across seeds: one seed never deploys, two widen to the 1000-spacing band, and the seed with the highest validation score finishes worst out of sample.

G Reproducibility

G.A Software

The project is written in Python 3.14 and managed with `uv`, which pins the environment from a lock file. The simulation and learning stack uses `numpy`, `polars` and `pyarrow` for data handling, `gymnasium` for the environment interface,[35] and `stable-baselines3` for the PPO trainer.[34] The report is built from LaTeX with a wrapper that selects among `tectonic`, `latexmk` and `pdflatex`.

G.B Program inventory

Table 51 lists every program and what it computes. The analysis programs are deterministic given the artefacts they read; the learning runs are seeded. The repository exposes three console commands (data, simulator and dashboard), and the reproduction wrapper `scripts/report/reproduce.sh` is the single main program: it invokes the console commands and the analysis programs in order and rebuilds the report.

Table 51: Program inventory. Package programs live under `src/undertow/`, the analysis programs in `scripts/report/`, the configurations in `configs/`, and the report tooling in `report/` and `scripts/`. The analysis programs write the CSV artefacts that the appendix tables and the main-body numbers read.

Program	What it computes
data package	data pipeline: snapshot construction, quality checks and validation reports
simulator package	simulator, exact backtester, parity harness, training and evaluation
dashboard package	live inspection of runs, telemetry and rollouts; not used for any reported result
configuration files	every experiment configuration (pools, splits, grids, costs, training)
`reproduce.sh`	main reproduction program: runs the stages below in order
`analyze_main_run.py`	main joint run: per-window metrics, paired bootstrap intervals, action mix, per-regime tables, decomposition
`static_widths.py`	static one-shot widths on the training and evaluation splits
`extra_benchmarks.py`	the two scripted recentring rules on the evaluation windows
`boundary_sweep.py`	per-window volatility and volume, gas and capital reruns, analytical LVR
`contrast_fee_tier.py`	the full ladder on the 0.30 % pool
`analyze_regime_ablation.py`	the regime-feature ablation arm
`make_appendix_tables.py`	every table in Appendices E and F, from the CSV artefacts
`make_figures.py`	the four story figures of the main body
`build_report.sh`	builds the report PDF from the LaTeX sources
`plagiarism_check.py`	originality screen against the cited papers and the repository's own prose

G.C Data files

The two dataset snapshots and the recorded evaluation artefacts are distributed with the submission archive; they are excluded from version control because of their size. The primary pool's snapshot is approximately 812 MB and the contrast pool's approximately 293 MB, partitioned by stream and block bucket. Each carries a manifest with row counts and block ranges and a validation report; Appendix B summarises both. The reproduction program does not re-fetch the data because the fetch step needs API credentials; every reported number is produced from the distributed snapshots and the recorded evaluation artefacts under `results/`.

G.D How to run

From the repository root, the wrapper reproduces the analyses, tables, figures, PDF and checks:

```
uv sync
scripts/report/reproduce.sh            # analyses, tables, figures, PDF, checks
scripts/report/reproduce.sh --train    # the above, after retraining both arms
```

The `--train` stage retrains the learned policy and the ablation arm; it takes several hours on the hardware below. The analyses take under an hour in total, and the report build takes seconds.

G.E Hardware and runtimes

The experiments ran on the author's training machine: eight CPU cores, 30 GB of memory, Linux under WSL2, and a consumer GPU that the training did not use. Reference runtimes measured during the study: one training seed of one million steps takes about 25 to 40 minutes with four parallel environment processes, so the main run across five seeds takes roughly two and a half hours and the ablation arm about three hours, including the validation scoring of every checkpoint. The full evaluation of one configuration over the thirteen windows takes a few minutes; the boundary sweep's two hundred and sixty reruns take under an hour.

G.F Verification

Three checks keep the reproductions honest. The accounting identity of Appendix D is asserted on every replay. The parity harness bounds the distance between the two engines on the recorded tape. The test suite contains more than two thousand three hundred tests covering the data boundary, position mathematics, the exact fee engine, the environment, training, evaluation and the command-line interfaces, at about 95 % line coverage. The originality screen compares the report's prose with the cited papers and the repository's own documents at a threshold of eight consecutive words; it reports no external matches.