


ERP Data Import

Learn how to use the eVSM ERP Data Import function to import enterprise resource planning (ERP) data to value stream maps.



Course version: 003

Date Published: 10 November 2023

How to Use this File

This file contains the reading materials and the exercise pages from the course (title on previous page). While the course can only be taken on a computer, this booklet can be useful for note taking and later for refresher training.

This booklet is designed for on screen and print use. For on screen use, we recommend Acrobat Reader with the page display set to "Single Page View". If you are using this booklet on-screen while going through the exercises in eVSM, a second monitor is very helpful.

For hardcopy use, print the file on 8.5x11 or A4, and bind along the long edge.

Table of Contents


Lesson 1: ERP Data Import Part 1	1
Working with eLearner	2
ERP Import overview	3
ERP Import Process overview	5
Step 1: Prepare the Map File	6
Step 2: ERP Data File	8
Step 3: ERP Import Instructions File	10
Step 4: Run ERP Import	21
Step 5: Run Import XL	22
Lesson 2: ERP Data Import Part 2	24
Review the ERP Import Process	25
ERP Import Project	26

ERP Data Import Part 1

The ERP Data Import function inserts ERP (enterprise resource planning) data into the map. It is a user-configurable conversion utility that converts ERP data into eVSM Excel format, which can subsequently be fed into the map.

This course provides an overview of the process, followed by hands-on exercises to step through the process.

Before beginning this course, you must have completed the Fast Draw course as well as one of the Mix Time, Quick Time, Mix Transactional, or Project Planning courses.



You must have eVSM v12.36 or later to take this course.

Working with eLearner

The eLearner learning system includes a range of useful functions:

The screenshot shows the eLearner interface for a course titled "Course: Time Maps: Lesson 1/7: Improvement Cycle" with the email "hr@evsm.com". A "Sign Out" link is visible. The main exercise is "Ex 1 of 2: Configure the Sequence", which instructs the user to "Drag the purple shapes into the white boxes to sequence your improvement steps for the customer fulfillment value stream." Below the exercise is a toolbar with several buttons: a question mark, an envelope, a starburst, a speech bubble, a document, a video camera, a list icon, a refresh icon, a left arrow, a right arrow, and a "Grade It!" button. A cartoon avatar of a woman with glasses is also present.

Callouts provide the following information:


- Make sure YOU are logged in**: Points to the user information at the top.
- You MUST click the Grade It button to check correct completion of each exercise and to record your score**: Points to the "Grade It!" button.
- Send feedback and questions to eVSM Support**: Points to the envelope button.
- Check Hint if unclear about instructions**: Points to the starburst button.
- When reference documentation of video is available, these buttons will be active**: Points to the video camera, list, and refresh buttons.

Important Notes

1. When you complete an exercise, you **MUST** click the "Grade It" button.
2. Points are deducted for incorrect attempts.
3. If you are stuck on an exercise, check the Hint. If that does not help, go back and review the preceding Readme pages. If you are still unsure, click the Feedback button and ask your question.

ERP Import overview

The eVSM Import XL function can import data to the map from Excel. However, the Excel data has to be in a very specific format. The ERP Import function provides a rules based translator which can convert any ERP (Enterprise Resource Planning) data in Excel into the eVSM Excel format. Here is the process overview.




Which files are required for ERP Import? Select all (3) correct answers.

- ☐ ERP data files in Excel format
- ☐ eVSM Map file in PDF format
- ☐ Translation instructions file named Import_Instructions.xlsx
- ☐ eVSM Map file in Visio format
- ☐ Staffing schedule in Excel

For Online Course Only

ERP Import Process overview

Here is an overview of the 5 steps to import ERP data to the value stream map. We will now work through each step.




Step 1: Prepare the Map File

ERP data can only be imported for centers that exist on the map. Your best effort to complete the map as much as possible before importing data will save rework time later.

A hidden variable called “ID Center” is pre-built into all centers. This can be revealed via the “Views” button.

For each center requiring data import, enter a unique ID. Note this is only necessary for centers for which ERP data import is desired. Keep the IDs short. Examples: ACT32, CUST3, INV26, etc.



ID Center Exercise

Make the ID Centers visible and then enter the following IDs.


Raw Materials = RM01

Machine = MACH1

Finished Goods = FG01

Ship = TRN01

Customer = CUST



Step 2: ERP Data File

The ERP data file must be in Excel format and contain the unique IDs used on the map. Other than that, the data may be organized in any convenient row/column layout. The data may be distributed across multiple files and worksheets. The ERP data file(s) must be in the same folder as the map file. Units do not need to be specified in the data sheets. Numerical values must be strictly numerical.

Product-specific data values

Unique ID	Product ID	Cycle Time	Cost Per Cycle	Product Inventory	Customer Demand
A11	P1	40	8		
A11	P2	50	9		
A11	P3	60	10		
I01	P1			600	
I01	P2			700	
C01	P1				100
C01	P2				120
C01	P3				

Product ID	Cycle Time (Sec)			
	Stamp	Drill	Mill	Assemble
	A11	A12	A13	A14
P1	203	98	120	301
P2	160	45	120	205
P3	173	55	120	228
P4	130	70	120	200
P5	150	90	120	240
P6	144	72	120	216
	150	70	120	220

	Process A	Process B	Process C	Process D
Scrap	2	5	0	3
OEE	75	82	90	77
Stations	1	1	3	1

Product-independent data values

Product-specific values and product-independent values must be supplied in separate worksheets.

The function is NOT restricted to importing all the incoming data in a single run. You may do separate runs for different types of data and for different parts of the value stream. You may also do additional import runs later if some of the input data has changed in the ERP system.


**Which of these statements is true about ERP data files.
Select all (5) correct answers.**

- ☐ Product-specific and product-independent data must be supplied in separate worksheets
- ☐ The ERP data must be supplied in Excel format
- ☐ The ERP Import function may be run multiple times to update existing data on the map, or to import each data group separately
- ☐ Product IDs must be entered in Column(A)
- ☐ Numerical data values must be in strict numerical format (so no \$, %, units, etc.)
- ☐ Data may be distributed across multiple files

Step 3: ERP Import Instructions File

The instructions file contains the directives to convert the ERP generated Excel file into the eVSM data input Excel file.

A template for the instructions file (Import_Instructions.xlsx) is available in the “C:\Program Files (x86)\eVSM\Setup\Resources” folder. This must be copied to the local folder where the Visio map file resides. The instruction file name must not be changed.



The instructions file has several worksheets as shown below.

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	Active	Excel File	Worksheet	Product ID	Center ID	Variable Name	Value	Num. Unit	Denom. Unit	Start Row	End Row	Start Column	End Column
2													
3													
4													
5													
6													

How To Use

Help information

Import Map

Instructions for translation

ID Center Alias Variable Alias Product Alias +

The Alias sheets should be used when the center IDs, product IDs, or variable names do not match between the ERP data file(s) and the map.

The Import Map Worksheet

The “Import Map” worksheet is where the instructions for the data translation need to be entered.

Each row contains one instruction. Here are the columns in this worksheet.

Each instruction can be switched On/Off for execution with a Y/N in the first column. This allows you to create and store instructions in a single file and then use only the ones needed for a particular data set.

	A	B	C	D	E	F	G	H	I	J	K	L	M
1	Active	Excel File	Worksheet	Product ID	Center ID	Variable Name	Value	Num. Unit	Denom. Unit	Start Row	End Row	Start Column	End Column
2													
3													


Column Name	Column Function
Active	Y = Execute instruction, N = Ignore (skip) instruction.
Excel File	ERP data Excel file name
Worksheet	Excel Worksheet name
Product ID	Specify the column or row the product ID's. e.g. Col(F) or Row(3)
Center ID	Column or row that contains the unique ID's that match the “ID Center” values on the map
Variable Name	Column or row the variable names are in. If it is a single variable, you can provide the exact variable name here.
Value	Column or Row the data values are in
Num. Unit	Numerator units for the data values in the ERP data file
Denom. Unit	Numerator units (if they apply) for the data values in the ERP data file
Start Row	Start importing data from this row.
End Row	Stop importing data after this row
Start Column	Start importing data from this column
End Column	Stop importing data after this column

Which of these statements are True? Select all (5) that are True.

- ☐ The “How To Use” sheet provides Help to use the workbook
- ☐ The ERP data file to eVSM Excel file translation instructions are entered in the “Import Map” worksheet
- ☐ The ERP Import function can import data from multiple files and worksheets
- ☐ The Alias worksheets are optional and can be utilized if the unique IDs, variable names, or product IDs in the ERP data file do not match the map
- ☐ The “Import_Instructions.xlsx” may be renamed to any valid Windows name
- ☐ Each row in the Import Map worksheet represents one instruction. Each instruction line can be switch ON/OFF for execution by entering Y/N in column A.

Example 1: ERP Import

Let's start with a very simple small example. The value stream has just 3 products, 3 centers (activities) and 1 customer. We wish to import cycle time data and customer demand. Here is the map and the ERP Excel file.



Here is the instructions file. Note, the units are specified in the instructions, not in the ERP file.


	A	B	C	D	E	F	G	H	I	J	K	L	M
1	Active	Excel File	Worksheet	Product ID	Center ID	Variable Name	Value	Num. Unit	Denom. Unit	Start Row	End Row	Start Column	End Column
2	Y	ERP_Data_1.xlsx	DataA	Column(B)	Column(A)	Cycle Time	Column(C)	Min					
3	Y	ERP_Data_1.xlsx	DataA	Column(B)	Column(A)	Customer Demand	Column(D)	Item	Wk				
4													

How To Use | **Import Map** | ID Center Alias | Variable Alias | Product Alias | +

This example was easy because it is small and has matching IDs between the map and the ERP file. Also, it is only importing product-specific values.

Example 2: ERP Import

In this example, we wish to import product-specific values for cycle time, and product-independent values for OEE, Activity Time, and Inventory. Here is the map and the ERP data worksheets.



ERP_Data_2.xlsx

	A	B	C	D	E
	Unique ID	Product ID	Cost	Cycle Time	Added Cost
1					
2	ST1	Default	5.00	20	
3	ST1	p1	7.00	12	0.50
4	ST1	p2	6.00	22	1.00
5	ST1	p3	4.00	32	0.75
6	ST2	Default	6.00	50	
7	ST2	p1	5.00	42	2.00
8	ST2	p2	7.00	52	3.00
9	ST2	p3	4.00	62	3.00
10	ST3	Default	3.00	75	
11	ST3	p1	2.00	72	1.50
12	ST3	p2	3.50	82	1.20
13	ST3	p3	5.00	92	0.90

ERP_Data_2.xlsx

	A	B	C	D
	Unique ID	OEE%	Weekly Hours	Parts Inventory
1				
2	ST1	78	45	
3	ST2	75	40	
4	ST3	82	43	
5	INV01			700
6				
7				
8				
9				
10				
11				
12				
13				

You can leave un-used lines in the file for future use. Just set to "N"

Product-specific data values are in the "Mix" worksheet

Product-independent values are in the "Standard" worksheet

	A	B	C	D	E	F	G	H	I
1	Active	Excel File	Worksheet	Product ID	Center ID	Variable Name	Value	Num. Unit	Denom. Unit
2	N	ERP_Data_2.xlsx	Mix	Column(B)	Column(A)	Cycle Time	Column(C)	Min	
3	N	ERP_Data_2.xlsx	Mix	Column(B)	Column(A)	Customer Demand	Column(F)	Item	Wk
4	Y	ERP_Data_2.xlsx	Standard		Column(A)	OEE Input Percent	Column(B)	%	
5	Y	ERP_Data_2.xlsx	Standard		Column(A)	Activity Time	Column(C)	Hr	Wk
6	Y	ERP_Data_2.xlsx	Standard		Column(A)	General Inventory	Column(D)	Item	

This example is a little more complex than the first one. However, this is not typical. Real ERP data is often a little more complicated. Let's see in the next example.


Which Instructions are correct?

We wish to import only the General Inventory values from this ERP Excel file (ERP_Data_Ex3.xlsx) to this map.

ERP_Data_Ex3.xlsx

	A	B	C	D	E
1	Unique ID	OEE%	Activity Time	General Inventory	Scrap Percent
2	ST1	78	45		2
3	ST2	75	40		5
4	INV1			1000	
5	INV2			300	
6	INV3			500	

< > Mix Standard +




Which of these instruction lines is correct?

- ☐ A
- | Active | Excel File | Worksheet | Product ID | Center ID | Variable Name | Value | Num. Unit | Denom. Unit |
|--------|-------------------|-----------|------------|-----------|-------------------|-----------|-----------|-------------|
| Y | ERP_Data_Ex7.xlsx | Standard | | Column(A) | General Inventory | Column(D) | Item | |
- ☐ B
- | Active | Excel File | Worksheet | Product ID | Center ID | Variable Name | Value | Num. Unit | Denom. Unit |
|--------|-------------------|-----------|------------|-----------|-------------------|-----------|-----------|-------------|
| Y | ERP_Data_Ex3.xlsx | Standard | | Column(A) | General Inventory | Column(D) | | Item |
- ☐ C
- | Active | Excel File | Worksheet | Product ID | Center ID | Variable Name | Value | Num. Unit | Denom. Unit |
|--------|-------------------|-----------|------------|-----------|-------------------|-----------|-----------|-------------|
| Y | ERP_Data_Ex3.xlsx | Standard | | Column(A) | General Inventory | Column(D) | Item | |
- ☐ D
- | Active | Excel File | Worksheet | Product ID | Center ID | Variable Name | Value | Num. Unit | Denom. Unit |
|--------|-------------------|-----------|------------|-----------|-------------------|-----------|-----------|-------------|
| N | ERP_Data_Ex3.xlsx | Standard | | Column(A) | General Inventory | Column(D) | | Item |

Example 3: ERP Import

In this example, we wish to import product-specific values for cycle time. However, the ERP data spreadsheet does not include contain matching center or product IDs. Instead it has machine IDs and part numbers.



ERP_Data_3.xlsx

	A	B	C	D
1	Machine ID	Part No.	Cost	CT
2	EF230716	Default	5.00	20
3	EF230716	SKU023	7.00	12
4	EF230716	SKU341	6.00	22
5	EF230716	SKU422	4.00	32
6	EF211207	Default	6.00	50
7	EF211207	SKU023	5.00	42
8	EF211207	SKU341	7.00	52
9	EF211207	SKU422	4.00	62
10	MJ180623	Default	3.00	75
11	MJ180623	SKU023	2.00	72
12	MJ180623	SKU341	3.50	82
13	MJ180623	SKU422	5.00	92

< > Mix Standard +

	A	B	C	D	E	F	G	H	I
1	Active	Excel File	Worksheet	Product ID	Center ID	Variable Name	Value	Num. Unit	Denom. Unit
2	Y	ERP_Data_3.xlsx	Mix	Column(B)	Column(A)	Cycle Time	Column(D)	Min	
3									

< > ... Import Map ID Center Alias Variable Alias Product Alias +

Import_Instructions.xlsx

	A	B
1	ID Center	ID Center Alias
2	ST1	EF230716
3	ST2	EF211207
4	ST3	MJ180623

< > ... ID Center Alias

Import_Instructions.xlsx

	A	B	C
1	Product ID	Product ID Alias	
2	p1	SKU023	
3	p2	SKU341	
4	p3	SKU422	

< > ... Variable Alias Product Alias


This example used the "ID Center Alias" and the "Product Alias" worksheets in the Import_Instructions.xlsx file to specify aliases for machine IDs and Part numbers.

Import Instructions Exercise

We wish to import the Customer Demand data from the ERP_Data_2.xlsx to the customer center on the map.

ERP_Data_2.xlsx

	A	B	C
	Unique ID	Product Name	Customer Demand
1			
2	CU01	Default	200
3	CU01	P1	250
4	CU01	p2	230
5	CU01	p3	500
6	CU01	p4	85
7	CU01	p5	350
8	CU01	p6	125
9	CU01	p7	175




Complete the missing fields in this instructions line and click Grade It.

Active	Excel File	Worksheet	Product ID	Center ID	Variable Name	Value	Num. Unit	Denom. Unit
Y	ERP_Data_2.xlsx					Leave Blank		Wk

Example 4: ERP Import

Here, we have a more complex map, with many products. We wish to import cycle times. An additional challenge is that the unique ID's and product ID's do not exist in the ERP spreadsheet. The ERP Import function includes an alias capability to handle this. The Alias worksheets allows you to create a look up tables for ID Center unique IDs, Product IDs and Variable names.



Import_Instructions.xlsx

Active	Excel File	Worksheet	Product ID	Center ID	Variable Name	Value	Num. Unit	Denom. Unit
Y	ERP_Data_4.xlsx	Mix	Column(A)	Row(3)	Cycle Time		Min	

The software will pick up the product IDs Column(A) and automatically cross reference with the Product Alias worksheet

Look up the unique Center IDs in the ID Center Alias table based on the unique machine names in Row(3)

Import_Instructions.xlsx

ID Center	ID Center Alias
ST1	Machine1
ST2	Machine2
ST3	Machine3
ST4	Machine4
ST5	Machine5
ST6	Machine6
ST7	Machine7
ST8	Machine8
ST9	Machine9
ST10	Machine10

Import_Instructions.xlsx

Product ID	Product ID Alias
p1	EF230716
p2	EF230712
p3	EF231234
p4	EF230717
p5	EF211555
p6	EF211481
p7	EF211626
p8	EF211713
p9	EF211724
p10	EF211785
p11	EF211796
p12	EF211797

Example 5: ERP Import

We wish to import Scrap Percent, Activity Time, and OEE Input Percent. The variable names in the ERP data file are different to the map. So we will use the Variable Alias worksheet in the instructions file to set up aliases.

Map

A0010	1	A0020	1	A0030	1
Process A			Process B		
Cycle Time	x.xx	Min	Cycle Time	x.xx	Min
ID Center	OP01	Txt	ID Center	OP02	Txt
Scrap Percent	0	%	Scrap Percent	0	%
Activity Time	x.xx	Hr Wk	Activity Time	x.xx	Hr Wk
OEE Input Percent	x.xx	%	OEE Input Percent	x.xx	%

ERP_Data_Ex5.xlsx

	A	B	C	D
1		Scrap	Time	OEE
2	OP01	5	40	80
3	OP02	2	40	75
4	OP03	8	45	85

ERP Data

Import instructions
for the 3 variables

Variable names
aliases

Import_Instructions.xlsx


	A	B
1	Variable Name	Variable Name Alias
2	Scrap Percent	Scrap
3	Activity Time	Time
4	OEE Input Percent	OEE

Import_Instructions.xlsx

	A	B	C	D	E	F	G	H	I
1	Active	Excel File	Worksheet	Product ID	Center ID	Variable Name	Value	Num. Unit	Denom. Unit
2	Y	ERP_Data_Ex5.xlsx	NonProduct		Column(A)	Scrap	Column(B)	%	
3	Y	ERP_Data_Ex5.xlsx	NonProduct		Column(A)	Time	Column(C)	Hr	Wk
4	Y	ERP_Data_Ex5.xlsx	NonProduct		Column(A)	OEE	Column(D)	%	

Create Instructions to Import Cycle Times

We wish to import the Cycle Time data from the ERP_Data_7.xlsx to the activity centers on the map.



	A	B	C	D	E
1	Unique ID	Product ID	Cost	Cycle Time	Added Cost
2	ST1	Default	5.00	20	
3	ST1	p1	7.00	12	0.50
4	ST1	p2	6.00	22	1.00
5	ST1	p3	4.00	32	0.75
6	ST2	Default	6.00	50	
7	ST2	p1	5.00	42	2.00
8	ST2	p2	7.00	52	3.00
9	ST2	p3	4.00	62	3.00
10	ST3	Default	3.00	75	
11	ST3	p1	2.00	72	1.50
12	ST3	p2	3.50	82	1.20
13	ST3	p3	5.00	92	0.90


ERP_Data_7.xlsx

Complete the missing fields in this instructions line and click Grade It.

Active	Excel File	Worksheet	Product ID	Center ID	Variable Name	Value	Num. Unit	Denom. Unit
Y	ERP_Data_7.xlsx					Column(D)		

Step 4: Run ERP Import

Save and exit any open Excel files and click the ERP Import button. This will create (or replace) an Excel in your current map folder with the same name as your map file. Check this Excel file to verify that the expected data has been imported. All imported values will be highlighted blue.




You can use the column filters to expand/collapse the table

All imported data values are highlighted in blue


	A	B	C	D	E	F	G
1	Tag	ID	Type	Produ	Variable	Value	Unit
2	A0100	Inventory Item	Inventory Center	Default	Time	2	Hr
3	A0100	Inventory Item	Inventory Center	p1	Time	2	Hr
4	A0100	Inventory Item	Inventory Center	p2	Time	2.5	Hr
5	A0100	Inventory Item	Inventory Center		Max Inventory	xx	Item
6	A0100	Inventory Item	Inventory Center		ID Center	INV1	Txt
7	A0100	Inventory Item	Inventory Center		Category	Category Name	Txt
8	A0100_A0110	Inventory Item_Machine	Sequence Center		ID Center	abc	Txt
9	A0100_A0110	Inventory Item_Machine	Sequence Center	s1	Sets Allowed	1	0or1
10	A0100_A0110	Inventory Item_Machine	Sequence Center	Default	Flow	100	%
11	A0100_A0110	Inventory Item_Machine	Sequence Center	p1	Flow		%
12	A0100_A0110	Inventory Item_Machine	Sequence Center	p2	Flow		%
13	A0110	Machine	Activity Center	Default	Time	90	Sec
14	A0110	Machine	Activity Center	p1	Time	75	Sec
15	A0110	Machine	Activity Center	p2	Time	85	Sec
16	A0110	Machine	Activity Center		ID Center	PR1	Txt
17	A0110	Machine	Activity Center		Stations	2	Stn
18	A0110	Machine	Activity Center		CA	100	%
19	A0110	Machine	Activity Center		Category	Category Name	Txt
20	A0110_A0130	Machine_Transport	Sequence Center		ID Center	abc	Txt
21	A0110_A0130	Machine_Transport	Sequence Center	s1	Sets Allowed	TRUE	0or1

Step 5: Run Import XL

Click the Import XL button in the eVSM toolbar to import values from the eVSM Excel file to the map.



ERPExampleMap.vsd




	A	B	C	D	E	F	G
1	Tag	ID	Type	Product	Variable	Value	Unit
2	A0100	Inventory Item	Inventory Center	Default	Time	2	Hr
3	A0100	Inventory Item	Inventory Center	p1	Time	2	Hr
4	A0100	Inventory Item	Inventory Center	p2	Time	2.5	Hr
5	A0100	Inventory Item	Inventory Center		Max Inventory	xx	Item
6	A0100	Inventory Item	Inventory Center		ID Center	INV1	Txt
7	A0100	Inventory Item	Inventory Center		Category	Category Name	Txt
8	A0100	Inventory Item	Inventory Center		ID Center	abc	Txt
9	A0100	Inventory Item	Inventory Center	s1	Sets Allowed	1	0or1
10	A0100	Inventory Item	Inventory Center	Default	Flow	100	%
11	A0100	Inventory Item	Inventory Center	p1	Flow		%
12	A0100	Inventory Item	Inventory Center	p2	Flow		%
13	A0100	Inventory Item	Inventory Center	Default	Time	90	Sec
14	A0100	Inventory Item	Inventory Center	p1	Time	75	Sec
15	A0100	Inventory Item	Inventory Center	p2	Time	85	Sec
16	A0100	Inventory Item	Inventory Center		ID Center	PR1	Txt
17	A0100	Inventory Item	Inventory Center		Stations	2	Stn
18	A0100	Inventory Item	Inventory Center		CA	100	%
19	A0100	Inventory Item	Inventory Center		Category	Category Name	Txt
20	A0100	Inventory Item	Inventory Center		ID Center	abc	Txt
21	A0100	Inventory Item	Inventory Center	s1	Sets Allowed	TRUE	0or1

exampleMap.xlsx

You can turn off the visibility of the ID Center variables once the data has been imported and validated on the map.

You learned that:

- The ERP Import function provides a simple way to import ERP data to your eVSM maps.
- What files are needed for the ERP Import
- The exact steps to prepare the files and import the data

ERP Import**What's next:**

In the next lesson, you will get to practice importing ERP data to an example map.


ERP Data Import Part 2

The ERP Import function inserts ERP (enterprise resource planning) data into the map. It is a user-configurable conversion utility that converts ERP data into eVSM Excel format, which can subsequently be fed into the map.

This course provides an overview of the process, followed by hand-on exercises to step through the process.


Before beginning this course, you must have completed the Fast Draw course as well as one of the Mix Time, Quick Time, Mix Transactional, or Project Planning courses.

ERP Import



Review the ERP Import Process

Again, here are the 5 steps to import ERP data to the map.



ERP Import Project

In each of the following exercises, you will work through all 5 steps to import ERP data.

The ERP data file ERP_Project.xlsx is in the course folder along with your lesson files.

You will need to get a fresh copy of the Import_Instructions.xlsx file from the following folder on your PC:

“C:\Program Files (x86)\eVSM\Setup\Resources”

Product Specific Customer Demand Data

We wish to import the product-specific customer demand on this map from the ERP_Project.xlsx file. The demand values are in the worksheet named "Mix". Work through all 5 steps summarized on the previous page until you see the customer demand data in the customer center below. Then click Grade It to submit your work.

Assign these unique IDs to the ID Centers.


Raw Materials = RM01

Machine = ACT1

Assemble = ACT2

Finished Goods = FG01

Customer = CUST



s1 - Set 1

p1 - Product 1 (Qty 0)

p2 - Product 2 (Qty 0)

p3 - Product 3 (Qty 0)

p4 - Product 4 (Qty 0)

p5 - Product 5 (Qty 0)

Units	Wk	Year	Wk
	40	52	5
	Hr	Wk	day

Inventory Data

This is the same map as the previous exercise. Here, we wish to add instructions to import General and Product Inventory for the two inventory centers from the same ERP file (ERP_Project.xlsx). The data you need is divided between two worksheets: "Mix" and "Standard". Go through all 5 ERP Import steps. You can use the same Import_Instructions.xlsx file you used in the last exercise. Click Grade It when ready.

Assign these unique IDs to the ID Centers.


Raw Materials = RM01

Machine = ACT1

Assemble = ACT2

Finished Goods = FG01

Customer = CUST



s1 - Set 1

p1 - Product 1 (Qty 0)

p2 - Product 2 (Qty 0)

p3 - Product 3 (Qty 0)

p4 - Product 4 (Qty 0)

p5 - Product 5 (Qty 0)

Units	Wk	Year	Wk
	40	52	5
	Hr	Wk	day

Cycle Time, OEE, and Scrap

Here, we wish to import the Cycle Times, OEE, and Scrap values from the ERP_Project.xlsx file. Note the variable names in the ERP file are different from the map. So you will need to create aliases. You can use the same Import_Instructions.xlsx file you used in the last exercise. Click Grade It when ready.

Assign these unique IDs to the ID Centers.


Raw Materials = RM01

Machine = ACT1

Assemble = ACT2

Finished Goods = FG01

Customer = CUST



s1 - Set 1

p1 - Product 1 (Qty 0)

p2 - Product 2 (Qty 0)

p3 - Product 3 (Qty 0)


p4 - Product 4 (Qty 0)

p5 - Product 5 (Qty 0)

Units	Wk	Year	Wk
	40	52	5
	Hr	Wk	day

You learned that:

- In this lesson, you practiced going through all the steps to import, ERP data to a simple map. The data included product specific demand, inventory, and operational values.

ERP Import**What's next:**

Try it with your data on your map. Contact support@evsm.com with any questions or problems.

—Useful Links—

eVSM Toolbar Guide

evsm.com/toolbarguide

eVSM Productivity Guide

evsm.com/productivity

eVSM Blogs

evsm.com/blog

eVSM Support FAQ

evsm.com/support

Download the Latest Version

evsm.com/install