Prompd Demo Videos - Shot-by-Shot Timing Guides

> **How to use this document**: Have this open on a second monitor or printed out during recording. Follow each action at the specified pace. The "Hold" duration is how long to pause before moving to the next action.

Video 1: First Impressions

Target Duration: 60-90 seconds
Goal: Show professional IDE experience and ease of getting started

Pre-Recording Setup

- [ ] Prompd app closed
- [ ] Desktop clean with app icon visible
- [ ] Workspace folder ready with 3-4 .prmd files
- [ ] Signed out (to show sign-in flow)

Time	What's On Screen	Action	Hold	Callout Text	Notes
0:00	Clean desktop	—	1.5s	—	Establish starting point
0:02	Desktop	Hover over Prompd icon	0.5s	—	Draw eye to icon
0:02	Desktop	Double-click Prompd icon	—	—	Deliberate double-click
0:03	Splash/loading	—	2s	—	Let branding show
0:05	App opens, sign-in screen	—	2s	—	Show clean login UI
0:07	Sign-in screen	Move cursor to "Sign In"	0.5s	—	—
0:08	Sign-in screen	Click "Sign In"	—	—	—
0:09	OAuth popup appears	—	1.5s	"Secure authentication"	Show Clerk branding
0:10	OAuth popup	Complete sign-in	—	—	Use saved credentials for speed
0:12	Redirect back to app	—	1s	—	—
0:13	App loads, empty state	—	2.5s	"Professional IDE experience"	Let viewer absorb layout
0:16	Empty editor	Slowly pan cursor across activity bar	2s	—	Show icons: Explorer, Packages, Chat, Git
0:18	Empty editor	Click File menu	0.5s	—	—
0:19	File menu open	—	1s	—	Show menu options
0:20	File menu	Click "Open Folder"	—	—	—
0:21	Native file dialog	—	1s	—	Show system integration
0:22	File dialog	Navigate to workspace folder	1.5s	—	Don't rush
0:24	File dialog	Select folder, click Open	—	—	—
0:25	App loading workspace	—	1.5s	—	—
0:27	File explorer populated	—	2s	"Project-based organization"	Show file tree
0:29	File explorer	Hover over a .prmd file	0.5s	—	—
0:30	File explorer	Click to open file	—	—	—
0:31	Editor loading file	—	1s	—	—

Time	What's On Screen	Action	Hold	Callout Text	Notes
0:32	Code view with syntax highlighting	—	3s	"Full syntax highlighting"	Let viewer read code
0:35	Code view	Slowly scroll down through file	3s	—	Show frontmatter → body transition
0:38	Code view	Scroll back to top	1s	—	—
0:39	Code view	Move cursor to view toggle	0.5s	—	Top of editor area
0:40	Code view	Click "Design" tab	—	—	—
0:41	Design view loading	—	0.5s	—	—
0:42	Design view	—	3s	"Visual Design view"	Show form-based editing
0:45	Design view	Click "Wizard" tab	—	—	—
0:46	Wizard view loading	—	0.5s	—	—
0:47	Wizard view	—	3s	"Guided Wizard mode"	Show step-by-step interface
0:50	Wizard view	Click "Code" tab	—	—	Return to code
0:51	Code view	—	1s	—	—
0:52	Code view	Click Explorer icon in activity bar	—	—	—
0:53	Explorer panel	—	1.5s	—	Already visible, brief
0:55	Explorer panel	Click Packages icon	—	—	—
0:56	Packages panel	—	2s	"Package registry access"	Show package browser
0:58	Packages panel	Click Chat icon	—	—	—
0:59	Chat panel	—	2s	"Built-in AI assistant"	Show chat interface
1:01	Chat panel	Click Git icon	—	—	—
1:02	Git panel	—	2s	"Git integration"	Show source control
1:04	Git panel	—	2s	—	Final hold, fade out

Total: ~66 seconds

Video 2: AI-Powered Creation

Target Duration: 90-120 seconds

Goal: Demonstrate AI chat panel and prompt generation

Pre-Recording Setup

- [ ] App open with workspace loaded
- [ ] Chat panel closed initially
- [ ] Have this prompt ready to type or paste:

> "Create a customer support prompt that analyzes sentiment and suggests responses"

- [ ] Registry accessible for Explore mode demo

Time	What's On Screen	Action	Hold	Callout Text	Notes
0:00	Editor with file open	—	1.5s	—	Starting state
0:02	Editor	Move cursor to Chat icon in activity bar	0.5s	—	—
0:03	Editor	Click Chat icon	—	—	—
0:04	Chat panel slides open	—	2s	"AI Assistant panel"	Let animation complete
0:06	Chat panel visible	—	1.5s	—	Show empty chat state
0:08	Chat panel	Move cursor to mode selector	0.5s	—	Top of chat panel
0:09	Mode selector	—	1s	"Four conversation modes"	—
0:10	Mode selector	Hover over "Generate"	1.5s	—	Show tooltip/description
0:12	Mode selector	Hover over "Explore"	1.5s	—	Show tooltip
0:14	Mode selector	Hover over "Edit"	1.5s	—	Show tooltip
0:16	Mode selector	Hover over "Discuss"	1.5s	—	Show tooltip
0:18	Mode selector	Click "Generate"	—	—	Select Generate mode
0:19	Generate mode active	—	1s	"Generate mode"	Show mode is selected
0:20	Chat input	Click into text input	—	—	—
0:21	Chat input focused	—	0.5s	—	—
0:22	Chat input	Begin typing prompt	—	—	Type at readable pace
		"Create a customer support prompt that analyzes sentiment and suggests responses"	8s	—	~60 WPM typing speed
0:30	Full prompt typed	—	1s	—	Let viewer read
0:31	Chat input	Press Enter or click Send	—	—	—
0:32	AI thinking indicator	—	1s	—	Show loading state
0:33	AI response streaming	—	12s	—	Let response generate

Time	What's On Screen	Action	Hold	Callout Text	Notes
0:45	AI response complete	—	3s	"AI generates complete .prmd"	Show full response
0:48	AI response	Slowly scroll through response	5s	—	Show metadata + body sections
0:53	AI response	Scroll to bottom	1s	—	—
0:54	AI response	Move cursor to "Accept" or preview button	0.5s	—	—
0:55	AI response	Click to accept/open	—	—	—
0:56	New file opens in editor	—	3s	"Instant file creation"	Show generated .prmd
0:59	Generated file in editor	Scroll through file	4s	—	Show quality of output
1:03	Editor	—	2s	—	Pause on file
1:05	Editor	Click back to Chat panel	—	—	—
1:06	Chat panel	—	1s	—	—
1:07	Chat panel	Click mode selector	—	—	—
1:08	Mode selector	Click "Explore"	—	—	—
1:09	Explore mode active	—	1s	"Explore mode"	—
1:10	Chat input	Click into input	—	—	—
1:11	Chat input	Type "code review"	2s	—	—
1:13	Chat input	Press Enter	—	—	—
1:14	AI searching	—	2s	"Searches package registry"	Show search in progress
1:16	Search results appear	—	4s	—	Let results load
1:20	Search results	—	3s	"Discover existing packages"	Show package cards
1:23	Search results	Click on a package result	—	—	—
1:24	Package details	—	4s	"Package details & versions"	Show metadata
1:28	Package details	—	2s	—	Final hold

Total: ~90 seconds

Video 3: Professional Editing

Target Duration: 90-120 seconds
Goal: Show powerful editing features and IntelliSense

Pre-Recording Setup

- [ ] Open a .prmd file with multiple parameters already defined
- [ ] File should have a `using:` section (can be empty)
- [ ] Registry must be accessible for package autocomplete
- [ ] Prepare to intentionally create a validation error

Time	What's On Screen	Action	Hold	Callout Text	Notes
0:00	Editor with .prmd file	—	2s	—	Show starting state
0:02	Code view	—	2s	"Monaco-powered editor"	Show syntax highlighting
0:04	Code view	Scroll to show `using:` section	1s	—	Position for demo
0:05	Code view	Click at end of `using:` line	—	—	—
0:06	Cursor in using section	Press Enter for new line	—	—	—
0:07	New line	Type " - @"	1s	—	Two spaces, dash, space, @
0:08	After typing @	—	0.5s	—	Wait for autocomplete
0:09	Autocomplete dropdown appears	—	2s	"Live registry search"	Show package suggestions
0:11	Autocomplete open	Type "pro" to filter	1.5s	—	Show filtering
0:13	Filtered results	—	2s	—	Show narrowed results
0:15	Filtered results	Press Escape to close	—	—	Cancel for now
0:16	Code view	Delete the line just added	1s	—	Clean up
0:17	Code view	Scroll down to prompt body	1.5s	—	—
0:19	Prompt body section	Click to place cursor	—	—	—
0:20	Cursor in body	Type "{"	—	—	—
0:21	After typing {	—	0.5s	—	Wait for autocomplete
0:22	Parameter autocomplete appears	—	2.5s	"Parameter suggestions"	Show defined params
0:25	Autocomplete open	Use arrow keys to browse	2s	—	Show multiple params
0:27	Autocomplete open	Press Escape	—	—	—
0:28	Code view	Delete the {	—	—	Clean up
0:29	Code view	Scroll to using section	1s	—	—
0:30	Using section	Hover over a package reference	—	—	—
0:31	Hover tooltip appears	—	3s	"Package metadata on hover"	Show tooltip info

Time	What's On Screen	Action	Hold	Callout Text	Notes
0:34	Code view	Move cursor away	—	—	Dismiss tooltip
0:35	Code view	Scroll to top of file	1s	—	—
0:36	Top of file	Click at very beginning	—	—	—
0:37	Cursor at start	Type "!prompd"	1.5s	—	Trigger snippet
0:39	Snippet suggestion appears	—	1.5s	"Code snippets"	Show snippet option
0:41	Snippet suggestion	Press Tab or Enter	—	—	—
0:42	Snippet expands	—	3s	"Template expansion"	Show full template
0:45	Expanded snippet	—	1s	—	—
0:46	Editor	Ctrl+Z to undo	—	—	Restore original
0:47	Original file restored	—	1s	—	—
0:48	Code view	Click "Design" tab	—	—	—
0:49	Design view loads	—	2s	"Visual Design view"	—
0:51	Design view	Scroll to parameters section	1.5s	—	—
0:53	Parameters section	Click "Add Parameter"	—	—	—
0:54	New parameter form	—	1s	—	—
0:55	Parameter form	Type name: "temperature"	2s	—	—
0:57	Parameter form	Click type dropdown	—	—	—
0:58	Type dropdown open	—	1.5s	"Type selection"	Show options
1:00	Type dropdown	Select "number"	—	—	—
1:01	Number selected	—	1s	—	—
1:02	Parameter form	Check "required" checkbox	—	—	—
1:03	Form updated	—	2s	"Visual parameter editing"	Show completed param
1:05	Design view	Scroll to sections area	1.5s	—	—
1:07	Sections area	Click "Add Section"	—	—	—
1:08	Section type selector	—	1.5s	—	Show options
1:10	Section selector	Select "Context"	—	—	—
1:11	Context section added	—	2s	"Section management"	—
1:13	Design view	Click "Code" tab	—	—	—
1:14	Code view	—	1s	—	Show changes reflected

Time	What's On Screen	Action	Hold	Callout Text	Notes
1:15	Code view	Scroll to find an error or create one	1s	—	—
1:16	Code view	Delete a required field or break syntax	1s	—	Create validation error
1:17	Error appears	—	1s	—	Red underline shows
1:18	Error underline	Hover over error	—	—	—
1:19	Error tooltip	—	3s	"Real-time validation"	Show error message
1:22	Error tooltip	Ctrl+Z to fix	—	—	—
1:23	Error cleared	—	1.5s	—	Show validation passes
1:25	Code view	Click "Wizard" tab	—	—	—
1:26	Wizard view loads	—	2s	"Guided Wizard mode"	—
1:28	Wizard view	Click through 2-3 steps	4s	—	Show step navigation
1:32	Wizard view	—	2s	"Step-by-step guidance"	—
1:34	Wizard view	—	2s	—	Final hold

Total: ~96 seconds

Video 4: Execute & Package

Target Duration: 90-120 seconds
Goal: Show execution workflow and package management

Pre-Recording Setup

- [ ] Have a simple .prmd file ready (quick execution)
- [ ] API keys configured and tested
- [ ] Context files in workspace (a .txt or .csv)
- [ ] Registry has packages available to install
- [ ] Sufficient API credits for demo

Time	What's On Screen	Action	Hold	Callout Text	Notes
0:00	Editor with .prmd file open	—	2s	—	Starting state
0:02	File explorer	Right-click on .prmd file	—	—	—
0:03	Context menu appears	—	1.5s	—	Show options
0:05	Context menu	Click "Execute"	—	—	Or use F5
0:06	Execution tab opens	—	2.5s	"Execution interface"	Show new tab
0:09	Execution tab	—	1s	—	—
0:10	Parameter inputs section	—	2s	"Parameter inputs"	Show form fields
0:12	Parameter inputs	Click into first input	—	—	—
0:13	Input focused	Type sample value	3s	—	Realistic input
0:16	First input filled	Click next input	—	—	—
0:17	Second input	Type sample value	2s	—	—
0:19	Inputs filled	—	1.5s	"Type-aware inputs"	Show validation
0:21	Execution tab	Scroll to context section	1s	—	—
0:22	Context section	—	1.5s	—	Show drop zone
0:24	Context section	Click "Add Files" or drag file	—	—	—
0:25	File picker	Select a context file	2s	—	—
0:27	File selected	—	2s	"Context file support"	Show file added
0:29	Execution tab	Scroll to provider section	1s	—	—
0:30	Provider section	Click provider dropdown	—	—	—
0:31	Dropdown open	—	2s	"Provider selection"	Show options
0:33	Dropdown	Select provider (OpenAI or Anthropic)	—	—	—
0:34	Provider selected	Click model dropdown	—	—	—
0:35	Model dropdown open	—	2s	"Model options"	Show models
0:37	Model dropdown	Select model	—	—	—
0:38	Model selected	—	1.5s	—	—
0:40	Execution tab	Look at cost estimation area	—	—	—
0:41	Cost estimation	—	3s	"Token & cost estimation"	Show pricing
0:44	Execution tab	Move cursor to Execute button	0.5s	—	—

Time	What's On Screen	Action	Hold	Callout Text	Notes
0:45	Execute button	Click Execute	—	—	—
0:46	Execution starts	—	1s	—	Show loading state
0:47	Response streaming	—	15s	"Streaming response"	Let real response come in
1:02	Response complete	—	3s	—	Show full output
1:05	Response area	Scroll through response	3s	—	Show quality
1:08	Execution tab	Look at metadata/stats	—	—	—
1:09	Stats section	—	3s	"Usage statistics"	Show tokens, time, cost
1:12	Execution tab	—	1s	—	—
1:13	Activity bar	Click Packages icon	—	—	—
1:14	Packages panel opens	—	2s	"Package registry"	—
1:16	Packages panel	Click into search	—	—	—
1:17	Search focused	Type search term	2s	—	—
1:19	Search results	—	2s	—	Show results
1:21	Search results	Click on a package	—	—	—
1:22	Package details	—	2.5s	"Package information"	Show details
1:25	Package details	Click "Install" button	—	—	—
1:26	Installation progress	—	3s	"One-click installation"	Show installing
1:29	Installation complete	—	2s	—	Show success
1:31	Packages panel	—	1s	—	—
1:32	Menu bar	Click Package menu	—	—	—
1:33	Package menu	—	1.5s	—	Show options
1:35	Package menu	Hover over "Create Package"	1s	—	—
1:36	Menu	Click "Create Package"	—	—	—
1:37	Create Package modal	—	3s	"Create & publish packages"	Show modal
1:40	Modal	Click Cancel or X	—	—	Don't complete
1:41	Back to editor	—	2s	—	Final hold

Total: ~103 seconds

Quick Reference: Callout Text Summary

Video 1: First Impressions

- "Secure authentication"
- "Professional IDE experience"
- "Project-based organization"
- "Full syntax highlighting"
- "Visual Design view"
- "Guided Wizard mode"
- "Package registry access"
- "Built-in AI assistant"
- "Git integration"

Video 2: AI-Powered Creation

- "AI Assistant panel"
- "Four conversation modes"
- "Generate mode"
- "AI generates complete .prmd"
- "Instant file creation"
- "Explore mode"
- "Searches package registry"
- "Discover existing packages"
- "Package details & versions"

Video 3: Professional Editing

- "Monaco-powered editor"
- "Live registry search"
- "Parameter suggestions"
- "Package metadata on hover"
- "Code snippets"

- "Template expansion"
- "Visual Design view"
- "Type selection"
- "Visual parameter editing"
- "Section management"
- "Real-time validation"
- "Guided Wizard mode"
- "Step-by-step guidance"

Video 4: Execute & Package

- "Execution interface"
- "Parameter inputs"
- "Type-aware inputs"
- "Context file support"
- "Provider selection"
- "Model options"
- "Token & cost estimation"
- "Streaming response"
- "Usage statistics"
- "Package registry"
- "Package information"
- "One-click installation"
- "Create & publish packages"

Recording Tips Reminder

1. **Pause 2 seconds** at video start and end (editing buffer)
2. **Move cursor slowly -** viewers need to track it

3. **Hold on callout moments -** give text time to register
4. **Don't rush typing -** ~60 WPM max, viewers are reading
5. **Multiple takes are fine -** you'll edit anyway
6. **Check recording after each scene -** easier to redo immediately

---

Estimated Final Durations

Video	Guide Duration	After Editing	Target
1	66s	55-65s	60-90s ✓
2	90s	75-90s	90-120s ✓
3	96s	80-95s	90-120s ✓
4	103s	85-100s	90-120s ✓

Combined runtime: ~5-6 minutes (within 5-7 minute target)