



NWinfo

NWinfo is a Win32 program that allows you to obtain system and hardware information.

Features

- Obtain detailed information about SMBIOS, CPUID, S.M.A.R.T., PCI, EDID, and more.
- Support exporting in JSON, YAML, and HTML formats.
- Gathers information directly without relying on WMI.
- Compatible with Windows XP.

Download

The source code is maintained in a git repository at <https://github.com/a1ive/nwinfo>.

You can download the latest version of the binary from [GitHub Releases](#).

CLI (nwinfo)

Usage

```
.\nwinfo.exe OPTIONS
```

Example Command

```
.\nwinfo.exe --format=json --output=report.json --cp=UTF8 --sys --disk --smbios --net
```

This command exports system, disk, SMBIOS, and network information to `report.json` in JSON format.

General Options

- `--format= FORMAT`
Specify output format.
`FORMAT` can be `YAML` (default), `JSON`, `LUA`, `TREE` and `HTML`.
- `--output= FILE`
Write to `FILE` instead of printing to screen.
- `--cp= CODEPAGE`
Set the code page of output text.
`CODEPAGE` can be `ANSI` and `UTF8`.
- `--human`
Display numbers in human readable format.
- `--bin= FORMAT`
Specify binary format.
`FORMAT` can be `NONE` (default), `BASE64` and `HEX`.
- `--debug`
Print debug info to stdout.
- `--hide-sensitive`
Hide sensitive data (MAC & S/N).

Hardware Details

- `--cpu[= FILE ]`
Print CPUID info.
`FILE` specifies the file name of the CPUID dump.
- `--net[= FLAG, ... ]`
Print network info.
 - `GUID`
Specify the GUID of the network interface, e.g. `{B16B00B5-CAFE-BEEF-DEAD-001453AD0529}`
 - `FLAGS`
`ACTIVE` Exclude inactive network interfaces.

PHYS Exclude virtual network interfaces.
ETH Include Ethernet network interfaces.
WLAN Include IEEE 802.11 wireless addresses.
IPV4 Show IPv4 addresses only.
IPV6 Show IPv6 addresses only.

- **--acpi[= SGN]**

Print ACPI info.

SGN specifies the signature of the ACPI table, e.g. **FACP** (Fixed ACPI Description Table).

- **--smbios[= TYPE]**

Print SMBIOS info.

TYPE specifies the type of the SMBIOS table, e.g. **2** (Base Board Information).

- **--disk[= FLAG, . .]**

Print disk info.

- **PATH**

Specify the path of the disk, e.g. **\\.\PhysicalDrive0** , **\\.\CdRom0** .

- **FLAGS**

NO-SMART Don't print disk S.M.A.R.T. info.

PHYS Exclude virtual drives.

CD Include CD-ROM devices.

HD Include hard drives.

NVME Include NVMe devices.

SATA Include SATA devices.

SCSI Include SCSI devices.

SAS Include SAS devices.

USB Include USB devices.

- **--smart= FLAG, . . .**

Specify S.M.A.R.T. features.

Features enabled by default: **WMI** , **ATA** , **NVIDIA** , **MARVELL** , **SAT** , **SUNPLUS** , **IODATA** , **LOGITEC** , **PROLIFIC** , **USBJMICRON** , **CYPRESS** , **MEMORY** , **JMICRON** , **ASMEDIA** , **REALTEK** , **MEGARAID** , **VROC** , **ASM1352R** and **HIDERAID** .

Use **DEFAULT** to specify the above features.

Other features are **ADVANCED** , **HD204UI** , **ADATA** , **NOWAKEUP** and **RTK9220DP** .

- **--display**

Print EDID info.

- **--pci[= CLASS]**

Print PCI info.

CLASS specifies the class code of pci devices, e.g. **0C05** (SMBus).

- **--usb**

Print USB info.

- **--battery**

Print battery info.

- **--uefi[= FLAG, . .]**

Print UEFI info.

- **FLAGS**

MENU Print UEFI boot menus.

`VARs` List all UEFI variables.

- `--audio`
Print audio devices.
- `--gpu`
Print GPU usage.
- `--device[= TYPE ]`
Print device tree.
`TYPE` specifies the type of the devices, e.g. `ACPI` , `SWD` , `PCI` or `USB` .

System Information

- `--sys`
Print system info.
- `--shares`
Print network mapped drives and shared folders.
- `--public-ip`
Print public IP address.
- `--product-policy[= NAME ]`
Print ProductPolicy.
`NAME` specifies the name of the product policy.
- `--font`
Print installed fonts.

PowerShell Script for System Diagnostics

`hw_report.ps1` is a PowerShell script designed to generate and display a detailed hardware and system report using `nwinfo` .

Notes

Windows XP

This project is compatible with Windows XP using [YY-Thunks](#), but it may not retrieve some hardware information.

Supported Drivers

This project searches for and loads drivers from the same directory in the following order: **PawnIO -> HwRwDrv -> WinRing0**.

Driver	Author	License	Notes
PawnIO	namazso	GPL v2	Safe to use, but some hardware information may be unavailable.
HwRwDrv	Faintsnow	Closed source	May be flagged as a virus by antivirus software and detected by anti-cheat systems.
WinRing0	hiyohiyo	BSD	Listed as a vulnerable driver by Microsoft, detected as a virus, and triggers anti-cheat software.

Note: The program can still run normally even if all drivers are removed, but some hardware information may not be accessible.

Licenses & Credits

This project is licensed under the [Unlicense](#) license.

- [libcpuid](#)
- [SysInv](#)
- [DumpSMBIOS](#)
- [CrystalDiskInfo](#)
- [Nuklear](#)
- [hwdata](#)
- [Linux USB](#)
- [The PCI ID Repository](#)
- [RyzenAdj](#)