

MATH 55 FINAL EXAM, PROF. SRIVASTAVA
DECEMBER 15, 2022, 11:40AM–2:30PM, 2050 VLSB.

1. Select true or false for each of the following. There is no need to provide an explanation.

- (a) (2 points) The propositions $\exists x(P(x) \vee Q(x))$ and $\exists xP(x) \vee \exists xQ(x)$ are logically equivalent.

☐ True

☐ False

- (b) (2 points) If n and k are positive integers with $k < n$, the function

$$f : \mathcal{P}(\{1, \dots, n\}) \rightarrow \mathcal{P}(\{1, \dots, k\})$$

defined by $f(S) = S \cap \{1, \dots, k\}$ is onto.

☐ True

☐ False

- (c) (2 points) If n and k are positive integers with $k < n$, the function

$$f : \mathcal{P}(\{1, \dots, n\}) \rightarrow \mathcal{P}(\{1, \dots, k\})$$

defined by $f(S) = S \cap \{1, \dots, k\}$ is one to one.

☐ True

☐ False

- (d) (2 points) The set

$$S = \{T : T \text{ is a tree with vertex set } \{1, \dots, n\} \text{ for some integer } n \geq 1\}$$

is uncountable.

☐ True

☐ False

- (e) (2 points) If n and r are positive integers with $r < n$ then

$$\binom{n+1}{r+1} = \binom{n}{r+1} + \binom{n}{r}.$$

☐ True

☐ False

- (f) (2 points) If X and Y are independent Geometric random variables both with parameter $q = 1/3$, then $X + Y$ is a Geometric random variable with parameter $q = 2/3$.

☐ True

☐ False

Name and SID: _____

2. Suppose that Nikhil is hungry, and selects a fruit by first picking one of two boxes labeled A and B uniformly at random, and then selecting a fruit uniformly randomly from that box. Box A contains 3 peaches, 3 apples, and 2 mangoes, and Box B contains 1 peach and 3 apples (and no mangoes).

(a) (6 points) Given that Nikhil selected a peach, what is the probability that he chose Box A ?

- ☐ $1/2$ ☐ $3/8$ ☐ $3/5$ ☐ $1/3$
☐ none of the above.

(b) (3 points) If Nikhil selected a mango, what is the probability that he chose Box B ?

- ☐ $1/2$ ☐ $3/12$ ☐ 0 ☐ 1
☐ none of the above.

(c) (3 points) Are the events “Nikhil selected Box A ” and “Nikhil selected a Peach” independent?

- ☐ Yes ☐ No

3. Suppose I throw 10 balls independently and uniformly at random into 5 bins labeled A, B, C, D, E . Call a bin *special* if it contains exactly 2 balls.

(a) (4 points) The expected number of special bins is:

- ☐ $\frac{10!}{32 \times 5^{10}}$ ☐ $\frac{5 \times 45 \times 4^8}{5^{10}}$ ☐ $\frac{5 \times 2 \times 9^8}{10^{10}}$ ☐ $\frac{5 \times 10 \times 4^8}{5^8}$
☐ none of the above.

(b) (3 points) The probability that every bin is special is:

- ☐ $(2/5)^5$ ☐ $(\frac{45 \times 4^8}{5^{10}})^5$ ☐ $\frac{10!}{32 \times 5^{10}}$ ☐ $1 - \frac{5 \times 120 \times 4^7}{5^{10}}$
☐ none of the above.

(c) (3 points) The probability that there exists a bin containing *at least two balls* is:

- ☐ $1 - \frac{5 \times 45 \times 4^8}{5^{10}}$ ☐ $2/5$ ☐ $\frac{5 \times 2^5}{5^5}$ ☐ 1
☐ none of the above.

Name and SID: _____

(d) (2 points) The events “Bin A is special” and “Bin B is special” are:

- ☐ independent ☐ not independent

4. The Math 555 final has 99 multiple choice questions numbered #1 – #99, each with 3 choices, *exactly one* of which is correct. The grading scheme is: every correct answer receives +1 point and every wrong answer receives $-1/2$ point. I have not studied at all, so I answer all of the questions independently and uniformly at random. Let X be the random variable equal to the total number of points I earn on the exam.

(a) (3 points) The expectation of X is:

- ☐ $99/3$ ☐ $1/3$ ☐ 0 ☐ $99/6$
☐ none of the above.

(b) (3 points) The variance of X is:

- ☐ $(99/3)^2$ ☐ $99/2$ ☐ $99(5/9)$ ☐ $99/6$.
☐ none of the above.

(c) (4 points) A *streak* is a sequence of 3 questions with adjacent numbers (e.g., 1,2,3 or 13,14,15) all of which I answered correctly. The expected number of streaks is:

- ☐ $\frac{99 \times 98 \times 97}{6} \times 1/27$ ☐ $97/27$ ☐ $97/3$ ☐ 33
☐ none of the above.

(d) (2 points) The events “I answer question #1 correctly” and “I answer question #99 correctly” are:

- ☐ independent ☐ not independent

5. (a) (4 points) A value of x for which $55x \equiv 5 \pmod{12}$ is:

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7
☐ 8 ☐ 9 ☐ 10 ☐ 11 ☐ none of the above.

(b) (4 points)] A value of y for which $54y \equiv 5 \pmod{12}$ is:

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7
☐ 8 ☐ 9 ☐ 10 ☐ 11 ☐ none of the above.

(c) (4 points) A value of z for which $z \equiv 54 \pmod{3}$ and $z \equiv 55 \pmod{4}$ is:

- ☐ 0 ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7
☐ 8 ☐ 9 ☐ 10 ☐ 11 ☐ none of the above.

Name and SID: _____

6. (12 points) Prove or disprove: if x is a rational number and x^2 is an integer, then x must be an integer.

Name and SID: _____

7. A *dominarrow* is a 2×1 tile labeled with an arrow, which may be oriented in four ways as follows:



A *tiling* of a $2 \times n$ grid is a placement of dominarrows on the grid such that each square is occupied exactly once. Two tilings are the same iff they contain exactly the same dominarrows in the same locations with the same orientations.

- (a) (3 points) How many dominarrow tilings do the 2×1 grid and 2×2 grid have?
- (b) (8 points) Let a_n be the number of dominarrow tilings of the $2 \times n$ grid. Find a recurrence relation for a_n and prove your answer. Be sure to write down the base case(s).
- (c) (3 points) Using your answer to part (b), find a_4 .

Name and SID: _____

8. (a) (2 points) Give an example of a graph on 4 vertices with degree sequence 3, 2, 2, 1.

(b) (6 points) Suppose $G = (V, E)$ is a connected simple graph on n vertices with exactly n edges. Show that there is an edge $e \in E$ such that $G' = (V, E - \{e\})$ is a tree.

(c) (6 points) Suppose G is a connected simple graph on n vertices with exactly n edges. Show that G is 3-colorable.