




# Part 1: 3.1975





## Part 2: 0.1265



SOLIDWORKS Part 2

**Basic Modeling Tools**

**Design Library**

**Mass Properties**

Part 2

Override Mass Properties... Recalculate Options...

Include hidden bodies/components

Create Center of Mass feature

Show weld bead mass

Report coordinate values relative to: -- default --

Mass properties of Part 2  
Configuration: Default  
Coordinate system: -- default --

Density = 0.0361 pounds per cubic inch

Mass = 0.0046 pounds

Volume = 0.1265 cubic inches

Surface area = 1.6088 square inches

Center of mass: ( inches )  
X = 0.0000  
Y = 0.0000  
Z = 0.3900

Principal axes of inertia and principal moments of inertia: ( pounds \* square inches )  
Taken at the center of mass.

I <sub>x</sub> = (0.0000, 0.0000, 1.0000)	P <sub>x</sub> = 0.0001
I <sub>y</sub> = (0.7071, -0.7071, 0.0000)	P <sub>y</sub> = 0.0004
I <sub>z</sub> = (0.7071, 0.7071, 0.0000)	P <sub>z</sub> = 0.0004

Moments of inertia: ( pounds \* square inches )  
Taken at the center of mass and aligned with the output coordinate system. (Using positive tensor notation.)

L <sub>xx</sub> = 0.0004	L <sub>xy</sub> = 0.0000	L <sub>xz</sub> = 0.0000
L <sub>yx</sub> = 0.0000	L <sub>yy</sub> = 0.0004	L <sub>yz</sub> = 0.0000
L <sub>zx</sub> = 0.0000	L <sub>zy</sub> = 0.0000	L <sub>zz</sub> = 0.0001

Moments of inertia: ( pounds \* square inches )  
Taken at the output coordinate system. (Using positive tensor notation.)

I <sub>xx</sub> = 0.0011	I <sub>xy</sub> = 0.0000	I <sub>xz</sub> = 0.0000
I <sub>yx</sub> = 0.0000	I <sub>yy</sub> = 0.0011	I <sub>yz</sub> = 0.0000
I <sub>zx</sub> = 0.0000	I <sub>zy</sub> = 0.0000	I <sub>zz</sub> = 0.0001


Help Print... Copy to Clipboard


Model Motion Study 1

SOLIDWORKS Student Edition - Academic Use Only


Editing Part Simplified Interface IPS


## Part 3: 1.8949





## Part 4: 28.3314





# Drawing - Part 4

