

## Sprint 3 Task Status Details Report

*Printed By: bobrien@provensecure.com*

Report Contents								
Rank	ID	Name	State	Plan Est	Task Est	To Do	Discussion Count	Owner
				64.0	64.0	64.0		
	US24	Run Tests With "Real" Password Capture	<div><div>D</div><div>P</div><div>C</div><div>A</div></div>	8.0	8.0	8.0	0	Stephen
	TA41	Replace stub contents with actual processing of password parameters	<div><div>D</div><div>P</div><div>C</div></div>	8.0	8.0	8.0	0	Allen
	US27	Run Tests With Real SMS Message Check	<div><div>D</div><div>P</div><div>C</div><div>A</div></div>	8.0	8.0	8.0	0	Stephen
	TA53	Replace stub contents with actual call to SMS Message Check	<div><div>D</div><div>P</div><div>C</div></div>	8.0	8.0	8.0	0	Allen
	US25	Run Tests With Real AT&T Voice Authentication	<div><div>D</div><div>P</div><div>C</div><div>A</div></div>	8.0	8.0	8.0	0	Stephen
	TA42	Replace stub contents with actual call to AT&T voice	<div><div>D</div><div>P</div><div>C</div></div>	8.0	8.0	8.0	0	Allen
	US26	Run Tests With Face Recognition Test	<div><div>D</div><div>P</div><div>C</div><div>A</div></div>	8.0	8.0	8.0	0	Stephen
	TA52	Replace stub contents with actual call to BetaFace and AT&T Face	<div><div>D</div><div>P</div><div>C</div></div>	8.0	8.0	8.0	0	Allen
	US28	Run Tests With "Real" Challenge Question Checks	<div><div>D</div><div>P</div><div>C</div><div>A</div></div>	8.0	8.0	8.0	0	Stephen
	TA54	Replace stub contents with actual call to Challenge Question Check	<div><div>D</div><div>P</div><div>C</div></div>	8.0	8.0	8.0	0	Allen
	US30	Run Tests With Real RMM Evaluation	<div><div>D</div><div>P</div><div>C</div><div>A</div></div>	24.0	24.0	24.0	0	Stephen
	TA63	Replace RMM Stub with real code.	<div><div>D</div><div>P</div><div>C</div></div>	16.0	16.0	16.0	0	Allen
	TA67	Replace Threshold Calculator stub with real code.	<div><div>D</div><div>P</div><div>C</div></div>	8.0	8.0	8.0	0	Allen
Confidential -- ProvenSecure Solutions, LLC				2013-08-12 10:20:08 AM				

<b>US24: Run Tests With "Real" Password Capture</b>	
General	
ID:	US24
Name:	Run Tests With "Real" Password Capture
Tags:	
Description:	<p>As an <b>Experimental Tester</b>,</p> <p>I need to <b>enter password reliability information during the baseline capture sequence</b> so that we can <b>ensure the capture process can collect and store test case information</b></p> <p><i>The password stub is to be replaced with a code that evaluates the descriptors for password that the tester enters (e.g. How strong is it? How old is it? How many missed attempts precede the successful entry?)</i></p>
Attachments:	
Owner:	Stephen
Hierarchy	
Parent:	US20: (EPIC) Capture Baseline Data
Schedule	
State:	Defined
Blocked:	false
Ready:	true
Blocked Reason:	
Iteration:	Sprint 3
Plan Est:	8.0 Points
Task Est:	8.0 Hours
To Do:	8.0 Hours
Confidential -- ProvenSecure Solutions, LLC	
2013-08-12 10:20:08 AM	

<b>TA41: Replace stub contents with actual processing of password parameters</b>	
General	
ID: TA41	
Name: Replace stub contents with actual processing of password parameters	
Tags:	
Description: <i>The screen should already be there. Now add the processing to calculate a score based on whatever reliability information we're capturing.</i>	
Attachments:	
Owner: Allen	
Task	
State: Defined	Blocked: false
Ready: true	Blocked Reason:
Estimate: 8.0 Hours	
To Do: 8.0 Hours	
Work Product: US24: Run Tests With "Real" Password Capture	
Confidential -- ProvenSecure Solutions, LLC	
2013-08-12 10:20:08 AM	

<b>US27: Run Tests With Real SMS Message Check</b>	
General	
ID: US27	
Name: Run Tests With Real SMS Message Check	
Tags:	
Description: As an <b>Experimental Tester</b> , I need to <b>access the SMS Message Check during raw authenticator capture</b> so that we can <b>include actual authentication data in our test cases</b>  <i>The SMS Message Check stub is to be replaced with code that actually invokes the authenticator, and returns the result of the test.</i>	
Attachments:	
Owner: Stephen	
Hierarchy	
Parent: US20: (EPIC) Capture Baseline Data	
Schedule	
State: Defined	Blocked: false
Ready: true	Blocked Reason:
Iteration: Sprint 3	
Plan Est: 8.0 Points	Task Est: 8.0 Hours
To Do: 8.0 Hours	
Confidential -- ProvenSecure Solutions, LLC	
2013-08-12 10:20:08 AM	

<b>TA53: Replace stub contents with actual call to SMS Message Check</b>	
General	
ID: TA53	
Name: Replace stub contents with actual call to SMS Message Check	
Tags:	
Description: <i>Screen should already be there. Now add the code to actually trigger the SMS Message Check check and return the results. Keep the "manual entry" available, but implement it as "Manual Override".</i>	
Attachments:	
Owner: Allen	
Task	
State: Defined	Blocked: false
Ready: true	Blocked Reason:
Estimate: 8.0 Hours	
To Do: 8.0 Hours	
Work Product: US27: Run Tests With Real SMS Message Check	
Confidential -- ProvenSecure Solutions, LLC	
2013-08-12 10:20:08 AM	

<b>US25: Run Tests With Real AT&amp;T Voice Authentication</b>	
General	
ID: US25	
Name: Run Tests With Real AT&T Voice Authentication	
Tags:	
Description: As an <b>Experimental Tester</b> , I need to <b>access AT&amp;T Voice during raw authenticator capture</b> so that we can <b>include actual authentication data in our test cases</b>  <i>The AT&amp;T Voice stub is to be replaced with a code that actually invokes the AT&amp;T Voice Authenticator, obtains a result of the phone-based authentication, and then returns those results to the calling function code.</i>	
Attachments:	
Owner: Stephen	
Hierarchy	
Parent: US20: (EPIC) Capture Baseline Data	
Schedule	
State: Defined	Blocked: false
Ready: true	Blocked Reason:
Iteration: Sprint 3	
Plan Est: 8.0 Points	Task Est: 8.0 Hours
To Do: 8.0 Hours	
Confidential -- ProvenSecure Solutions, LLC	
2013-08-12 10:20:08 AM	

<b>TA42: Replace stub contents with actual call to AT&amp;T voice</b>	
General	
ID: TA42	
Name: Replace stub contents with actual call to AT&T voice	
Tags:	
Description: <i>Screen should already be there. Now add the code to actually trigger the AT&amp;T Voice check and return the results. Keep the "manual entry" available, but implement it as "Manual Override".</i>	
Attachments:	
Owner: Allen	
Task	
State: Defined	Blocked: false
Ready: true	Blocked Reason:
Estimate: 8.0 Hours	
To Do: 8.0 Hours	
Work Product: US25: Run Tests With Real AT&T Voice Authentication	
Confidential -- ProvenSecure Solutions, LLC	
2013-08-12 10:20:08 AM	



<b>US26: Run Tests With Face Recognition Test</b>	
General	
ID:	US26
Name:	Run Tests With Face Recognition Test
Tags:	
Description:	<p>As an <b>Experimental Tester</b>, I need to <b>access the Face Recognition Check during raw authenticator capture</b> so that we can <b>include actual authentication data in our test cases</b></p> <p><i>The stub is to be replaced with a code that calls either BetaFace or AT&amp;T Face, or both. A result is obtained and returned to the probability driver.</i></p>
Attachments:	
Owner:	Stephen
Hierarchy	
Parent:	US20: (EPIC) Capture Baseline Data
Schedule	
State:	Defined
Blocked:	false
Ready:	true
Blocked Reason:	
Iteration:	Sprint 3
Plan Est:	8.0 Points
Task Est:	8.0 Hours
To Do:	8.0 Hours
Confidential -- ProvenSecure Solutions, LLC	
2013-08-12 10:20:08 AM	

<b>TA52: Replace stub contents with actual call to BetaFace and AT&amp;T Face</b>	
General	
ID: TA52	
Name: Replace stub contents with actual call to BetaFace and AT&T Face	
Tags:	
Description: <i>Screen should already be there. Now add the code to actually trigger the calls to BetaFace and AT&amp;T Face. Keep the "manual entry" available, but implement it as "Manual Override".</i>	
Attachments:	
Owner: Allen	
Task	
State: Defined	Blocked: false
Ready: true	Blocked Reason:
Estimate: 8.0 Hours	
To Do: 8.0 Hours	
Work Product: US26: Run Tests With Face Recognition Test	
Confidential -- ProvenSecure Solutions, LLC	2013-08-12 10:20:08 AM

<b>US28: Run Tests With "Real" Challenge Question Checks</b>	
General	
ID: US28	
Name: Run Tests With "Real" Challenge Question Checks	
Tags:	
Description: As an <b>Experimental Tester</b> , I need to <b>access the Challenge Question Check authenticator during raw authenticator capture</b> so that we can <b>include actual authentication data in our test cases</b>  <i>The Challenge Question stub is to be replaced with code that actually evaluates challenge questions and answers -- or at least evaluates some input indicating the nature of the results of such tests. As with others, "Manual Override" should be an option.</i>	
Attachments:	
Owner: Stephen	
Hierarchy	
Parent: US20: (EPIC) Capture Baseline Data	
Schedule	
State: Defined	Blocked: false
Ready: true	Blocked Reason:
Iteration: Sprint 3	
Plan Est: 8.0 Points	Task Est: 8.0 Hours
To Do: 8.0 Hours	
Confidential -- ProvenSecure Solutions, LLC	
2013-08-12 10:20:08 AM	

<b>TA54: Replace stub contents with actual call to Challenge Question Check</b>	
General	
ID: TA54	
Name: Replace stub contents with actual call to Challenge Question Check	
Tags:	
Description: <i>Screen should already be there. Now add the code to actually trigger the challenge question evaluation and return the results. Three challenge questions and their answers will be handled here. "Results" for each of the three questions will be listed separately. Keep the "manual entry" available, but implement it as "Manual Override".</i>	
Attachments:	
Owner: Allen	
Task	
State: Defined	Blocked: false
Ready: true	Blocked Reason:
Estimate: 8.0 Hours	
To Do: 8.0 Hours	
Work Product: US28: Run Tests With "Real" Chalenge Question Checks	
Confidential -- ProvenSecure Solutions, LLC	2013-08-12 10:20:08 AM

<b>US30: Run Tests With Real RMM Evaluation</b>	
General	
ID:	US30
Name:	Run Tests With Real RMM Evaluation
Tags:	
Description:	<p>As the <b>Lead Researcher</b>, I need to be able to <b>run tests with RMM and thresholds fully implemented</b> so that I can <b>generate test results</b> for later evaluation.</p> <p><i>This user story involves replacing the remaining stub with actual processing.</i></p>
Attachments:	
Owner:	Stephen
Hierarchy	
Parent:	US20: (EPIC) Capture Baseline Data
Schedule	
State:	Defined
Blocked:	false
Ready:	true
Blocked Reason:	
Iteration:	Sprint 3
Plan Est:	24.0 Points
Task Est:	24.0 Hours
To Do:	24.0 Hours
Confidential -- ProvenSecure Solutions, LLC	
2013-08-12 10:20:08 AM	

<b>TA63: Replace RMM Stub with real code.</b>	
General	
ID:	TA63
Name:	Replace RMM Stub with real code.
Tags:	
Description:	<i>Call the "R" scripts needed to perform necessary probabilistic calculations and invoke the MrE engine. Return the resulting Bayes and MrE "scores". Remove any temporary input/output variables that were unique to the stub.</i>
Attachments:	
Owner:	Allen
Task	
State:	Defined
Blocked:	false
Ready:	true
Blocked Reason:	
Estimate:	16.0 Hours
To Do:	16.0 Hours
Work Product:	US30: Run Tests With Real RMM Evaluation
Confidential -- ProvenSecure Solutions, LLC	
2013-08-12 10:20:09 AM	

<b>TA67: Replace Threshold Calculator stub with real code.</b>	
General	
ID:	TA67
Name:	Replace Threshold Calculator stub with real code.
Tags:	
Description:	<i>Perform the threshold evaluation calculations and return the results to the probability Drive so it can determine Pass / Fail / Try Again.</i>
Attachments:	
Owner:	Allen
Task	
State:	Defined
Blocked:	false
Ready:	true
Blocked Reason:	
Estimate:	8.0 Hours
To Do:	8.0 Hours
Work Product:	US30: Run Tests With Real RMM Evaluation
Confidential -- ProvenSecure Solutions, LLC	
2013-08-12 10:20:09 AM	

