

Pegasus - Prompt & GTFA Guide

Table of Contents

[Crafting a Prompt](#)

[Deep Diving into Verifiability](#)

 [Non-Verifiable Prompt Examples](#)

 [Verifiable Prompt Examples](#)

 [Math Examples](#)

 [Biology Examples](#)

 [Chemistry Examples](#)

 [Humanities/Social Science Examples](#)

 [Physics](#)

 [Economics](#)

 [Computer Science/AI](#)

 [Medicine](#)

 [Law](#)

 [Finance](#)

Crafting a Prompt

Your role is to create **novel, interesting** problems that require **reasoning** and lead to a single, **verifiable** ground truth final answer (GTFA). Your prompt should reflect the realistic and challenging problems researchers are solving at the frontier of academic research or expert areas.

Your prompt must be:

Realistic and Interesting

- Reflects genuine scenarios researchers or experts might encounter in their field.
- Focuses on practical and realistic problems you would encounter in your research rather than hypothetical or unnecessarily verbose/complex (exam-style) questions.
 - We want prompts that reflect real-world thinking, not artificial difficulty. Overly verbose or contrived setups don't improve models. For example, a math problem that's "hard" only because it uses massive numbers, does not meaningfully test reasoning.
- **!! Not just "information retrieval"**: A good task prompt should ask for research AND some kind of synthesis, logic, evaluation, reasoning, etc. to come up with an answer.

- Just asking for a lot of hard-to-find information from the internet is not enough (because it's not hard for a model with internet access!); the prompt should ask the model to combine this information in logical ways.
- For example, instead of a list of “what was the result from paper X”, it might be “use the result from paper X to solve this problem”. The response to the latter will require a lookup, but it requires reasoning about how the result can be used.
-  **Research-Heavy:** In addition to reasoning, you can also create prompts that require extensive research and citation of publicly available sources to be sufficiently answered.
 - Helpful Tip: Tasks can use multiple sources to answer, and there should not be one single online source (e.g. research paper, website, etc.) that contains all the necessary information to complete the task (- too easy for the model!). The GTFA should be reached by combining and applying reasoning to information from multiple sources.

Challenging & Difficult

- Requires deep analysis, reasoning, and/or data synthesis - taking a few hours for a knowledgeable human to answer thoroughly
- The difficulty in tasks should come from a combination of finding specific information AND the reasoning and synthesis about them to answer the prompt, versus just trying to find very specific pieces of information.

Clearly Defined & Verifiable

- Tasks should be well-defined enough that other people knowledgeable about this space would agree on the exact answer.
- The answer should be universally accepted by your peers. 9/10 experts in the field should come up with the exact same answer
- The answer should be concise enough that an auto-grader would be able to verify its correctness
- Avoids open-ended or overly subjective questions
- Avoid questions with multiple answers
- Avoids binary, or multiple choice questions.

Deep Diving into Verifiability

The output of this data will be used as follows:

- **A model in training will try to solve your problem**
- **A grader model will compare the output with your answer to check if the training got it right.**

It is extremely important that:

1. No reasonable model or person can come up with a correct answer that is different from your answer
2. Any correct answer can be verified by an auto grader (i.e. its not overly complex).

Here are some common mistakes to avoid. Your answer is likely non-verifiable if it:

- Is Subjective – Different people may answer differently, and all could be valid.
- Requires a Proof or a Long Explanation – The response is open-ended or unnecessarily verbose/complex. These prompts encourage long-form responses that can vary a lot in structure, tone, or explanation—even when technically correct. This makes it hard to tell if the answer truly matches the GTFA or not.
- Is Abstract or Philosophical – It involves interpretation rather than facts. Any answer is technically “valid,” which breaks our ability to judge correctness.
- Is a Multipart Question – Multi-part prompts increase the chance of partial or misaligned answers, which makes them harder to judge against a single GTFA
- Includes "No Solution" Answers – We want to avoid cases where the answer is simply "No Solution" or unknown/ undefined.
- Uses Yes/No or True/False Questions – Binary answers or multiple choice answers are easily guessable by the model.
- Provides a Range Instead of a Definite Value – Answers should not be open-ended numerical ranges (e.g., \$a\$ is all real numbers").

✗ Non-Verifiable Prompt Examples

Prompt	GTFA	Why are these Non-Verifiable?
STEM: Imagine someone gives you an endless sequence of coin toss results — heads or tails, one after another, forever. They say it's from a fair coin, but it might not be. It might be a sequence that just looks random for every chunk you check, but was actually created in a completely deterministic, rule-based way. Is there a clever way — without crunching formulas — to figure out whether this sequence is truly random, or just pretending to be?	✗ Actually... no, you can't reliably tell the difference. Not if you're only looking at finite parts of the sequence. That's because someone could carefully craft a sequence that looks perfectly random in every way we usually test — but it's still just a clever fake, built by an algorithm. It's only when you step into deeper ideas, like whether the sequence can be compressed or generated by a short computer program, that you start to tell what's really random. But even then, you hit the limits of what's possible to know.	Subjective and Yes/No Question Different people might argue about what “truly random” means. There's also no definite way to prove randomness just by looking at part of the sequence.
STEM: Based on various clinical reports over the last two decades, do transplanted kidneys from deceased donors provide comparable long-term viability to those from living donors, or do survival metrics differ significantly depending on recipient-specific factors?	✗ no, living donors have longer viability	Requires a long explanation Kidney transplant outcomes depend on multiple factors, including donor health, recipient compatibility, and post-transplant care. While living donor kidneys generally last

		longer, the exact survival difference varies across studies and individual cases, making a single definitive comparison difficult.
Non-STEM: How can we experience the essence of time through sculpture?	✗ By returning to our experience of space in its more basic and fundamental form: as potentiality.	Abstract and subjective. "Experiencing time" is a personal and philosophical concept with no concrete, testable answer.
Non-STEM: It is possible to say (A) "The guy I bought this car from was dishonest," but not (B) "The guy who sold me this car was dishonest." What stylistic syntactic variation has applied in (A), and what does (B) illustrate about a constraint on that variation?	✗ Relative pronoun deletion; cannot apply to a subject relative pronoun.	Requires a long explanation & multipart question The question involves linguistic theory, which can be explained in different ways. It also asks multiple things at once, making it harder to verify.

✓ Verifiable Prompt Examples

Prompt	GTFA	Why are these Verifiable?
STEM: In a high-fidelity 3D MHD simulation of a bow-shock pulsar wind nebula, integrate an engineered nano-structured shock absorber by introducing a correction factor α into the momentum balance. Given $L = 1 \times 10^{36} \text{ erg s}^{-1}$, $\rho = 1.67 \times 10^{-25} \text{ g cm}^{-3}$, $v = 5 \times 10^7 \text{ cm s}^{-1}$, $c = 3 \times 10^{10} \text{ cm s}^{-1}$, and $\alpha = 0.85$, calculate the modified stand-off distance r_0	✓ $6.77 \times 10^{16} \text{ cm}$ ⚠ Note: Write the GTFA as a standalone value without including variable notation. For example, instead of $r_0 = 6.77 \times 10^{16} \text{ cm}$, simply write $6.77 \times 10^{16} \text{ cm}$	Provides concrete numerical values (L , ρ , v , c , α) needed for calculation. Asks for a specific output (modified stand-off distance r_0) based on a well-defined correction factor. The calculation is based on clear physical principles, making it testable and repeatable.
STEM: Consider the largest natural number N for which there exists a valid Hamiltonian cycle for a graph with vertex set $V = \{1, 2, \dots, N\}$ that contains edges only between vertices of different colors, where vertices are colored based on whether they are prime, composite, or neither. What is the probability that a randomly selected Hamiltonian cycle in the *complete* graph K_N is also present in the previously mentioned colored graph with N vertices?	✓ $1/1716$ ⚠ Note: Write fractions and probabilities in numerical or fraction form. For example, use $1/1716$ instead of writing '1 in 1716 chance' or any word-based format.	The prompt is clear and expects a concrete answer (the chord's name or function) based on musical theory. The answer can be cross-referenced with musical analysis literature and chord progressions, ensuring verifiability.
STEM: In a female tauopathy mouse model carrying both the apolipoprotein E $\epsilon 4$ allele (APOE4) and the R47H variant of triggering	✓ Bcl-2-associated X protein (BAX)	Asks for the identification of one particular mitochondrial outer membrane protein linked to microglial senescence.

receptor expressed on myeloid cells 2 (TREM2), single-nucleus RNA sequencing revealed a microglial subpopulation enriched for interferon type I-stimulated genes, driven by activation of interferon regulatory factor 3 (IRF3) downstream of cyclic GMP-AMP synthase (cGAS). Which mitochondrial outer membrane protein—found to be upregulated in this inflammatory context—is essential for triggering microglial senescence, yet not required for the upstream activation of the cGAS—stimulator of interferon genes (STING) pathway?		The answer is a discrete entity (a protein name) that can be verified by existing research literature.
Non-STEM: What literary trope has been championed by some literary deconstructionists and is also indispensable to post-structuralists' formulation of performativity, subversion, and reconceptualizing the subject as not wholly subjugated by subject formation?	✔ Personification	Focuses on a specific literary trope that is central to certain theoretical frameworks. The request is for a defined term or concept rather than an open-ended explanation. It is verifiable by comparing definitions across scholarly sources on literary deconstruction and post-structuralism.



Math Examples

[MATH] Non-Verifiable Prompt Examples

Prompt	GTFA	Why are these Non-Verifiable?
Math: Consider the Grothendieck ring of varieties over an algebraically closed field k . Let $\mathbb{P}^1$ denote the projective line. We add one more relation to the Grothendieck ring saying that for all $\mathbb{P}^1$ -bundles $E \rightarrow X$, we have that $[E] = [X]$. Do we get a trivial ring this way?	✗ No	The question is inherently abstract and open-ended. The answer depends on deep algebraic geometry and ring theory arguments, making it difficult to verify with a single, definitive response.
Math: Please prove Doob's submartingale inequality	✗ We define a stopping time $\tau = \inf\{u \geq m: S_u \geq b\}$, then for any $A \in \mathcal{F}_m$, $bP(\max_{m \leq u \leq n} S_u \geq b, A) = bP(\tau \leq n, A) = E[b; \tau \leq n; A] \leq E[S_\tau; \tau \leq n; A] \leq E[S_\tau \wedge b; \tau \leq n; A]$	This requires a full mathematical derivation, which involves advanced probability theory, measure theory, and inequalities for stochastic processes. The proof is long, technical, and dependent on precise mathematical arguments, making it

	$n]; \tau \leq n; A] \leq E[S_n; \tau \leq n; A]$ The first inequality holds because $S_{\tau} \geq b$, the second inequality comes from optimal sampling theorem that $E[S_n F_{\tau \wedge n}] \geq S_{\tau \wedge n}$.	unverifiable with a single concrete answer.
Math: Let K be a number field and $f(x) \in K[x]$ be an irreducible polynomial of prime degree p. Let L be the splitting field of $f(x)$ over K, and $G = \text{Gal}(L/K)$ its Galois group. Assume G is solvable and contains a unique Sylow p-subgroup P. Further, suppose that G acts primitively on the roots of $f(x)$, and that the normalizer $N_G(P)$ of P in G is not a Frobenius group. 1. Determine the structure of G up to isomorphism, and provide necessary and sufficient conditions on p and the arithmetic of K such that G is a minimal primitive solvable group. 2. Classify all possible subgroups of G that are isomorphic to the holomorph of P, and determine the conditions under which these subgroups are also minimal primitive solvable groups.	✗ 1. G is isomorphic to a subgroup of the affine group $A(\mathbb{F}_p) = \{ax+b \mid a, b \in \mathbb{F}_p, a \neq 0\}$, where $\mathbb{F}_p$ is the finite field with p elements. Specifically, G is a subgroup of the form $G = \{ax+b \mid a \in H, b \in \mathbb{F}_p\}$, where H is a subgroup of $\mathbb{F}_p^*$. The order of G is $G = H p$, where H divides $p-1$. Necessary and sufficient conditions are that G is a minimal primitive solvable group, which implies H is a maximal subgroup of $\mathbb{F}_p^*$. 2. The holomorph of P is isomorphic to $A(\mathbb{F}_p)$. Subgroups of G isomorphic to $A(\mathbb{F}_p)$ exist if and only if $G = A(\mathbb{F}_p)$. These subgroups are minimal primitive solvable groups if and only if p is prime and $G = A(\mathbb{F}_p)$.	This problem demands an extensive classification of Galois groups under multiple constraints. The answer depends on deep algebraic number theory, group theory, and arithmetic conditions, leading to multiple valid perspectives rather than a single verifiable result.

[MATH] Verifiable Prompt Examples

Prompt	GTFA	Why are these Verifiable?
Math: Consider the vector field $X = 2x \frac{\partial}{\partial x} - y \frac{\partial}{\partial y}$ on $\mathbb{R}^2$, and the endomorphism of $T\mathbb{R}^2$ given by $J: T\mathbb{R}^2 \rightarrow T\mathbb{R}^2, (x, \begin{pmatrix} v \\ w \end{pmatrix}) \mapsto (x, \begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix} \begin{pmatrix} v \\ w \end{pmatrix})$ where $x \in \mathbb{R}^2$ and $\begin{pmatrix} v \\ w \end{pmatrix} \in T_x \mathbb{R}^2$. Compute the Lie derivative $\mathcal{L}_X J$ of J along X.	✓ $3dx \otimes \partial_y + 3dy \otimes \partial_x$ ⚠ Note: Write the GTFA as a standalone value without including variable notation. For example, instead of $\mathcal{L}_X J = 3dx \otimes \partial_y + 3dy \otimes \partial_x$, simply write $3dx \otimes \partial_y + 3dy \otimes \partial_x$	Provides a well-defined mathematical structure (vector field, endomorphism) and asks for a specific computational result (Lie derivative). The answer follows formal derivations in differential geometry, making it testable and repeatable.
Math: Let G be a group of homeomorphisms acting freely on S^{2n},	✓ 2^n	Asks for a specific numerical order of a group under given conditions. The answer follows

i.e. for all $g \in G$, $gx = x$ for some $x \in S^{2n}$ iff $g = 1$. Compute the order of G .		established theorems in algebraic topology and group theory, making it verifiable through known mathematical principles.
Math: What is the average cardinality of a finite Weyl group of rank 6? The Weyl groups are not necessarily irreducible, and the question is about finite Weyl groups up to isomorphism.	✓[3925.78]	Requests a concrete numerical average of finite Weyl groups of rank 6, constrained by clear classification rules. The answer is a discrete value derived from combinatorial group theory, ensuring verifiability.

 Biology Examples

[BIOLOGY] Non-Verifiable Prompt Examples

Prompt	GTFA	Why are these Non-Verifiable?
Biology: How do specific structural changes in synaptic plasticity, including dendritic spine dynamics and synaptic pruning, contribute to neurodevelopmental processes and the maintenance of cognitive function over the lifespan, and what are the implications of abnormal plasticity in the context of neurological disorders, such as Alzheimer's disease or autism spectrum disorders?	✗Synaptic plasticity, through processes like dendritic spine dynamics and synaptic pruning, plays a crucial role in shaping neural circuits during development and throughout life. Dendritic spines, which are the small protrusions on neurons where synapses form, undergo structural changes to enhance or reduce synaptic strength, allowing for learning and memory. Synaptic pruning refines neural connections by eliminating excess synapses, improving efficiency. Abnormalities in these processes, such as over-pruning or dysfunctional spine formation, are linked to neurodevelopmental disorders like autism and cognitive decline seen in Alzheimer's disease, indicating the importance of balanced plasticity for cognitive function.	The question spans multiple complex processes in neuroscience and links them to disorders in a broad, conceptual way. Answers would involve interpretation and discussion rather than a single concrete fact.
Biology: In situ microbiome gene editing is too early from its real application, what are the gaps in this field?	✗Due to complex microbial ecology theory and ethical issues associated with gene editing.	The field is evolving, and "gaps" are subject to interpretation based on current research perspectives. Different experts may emphasize different limitations, making the answer inherently subjective.

Biology: Why deconvoluting microbiome-host connectivity is so difficult even with the development cutting edge tools and technology in soil samples as compared to gut samples?	✗ Because soil microbial community has huge diversity as compared to gut microbiome.	The question asks "why" something is difficult rather than requesting a concrete, testable fact. Explanations would vary depending on methodological perspectives, making verification unreliable.
--	--	--

[BIOLOGY] Verifiable Prompt Examples

Prompt	GTFA	Why are these Verifiable?
Biology: A specific transcription factor in rice acts as a repressor of wax biosynthesis genes under heat stress conditions by directly inhibiting the expression of a basic helix-loop-helix (bHLH) transcription factor. When this repressor is knocked out using gene-editing techniques, thermotolerance improves due to increased expression of genes involved in very-long-chain alkane biosynthesis. What is the name of this repressor?	✓ Negative regulator of thermotolerance 1 (NAT1)	There is a specific known transcription factor responsible for this regulation. The question asks for a well-documented gene, which has been identified in scientific literature and can be verified through experimental data.
Biology: What enzyme does iron-bound Pirin directly activate to drive colorectal cancer progression?	✓ telomerase reverse transcriptase	Requests a specific enzyme name that is functionally linked to Pirin in colorectal cancer progression. The answer is a discrete biochemical entity that can be confirmed through experimental studies.
Biology: Which protein mediates the connection between cellular iron and telomerase activation in colorectal cancer?	✓ Pirin	Asks for a specific protein mediating a well-defined biological process. The answer is a distinct molecular entity that can be verified through biochemical and genetic studies.



Chemistry Examples

[CHEMISTRY] Non-Verifiable Prompt Examples

Prompt	GTFA	Why are these Non-Verifiable?
Chemistry: You are tasked with producing trans-2,3-epoxy-cyclohexen-1-ol from 2-cyclohexen-1-one. Which set of reactions will provide the desired product with the correct stereochemistry?	✗ None of the options presented	Multipart Question (Asks for multiple reaction steps and stereochemistry, making verification difficult). The stereochemical outcome depends on

A) 1) sodium borohydride and cerium trichloride 2) m-CPBA B) 1) sodium borohydride 2) m-CPBA C) 1) sodium hydroxide and hydrogen peroxide 2) sodium borohydride D) 1) sodium borohydride and cerium trichloride 2) m-CPBA 3) triphenyl phosphine, DEAD, 4-nitrobenzoic acid 4) sodium hydroxide		nuanced reaction conditions, solvent effects, and experimental variables that cannot be reliably verified without empirical validation.
Chemistry: A droplet contains a solvent, an antisolvent and a solute which is more soluble in the solvent and less so in the antisolvent. Describe the possible phase transitions of the solute possible given evaporation of the antisolvent.	✗ Initially the concentration of solute within the droplet will increase, if supersaturation is achieved nucleation will occur, i.e. a phase change from solution to solid. However, depending on the solubility profile of the solute, as the antisolvent continues to leave, the formed crystal may begin to dissolve. Thus there are two possible phase transitions; liquid to solid and solid to liquid.	Requires a Proof or a Long Explanation (Explaining phase transitions under changing conditions requires detailed reasoning). The behavior of a solute in a mixed solvent system is highly dependent on dynamic, non-equilibrium conditions that aren't captured in standard datasets.
Chemistry: Predict the formation energies of I-BsubPc, Br-BsubPc, Cl-BsubPc, and F-BsubPc and determine if peripheral substitution would significantly impact the formation of these compounds.	✗ While it is difficult to predict these formation energies in exact numbers when not using DFT, we expect them to follow the trend F-BsubPc > Cl-BsubPc > Br-BsubPc > I-BsubPc. Peripheral substitution is not expected to significantly influence the formation energy.	Multipart Question and Ambiguous Accurate formation energies require computational chemistry methods (e.g., DFT), which cannot be validated without external experimental confirmation.

[CHEMISTRY] Verifiable Prompt Examples

Prompt	GTFA	Why are these Verifiable?
Chemistry: (2-bromophenyl)methanol was reacted with n-butyl lithium at -78°C in dry THF and then 0.3 equiv of diethyl carbonate was added to the reaction mixture form compound 1, which was treated with dichlorodimethylsilane in dry acetonitrile form compound 2. A solution of Li and naphthalene in dry THF was activated by ultrasound under argon form a dark green solution. To this solution compound 2 was added and stirred at room temperature for 14 hours under argon gives compound 3. To a solution of Compound 3 in acetone, Jones reagent was added and refluxed for 12 hours form compound 4. What is compound 4?	✓ 2,2',2''-Methanetriyltribenzoic acid	Has a single correct answer based on reaction mechanisms and known chemical transformations. Each reaction step follows well-established organic chemistry principles, leading to a unique final product that can be determined systematically.

Chemistry: A monodisperse liquid crystal solution of volume of V has N cylindrical molecules of length L and radius D , assuming $L \gg D$. This solution is in the isotropic phase. Using imperfect gas theory and ignoring any solvent interaction, find the free energy contribution of pairwise interaction of the rods in the unit of $k_B T$.	 $\left(\frac{\pi}{4} \right) \cdot \frac{N^2 L^2 D}{V}$	Relies on established statistical mechanics models and equations. The problem is well-defined with specific assumptions (e.g., ideal gas approximation, no solvent interaction), allowing for a concrete, calculable answer.
Chemistry: 2-(3-hydroxypropyl)isoindoline-1,3-dione was converted to its halides using iodine, triphenylphosphine and imidazole. The derivative further reacts with nitrocyclohexane in the presence of blue LED and $\text{NiBr}_2 \cdot \text{diglyme}$, Irppy_3 , and bathocuproine. What's the formula of the final product?	 $\text{C}_{17}\text{H}_{20}\text{N}_2\text{O}_4$	The chemical transformations follow standard reaction pathways and yield a unique formula. The given reagents and reaction conditions lead to a well-defined product according to known organic chemistry principles.

Humanities/Social Science Examples

[HUMANITIES] Non-Verifiable Prompt Examples

Prompt	GTFA	Why are these Non-Verifiable?
Humanities: Name a precursor to Rosencrantz and Guildenstern in Homeric epic. How is that episode unique in Greek literary history? If I am attempting to theorize ancient ideologies of literacy, how might I synthesize it with Herodotus' account of Astyages' overthrow?	 In Book VI of the Iliad, Bellerophon carries a message in a folded tablet from King Proteus to his father-in-law King Iobates. Like the letter Claudius sends to the King of England in Hamlet, it presumably told the recipient to kill the bearer, (though the Homeric poem does not specify the content). These "signs" are unique for being the only description of writing in the Homeric corpus, which otherwise depicts a purely oral world. In Herodotus Book I, Harpagus sends Cyrus a message concealed in the body of a hare, encouraging him to revolt against Astyages and claim the kingship. Both stories develop on an association between writing and duplicity, treachery, and mediated or illicit violence, emphasizing its "feminine" or "oriental" characteristics. This archaic and	Multipart and Is Abstract or Philosophical (Literary analysis involves subjective interpretation). Literary analysis involves interpretation rather than objective verification, and synthesizing ancient texts into a theoretical framework is inherently subjective.

	early classical ideology of writing began to shift during the classical period, as Greeks integrated writing more closely into their political and cultural institutions.	
Humanities: In the context of international student mobility research, how can we operationalize Bourdieu's concepts of field and study it empirically?	✗ Pierre Bourdieu outlines three essential steps to study a field: Mapping the Field: Identify the Structure: Determine the boundaries and structure of the field. This involves identifying the key players, institutions, and the types of capital that are valued within the field. Analyze Positions: Examine the positions occupied by different agents within the field and the power relations that define these positions. Understanding the Habitus: Habitus Analysis: Investigate the habitus of the agents within the field. Habitus refers to the ingrained habits, skills, and dispositions that individuals acquire through their life experiences. Behavior and Practices: Analyze how the habitus influences the behavior and practices of agents within the field. Examining the Capital: Types of Capital: Identify the different forms of capital (economic, cultural, social, symbolic) that are mobilized within the field. Conversion Rates: Study how these forms of capital are converted and valued within the field, and how they contribute to the power dynamics and hierarchies.	Is Subjective (The application of sociological theories varies between researchers). The application of sociological theories like "field" to empirical research is a methodological choice, not a verifiable fact.
Humanities: Can a non-reductive physicalist theory of consciousness maintain a coherent account of ontological dependence while addressing the epistemic gap between neural correlates of consciousness and qualia without invoking epiphenomenalism or	✗ Non-physicalist theory struggles to coherently address the epistemic gap without resorting to epiphenomenalism or dual-aspect monism.	Yes/No Question and Is Abstract (A philosophical debate rather than a testable hypothesis). This is a philosophical argument rather than a testable hypothesis, making it unverifiable

dual-aspect monism?		within AI research.
---------------------	--	---------------------

[HUMANITIES] Verifiable Prompt Examples

Prompt	GTFA	Why are these Verifiable?
Humanities: If Ichika Nito can be convinced as a prototype to be followed when approaching certain styles of Contemporary Classical Electric Guitar Music, which pre-existing guitar practice has he primarily drawn upon that can be studied, in turn, by composers attempting to create electric guitar music?	✓ Chord Melody	It asks for a concrete historical precedent in guitar practice. The question is about identifying a direct musical influence, which can be supported by documented techniques and musicological analysis.
Humanities: Identify the methodological contradiction in applying Dewey's experiential learning theory to standardized high-stakes assessment environments.	✓ Incompatible epistemological foundations.	It is a logical contradiction in educational theory. Standardized assessments are inherently structured and rigid, which conflicts with Dewey's emphasis on experiential, flexible learning. This can be demonstrated with educational literature.
Humanities: I'm trying to argue that power has no single best definition, but is actually a network of different concepts combined, each of which have similar characteristics and theorists can use different concepts for different purposes depending on their discipline. Who's the scholar who theorizes this?	✓ Mark Haugaard	A specific scholar has proposed this theoretical framework. This is a reference to a well-documented academic theory (e.g., Foucault's approach to power as a network of relations), making it a concrete question with a verifiable answer.

 Physics

[PHYSICS] Non-Verifiable Prompt Examples

Prompt	GTFA	Why are these Non-Verifiable?
Physics: 1) What is the 'Basic longitudinal mode frequency' of laser where L is length of optical resonator, m the mode number	✗ Length of optical resonator $L = \frac{\lambda_0}{2}m$, where m the positive integer. The modes of longitudinal wavelength	Multipart Question (Asks for multiple calculations, increasing verification difficulty).

($m=1,2,3,\dots$), λ_0 the wavelength of light at vacuum, n the refractive index of laser's active medium? 2) How many longitudinal modes are created in this optical resonator? 3) What is the mode spacing between neighboring longitudinal modes? 4) Calculate above 3 problems in the case of He-Ne laser with L is 0.3 meter, λ_0 is 633 nm and n is 1.0, respectively	$\lambda_m = \frac{2L}{m}$. On the other hand $\lambda_m = \frac{\lambda_0}{n}$ holds, too. If we let the speed of light c, then $c = \lambda_0 \nu_m = n \lambda_m \nu_m$. Therefore $\nu_m = \frac{c}{n \lambda_m}$. By inserting $\lambda_m = \frac{2L}{m}$, we get $\nu_m = m \frac{c}{2nL}$ Therefore answer to 1st question is $\nu_1 = \frac{c}{2nL}$, where $m=1$ Mode spacing between neighboring longitudinal modes $\Delta \nu = \nu_m - \nu_{m-1}$ is also equal to $\frac{c}{2nL}$ The number of longitudinal modes generated is $m = \frac{2L}{\lambda_m}$ For the case of He-Ne lasers, the basic longitudinal mode frequency ν_1 is $(300000000 \text{ m/sec}) / (2 \times 1.0 \times 0.3 \text{ m}) = 0.5 \text{ GHz}$, Mode spacing is also 0.5 GHz and number of modes generated m is $2(0.3 \text{ m}) / (0.0000006328 \text{ m}) = 94800000$	
Physics: A single mode Y-coupler splits the fundamental mode into 2 ports with equal intensity. That is to say, if a gaussian beam transmits through port A with 1W, the output ports B and C will register 0.5W each. Now if instead, you push 1W through port B, you will only register 0.5W through port A and 0W through port C. Since the matrix of optical devices are generally unitary, explain where this loss arises from?	✗ The loss is through suboptimal coupling of the fibre and the loss is through the cladding.	Requires a Proof or a Long Explanation (Explaining a paradox in optics needs detailed reasoning). This is a paradox involving quantum optics and waveguide physics, requiring deeper empirical analysis.
Physics: Why does the Occupational Safety and Health Administration (OSHA) maintain a recommended minimum static COF of $\mu \geq 0.50$ for walking surfaces?	✗ Because shear to normal ground reaction forces do not usually exceed 1:5 ratio regardless of footwear and surface.	Requires a Proof or a Long Explanation and is Ambiguous

[PHYSICS] Verifiable Prompt Examples

Prompt	GTFA	Why are these Verifiable?
Physics: Consider the bosonic string in the light-cone gauge. Find the mass squared of the following on-shell closed-string states: $\begin{aligned} & \lvert \phi_1 \rangle = \alpha_{-1} \tilde{\alpha}_0 \lvert 0; k \rangle, \\ & \lvert \phi_2 \rangle = \alpha_{-1} \alpha_{-1} \tilde{\alpha}_0 \lvert 0; k \rangle \end{aligned}$	✓ $N_b^2 = \frac{8}{l_s^2} (b-1)$	The computation follows a standard procedure in string theory. The mass-squared operator and light-cone gauge calculations yield unique, definite results.
Physics: Find the mode expansion for angular-momentum generators $(J^{\mu\nu})$ of an open bosonic string.	✓ $J^{\mu\nu} = x^\mu p^\nu - x^\nu p^\mu - i \sum_{m=1}^{\infty} \frac{1}{m} \left(\alpha_{-m}^\mu \alpha_m^\nu - \alpha_{-m}^\nu \alpha_m^\mu \right)$	The mode expansion follows a structured derivation in bosonic string theory. This problem has a formal mathematical solution that can be derived using standard string theory techniques.
Physics: An optical cavity mode with annihilation operator a interacts with one of the end-mirrors of the cavity which is a mechanical oscillator with annihilation operator b and frequency ν. The joint Hamiltonian that describes this opto-mechanical interaction is given by $H = \hbar \omega a^\dagger a + \hbar g a^\dagger a (b + b^\dagger) + \hbar \nu b^\dagger b$ Both the cavity mode and the mechanical oscillator are initially prepared in coherent states. We want to use this system to prepare non-classical states of the mechanical oscillator. Determine what value of $s = g/\nu$ is required to place the mechanical oscillator in a superposition of four coherent states that are equally spaced around the origin of phase space.	✓ $\frac{1}{2\sqrt{2}}$	It involves solving for a specific parameter value using established quantum optics equations. The required ratio $s=g/\nu$ follows from known theoretical models in optomechanics, making it a well-defined computational problem.

[ECONOMICS] Non-Verifiable Prompt Examples

Prompt	GTFA	Why are these Non-Verifiable?
Economics: In a policy experiment, two subsidy systems were tested: System A: No direct subsidy. Households receive no financial support for energy-saving appliances, but voluntary purchases are tracked and publicly praised. Adoption rate: 45%. System B: One hundred dollars cash rebate for purchasing energy-saving appliances. No public acknowledgment. Adoption rate: 70%. A policymaker argues: "System A is more ethically sustainable. It encourages internal motivation without distorting choices with money." Assuming the policymaker values both long-term behavioral change and widespread adoption, and accepts the data, which of the following best describes the logical consistency of their position? (1) The stance is consistent, because moral framing is superior to financial incentives. (2) The stance is inconsistent, because their values conflict with the more effective system. (3) The stance is consistent only if short-term effectiveness is not prioritized. (4) The stance is invalid, since incentives are always more effective than moral framing.	✗2	Multiple Choice and Subjective. Logical consistency is based on interpretation of ethical principles, and different perspectives could lead to different valid conclusions. The policymaker's stance involves value judgments rather than a strictly verifiable fact.
Economics: Consider N players positioned in a non-cyclic directed influence graph. A diminishing opportunity arises at the initial time $t = 0$, carrying a starting value $V_0 > 0$. This value declines continuously according to: $V(t) = V_0 e^{-\delta t}, \quad \delta > 0.$ Each player independently selects a random	✗ $[F^*(t) = 1 - e^{-r^* t}]$, for some $r^* > 0$ implicitly defined by equilibrium conditions.	Multipart Question. The prompt asks for both the equilibrium distribution and its response to four different parameters. This makes verification difficult because each part requires separate reasoning and calculations.

stopping time $\tau_i \in [0, T]$ to make a single, irreversible claim. Players made decisions without observing other players' choices in real-time. Any player who chooses to act incurs a known cost $c > 0$. Observability is not instantaneous. If player i acts at time τ_i, then player j becomes aware of this action only after a delay ϵ_{ji}, where $\epsilon_{ji} \sim \text{Exp}(\lambda)$ and all such delays are mutually independent across pairs. When more than one player acts within overlapping time windows—defined by the delays—then rewards are split: the player who acted earliest receives a premium share $\alpha \in (0.5, 1)$ of the opportunity's current value. All others who worked within the indistinguishable interval divide the remaining portion $1 - \alpha$ equally. Each player seeks to maximize their expected net reward by considering the decaying value over time, incorporating the randomness of the earliest player, and subtracting the cost of acting. Derive the symmetric Bayesian Nash equilibrium stopping distribution $F^*(t)$ each player adopts. Characterize how this equilibrium responds to changes in δ (decay rate), λ (delay intensity), c (cost), and α (priority share).		
Economics: Discuss the nuances of the aging-inequality nexus with a specific focus on threshold effects that bridges classical and modern theories of demographic effects.	✗ The best framework to explain the nuances of the aging-inequality nexus are the life cycle hypothesis and the continuous wealth accumulation framework. The traditional life cycle hypothesis (LCH) dictates that aging and inequality are positively related because individuals accumulate income over time at different rates. Hence, the discrepancy between and across individuals of different age groups results in the intensification of inequality. However, with the increased	Abstract or Philosophical. The relationship between aging and inequality involves theoretical interpretations and economic philosophy, making it open-ended rather than factually resolvable.

	prevalence of aging, the elderly may adopt precautionary behavior in anticipation of increased longevity and future uncertainty (Boar, 2020). As a result, the wealth decumulation process occurs more gradually or much later in life (Danziger et al., 1982). Some older individuals may even resume working beyond their retirement age. Hence, aging may have resulted in slower old-age consumption due to longevity and uncertainty, which fuels altruistic motives such as bequests (Bloom et al., 2010). Such a response may help stabilize income inequality via intergenerational transfers and inheritances (Westerheide, 2005; Elinder et al., 2018). Based on the argument above, the LCH becomes more applicable when aging is below some threshold level, while at higher intensities, the effects of precautionary motives and longevity become more pronounced.	
--	---	--

[ECONOMICS] Verifiable Prompt Examples

Prompt	GTFA	Why are these Verifiable?
Economics: Suppose $Y_{it} = D_{it}Y_{1t} + (1 - D_{it})Y_{0t}$. Y_{1t} are i.i.d. random variables with mean μ and variance σ^2_1, Y_{0t} are i.i.d. random variables with mean 0 and variance σ^2_0. D_{it} is a treatment dummy, and the treatment is assigned randomly, i.e. the sequence $\{D_{it}\}$ is independent of both $\{Y_{1t}\}$ and $\{Y_{0t}\}$. D_{it} are also i.i.d., with $P(D_{it} = 1) = p$. Derive the asymptotic distribution of $\sqrt{N}(\hat{\beta} - \beta_0)$.	✓ $N(0, \sigma_0^2 \frac{\sum d_{it}d_{it}'}{N(N-1)})$	The derivation follows standard statistical asymptotics. The question requires a concrete mathematical solution based on statistical inference, which follows known principles in econometrics.
Economics: Two firms can control pollution with the following marginal abatement costs: $MC_1 = 24 - e_1$ and $MC_2 = 44 - 2e_2$, where e_1 and e_2 are the amount of	✓ 36	The cost can be calculated using given marginal abatement cost functions. The problem is structured and quantitative, leading to a unique numerical result.

emissions by firms 1 and 2, respectively. Suppose that the government sets a goal of reducing total pollution by 12 units. The government decides to reduce emissions by a command-and-control approach. In particular, they aim to mandate equal emissions reductions from both firms. Find the total abatement costs for firm 2 under this command-and-control approach.		
Economics: Consider a first-price sealed-bid auction with independent private values (IPV), where bidders are <i>risk-neutral</i>. There are I symmetric bidders, each with a private value $v_i \sim F(v \mid X, I)$ on the support $[\underline{v}(X, I), \bar{v}(X, I)]$. The equilibrium bidding strategy is given by $b_i = s(v_i, F, I)$, where $s(\cdot)$ is strictly increasing. Bidders observe auction-specific characteristics X and the number of bidders I. You are given a dataset of observed bids $\{(b_{-i\ell}, X_{\ell}, I_{\ell}) \mid i=1, \ell=1, \dots, I\}$, where each auction ℓ has I_{ℓ} bidders and observed auction characteristics X_{ℓ}. Derive a nonparametric estimator for the private values v_i using the equilibrium bidding strategy and observed bid distributions.	✓ $\hat{v}_i = b_i + \frac{1 - \hat{G}(b_i \mid X, I)}{(I-1) \hat{g}(b_i \mid X, I)}$	The estimation follows from standard auction theory and econometric techniques. The question involves deriving a well-defined estimator using observed bid distributions, making the result objective and replicable.

 Computer Science/AI

[COMPUTER SCIENCE/AI] Non-Verifiable Prompt Examples

Prompt	GTFA	Why are these Non-Verifiable?
CS/AI: In reinforcement, which of the following conditions are necessary	✗ A, B, D	Multiple Choice Question

prerequisites? A. The environment is a MDP with finite-state. B. Each state-action pair is visited infinitely often. C. The learning rate is fixed as a constant. D. The discount factor γ must be less than 1.0		
CS/AI: Demonstrate the key concepts of knowledge distillation method, based on the following scenario: transfer high-resolution features from commercial satellites (e.g., PlanetScope, 3m resolution) to improve Sentinel-2's 10m bands for fine-scale applications, e.g., urban mapping or crop monitoring.	✗ knowledge distillation (KD) can transfer high-res features from commercial satellites (e.g., PlanetScope, 3m) to Sentinel-2 (10m) via: Teacher-Student Training: - A teacher model (trained on PlanetScope's 3m data) extracts fine-scale features (e.g., edges, textures). - A student model (Sentinel-2) learns to mimic these features via distillation loss (e.g., KL divergence on feature maps). Cross-Sensor Alignment: Spectral adaptation layers align Sentinel-2 and PlanetScope bands to mitigate domain gaps. Application-Specific Fine-Tuning: - The distilled model enhances Sentinel-2's 10m bands for tasks like urban mapping or crop monitoring, achieving near-3m effective resolution. In theory, KD-boosted Sentinel-2 matches ~80–90% of PlanetScope's accuracy in fine-scale tasks while retaining global coverage.	Subjective. The effectiveness of knowledge distillation in this context depends on implementation choices, dataset characteristics, and application-specific requirements, meaning different approaches could all be valid.
CS/AI: Let $\mathcal{H}$ be a class of binary classifiers on $\mathbb{R}^d$ defined as follows: $\mathcal{H} = \left\{ h_{(w, b)}(x) = \text{sign}(\sin(w^{\top} x + b)) \mid w \in \mathbb{R}^d, b \in \mathbb{R} \right\}.$ Determine the Vapnik–Chervonenkis (VC)	✗ $[\infty]$	Provides a Range Instead of a Definite Value. The correct answer is infinity, which violates the requirement for a specific numerical answer rather than an unbounded range.

dimension of $\mathcal{H}$ as a function of d , and justify your answer with respect to the oscillatory nature of the sine function and the geometry of the parameter space.		
--	--	--

[COMPUTER SCIENCE/AI] Verifiable Prompt Examples

Prompt	GTFA	Why are these Verifiable?
CS/AI: There is a 1-dimensional robot, that starts from $t=0s$, $x=0m$, $v=10m/s$, $a=2m/s^2$, ends at $t=5s$, $x=5m$, $v=1m/s$, $a=1m/s^2$. Please use a quintic polynomial to fit its trajectory.	 $x(t) = 10t + t^2 - 2.66t^3 + 0.656t^4 - 0.0472t^5$	The polynomial can be explicitly determined using known kinematic constraints. Given boundary conditions, a unique quintic polynomial can be derived mathematically.
CS/AI: From MoCo (Momentum Contrast for Unsupervised Visual Representation Learning) presented at CVPR 2020, to "An Empirical Study of Training Self-Supervised Visual Transformers", MoCo can be said to have gone through a total of three versions. MoCo V3 does not essentially propose a new algorithm, but rather explores how to train MoCo on ViT. The author found that training on ViT will cause training instability, which is related to gradient spikes, especially the first layer will experience gradient spikes. The paper gives a solution. What is its name?	 Random patch projection.	The paper explicitly names the solution. The answer is directly stated in the MoCo V3 research paper, making it a factual, verifiable question.
CS/AI: Consider a multi-agent reinforcement learning (MARL) system with $N = 5$ agents operating in a partially observable stochastic game (POSG) environment. Each agent has access only to its local observations and must learn a decentralized policy that maximizes a global team reward. Using the counterfactual multi-agent (CTDE) paradigm with a mixing network architecture, derive the optimal credit assignment mechanism that minimizes the variance of policy gradients while ensuring unbiasedness. If the system implements a transformer-based attention mechanism for inter-agent communication with causal masking and the mixing network uses hypernetworks for weight generation, what is the computational complexity (expressed in Big O notation) of a	 $O(N^2D^2 + NA)$	The complexity can be formally derived using standard Big O notation. The question asks for a well-defined computational complexity expression based on given architecture constraints.

single policy update step as a function of the number of agents N , observation space dimension D , and action space dimension A ?		
--	--	--



Medicine

[MEDICINE] Non-Verifiable Prompt Examples

Prompt	GTFA	Why are these Non-Verifiable?
Medicine: Two osteosarcoma patients, patient A and B, receive doxorubicin. Upon tumor biopsy, amplification of fasn gene was detected in Patient A. Which patient is likely to have lower left ventricular ejection fraction?	✗ Patient A	Multiple Choice Question The question asks for a binary selection (Patient A or B).
Medicine: A ten year old child came to the hospital with severe abdominal pain. A soccer ball hit him on the stomach the previous day and thought it could be the reason. The pain started around the belly button and moved to lower right side. He had other symptoms such as nausea, vomiting. Upon questioning further the child mentioned he wasn't feeling hungry of late. Scanning ruled out appendicitis. What could be the next two non-medical common questions that need to be asked?	✗ The common non-medical questions would be to ask about the food the child ate and if any viral occurrences in school	Multipart Question The prompt asks for two separate follow-up questions, which makes it harder to verify because different clinicians might prioritize different questions based on their expertise.
Medicine: Prostate cancer patients can receive radiation therapy as in intact prostate or prostate bed. What are the differences in the definition of intact prostate and prostate bed? And is using radiation therapy for these types of prostate cancer be different?	✗ PCa patients receiving RT will have the prostate gland either in situ (intact prostate) or surgically removed (prostate bed). The treatment target in RT differs for intact prostate and prostate bed patients. In intact prostate patients, the prostate gland is the target volume, whereas the surgical bed is the target volume for prostate bed patients. Prostate bed definition for RT is based on the pathological study of the prostate, such as the size of the prostate gland, seminal vesicle invasion, and location of positive margins.	Subjective. While the definitions of "intact prostate" and "prostate bed" can be factual, treatment differences depend on clinical guidelines, patient-specific factors, and medical opinions, making the answer non-universal.

[MEDICINE] Verifiable Prompt Examples

Prompt	GTFA	Why are these Verifiable?
Medicine: A 62-year-old man presents with generalized erythroderma, severe pruritus, and diffuse lymphadenopathy. Peripheral blood smear reveals numerous small to medium-sized lymphocytes with markedly convoluted nuclei. Flow cytometry of peripheral blood detects a predominant population of CD3+, CD4+, CD7-, and CD8- lymphocytes. TCR gene rearrangement analysis confirms clonality. A skin biopsy shows an atypical lymphoid infiltrate within the epidermis and upper dermis. Immunohistochemical staining shows that these lymphocytes are positive for CD3 and CD4 but negative for CD7 and CD8. What is the correct ICD-O-3.2 code (first four digits) for this diagnosis? Answer with numbers only.	✔9701	Asks for a standardized numerical classification code based on clear diagnostic criteria. The answer is a discrete, referenceable value in medical coding literature.
Medicine: What is the precise synaptic protein critical to the release of amyloid beta 42 produced in the Alzheimer's mouse model housing a triple mutation of Alzheimer-causative Swedish, Iberian, Arctic mutations in the APP gene?	✔SV2a	A specific synaptic protein has been identified in research. The question refers to a well-known experimental model with a documented molecular mechanism.
Medicine: A homozygous variant in a gene previously annotated as a pseudokinase was found in patients with recurrent viral infections and hypogammaglobulinemia. Multi-omics profiling reveals that the mutation leads to impaired 3' end processing of histone mRNAs, accumulation of R-loops, and dysregulation of cytosolic RNA sensing pathways. Functional studies show altered interaction with U7 snRNP and increased activation of the cGAS-STING axis due to mislocalized RNA:DNA hybrids. Which gene is mutated?	✔Senataxin (SETX)	A specific gene is responsible for this phenotype and has been identified in genetic studies. The mutation and its molecular effects are established in scientific literature.



Law

[LAW] Non-Verifiable Prompt Examples

Prompt	GTFA	Why are these Non-Verifiable?
Law: The concept of "Strict Liability" that rose from the UK in Ryland v Fletcher, seems a little too harsh. A tank that was in the land owned by Ryland, leaked due to no fault of Ryland's and flooded Fletcher's land, causing damage. Holding Ryland responsible for this does not seem proportional or even legal. What is the rationale behind this?	✗ The rationale is that bringing something so dangerous into your land, that you know if it escapes, somehow, will definitely cause damage to others, should come with legal protections for others. For strict liability, this "something" should be "unusual" and amount to "non-natural use of the land". This is to prevent negligence from such people, as well as discourage possession of dangerous things that come with harm for others.	Abstract or Philosophical The fairness of strict liability is a legal interpretation rather than an empirical fact, meaning different jurisdictions and legal scholars may disagree on the rationale.
Law: The "Right to Self-Determination" has long been held as jus cogens and part of the customary international law. However, India, which is a full member of the UN, has failed to ensure the right to self-determination of Kashmiris. Doesn't this hold India in violation of customary international law?	✗ The problem is much more complex than just a simple violation of customary international law. While the UN recognises Kashmir as a bilateral issue between India and Pakistan, India has denied the locus of Pakistan to the problem and maintained Kashmir as an internal issue. This also means denial of India for the right to self-determination Kashmiris existing in the first place, within the Democratic Republic of India. India maintains that the right to self-determination exists against foreign powers, not Democracies like India that continues to claim Kashmir as its integral part.	Multiple Choice Question. The phrasing ("Doesn't this hold India in violation?") suggests a yes/no answer
Law: In the framework of Anglican ecclesiology, conduct a critical evaluation of the juridical weight and hierarchical status accorded to doctrinal principles promulgated through the conciliar instruments of the Anglican Communion. Apply this to the context of a principle contradicting local church practice.	✗ The juridical weight and hierarchical status of principles of Anglican ecclesiastical law is "persuasive authority". They cannot be relied upon as binding on individual churches.	Requires a Proof or a Long Explanation. Evaluating the juridical weight of doctrinal principles involves deep theological and historical analysis, which cannot be verified empirically in a straightforward manner.

[LAW] Verifiable Prompt Examples

Prompt	GTFA	Why are these Verifiable?
Law: I have filed a suit against a broker for breach of contract and tort for the same	✓ Election of remedies/ estoppel	The legal doctrine governing this situation is clearly established in case law.

actions in North Carolina. I also pursued a writ of attachment under contract. Under what doctrine can I be foreclosed from pursuing the exemplary damages allowed in the tort action?		The doctrine (likely the economic loss rule or similar) is a defined legal principle that courts follow.
Law: I'm applying a philosophical consideration to the rule of law and regarding the concept that the general rule is that to deprive other people of liberty is generally prohibited, but we can deprive someone of liberty where they have committed crimes that lead to prison, which falls outside the area of application for the general rule. To explain this idea that theoretical propositions are similar to rules and are used instead to test, which original theorist is best to apply?	✓ Stephen Toulmin	A specific philosopher has articulated this concept. The question refers to a well-known theoretical framework in legal philosophy, making the answer objective.

 Finance

[FINANCE] Non-Verifiable Prompt Examples

Prompt	GTFA	Why are these Non-Verifiable?
Finance: Which of the statements below is false? a) Apart from rare exceptions, if a series is stationary then it will also be weakly stationary. b) A series that contains a trend and/or seasonal component is not weakly stationary. c) The ACF of an AR(p) model slowly decays as the lag (k) increases. d) The autocovariance function can be represented as $\rho_k = \gamma_k / \gamma_0$. e) We cannot observe the autocorrelations, but we can estimate them using the sample. The estimates are called sample autocorrelations.	✗ option d	Multiple Choice Question. The question presents multiple statements and asks which is false.
Finance: For an American call option, the underlying stock price is \$160\$, the time to maturity is 15 months, the continuously compounded risk-free rate is 8 % per	✗ yes	Yes/No Question Asking whether \$13.89 is correct is a binary true/false question

annum, the exercise price is \$50, and the volatility is 25% per annum. Dividends of \$1.26 are expected in 5 months and 11 months. Given above information, the price of the option should be \$13.89." Is the result correct?		
Finance: A fund manager named Alfred is very interested in gaining additional upside exposure to a stock, called Stock 1. This investor is not concerned with risk and has no relevant capital constraints. This stock is included in the Green Index known for clean energy plays. It has a tradeable and listed ETF that trades on US Markets. Stock 1 makes up 10% of the market value of the Green Index. The Green Index ETF is based on this market capitalization-weighted index. There are 10 stocks in this index. They are all tradeable U.S. securities with excellent liquidity for all names. Alfred is already at his share limit for direct exposure to Stock 1. His risk committee will not approve any further direct investments in this stock. Notwithstanding this prohibition, he wants to increase his exposure to Stock 1 by \$1,000,000 but not violate the letter of the risk committee determinations. Lastly, he is not permitted to trade in unlisted derivative securities. His firm is not subject to the Investment Advisors Act of 1940. How can Alfred achieve his goal?	✗ Buy \$10mm ETF and sell \$9mm short of Stocks 2-10 according to their weight.	Subjective. Multiple valid strategies exist to achieve additional exposure (e.g., ETF, options, swaps), meaning the answer is not uniquely verifiable and depends on regulatory and institutional constraints.

[FINANCE] Verifiable Prompt Examples

Prompt	GTFA	Why are these Verifiable?
Finance: Consider a 2-period economy in which the transversality condition holds. Assume that there are no international compensation to employees, no unilateral transfers, and no valuation changes of assets in this world. Suppose that the period-1 current account	✓ 31.52	Requires a straightforward economic calculation. Given the current account balances and interest rate, the trade balance can be computed exactly.

balance CA_1 equals 30, that the period-2 current account balance CA_2 equals -5, and that the interest rate r on investments held for one period is given by 0.06. What is the trade balance in period 1 (TB_1)?		
Finance: Suppose a project requires an initial investment of \$20,000 and returns \$7,000 and \$16,000 at the end of the first and second years respectively. Find the IRR in percentage to two decimal spaces of the project assuming yearly compounding.	✔ 8.64%	IRR follows a well-defined mathematical formula. The IRR is uniquely determined by solving a standard financial equation.
Finance: Consider a doubly stochastic Poisson process used to forecast firm defaults in τ months. Assume that the forward intensity $f_{it}(\tau)$ for firm i at time t is linearly dependent on n relevant features $x_{it,n}$, each feature having a coefficient β_n and including an intercept. Additionally, incorporate the effect Z_t of some unobserved variables, which adds on the intensity at each time t. What is the formula for the non-negative forward intensity process?	✔ $\exp(\beta_0 + \sum_{j=1}^n \beta_j x_{it,j} + Z_t)$	Follows from established stochastic process modeling. The formula can be explicitly derived using given parameters in Poisson process theory.