

Sample mails

```
prudhvi@PrudhviReddy: /mnt/e/Bridgelabz/Assignments/Day14
GNU nano 4.8 samplemails.sh
#!/bin/bash -x
read -p "Enter mail id :" name
pattern="^([a-z0-9A-Z\.\+\*\-]+)@([a-z0-9A-Z\.\-]+\.[a-zA-Z]{2,})$"
if [[ $name =~ $pattern ]]
then
    echo valid
else
    echo invalid
fi
```

```
prudhvi@PrudhviReddy: /mnt/e/Bridgelabz/Assignments/Day14$ ./samplemails.sh
Enter mail id :abc@yahoo.com
valid
prudhvi@PrudhviReddy: /mnt/e/Bridgelabz/Assignments/Day14$ ./samplemails.sh
Enter mail id :abc-100@yahoo.com
valid
prudhvi@PrudhviReddy: /mnt/e/Bridgelabz/Assignments/Day14$ ./samplemails.sh
Enter mail id :abc.100@yahoo.com
valid
prudhvi@PrudhviReddy: /mnt/e/Bridgelabz/Assignments/Day14$ ./samplemails.sh
Enter mail id :abc111@abc.com
valid
prudhvi@PrudhviReddy: /mnt/e/Bridgelabz/Assignments/Day14$ ./samplemails.sh
Enter mail id :abc-100@abc.net
valid
prudhvi@PrudhviReddy: /mnt/e/Bridgelabz/Assignments/Day14$ ./samplemails.sh
Enter mail id :abc.100@abc.com.au
valid
prudhvi@PrudhviReddy: /mnt/e/Bridgelabz/Assignments/Day14$ ./samplemails.sh
Enter mail id :abc@1.com
valid
prudhvi@PrudhviReddy: /mnt/e/Bridgelabz/Assignments/Day14$ ./samplemails.sh
Enter mail id :abc@gmail.com.com
valid
prudhvi@PrudhviReddy: /mnt/e/Bridgelabz/Assignments/Day14$ ./samplemails.sh
Enter mail id :abc+100@gmail.com
valid
prudhvi@PrudhviReddy: /mnt/e/Bridgelabz/Assignments/Day14$ _
```