

ADSL: Asymmetric Digital Subscriber Line.

AGP: Accelerated Graphics Port..

AI: Short for Artificial Intelligence.

AV: Short for AntiVirus.

BIOS: Basic Input-Output System.

BIT: Abbreviation of 'BInary digiT'.

BsoD: Blue Screen of Death.

BTC: BiTCoin.

CAPTCHA: Completely Automated Public Turing test to tell Computers and Humans Apart.

CD: Compact Disc.

CD-ROM: Compact Disc Read-Only Memory.

CD-RW: Compact Disc Re-Writable.

CODEC: COder/DECoder.

CPU: Central Processing Unit, or Processor.

DDR: Double Data Rate.

DIMM: Dual In-Line Memory Module.

DLC: DownLoadable Content.

DRAM: Dynamic Random Access Memory.

DV: Digital Video.

DVD: Digital Versatile Disc.

DVI: Digital Video Interface.

ECC: Error Correction Code.

EOL: End Of Life.

FAQ: Frequently Asked Questions.

FSB: Front Side Bus.

FTP: File Transfer Protocol.

GIF: Graphics Interchange Format.

GPU: Graphics Processing Unit.

GUI: Graphical User Interface.

HD: High Definition.

HDD: Hard Disk Drive.

HDMI: High-Definition Multimedia Interface.

HDTV: High-Definition Television.

HTML: Hyper-Text Mark-up Language.

I/O: Input/Output.

IP: Internet Protocol.

ID10T: Pronounced "Eye Dee Ten Tee."

IDE: Integrated Development Environment.

IEEE: Institute of Electrical and Electronics Engineers.

IGP: Integrated Graphics Processor.

IRQ: Interrupt Request.

ISA: Industry Standard Architecture.

ISP: Internet Service Provider.

ICT: Information and Communication Technologies.

JPEG: Joint Photographic Experts Group.

LAN: Local Area Network.

LASER: Light Amplification by Stimulated Emission of Radiation.

LCD: Liquid Crystal Display.

LED: Light-Emitting Diode.

MAC: Short for Macintosh

MAC Address: Media Access Control Address.

MALWARE: Short for MALicious SoftWARE.

MBR: Master Boot Record.

MIPS: Million Instructions per Second.

MOBO: MOtherBOard.

MODEM: Short for 'MOdulator/DEModulator'.

MS-DOS: MicroSoft Disk Operating System.

NIC: Network Interface Card.

NPC: Non-Playable Character.

NTFS: New Technology File System.

NVMe SSD: Non-Volatile Memory express SSD.

NVRAM: Non-Volatile Random Access Memory.

OC: OverClock.

OEM: Original Equipment Manufacturer.

OS: Operating System.

OSD: On Screen Display.

PC: Personal Computer.

PCB: Printed Circuit Board.

PCI: Peripheral Component Interconnect.

PCI-X: Peripheral Component Interconnect Extended.

PCMCIA: Personal Computer Memory Card International Association.

PDF: Portable Document Format.

PEBKAC: Problem Exists Between Keyboard and Chair.

PIXEL: PICture ELement.

PS/2: Personal System/2.

PSU: Power Supply Unit.

QR CODE: Quick Response code.

RAID: Redundant Array of Independent Disks.

RAM: Random-Access Memory.

RDRAM: Rambus Dynamic Random Access Memory.

RJ45: Registered Jack-45.

RMA: Return Merchandise Authorization.

ROM: Read-Only Memory.

RTFM: Read The F*** Manual.

SaaS: Software as a Service.

SATA: Serial Advanced Technology Attachment.

SCSI: Small Computer System Interface. Pronounced "skuzzy."

SMART: Self-Monitoring Analysis And Reporting Technology.

SPOF: Single Point of Failure.

SRAM: Static Random Access Memory.

SSD: Solid State Drive.

TDP: Thermal Design Power.

UEFI: Unified Extensible Firmware Interface.

UPC BARCODE: Universal Product Code.

UPS: Uninterruptible Power Supply.

USB: Universal Serial Bus.

VGA: Video Graphics Array.

VDU: Visual Display Unit.

VRAM: Video Random Access Memory.

WEBINAR: WEB semINAR.

WIDGET: WIndow gaDGET.

WIMP: Windows, Icons, Menus and Pointer

WWW: World Wide Web, or simply, Web. An information service that operates via the wiring of the Internet.