

Model Comparison: barplot Analysis for Accuracy


Configuration Details

batch_size: 32
dataset_name: P101, P103, P108, P127, P1376, P1412, P159, P17, P176, P178, P19, P20, P264, P27, P276, P30, P364, P37, P495, P740
exp_id: pert-awq-bnb-hqq-10-07
max_entries: None
max_new_tokens: 25
model_name: Llama-3-8B, Llama-3-8B-AWQ-4bit-local, Llama-3-8B-BNB-4bit-local, Llama-3-8B-HQQ-mixed-local
n_beams: 5
n_repeats: 1
strategy: Direct Completion
temperature: 0.1
typo_intensity: 1, 2, 3
typo_type: none, char_insertion, char_deletion, char_replacement, char_repetition, char_swapping, word_CMW, char_LCC, word_synonym, char_insert_noise, word_repeat, char_substitution, word_emoji, word_internet_slang, word_phrase_translation, word_context_aware_insertion, word_remove_punctuation, word_keyword_only, word_taxonomy_pos, word_taxonomy_neg

use_be


$$\text{Accuracy} = \frac{TP + TN}{TP + TN + FP + FN}$$

Bar Plot - Intensity 1




$$\text{Accuracy} = \frac{TP + TN}{TP + TN + FP + FN}$$

Bar Plot - Intensity 2



$$\text{Accuracy} = \frac{TP + TN}{TP + TN + FP + FN}$$

Bar Plot - Intensity 3



$$\text{Accuracy} = \frac{TP + TN}{TP + TN + FP + FN}$$