

Model Comparison: boxplot Analysis for Accuracy

Configuration Details

batch_size: 32

dataset_name: P101, P103, P108, P127, P1376, P1412, P159, P17, P176, P178, P19, P20, P264, P27, P276, P30, P364, P37, P495, P740

exp_id: pert-awq-bnb-hqq-10-07

max_entries: None

max_new_tokens: 25

model_name: Llama-3-8B, Llama-3-8B-AWQ-4bit-local, Llama-3-8B-BNB-4bit-local, Llama-3-8B-HQQ-mixed-local

n_beams: 5

n_repeats: 1

strategy: Direct Completion

temperature: 0.1

typo_intensity: 1, 2, 3


typo_type: none, char_insertion, char_deletion, char_replacement, char_repetition, char_swapping, word_CMW, char_LCC, word_synonym, char_insert_noise, word_repeat, char_substitution, word_emoji, word_internet_slang, word_phrase_translation, word_context_aware_insertion, word_remove_punctuation, word_keyword_only, word_taxonomy_pos, word_taxonomy_neg

use_beam_search: False

$$\text{sum}(\text{I}(\text{answer in true_answer})) / \text{len}(\text{dataset})$$

Box Plot Distribution

Model Comparison: Accuracy Box Plots with intensity 3



$\text{sum}(\text{I}(\text{answer in true_answer})) / \text{len}(\text{dataset})$