

Parts

Print these (STEP/ or STL/). Left hand: the _left parts and the jaw pair with the button on the left jaw.




chopstick_base_dc

1×




chopstick_clip_dc

1×




jaw_left_dc

1×




jaw_right_dc_button

1×




tip_tpu_left

1×




tip_tpu_right

1×




sleeve_button_cover_right

1×




d405_frame

1×




d405_cup

1×




ebox

1×




ebox_lid

1×



quest_arm_right

1×




quest_support_right

1×

1

Base

2×	2×
M2 × 4 insert	M3 × 4 insert




Fit the M2 heat-set inserts in the back of the base and the M3 inserts in its underside.

2

Jaws

1× CA glue	**4×** 624 bearing




Glue the TPU tips onto the jaws and press two 624 bearings into each jaw.

3

Record button

1×
6 × 6 switch + 30 cm wire




Solder the wire to the switch and lay it in the index jaw's channel. Press the switch in, plunger up, and press the green TPU cover over it (red on the left hand: cancel).

4

Join the jaws

1× rubber band

2× M3 shoulder screw, Ø4 × 18




Hook the rubber band through the base's centre cavity onto both jaws. Mesh the gears with the tips touching, then fit the two shoulder screws.

5

Camera

2× M3 × 6

1× M4 × 30 + nyloc nut




Screw the D405 into the cup (2 × M3 × 6). Hang the cup on the frame's knuckle with the M4 × 30 bolt and nyloc nut, set the tilt and tighten. Route the cable out of the cup's top window.

6

Electronics box

4×	4×	4×
M3 × 10	M3 insert	M2 × 6 self-tapping




Fit the electronics (electronics.md). Bolt the box to the frame's back plate, feed the D405 cable into its top slot and the button wire through the side hole, then close the lid.

7

Quest controller


4×	**2×**	**1×**
M3 × 10	M3 × 25 + nut	foam tape, 0.5 mm




Screw quest_arm to the box's back. Bolt HandUMI's controller support to its arm end. Line the ring with foam tape and push the right controller's handle down through it, trigger forward.

8

Head onto the base






Join the frame to the base with the clip and the two M3 × 55 screws (nut and washer on each).

9

Finger straps

2×
16 mm elastic strap, 12 cm



Loop each strap through one fin, over your finger, through the other fin and fold it back.