PseudoLab

PseudoLab 12th Project

나만의 AI Agent 자동화 프로그램 만들기 🤖

Week 2 (26.03.28)

Homework (from Last Week)

이번 미팅까지 해야 할 일

- 나만의 자동화 주제 1개 확정
- 자동화할 작업 정의
- 어렵거나 모호한 부분이 있다면 언제든 토의

Builder’s Project Introduction

- PPT 제작 자동화
- Daily Paper Newsletters
- SNS 자동화 (Personal Branding)

Runner’s Project Introduction

러너의 자동화 프로젝트 계획 소개 🙌

- 이름
- 이번에 만들 주제
- 활용 예정 툴

Tool Introduction

이미 많은 사람들이 좋은 도구를 개발해놓았습니다

OpenClaw — Personal AI Assistant

OPENCLAW

EXFOLIATE! EXFOLIATE!

BUILD FAILING | RELEASE V2026.3.13-1 | DISCORD 23K ONLINE | LICENSE MIT

OpenClaw is a *personal AI assistant* you run on your own devices. It answers you on the channels you already use (WhatsApp, Telegram, Slack, Discord, Google Chat, Signal, iMessage, BlueBubbles, IRC, Microsoft Teams, Matrix, Feishu, LINE, Mattermost, Nextcloud Talk, Nostr, Synology Chat, Tlon, Twitch, Zalo, Zalo Personal, WebChat). It can speak and listen on macOS/iOS/Android, and can render a live Canvas you control. The Gateway is just the control plane — the product is the assistant.

MiroFish

GITHUB TRENDING #1 Repository Of The Day

简洁通用的群体智能引擎，预测万物

A Simple and Universal Swarm Intelligence Engine, Predicting Anything

shanda 盛大

stars 38k | watchers 220 | forks 5k | Docker Build | Ask DeepWiki

Discord Join | X Follow | Instagram Follow

English | 中文文档

nanobot

nanobot: Ultra-Lightweight Personal AI Assistant

pypi v0.1.4.post5 | downloads 105k | python ≥3.11 | license MIT | Feishu Group | WeChat Group | Discord Community

🐈 **nanobot** is an **ultra-lightweight** personal AI assistant inspired by OpenClaw.

⚡ Delivers core agent functionality with **99% fewer lines of code** than OpenClaw.


📏 Real-time line count: run `bash core_agent_lines.sh` to verify anytime.

AutoResearchClaw

Chat an Idea. Get a Paper. Fully Autonomous & Self-Evolving.

Just chat with OpenClaw: "Research X" → done.





License MIT | Python 3.11+ | Tests 1634 passed | GitHub AutoResearchClaw | OpenClaw Compatible

Discord Join Community

DeepCode

GITHUB TRENDING #1 Repository Of The Day

DeepCode: Open Agentic Coding

Advancing Code Generation with Multi-Agent Systems


STARS 15K | PAPER ARXIV | PYTHON 3.13

DISCORD COMMUNITY | WECHAT GROUP


QUICK START GET STARTED NOW

ENGLISH | 中文

Oh My OpenAgent



Tool Introduction



Isaac Newton

(1643 ~ 1727)

"거인의 어깨에 올라서서
더 넓은 세상을 바라보라 "

→ 잘 만들어진 툴을 최대한 활용

Tool Introduction

자동화가 필요한 경우 대부분 서버(호스팅 PC)가 필요합니다



https://www.youtube.com/watch?v=ch4EsgfHOJc

Free Server – Oracle Cloud Free Tier

Oracle Cloud Free Tier는 어떻게 구성되나요?*

상시 무료 클라우드 서비스

무제한 이용 가능한 서비스입니다.

- Oracle APEX 및 Oracle SQL Developer와 같은 강력한 도구가 포함된 Oracle Autonomous Database 2개
- AMD 컴퓨팅 VM 2개
- ARM 기반 Ampere A1 컴퓨팅 인스턴스 최대 4개 지원(매월 3,000 OCPU 시간과 18,000 기가바이트-시간 제공)
- 블록 스토리지, 오브젝트 스토리지, 아카이브 스토리지, 로드 밸런서 및 데이터 송신, Monitoring 및 Notifications

해당 서비스 목록은 아래를 참조하세요.

+

30일 무료 체험

미화 $300 상당의 무료 크레디트를 제공합니다.


- 데이터베이스, 분석, 컴퓨팅 및 Container Engine for Kubernetes를 포함하여 30일 동안 다양한 Oracle Cloud Services에 액세스
- 사용 가능한 모든 서비스에서 최대 8개의 인스턴스
- 최대 5TB 스토리지

해당 서비스 목록은 아래를 참조하세요.

무료 고사양 서버 제공!!

https://www.oracle.com/kr/cloud/free/

Free Server – Oracle Cloud Free Tier



회원가입이 매우 힘듦... 카드사 해외 영문 주소 등록 후 시도 추천

Free Server – AWS



https://aws.amazon.com/ko/free/


Free Server – AWS

2025년 7월 15일 전과 후 프리 티어 혜택

다음 표에서는 AWS 계정 생성 날짜를 기준으로 프리 티어 혜택을 비교합니다.


프리 티어 혜택	2025년 7월 15일 전에 생성된 계정	2025년 7월 15일 이후에 생성된 계정
프리 티어 사용 가능으로 표시된 인스턴스 유형	`t2.micro`, `t3.micro`	`t3.micro`, `t3.small`, `t4g.micro`, `t4g.small`, `c7i-flex.large`, `m7i-flex.large`
프리 티어 사용 가능으로 표시된 Amazon EBS 볼륨 유형	`standard`, `st1`, `sc1`, `gp2` 및 `gp3`	`standard`, `st1`, `sc1`, `gp2` 및 `gp3`
프리 티어 사용 가능으로 표시된 AMI	**프리 티어 사용 가능**으로 표시된 AMI를 확인합니다.	**프리 티어 사용 가능**으로 표시된 AMI를 확인합니다.
사용량 한도	사용량에는 한도가 있으며 사용량 한도를 모두 사용한 이후에는 종량제로 요금이 청구됩니다.	USD $100 가입 크레딧을 받고 추가 크레딧으로 최대 $100를 획득합니다.
프리 티어 기간	프리 티어는 계정을 생성한 날짜로부터 12개월 동안 지속됩니다. 이 기간 동안 프리 티어 사용 한도를 초과하면 종량제로 요금이 청구됩니다.	프리 티어는 계정을 생성한 날짜 또는 크레딧이 소진된 날짜 중 먼저 발생하는 날짜로부터 6개월 동안 지속됩니다. 프리 티어 한도를 초과할 수 없습니다.

Free Server - Vercel




https://vercel.com/

Free Server - Vercel




Tool Introduction

서버에서 데이터를 저장할 DB가 필요합니다




Free DB - Firebase



https://firebase.google.com/


Free DB - Supabase



https://supabase.com/

SKILLS Introduction

반복적인 업무를 실행함에 있어 Agent에게 선행 프롬프트를 부여할 skill이 필요합니다




SKILLS Introduction

Skill은 AI가 특정 전문 영역의 업무를 수행하는 데 필요한 지식, 실행 방법, 참고 자료(템플릿 등) 를 하나로 묶은 '전문 지식 패키지' 입니다.

예를 들어, AI Agent가 '재무 모델링 전문가 스킬'이나 '현금흐름표 작성 스킬'을 장착하여, 숙련된 경영 전문가처럼 관련 작업을 수행하도록 돕는 확장 기능이라고 할 수 있습니다.

SKILLS Introduction



https://github.com/phuryn/pm-skills

SKILLS Introduction

gstack

> "I don't think I've typed like a line of code probably since December, basically, which is an extremely large change." — Andrej Karpathy, No Priors podcast, March 2026

When I heard Karpathy say this, I wanted to find out how. How does one person ship like a team of twenty? Peter Steinberger built OpenClaw — 247K GitHub stars — essentially solo with AI agents. The revolution is here. A single builder with the right tooling can move faster than a traditional team.

I'm Garry Tan, President & CEO of Y Combinator. I've worked with thousands of startups — Coinbase, Instacart, Rippling — when they were one or two people in a garage. Before YC, I was one of the first eng/PM/designers at Palantir, cofounded Posterous (sold to Twitter), and built Bookface, YC's internal social network.

gstack is my answer. I've been building products for twenty years, and right now I'm shipping more code than I ever have. In the last 60 days: **600,000+ lines of production code** (35% tests), **10,000-20,000 lines per day**, part-time, while running YC full-time. Here's my last `/retro` across 3 projects: **140,751 lines added, 362 commits, ~115k net LOC** in one week.

https://github.com/garrytan/gstack

SKILLS Introduction

Skills

Skills aren't just prompts. Each brings:

- Domain-tuned system instructions
- Embedded MCP servers, on-demand
- Scoped permissions. Agents stay in bounds

Built-ins: `playwright` (browser automation), `git-master` (atomic commits, rebase surgery), `frontend-ui-ux` (design-first UI).

Add your own: `.opencode/skills/*/SKILL.md` or `~/.config/opencode/skills/*/SKILL.md`.

https://github.com/code-yeongyu/oh-my-openagent

SKILLS Introduction

Causal Studio


English | 한국어

A repository for managing a causal inference codebook (Jupyter Book) and Manim educational videos together.

Project working rules: CONTRIBUTING.md | 한국어

Repository Structure


```
causal_studio/
├── book/
│   └── why_causal_inference/        Korean & English notebooks
├── videos/
│   └── why_causal_inference/
│       └── src/                     Scene code + narration scripts
├── .codex/skills/                   Codex skills
├── .claude/skills/                  Claude Code skills
├── requirements.txt                 Full dependencies (book + video)
└── requirements-book.txt            Book-only (CI/deploy)
```



가짜연구소 인과추론팀, ElevenLabs 활용

https://github.com/CausalInferenceLab/causal-studio

SKILLS Example



SKILLS Example

Before

PseudoLab 12th Project

나만의 AI Agent 자동화 프로그램 만들기 🤖

Week 1 (26.03.21)

After

PseudoLab 12th Project

나만의 AI Agent 자동화 프로그램 만들기 🤖

Week 2 (26.03.28)

https://github.com/code-yeongyu/oh-my-openagent

Tool Introduction

이제 작업을 효율적으로 수행할 AI Orchestrator가 필요합니다



https://www.youtube.com/watch?v=ch4EsgfHOJc

AI Orchestrator - Oh-My-ClaudeCode

oh-my-claudecode



> **For Codex users:** Check out oh-my-codex — the same orchestration experience for OpenAI Codex CLI.

Multi-agent orchestration for Claude Code. Zero learning curve.

Don't learn Claude Code. Just use OMC.


Get Started • Documentation • CLI Reference • Workflows • Migration Guide • Discord

---

Made by **Yeachan Heo,** https://github.com/Yeachan-Heo/oh-my-claudecode

AI Orchestrator - Oh-My-Codex

oh-my-codex (OMX)



Start Codex stronger, then let OMX add better prompts, workflows, and runtime help when the work grows.

npm v0.11.9 | License MIT | node >=20 | Discord widget disabled

Website: https://yeachan-heo.github.io/oh-my-codex-website/
Docs: Getting Started · Agents · Skills · Integrations · Demo · OpenClaw guide


OMX is a workflow layer for OpenAI Codex CLI.

It keeps Codex as the execution engine and makes it easier to:

- start a stronger Codex session by default
- reuse good prompts with `/prompts:*`
- invoke workflows with skills like `$plan`, `$ralph`, and `$team`
- keep project guidance, plans, logs, and state in `.omx/`

Made by **Yeachan Heo,** https://github.com/Yeachan-Heo/oh-my-codex


AI Orchestrator - Oh-My-OpenAgent



사용성 가장 ⬆, AGENTS.md & Skills 지원

Made by [YeonGyu (Q) Kim,](https://ohmyopenagent.com/ko) https://ohmyopenagent.com/ko

AI Orchestrator - Oh-My-OpenAgent



oh-my-openagent / AGENTS.md

code-yeongyu and sisyphus-dev-ai docs: sync hook counts after continuation hook removal

3aa2748 · last week History

Preview Code Blame 157 lines (130 loc) · 8.6 KB Raw

oh-my-opencode — O P E N C O D E Plugin

Generated: 2026-03-06 | **Commit:** 7fe44024 | **Branch:** dev

OVERVIEW

OpenCode plugin (npm: `oh-my-opencode`) that extends Claude Code (OpenCode fork) with multi-agent orchestration, 48 lifecycle hooks, 26 tools, skill/command/MCP systems, and Claude Code compatibility. 1268 TypeScript files, 160k LOC.

STRUCTURE

```
oh-my-opencode/
├── src/
│   ├── index.ts              # Plugin entry: loadConfig → createManagers → createTools → createHooks → createPlugin
│   ├── plugin-config.ts      # JSONC multi-level config: user → project → defaults (Zod v4)
│   ├── agents/               # 11 agents (Sisyphus, Hephaestus, Oracle, Librarian, Explore, Atlas, Prometheus, Meti
│   ├── hooks/                # 48 lifecycle hooks across dedicated modules and standalone files
│   ├── tools/                # 26 tools across 15 directories
│   ├── features/             # 19 feature modules (background-agent, skill-loader, tmux, MCP-OAuth, etc.)
│   ├── shared/               # 95+ utility files in 13 categories
```

각 프로젝트 별 AGENTS.md 설정 추천

Oh-My-OpenAgent Example

server/ — Python FastAPI + gRPC Server

Module	Files	Status
FastAPI	main.py (/health, /models, /reconstruct)	✅
Config	config.py (Pydantic Settings)	✅
gRPC	server.py, scanner_service.py, interceptors.py	✅
ML Pipeline	base.py, depth_estimator.py, segmentation.py, reconstruction.py, pose_estimator.py, pipeline_manager.py	✅
Generated stubs	scanner_pb2.py, scanner_pb2_grpc.py	✅

proto/ — Protocol Buffers

File	Status
scanner.proto (3 RPCs: StreamFrames, Reconstruct, GetHealth)	✅
buf.yaml + buf.gen.yaml	✅
buf lint passes	✅

■ Atlas (Plan Executor) · claude-sonnet-4-6 · 3h 38m

I want to make an android native app (Kotlin) that can extract the frame by continuous image shooting or video shooting and then make it a mesh immediately. I would like to refer to the @MonoBite, PRCV 2025.pdf paper for the method. Complete the project setting for android in the current directory.

Hephaestus (Deep Agent) GPT 5.4 (OAuth) OpenAI · xhigh

ctrl+t variants tab agents ctrl+p commands

Android Kotlin 3D mesh reconstruction app

Context
167,088 tokens
84% used
$0.00 spent

▼ MCP
• context7 Connected
• grep_app Connected
• websearch Connected


LSP
LSPs will activate as files are read


~/Workspace/3D_scanner

• OpenCode 1.3.2


Tool Introduction

에이전트가 효율적으로 작동될 환경이 필요합니다






Coding Tools – tmux (Mac, Linux)




Coding Tools – Ghostty (Mac, Linux)



https://ghostty.org/

Coding Tools – cmux (Mac)




tmux와 비교하면 어떤가요?

tmux는 모든 터미널 안에서 실행되는 터미널 멀티플렉서입니다. cmux는 GUI를 갖춘 네이티브 macOS 앱으로, 세로 탭, 분할 패널, 내장 브라우저, 소켓 API가 모두 내장되어 있습니다. 설정 파일이나 프리픽스 키가 필요 없습니다.

https://cmux.com/ko

cmux Example




Web Frontend Coding Tools

에이전트가 더 효율적으로 작동하기 위해 명령을 상세히 적어야 합니다

인간이 명령을 잘 내리기 위해 도메인에 대한 이해가 필요합니다



Frontend Coding Tools – Component Gallery



https://component.gallery/


Frontend Coding Tools – Component Gallery

Carousel

Component

Also known as: Content slider

A means of displaying multiple slides of content, one or more at a time. Navigation between slides can be controlled via swiping, scrolling, or buttons.



ON THIS PAGE

- Examples
- Description
- Accessibility
  - On-screen controls
  - Hide inactive content
  - Respecting motion preferences
- Styling
  - CSS Scroll Snap
  - CSS Logical Properties

22 EXAMPLES

Copy URLs

Filter: Tech Features

Sort by: Design system




Alert

Component

Also known as: Notification, Feedback, Message, Banner, Callout

A way of informing the user of important changes in a prominent way.



ON THIS PAGE

- Examples
- Related components
- Resources
- Name distribution

108 EXAMPLES

Copy URLs

Filter: Tech Features

Sort by: Design system




Alert Message Notification

Card

Component

Also known as: Tile

A container for content representing a single entity. e.g. a contact, article, or task.



ON THIS PAGE


- Examples
- Resources
- Name distribution

79 EXAMPLES

Copy URLs

Filter: Tech Features

Sort by: Design system




Navigation

Component

Also known as: Nav, Menu

A container for navigation links; these can be to other pages (e.g. main site navigation) or to elements within the current page (e.g. a table of contents).



ON THIS PAGE


- Examples
- Name distribution

63 EXAMPLES


Copy URLs

Filter: Tech Features

Sort by: Design system




Frontend Coding Tools – react-grab



https://github.com/aidenybai/react-grab

Design Tools

조금 더 예쁘게 만들고 싶다면?



Design Tools – Figma Make



https://www.figma.com/ko-kr/make/

Design Tools – Figma Make

I want to make an app that can check the daily tasks of caregiver and patient. Please make a default frame.

Reasoning >


I'll create a caregiver and patient task management app with a clean, organized interface. This will include task lists for both roles, the ability to mark tasks as complete, and a responsive layout that works well on both desktop and mobile devices.

Worked with 5 files >


I've created a comprehensive caregiver and patient task management application with a clean, intuitive interface. The app features role switching between caregiver and patient views, organized tasks by time periods (morning, afternoon, evening), and

Ask for changes

Default




Design Tools – Stitch



https://stitch.withgoogle.com/

Design Tools – Stitch



Design Tools – Visily


Visily Use Cases AI Design Templates Resources Pricing Log in Sign up for free

Get buy-in, not blank stares

Leave a lasting impression with clients, executives, and teammates with high-fidelity concepts that'll leave them asking, "Did you design this?".

Features such as Smart Components, Auto-Prototyping, and more fast-track the delivery of polished prototypes for all to admire.


Visualize product concepts, fast!



Bart Slaets
Co-Founder & CTO, PayBIX

https://www.visily.ai/

Design Tools – Visily



Closing

이제부터 진짜 자동화 시작 🚀