Mearch Jechnique

What is searching?

target in a search space space of dime completely

- i) Appliabetical order (Dictionary driangement) -The data are arrange in alphabetical
- ii) Numerical Arrangement. - ascending [descending order
- ill) classified drangement

sofe that involve in dearch process. is Keregnize L'atate the need. in Development of search strategy ind Kennier search nesults 7º) Edit search résults vi) evaluation L'afectack. I Different types of search i) field based deared ii) Juli that text week iii) Transation search iv) Proximity much vi) Limiting search viv simple word. viii) Shrance search


01/10/24 Advance topic # Web Search barries Learthing Relevande field. I browser Sent - little requel node node WEB GRAPH It consists of HTML pages together with the hyperlink represented as directed graph where each web page is a model each hyperlink as a directed edge. Judegree C=2

Jotal no. of web types with indepele is proportional to

Jotal no. of web types with indepele is proportional to


It , a is Ziff's law of distribution of word.

01.10.29 STRULTURE OF WER POW'TIE Span VARIOUS Web crawler



07/10/24 # Near duplicates & Shingling. -topic was missed) Multiple met pages duy 2 duplicates same wellpages Shinding - technique mechanism /tech. identify the near duplicates web pages. Given: on integer & l'acquence of terms in document d shingling of locument d => set of all consecutive requence of k terms in document. K=4 a rose is a roll. decd-a rure is 1) a rose is a -2) rose is a rose -3) is a rose is 4) a rose is a

5) nose as a nose -



$$\int (S(d_1), S(d_2)) = \frac{3}{4} = 0.75 > \frac{1}{4} \cdot (3.7)$$

$$\int (S(d_1), S(d_2)) = \frac{3}{4} = 0.75 > \frac{1}{4} \cdot (3.7)$$

$$\int (S(d_1), S(d_2)) = \frac{4}{5} = 0.8 > \frac{1}{4} - \frac{1}{4} \cdot \frac{1}{4}$$

$$\int (S(d_1), S(d_2)) = \frac{4}{5} = 0.4 > \frac{1}{4} - \frac{1}{4}$$

$$\int (S(d_2), S(d_3)) = \frac{3}{5} = 0.6 > \frac{1}{4} - \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4} - \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4} - \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4} - \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{4}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5} = 0.6 > \frac{1}{5}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5}$$

$$\int (S(d_3), S(d_1) = \frac{3}{5}$$

$$\int (S(d_3), S(d_1)) = \frac{3}{5}$$

$$\int (S(d$$

J (dy , dz)

		(()
<i>v</i>	انا	J(s(di),s(d1))
-	do	4/5 = 0.8 7 k ×
de		11 6
dz	dz	n. 40
dz	dy	30/25 = 0.8 7 LL X
dey	\ ds	9/5 = 5 m
di	dz	4/5 = 0.8 5 m X. 3/5 = 0.6 5 m X
OKa	den	3/5 = 0.6 < MX.
d	dy	3/5
a ₂		

delde ? similer. dylde,